

\*---A macro to ERASE from the cell next to the cellpointer to ends of row, columns, sheets  
 \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)  
 \*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
 IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

!

\Z {BREAKON}

ERASENDS {let rel504,@info("release")}~{menubran menu1504}

!

menu1504	Right	Left	Up	Down	In
!	Erase all the ce	Erase all the ce	Erase all the ce	Erase all the ce	Erase all the ce
!	{rightaa504}	{leftaa504}	{topaa504}	{bottomaa504}	{if @left(rel50
!	{menubran r	{menubran r	{menubran r	{menubran r	{menubran r

!

ret504

!

rel504 @info("release")

!

top504 #NAME?

!

bottom504 #NAME?

!

left504 #NAME?

!

right504 #NAME?

!

out504 #NAME?

!

inA504 \$U:\$H\$38

!

dum504 \$A:\$D\$10

!

ERATOP504 A:\$D\$10..\$J:\$D\$10

!

dumc504 \$J:\$D\$10

!

topaa504 {WINDOWSOFF} {recalc top504} {UP} {LET ERATOP504,@CELLPOIN

```

!           {WINDOWSON}
!
bottomaa504 {WINDOWSOFF} {recalc bottom504} {DOWN} {LET ERATOP504,@CE
!           {WINDOWSON}
!
leftaa504   {WINDOWSOFF} {recalc LEFT504} {LEFT} {LET ERATOP504,@CELL
!           {WINDOWSON}
!
rightaa504  {WINDOWSOFF} {recalc RIGHT504} {RIGHT} {LET ERATOP504,@CE
!           {WINDOWSON}
!
inaa504     {WINDOWSOFF} {IF @LEFT(REL504,1)<>"@"} {LET DUM504,@CEI
!           {IF @LEFT(REL504,1)<>"@"} {LET eratop504,@LEFT(dumc504,@FIN
!           {IF @LEFT(REL504,1)<>"@"} {goto} {dum504}~
!           {WINDOWSON}
!
outaa504    {WINDOWSOFF} {IF @LEFT(REL504,1)<>"@"} {RECALC OUT504} {
!           {NS} {WINDOWSON}
!
move504     Use the arrow keys to move the cell pointer and press RETURN: {GET KE
!           {IF KEY504="~"} {RETURN}
!           {IF KEY504="{PGDN}"#OR#KEY504="{PGUP}"#OR#KEY504="{DO
!           {IF @LEFT(REL504,1)<>"@"#AND#(KEY504="{NS}"#OR#KEY504='
!           {BRANCH MOVE504}
!
KEY504     ~

```

Out            Move            Quit  
Erase all the ceMove the cell ¶Quit the macro  
{if @left(rel50 {MOVE504} {BRANCH ret504}  
{menubranh r {menubranh menu1504}}

¶TER("ADDRESS")&".."&TOP504}~{DOWN}/RE {ERAtop504}~~

CELLPOINTER("ADDRESS")&".."&bottom504}~{UP}/RE {ERAtop504}~~

CELLPOINTER("ADDRESS")&".."&LEFT504}~{RIGHT}/RE {ERAtop504}~/re {erato

CELLPOINTER("ADDRESS")&".."&RIGHT504}~{LEFT}/RE {ERAtop504}~/RE {

CELLPOINTER("coord")}~{NS} {LET DUMC504,@CELLPOINTER("coord")}~{lc} {  
D(":",dumc504,0)&@RIGHT(DUM504,@LENGTH(DUM504)-@FIND(":",DUM5

PS} {LET DUMC504,@CELLPOINTER("coord")}~{let eratop504,OUT504&".."&(

Y504} {ESC}

WN} "#OR#KEY504="{UP}"#OR#KEY504="{LEFT}"#OR#KEY504="{RIGHT}"  
'{PS}') {KEY504}

p504}~~

ERATOP504}~~

end} {NS} {LET INA504,@CELLPOINTER("coord")}~  
504,0))&".."&@left(INA504,@FIND(":",INA504,0))&@RIGHT(DUM504,@LENGTH(DUM

@LEFT(DUMC504,@FIND(":",DUMC504,0))&@RIGHT(OUT504,@LENGTH(OUT504)-

} {KEY504}

M504)-@FIND(":",DUM504,0))}~/re{eratop504}~~

@FIND(":",OUT504,0))}~/RE{ERATOP504}~~{GOTO}{DUMC504}~