

\*---A macro to INDENT all LABELS in a 3-D or 2-D range a specified  
No. of spaces

\*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the  
range names in this column (starts with the \Z macro name)

\*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN LOTUS 2.0 AND UP

!

```
\Z          {BREAKON}
INDENT      {windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RN
!           {GETNUMBER "How many characters to indent ? ",spaces124}~{F
cont124     {let hereabs124,@cellpointer("address")}~{LET counter1124,0}
!           {FOR counter1124,0,@cols(Which range ?)-1,1,labels1124}
!           {let rel124,@INFO("RELEASE")}~{IF @LEFT(REL124,1)<"@"
!           {goto}which range ?~/rndWhich range ?~
!
counter1124          1
counter1a124         0
labels1124          {RIGHT}{LET here124,@CELLPOINTER("ADDRESS")}~{LEFT
!
here124             $F$1
!
labels1a124         {IF @CELLPOINTER("TYPE")="I"}{rmd124}~
!                   {DOWN}
ret124
!
rnd124              {IF @CELLPOINTER("TYPE")="I"}{edit}{home}{right}{spaces2
!
spaces124           10
!
spaces2124
!
spaces3124
!
counterb124         6
hereabs124         $A$1
!
rel124
```

∩C{windowson}{panelon}Which range ?~{bs}{bs}{?}~{WINDOWSOFF}{GOTO}Which r  
RECALC spaces2124}

{goto}{hereabs124}~{let counterb124,counterb124+1}~{if counterb124<@sheets(which ra:

∩}{FOR counter1a124,0,@ROWS(WhICH RANGE ?)-1,1,labels1a124}~{if counter1124<@

.124}{end}~

range ?~{let counterb124,0}~

range ?)} {NS} {GOTO} {HEREABS124}~{branch cont124}

cols(which range ?)-1} {GOTO} {here124}~{LET counter1a124,0}~