

*---A macro to MODIFY all values in a 3-D or 2-D range. For example:
multiply values by 5 or add 9 to all values in the range. Blanks or
labels will not be altered.

*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
range names in this column (starts with the \Z macro name)

*---Hold the <ALT> key and press Z to activate the macro

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
IT WILL WORK IN LOTUS 2.0 AND UP

```
!  
\Z          {BREAKON}  
MODIFRNG   {windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RN  
cont411    {let hereabs411,@cellpointer("address")}{~}{LET counter1411,0}  
!          {FOR COUNTER1411,0,@cols(Which range ?)-1,1,LABELS1411}  
!          {let rel411,@INFO("RELEASE")}{~}{IF @LEFT(REL411,1)<>"@".  
!          {goto}which range ?~/rndWhich range ?~  
!  
COUNTER1411          4  
COUNTER1A411        6  
LABELS1411          {RIGHT}{LET HERE1411,@CELLPOINTER("ADDRESS")}{~}{L}  
!  
HERE1411            $$S1  
!  
LABELS1A411         {EDIT}{HOME}({END})  
VALUE411            /10  
!  
TYPE411             {IF @CELLPOINTER("type")<>"v"}{down}{return}  
!                   {labels1a411}{DOWN}  
!  
counterb411         4  
hereabs411          $$S1  
!  
rel411
```

√C {panelon} {windowson} Which range ?~{bs} {bs} {?}~{WINDOWSOFF} {GOTO} Which r

{goto} {hereabs411}~{let counterb411,counterb411+1}~{if counterb411<@sheets(which ra

EFT} {FOR COUNTER1A411,0,@ROWS(Which RANGE ?)-1,1,TYPE411}~{if COUNT

range ?~{GETLABEL "Enter desired modification (Example: +5, *4, /3, etc.) ",VALUE411}~

range ?)} {NS} {GOTO} {HEREABS411}~{branch cont411}

!R1411<@cols(which range ?)-1} {GOTO} {HERE1411}~{LET COUNTER1A411,0}~

{let counterb411,0}~