

*---A macro with standard and extra SPECIAL MOVE options :

- 1) Standard move
- 2) Move to target cell and stay there
- 3) Move from there to here
- 4) Repeat last move

*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)

*---Hold the <ALT> key and press <Z> to activate the macro

!
!
!

\Z {BREAKON}

MOVESPC {let rel205,@INFO("release")}~{recalc froma205} {recalc fromb205}

!

menu205 Standard_Move Move_&_go From_move Repeat
! Standard 1-2-3 Move Move the cell aMove from othRepeat Last mc
! {LET flag205,1}~{wind{LET flag205,{froma205} {LET flag205,
! /mrange to move ?~{?}~/mrange to mov{menubran n{goto} where tc
! {menubran menu205} {menubran menu205} {menubran n

!

key205 {RIGHT}

flag205 0

flaga205 0

here205 \$D:\$E\$3

!

rel205 3.00.00

!

loc205 coord

!

froma205 Move the cell pointer to the target location and press <ENTER> {GET k
! {if key205="~"} {LET flag205,1} {windowsoff} {paneloff}/rncrange to

fromb205 {key205}{?}~{let here205,@cellpointer(""coord")}~{LET flag205,1}

!

ret205

```
{menubranh menu205}
```

Quit

Quit the macro

```
{IF flag205=1}/rndrange to move ?~
```

```
{LET flag205,0} {LET flaga205,0}~
```

```
{branch ret205}
```

```
ey205){ESC}~{let here205,@cellpointer("&quot;coord&quot;);}~
```

```
o move ?~/rnc{panelon}Range to move ?~{bs} {bs} {windowson} {?}~/n
```

```
{windowsoff}{paneloff}/rncrange to move ?~/rnc{panelon}Range to move ?~{bs}
```

```
range to move ?~{here205}~{menubranh menu205}  
[bs]{windowson}{?}~/mrange to move ?~{here205}~{return}
```