

\*---A macro to turn all labels in a 3-D or 2-D range to PROPER form  
 \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the  
 range names in this column (starts with the \Z macro name)  
 \*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
 IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

!

```

\Z          {BREAKON}
PROPER      {windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/Rn
cont412     {let hereabs412,@cellpointer("address")}{LET counter412,0}
!           {FOR counter412,0,@cols(Which range ?)-1,1,labels412}
!           {let rel412,@INFO("RELEASE")}{IF @LEFT(REL412,1)<"@"
!           {goto}which range ?~/rndWhich range ?~
!
counter412          3
countera412         6
labels412           {RIGHT}{LET here412,@CELLPOINTER("ADDRESS")}{LEFT
!
here412             $D$1
!
labels412           {panelon}{recalc prop412}{if @cellpointer("type")<"b"#and#@ce
!                   {down}
!
PROP412             #NAME?
!
counterb412         2
hereabs412          $A$1
!
rel412

```

NC {windowson} {panelon} Which range ?~{bs} {bs} {?}~{windowsoff} {GOTO} Which range

{goto} {hereabs412}~{let counterb412,counterb412+1}~{if counterb412<@sheets(which ra

] {FOR counter412,0,@ROWS(WhICH RANGE ?)-1,1,labels412}~{if counter412<@cols

:lpointer("type")<>"v"#and#@cellpointer("prefix")<>"\ "#and#@cellpointer("prefix")<>"|"} {

?~{let counterb412,0}~

nge ?)} {NS} {GOTO} {HEREABS412}~{branch cont412}

.(which range ?)-1} {GOTO} {here412}~{LET countera412,0}~

paneloff}/rvPROP412~~{EDIT}~