

---A QUERY macro with EXTRACT, the macro assumes two empty lines above the database fields for the criterion range. There is no need to add "" etc. just type the searched string. The query is case insensitive. (SEE the SAMPBASE.WK1 address dbase)

*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)

*---Place the highlight on the upper left cell of the database

*---Hold the <ALT> key and press <Z> to activate the macro

*---Leave two empty rows above database and one empty column to the left

```

\Z          {BREAKON}
QUERY      Expand the highlight to include the database and press <RETURN>
!          Move the cellpointer to the OUTPUT range and press <RETURN>
!          {GOTO}DBASE RANGE ?~/C.{END}{RIGHT}~{UP 2}~{UP 2
!          /C.{END}{RIGHT}~output142~{GOTO}output142~/DQO.{END
!          {branch crit2142}
!
key142     {NS}
!
crit2142   {windowson}{panelon}{GETLABEL "Insert criterion string or <F
!          {if @upper(crit3142)="F"}/dqf{esc 4}{query}{?}~{windowsoff}
!          {if @upper(crit3142)="S"}{RIGHT}{BRANCH crit2142}
!          {if @length(crit3142)=0}{right}{branch crit2142}
!          {right}{branch crit2142}
!
crit3142   F
!
critform142 #not#@iserr(@find("&quot;F&quot;,@upper({down 2}),0))~
!
extrct142  Extract          Quit
!          Extract and view the matching adQuit the macro
!          /dreq          /wtc
!          {namesdel}      {namesdel}
!
namesdel   {GOTO}CRITERION142~{LEFT}/RE.{END}{RIGHT}{DOWN
!          /RNDOUTPUT142~/RNDCRITERION142~/RNDDBASE RANC

```

```
>! {get key142} {esc 6} {WINDOWSOFF} {PANELOFF}/RNCdbase range ?~/RNDdbase  
· ! {get key142} {esc 6} {key142} {?}~{WINDOWSOFF} {PANELOFF}/RNCoutput142~/  
{LEFT}CRITERION142~/RNL~/DQRC.{END} {RIGHT} {DOWN}~Q{GOTO}DBAS  
) {RIGHT}~Q{GOTO}criterion142~{DOWN}/RE{UP} {END} {RIGHT} {DOWN}~
```

```
'> to Find or <S> to Skip: ",crit3142}~{if @upper(crit3142)<>"F"#AND#@UPPER(crit314  
{paneloff} {PGDN 2} {HOME} {RIGHT} {END} {DOWN} {DOWN} {goto}output142~{wir
```

```
}~  
iE ?~
```

range ?~/RNC{PANELON} {windowson}dbase range ?~{key142} {?}~
RNDoutput142~/RNCoutput142~~
;E RANGE ?~/DQIDBASE RANGE ?~Q

f2)<>"S"} {recalc critform142} {critform142} {windowsoff} {paneloff}
indowson} {panelon} {menubranh extrect142}