

\*---A macro to DELETE a LISTED GROUP of range names, the macro checks the validity of the range names too

\*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)

\*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

```
\Z          {BREAKON}
RANGDELG   {WINDOWSOFF}{PANELOFF}/RNCNames range ?~/rndNames
cont153    {LET HEREABS153,@CELLPOINTER("address")}~{LET counter
!          {FOR counter1153,0,@cols(Names range ?)-1,1,labels1153}
!          {let rel153,@INFO("RELEASE")}~{IF @LEFT(REL153,1)<>"@"
!          {goto}Names range ?~/rndNames range ?~
!
counter1153          1
counter1a153         0
labels1153          {RIGHT}{LET here153,@CELLPOINTER("ADDRESS")}~{LEFT
!
here153             $F$1
!
labels1a153         {cancel1153}
!                  {DOWN}
ret153
!
cancel1153          {if @CELLPOINTER("TYPE")="b"#OR#@CELLPOINTER("TYP
!                  /RNLr~{if @CELLPOINTER("TYPE")="b"#OR#@CELLPOINTER
!                  {let nam153,@cellpointer("contents")}~
!                  /RND{nam153}~{ESC 6}
ret1153             {RETURN}
!
!
!
nam153             uuuu
!
counterb153         2
!
hereabs153         $A$1
!
```

rel153

```
; range ?~/RNC{windowson} {panelon}Names range ?~{bs} {bs} {?}~{GOTO}Names range '
r1153,0}
```

```
{goto} {hereabs153}~{let counterb153,counterb153+1}~{if counterb153<@sheets(names ra
```

```
] {FOR counter1a153,0,@ROWS(Names RANGE ?)-1,1,labels1a153}~{if counter1153<@c
```

```
'E')="v"#OR#@LENGTH(@CELLPOINTER("CONTENTS"))>15} {BRANCH ret1153}  
ER("TYPE")="v"} {BRANCH ret1153}
```

?~{let counterb153,0}~

nge ?)} {NS} {GOTO} {HEREABS153}~{branch cont153}

ols(Names range ?)-1} {GOTO} {here153}~{LET counter1a153,0}~