

\*---A macro to ROUND all values in a 3-D or 2-D range  
 \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the  
 range names in this column (starts with the \Z macro name)  
 \*---Hold the <MACRO> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
 IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

!

!

```

\Z          {BREAKON}
ROUNDVAL    {GETLABEL "Number of places: ",places420}~{windowsoff} {pan
cont420     {let hereabs420,@cellpointer("address")}~{LET counter1420,0}
!           {FOR counter1420,0,@cols(Which range ?)-1,1,labels1420}
!           {let rel420,@INFO("RELEASE")}~{IF @LEFT(REL420,1)="3"} {
!           {goto}which range ?~/rndWhich range ?~
!
counter1420          3
counter1a420         4
labels1420           {RIGHT} {LET here1420,@CELLPOINTER("ADDRESS")}~{LEF
!
here1420             $D$1
!
labels1a420          {WINDOWSOFF} {IF @CELLPOINTER("TYPE")="v"} {rnd420}
!                   {DOWN}
!
rnd420              {edit},@value(@cell("contents",places420))){home}@ROUND(~
!
places420           2
!
counterb420         4
hereabs420          $A$1
!
rel420

```

eloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson} {panelon} Which range ?~{t

goto} {hereabs420}~{let counterb420,counterb420+1}~{if counterb420<@sheets(which rang

T} {FOR counter1a420,0,@ROWS(WhICH RANGE ?)-1,1,labels1a420}~{if counter1420<@

ns} {bs} {?}~{windowsoff} {GOTO} Which range ?~{let counterb420,0}~

e ?)} {NS} {GOTO} {HEREABS420}~{branch cont420}

∂cols(which range ?)-1} {GOTO} {here1420}~{LET counter1a420,0}~