

- \*---A macro to DELETE rows containing 0 or empty cell in a range
- \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
- \*---Hold the <ALT> key and press <Z> to activate the macro
- \*---In release 3 make sure that the GROUP option is DISABLED
- \*---In release 2/2.01/2.2 the macro must be located ABOVE the range

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

```

\Z                {BREAKON}
ROWDELETE         {let rel156,@INFO("release")}~
!                {windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/R
!                {if @LEFT(REL156,1)<>"@"} {LET SHEETS156,@SHEETS(WH
cont156           {let hereabs156,@cellpointer("address")}~{LET counter1156,0} {let
!                {FOR counter1156,0,colsS156-1,1,labels1156}
!                {let rel156,@INFO("RELEASE")}~{IF @LEFT(REL156,1)<>"@"
!                /RNCWhich range ?~/rndWhich range ?~{windowson}
!
counter1156       4
counter1a156     0
labels1156       {RIGHT} {LET hereiam156,@CELLPOINTER("address")}~{LEFT
!
labels1a156      {IF (@CELLPOINTER("contents")=0#AND#@CELLPOINTER("t
!                {DOWN}
!
!
rowsa156         0
rowsaa156       11
SHEETS156       1
COLSS156       4
!
counterb156     1
hereabs156      $$50
!
rel156          1.10.00
!
hereiam156      $$50

```

```
√C{windowson}{panelon}Which range ?~{bs}{bs}{?}~{GOTO}Which range ?~{LET rows  
ICH RANGE ?)}~  
: rowsa156,rowsaa156}~
```

```
} {goto} {hereabs156}~{let counterb156,counterb156+1}~{if counterb156<sheets156}{NS} {
```

```
} {FOR counter1a156,0,rowsa156-1,1,labels1a156}~{GOTO} {hereiam156}~{LET counter1
```

```
ype")="v")#OR#@CELLPOINTER("type")="b"}/WDR~{LET rowsa156,rowsa156-1}~{RE'
```

aa156,@ROWS(WHICH RANGE ?)}~{WINDOWSOFF} {let counterb156,0}~{let colss156

GOTO} {HEREABS156}~{branch cont156}

a156,0}~

TURN}

,@COLS(WHICH RANGE ?)}~