

\*---A macro to CHANGE THE SIGN of all values in a 3-D or 2-D range  
 \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the  
 range names in this column (starts with the \Z macro name)  
 \*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
 IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

!

```
\Z          {BREAKON}
SIGNCHNG   {windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RN
cont421    {let hereabs421,@cellpointer("address")}{LET counter1421,0}
!          {FOR COUNTER1421,0,@cols(Which range ?)-1,1,LABELS1421}
!          {let rel421,@INFO("RELEASE")}{IF @LEFT(REL421,1)<"@"
!          {goto}which range ?~/rndWhich range ?~
```

!

```
COUNTER1421          2
COUNTER1A421         5
LABELS1421           {RIGHT}{LET HERE1421,@CELLPOINTER("ADDRESS")}{L}
```

!

```
HERE1421           $C$1
```

!

```
LABELS1A421        {EDIT}{HOME}-{END}
```

```
VALUE421
```

!

```
TYPE421           {IF @CELLPOINTER("TYPE")="v"}{LABELS1A421}
```

```
!                {DOWN}
```

!

```
counterb421          4
```

```
hereabs421          $A$1
```

!

```
rel421
```

√C{windowson}{panelon}Which range ?~{bs}{bs}{?}~{windowsoff}{GOTO}Which range

{goto}{hereabs421}~{let counterb421,counterb421+1}~{if counterb421<@sheets(which ra

EFT}{FOR COUNTER1A421,0,@ROWS(Which RANGE ?)-1,1,TYPE421}~{if COUNT

?~{let counterb421,0}~

nge ?)} {NS} {GOTO} {HEREABS421}~{branch cont421}

!R1421<@cols(which range ?)-1} {GOTO} {HERE1421}~{LET COUNTER1A421,0}~