

- *---A macro to SORT by MULTIPLE KEYS
- *---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
- *---Hold the <ALT> key and press <Z> to activate the macro
- *---Highlight the data range PLUS one more empty column to the right, the macro uses the extra column for the sorting process.
- *---Works with labels only. Example: zip codes must be entered as labels

WILL NOT WORK WITH RELEASE 3

```

!
\Z                {BREAKON}
sortkeys          {windowsoff} {paneloff}/DSRQ/rncwhich range ?~/~/rndwhich range ?
!                {let here2041,@cellpointer("address")}{~}{right @cols(which range ?
cont1041          {goto} {here2041}~{panelon} {windowson} Move ROWWISE to ne:
!                {if key1041=~"} {ESC} {windowsoff} {paneloff} {let here2041,@ce
!                {if key1041="{RIGHT}"#or#key1041="{LEFT}" } {ESC} {key1041
!                {if @upper(key1041)="S"} {GOTO} dummy041~{EDIT} {HOME} {
!                {branch cont1041}
!
!
here1041          10
!
key1041          S
!
here2041          $J$37
!
ret041
!
temp1041          {goto} dummy041~{edit}&{home} {del} {end} {down} {up} {left -he
!
temp2041          /RV.{END} {DOWN}~/~/DSDWHICH RANGE ?~P~{WINDOWS

```

```
e ?~/RNC{windowson}{panelon} Which range ?~{bs}{bs}{?}~{windowsoff}{paneloff}{GC
')-1}/rncdummy041~{let dummy041,"+"""""""}~
xt sort key and press <RETURN> or <ESC> or <S>ort ...{get key1041}{esc 6}{if key1041='
:llpointer("address")}~{LET here1041,@CELLPOINTER("col")}~{temp1041}
}{?}~{windowsoff}{paneloff}{let here2041,@cellpointer("address")}~{LET here1041,@CE
[DEL}~/C~.{DOWN @ROWS(WHICH RANGE ?)-1}~{temp2041}{BRANCH ret041}
```

```
re1041+@cell("col",dummy041)}~{down}{up}{edit}{home}'~{goto}{here2041}~
```

```
ON}{PANELON}{?}~G{WINDOWSOFF}{PANELOFF}/RE.{END}{DOWN}~{GOTO}\
```

)TO} Which range ?~

'{ESC}" {branch key1041}

ELLPOINTER("col")}~{temp1041}

WHICH RANGE ?~/RNDWHICH RANGE ?~/RNDdummy041~