

- \*---A macro to UN-INDENT all LABELS in a 3-D or 2-D range a specified No. of spaces
- \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
- \*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

```

\Z          {BREAKON}
UNINDENT   {windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RN
!          {GETNUMBER "How many characters to un-indent ? ",spaces165}
cont165    {let hereabs165,@cellpointer("address")}~{LET counter1165,0}
!          {FOR counter1165,0,@cols(Which range ?)-1,1,labels1165}
!          {let rel165,@INFO("RELEASE")}~{IF @LEFT(REL165,1)<"@"
!          {goto}which range ?~/rndWhich range ?~
!
counter1165          1
counter1a165         0
labels1165           {RIGHT}{LET here165,@CELLPOINTER("ADDRESS")}~{LEFT
!
here165              $F$1
!
labels1a165          {IF @CELLPOINTER("TYPE")="I"}{rnd165}
!                    {DOWN}
!
rnd165               {IF @CELLPOINTER("TYPE")="I"}{edit}{home}{right}{del spac
!
spaces165            10
!
counterb165          1
hereabs165          $A$1
!
rel165

```

```
VC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{WINDOWSOFF}{GOTO}Which r  
~
```

```
{goto}{hereabs165}~{let counterb165,counterb165+1}~{if counterb165<@sheets(which ra
```

```
] {FOR counter1a165,0,@ROWS(WhICH RANGE ?)-1,1,labels1a165}~{if counter1165<@
```

```
ces165}{end}~
```

range ?~{LET COUNTERB165,0}~

range ?)} {NS} {GOTO} {HEREABS165}~{branch cont165}

cols(which range ?)-1} {GOTO} {here165}~{LET counter1a165,0}~