

- \*---A macro to turn all labels in a 3-D or 2-D range to formulas and/or numbers, values and blank cells will not be changed.
- \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
- \*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

!

```

\Z          {BREAKON}
UN_LABEL   {windowsoff} {paneloff}/rncwhich range ?~/rncwhich range ?~/RNC {windowsoff}
cont047    {let hereabs047,@cellpointer("address")}~{LET counter047,0}
!          {FOR counter047,0,@cols(Which range ?)-1,1,labels047}
!          {let rel047,@INFO("RELEASE")}~{IF @LEFT(REL047,1)="3"} {goto} {hereabs047}
!          {goto} which range ?~/rncWhich range ?~/
!
counter047          2
countera047         5
labels047           {RIGHT} {LET here047,@CELLPOINTER("ADDRESS")}~{LEFT} {FOR counter047,0,@cols(Which range ?)-1,1,labels047}
!
here047             $C$1
!
labels047           {IF @CELLPOINTER("type")="1"#AND#@CELLPOINTER("prefix")<>"\"} {E}
!                   {DOWN}
!
counterb047         4
hereabs047          $A$1
!
rel047

```

n} {panelon} Which range ?~{bs} {bs} {?}~{windowsoff} {GOTO} Which range ?~{let counte

s047}~{let counterb047,counterb047+1}~{if counterb047<@sheets(which range ?)} {NS} {G

tera047,0,@ROWS(WhICH RANGE ?)-1,1,labelsa047}~{if counter047<@cols(which range

DIT} {HOME} {DEL} {DOWN} {return}

rb047,0}~

OTO} {HEREABS047}~{branch cont047}

?)-1} {GOTO} {here047}~{LET counter047,0}~