

\*---A macro to turn all labels in a 3-D or 2-D range to UPPERCASE form  
 \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the  
 range names in this column (starts with the \Z macro name)  
 \*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
 IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

!

```

\Z          {BREAKON}
UPERCASE   {windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RN
cont048    {let hereabs048,@cellpointer("address")}{LET counter048,0}
!          {FOR counter048,0,@cols(Which range ?)-1,1,labels048}
!          {let rel048,@INFO("RELEASE")}{IF @LEFT(REL048,1)<>"@"
!          {goto}which range ?~/rndWhich range ?~
!
counter048          3
countera048        5
labels048          {RIGHT}{LET here048,@CELLPOINTER("ADDRESS")}{LEFT
!
here048            $D$1
!
labels048          {panelon}{recalc prop048}{if @cellpointer("type")<>"b"#and#@ce
!          {down}
!
PROP048           #NAME?
!
counterb048        4
hereabs048        $A$1
!
rel048
  
```

∩C{windowson}{panelon}Which range ?~{bs}{bs}{?}~{windowsoff}{GOTO}Which range

{goto}{hereabs048}~{let counterb048,counterb048+1}~{if counterb048<@sheets(which ra

] {FOR countera048,0,@ROWS(WhICH RANGE ?)-1,1,labelsa048}~{if counter048<@cols

:llpointer("type")<>"v"#and#@cellpointer("prefix")<>"\ "#and#@cellpointer("prefix")<>"|"} {

?~{let counterb048,0}~

nge ?)} {NS} {GOTO} {HEREABS048}~{branch cont048}

.(which range ?)-1} {GOTO} {here048}~{LET countera048,0}~

paneloff}/rvPROP048~~{EDIT}~