

\*---A WORD PROCESSOR macro with a full featured SEARCH & REPLACE

\*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)

\*---Hold the <ALT> key and press <Z> to activate the macro

\*---Press {ESC} to return to main menu

!

!

!

!

\Z {BREAKON}

WORDPROC {LET num2280,@string(@CELLPOINTER("WIDTH"),0)}~{getlabel "N

! {menubrand MENU1280}

!

MENU1280 Typing Re-justify Search & Repl:Quit

! Type your docRe-adjust the liFull featured SQuit the word processor

! {loopp1280} {getlabel "Nun{RESTART} {;{windowsoff} {paneloff} {br

! {menubrand M{branch justify {menubrand MENU1280}

! {menubrand MENU1280}

!

!

loopp1280 {EDIT} {get key1280} {if key1280="{ESC}" {ESC 2}~{menubrand M

! {if key1280="~"} {branch justify280}

! {if key1280="{LEFT}"#or#key1280="{RIGHT}"#or#key1280="{HOM

! {key1280} {BRANCH loopp1280}

!

key1280 {ESC}

!

setwidth280 /wcs

num1280 30

! ~

!

setwidth1280 /wcs

num2280 40

! ~{quit}

!

justify280 {windowsoff} {up} {if @cellpointer("type")="b"} {down 2} {branch justif

! {down} {end} {up}/tj~{end} {down} {windowson} {branch loopp1280}

!

justify1280 {if @cellpointer("type")="b"} {up}/tj~{IF @LENGTH(@CELLPOINTE

! {DOWN} {IF @CELLPOINTER("type")<>"b"} {UP} {end} {down} {win

```

!           {UP} {WINDOWSON} {BRANCH loopp1280}
!
search1280  {LET lfind280,0} {LET flag280,0} {windowsoff} {paneloff}/RNCWhich 1
!           {LET counter1280,0}~
!           {FOR counter1280,0,@cols(Which range ?)-1,1,labels1280}
!           {goto} which range ?~/rndWhich range ?~
!
counter1280          1
counter1a280         0
labels1280          {IF @UPPER(match1280)="A"} {FOR counter1a280,0,@ROWS(Which
!                 {IF @UPPER(match1280)="F"} {FOR counter1a280,0,@ROWS(Which
!
prompt280           {GETLABEL "Type the OLD string/number to be replaced: ",dummy128
!                 {GETLABEL "Type the NEW string/number : ",dummy280}~{if @cellp
!                 {getlabel "Match (exact) Y/N: ",match280}~
!                 {getlabel "<F>ind & replace / replace <A>ll ",match1280}~
!
!
cont2280            {windowsOFF} {paneloff} {if @cellpointer("type")="b"} {branch cont128
!                 {IF @CELLPOINTER("TYPE")="v"} {EDIT} {HOME} '~{LET flag280,
!                 {edit} {home}'~{LET flag280,0}~{LET lfind280,0}~
cont280             {paneloff} {recalc dummy2280}~{recalc dummy3280}~{RECALC dumr
!                 {if @ISERR(err2280)<01#AND#@UPPER(match280)="Y"} {LET dum
!                 {if @ISERR(err3280)<01#AND#@UPPER(match280)="N"#AND#@U
!                 {if @ISERR(err3280)<01#AND#@UPPER(match280)="N"#AND#@U
!                 {IF flag280=1} {EDIT} {HOME} {DEL} {DEL}~{BRANCH cont1280}
!                 {edit} {home} {del}~
cont1280            {down}
!
lfind280            0
dummy280            SS
dummy1280           DD
dummy2280           #NAME?
dummy3280           #NAME?
dummy4280           #NAME?
flag280             0
match280            N
match1280           F
err2280             #NAME?
err3280             #NAME?

```

```

findd280          #NAME?
findd1280         31
key280           S
!
search2280       {windowsoff} {paneloff} {recalc dummy2280}~{recalc dummy3280}~{R
!
!               {LET flag280,0}~{LET lfind280,0}~{let previous280,@cellpointer("add
!               {IF @CELLPOINTER("TYPE")="v"} {EDIT} {HOME}"}~{recalc dumm
loop280          {WINDOWSOFF} {IF @UPPER(match280)="Y"#OR#flag280=1} {REc
!               {WINDOWSOFF} {IF @UPPER(match280)="N"} {REcalc err3280}~{c
!               {PANELON} {RECALC backk1280}~{back1280} {down}
!
continue2280     {if @ISERR(err3280)<>1#or#err3280=0} {RECALC dummy2280}~/RV
!
continue1280     {if @ISERR(err2280)<>1#or#err2280=0} {RECALC dummy2280}~/RV
!
cvv280          {WINDOWSOFF} {PANELOFF} {RECALC err2280}~{RECALC err32
!               {WINDOWSOFF} {PANELOFF} {IF @UPPER(key280)="R"#AND#@
!               {IF @UPPER(match280)="Y"} {WINDOWSOFF} {PANELOFF}/RVerr
!               {IF @UPPER(match280)="N"} {WINDOWSOFF} {PANELOFF}/RVerr
loop1280        {IF @UPPER(key280)="R"} {LET dum280,@LEFT(dum280,findd1280)
!               {IF @UPPER(key280)<>"R"#AND#@UPPER(key280)<>"Q"} {LET lfi
!               {IF @UPPER(key280)="Q"} {RECALC backk1280}~{back1280} {QUIT
!               {RECALC backk280}~{back280} {down}
!
!
!
back280          {windowsoff} {paneloff}/cdum280~
backk280         $$163
!               ~{GOTO}
previous280      $$163
!               ~
!               {IF flag280=1} {EDIT} {HOME} {DEL} {DEL}~
!
back1280         {windowsoff} {paneloff} {goto}
backk1280        $$163
!               ~
!               {IF flag280=1} {EDIT} {HOME} {DEL} {DEL}~
!
!
!
!
!
!
!

```

!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
!  
!

dum280

RRR RRRRRR HFSSF SSSSH HHDDH HHDDH F G F GFFFF F

Choose one option when you here the beep

Press <R> to Replace

Press <S> to Skip

Press <Q> to Quit

Ctrl Break

Number of characters in a line ? ",num1280}~{setwidth280}

anch setwidth1280} {quit}

ENU1280}

E} "#or#" {bs} " } {key1280} {?}~{BRANCH justify280}

y1280}

R("contents")<=@CELLPOINTER("width")} {WINDOWSON} {BRANCH loopp1280}  
dowson} {branch loopp1280}

range ?~/rndWhich range ?~/RNC{windowson} {panelon} Which range ?~{bs} {bs} {?}~{GC

I RANGE ?)-1,1,cont2280}~{RIGHT} {UP @ROWS(WHICH RANGE ?)} {LET counter1a2  
I RANGE ?)-1,1,search2280}~{RIGHT} {UP @ROWS(WHICH RANGE ?)} {LET counter1a

0}~

ointer("type")="b" } {cont1280}

0}

,1}~{LET lfind280,0}~{BRANCH cont280}

ny4280}~{RECALC err2280}~{RECALC err3280}~

280,dummy3280}~{panelon} {let lfind280,err2280+@length(dummy280)}~/cdum280~{bra  
PPER(dummy280)<>@UPPER(dummy1280)} {LET dum280,dummy4280}~{panelon} {REC  
PPER(dummy280)=@UPPER(dummy1280)} {LET dum280,dummy4280}~{panelon} {let lfi

```
RECALC dummy4280}{recalc err2280}{recalc err3280}~  
ress")}{~  
y2280}{recalc dummy3280}{recalc dummy4280}{LET flag280,1}{~  
alc err2280}{recalc findd280}{CONTINUE1280}  
ontinue2280}
```

```
dummy2280~dum280~{PANELON} {GOTO} dum280~{WINDOWSON} {recalc err3280} {1
```

```
dummy2280~dum280~{PANELON} {GOTO} dum280~{WINDOWSON} {RECALC findd2:
```

```
80}{IF @UPPER(key280)="R"#AND#@UPPER(match280)="Y"}/RVerr2280~findd1280~  
UPPER(match280)="N"}/RVerr3280~findd1280~{BRANCH loop1280}
```

```
2280~findd1280~
```

```
3280~findd1280~
```

```
!&dummy280&@RIGHT(dum280,@LENGTH(dum280)-findd1280-@LENGTH(dummy128  
nd280,findd1280+1}{loop280}
```

```
Γ}
```

OTO} Which range ?~{prompt280}

.80,0}~

a280,0}~

nch cont280}

'ALC err3280}~{let lfind280,err3280+@length(dummy280)}~/cdum280~~{branch cont280}

1d280,err3280+1}~/cdum280~~{branch cont280}



EDIT} {HOME} {RIGHT err3280+1} {beep} {get key280}~{BRANCH cvv280}

80} {EDIT} {HOME} {RIGHT findd280+1} {beep} {get key280}~{BRANCH cvv280}

~{BRANCH loop1280}

:0))}~{panelon} {LET lfind280,findd1280+1}~{loop280}

