

*---A macro to REPLACE all ERR or NA in a 3-D or 2-D range with ZEROS
 *---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
 range names in this column (starts with the \Z macro name)
 *---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
 IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

!

!

```

\Z          {BREAKON}
ZEROERR    {windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RN
cont179    {let hereabs179,@cellpointer("address")}{LET counter1179,0}
!          {FOR counter1179,0,@cols(Which range ?)-1,1,labels1179}
!          {let rel179,@INFO("RELEASE")}{IF @LEFT(REL179,1)="3"}{;
!          {goto}which range ?~/rndWhich range ?~
!
counter1179          4
counter1a179         0
labels1179          {RIGHT}{LET here179,@CELLPOINTER("ADDRESS")}{LEFT
!
here179             $F$1
!
labels1a179         {IF @ISERR(@CELLPOINTER("CONTENTS"))=1}0~
!                  {IF @ISNA(@CELLPOINTER("CONTENTS"))=1}0~
!                  {DOWN}
!
counterb179         5
hereabs179          $A$1
!
rel179
  
```

√C {windowson} {panelon} Which range ?~{bs} {bs} {?}~{windowsoff} {GOTO} Which range

goto} {hereabs179}~{let counterb179,counterb179+1}~{if counterb179<@sheets(which rang

] {FOR counter1a179,0,@ROWS(WhICH RANGE ?)-1,1,labels1a179}~{if counter1179<@

?~{let counterb179,0}~

e ?)} {NS} {GOTO} {HEREABS179}~{branch cont179}

cols(which range ?)-1} {GOTO} {here179}~{LET counter1a179,0}~