

*---A macro to add zero leads to all numbers in a 3-D or 2-D range
 *---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
 range names in this column (starts with the \Z macro name)
 *---Hold the <MACRO> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
 IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

!

!

```
\Z          {BREAKON}
ZEROLEAD   {windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RN
!          {getlabel "How many digits for the numbers ?",digits212}~{recalc c
cont212    {let hereabs212,@cellpointer("address")}~{LET counter1212,0}
!          {FOR counter1212,0,@cols(Which range ?)-1,1,labels1212}
!          {let rel212,@INFO("RELEASE")}~{IF @LEFT(REL212,1)="3"}{
!          {goto}which range ?~/rndWhich range ?~
```

!

```
counter1212          3
counter1a212         6
labels1212           {RIGHT}{LET here1212,@CELLPOINTER("ADDRESS")}~{LEF
```

!

```
here1212            $D$1
```

!

```
labels1a212         {IF @CELLPOINTER("TYPE")="v"}{rnd212}
!                  {DOWN}
```

!

!

```
rnd212              {RECALC DIGITS1212}{edit}{HOME}'{DIGITS1212}~
```

!

!

```
digits212           7
```

!

```
digits1212          #NAME?
```

!

```
counterb212         5
```

```
hereabs212          $A$1
```

!

```
rel212
```

√C {windowson} {panelon} Which range ?~{bs} {bs} {?}~{windowsoff} {GOTO} Which range
digits1212}

goto} {hereabs212}~{let counterb212,counterb212+1}~{if counterb212<@sheets(which rang

T} {FOR counter1a212,0,@ROWS(WhlCH RANGE ?)-1,1,labels1a212}~{if counter1212<@

?~{let counterb212,0}~

e ?)} {NS} {GOTO} {HEREABS212}~{branch cont212}

∫cols(which range ?)-1} {GOTO} {here1212}~{LET counter1a212,0}~