

Cumulus OLEfi□[fgf□□[fvf#f“ŠT—v

OLEfi□[fgf□□[fvf#f“,đfTf|□[fg,·,éCumulusfi□[fgf□□[fvf#f“fifufWfFfNfg,ìŽg—p•û-@,É,Â,ç,Ä,Í□AfAfvfŠfP□[fvf#f“,ífffBfCefNfgfŠ,É, ,éftf@fCf<"Cumulus.tlb",đŽQ□Æ,μ,Ä,,¾,¾,ç□B^É%oo²,É<“,°,é,í,í□ACE»□ÝfTf|□[fg,¾,è,Ä,ç,éfifufWfFfNfg,Å,·□B

Application

Catalog□ififufWfFfNfg□i

CatalogingOptions

Catalogs□ifRfCefNfvf#f“□i

Categories□ifRfCefNfvf#f“□i

Category□ififufWfFfNfg□i

FileFormatEntry

FileFormatTable

AssetReference□ififufWfFfNfg□i

AssetReferences□ifRfCefNfvf#f“□i

LogEntries□ifRfCefNfvf#f“□i

LogEntry□ififufWfFfNfg□i

Preferences

Record□ififufWfFfNfg□i

Records□ifRfCefNfvf#f“□i

SelectedRecords

SelectedCategories

Server

ServerCatalog□ififufWfFfNfg□i

ServerCatalogs□ifRfCefNfvf#f“□i

Status

StatusList

SubCategories

Name: • ¶Žš—ñ

, ±, ìfvf[]fpfefB, Å, í[]AfAfvfšfP[][fvf#f“ -¼, ì“Ç, Ý[]o, µ, ¢, Å, «, Ü, ·[]B, ±, ê, ìffftjHf<fg, ìfvf[]fpfefB, Å, ·[]B

Application, àŽQ[]Æ

Fullname: •¶Žš—ň

,±,ìfvf□fpfefB,Å,í□AfAfvfŠfP□[fvf#f“,ìŽÀ□sftf@fCf<,ìftf<fpfX,đ“Ç,Ý□o,μ,Å,«,Ü,·□B

Application,àŽQ□Æ

Application: flfufWfFfNfg

, ±, ìvf[]fpfefB, Å, í[]AfAvfŠfP[]fVf#f“flfufWfFfNfg, ð•Ô, µ, Û, ·[]B

Application, àŽQ[]Æ

CatalogingOption:fIfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ACatalogingOptionfIfufWfFfNfg,đ•Ô,μ,Û,·[]B

Application,àŽQ[]Æ

Catalogs:fIfufWfFfNfg

,±,İfvfİfpfefB,Å,ÍAfAvfŠfP[fVf+f“,İŠJ,č,½CatalogsfRfĀfNfVf+f“,đ•Ô,μ,Ü,·B

Application,àŽQÆ

Parent:flfufWfFfNfg

,±,lfvf[]pfefB,Å,í[]AfAvfŠfP[]fVf#f“,ì[]e,Å, ,éApplicationflfufWfFfNfg,đ•Ô,μ,Ü,·[]B

Application,àŽQ[]Æ

Preferences:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfAvfŠfP[]fVf#f“,ìPreferencesflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Application,àŽQ[]Æ

Visible:fu[]f<

,±,lfvf[]fpfefB,Å,í[]AfAfjvfšfP[]fVf#f“,ì•\ž|[]^”ñ•\ž|,ì'è<,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

Application,àŽQ[]Æ

ConnectToServer (ServerName as String, User as String, Password as String) as Object

, ±, ìf[]\fbfh, É, æ, è[]AfpfXf[][]fh, đŽg—p, ·, é“Á'è, ìft[][]fU, Æ, μ, ÄŽw'è, ³, ê, ½fT[][]fo, É[]Ú'±, ³, ê[]A[]Ú'±, É[]¬CE÷, ·, é, ÆServerf[]fufWfFfNfg, ³•Ö, ³, ê, Ü, ·[]B

Application, àŽQ[]Æ

Quit

, ±, ìf ò \f bfh, í ò AŽÀ ò s't, ìf AfvfŠfP ò [fvf#f", ð ò |—^{1,3,1}, Ü, · ò B

Application, à Ž Q ò Æ

RestoreCatalog (BackupPathName as String, PathName as String [, WriteAccessPassword as String]) as Object

,±,lf∧fbfh,É,æ,è∧fjf^f∧fO,lfofbfNfAfbfvftf@fCf<,đ•œŠ^,³,¹∧f!fvfVf#f“,ì∧’,«∧ž,Ÿ—
pfpfXf∧∧[fh,đžg,Á,Á∧ì∧¬,³,ê,½fjf^f∧fO,đŠ],«∧∧Catalogf!fufWfFfNfg,đ•Ô,μ,Û,·∧B

Application,àžQ∧Æ

FrontCatalog:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfAvfšfP[]fVf#f“,ì[]Å'O-Ê,ìCatalogflfufWfFfNfg,đ•Ô,μ,Û,·

Application,àŽQ[]Æ

AllowSharing:fu[f<[iŠÇ—ŽÒê—p]j

,±,lfvf[fpfefB,Å,í[Ajff^f[fo,ì<α—L[ó<μ,ì•Ô'l,Ü,½,í[Ý'è,^a,Å,«,Ü,·[B

Catalog,àŽQ[Æ

Application:flufWfFfNfg

,±,lfvf□fpfefB,Å,í□AApplicationflufWfFfNfg,đ•Ô,μ,Ü,·□B

Catalog,àŽQ□Æ

CanDeleteRecords:fu

,±,lfvf[]pfeB,Å,í[]Afff^f[]fO“à,lf[]R[]fh,ð[]í[]œ,·,é<-‰oÂ,ì—L⁻³,ð•Ô,μ,Û,·[]B

Catalog,àŽQ[]Æ

CanModifyCategories:fu

,±,ìfvf[]pfefB,Å,í[]Ajjf^f[]fO“à,ìj]fefSfŠ,ð[]C[]³,·,éE —~,ì<-‰oÂ,ì—L-³,ð•Ô,μ,Û,·[]B

Catalog,àŽQ[]Æ

CanModifyRecords:fu

,±,ìfvf[]pfeB,Å,í[]Ajjf^f[]fO“à,ìf[]R[]fh,ð[]C[]³,·,é[] —~,ì<-%oÂ,ì—L-³,ð•Ô,μ,Û,·[]B

Catalog,àŽQ[]Æ

CanModifyStatus:fu[]f<

,±,lfvf[]fpfefB,Å,í[]Afff^f[]fO“à,lfXfe[]lf^fX,ð[]C[]³,·,é€ —~,ì—L-³,ð•Ô,μ,Û,·[]B[]B

Catalog,àŽQ[]Æ

CatalogServer: •¶Žš—ň

fff^fO,ÉfNf%ofCfAf“fg,Æ,μ,ÄfAfNfZfX,μ,½ê±A,±,ìfvf[]pfeB,Å,íAfff^fOServer-
¼,đ•Ö,μ,Û,·B¼ÚŠJ,©,ê,½fff^fO,É,Ä,ç,Ä,íA<ó,ì•¶Žš—ň,đ•Ö,μ,Û,·B

Catalog,àŽQÆ

Categories Visible: fu [f<

,±, ìfvf [fpfefB, Å, í [AjjfefSfŠ, ì•\Ž! [^ " ñ •\Ž! , ì [ó ' Ó, ð •\Ž! , Ü, ½, í [Ý ' è, µ [AjjfefSfŠfŠfXfgfEfBf " fhfE, ð •\Ž! , Ü, ½, í " ñ •\Ž! , µ, Ü, · [B

Catalog, àŽQ [Æ

Categoires:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]A-¼'O[]‡,É^[]fg,³,ê,½jff^f[]fO,ìCategories,^{af}ŠfXfg,Æ,μ,Ä•Ô,³,ê,Ü,·[]B

Catalog,àŽQ[]Æ

SelectedCategories:flfufWfFfNfg

,±,lfvffpfefB,Å,íAjjf^fO,CategorySelection,ì“Ç,Ýo,μ,^a,Å,«,Ü,·B

Catalog,àŽQÆ

CategoryTree:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]Afff^f[]fO,ìCategories,ðfTfufcfS[][,Æ,μ,Ä•Ô,μ,Ü,·[]B,±,lfvf[]fpfefB,ðŽg—
p,·,é,Æ[]Afff^f[]fO,lfjfeSfS,ðŠK'w[]\`çflfufWfFfNfg,Æ,μ,Ä%ð[]í,·,é,±,Æ,ª,Å,«,Ü,·[]B,±
,lfjfeSfS[]EfcfS[][,lfTfufjfeSfS,í[]Afff^f[]fO,ì'æ^è'iŠKjfeSfS,É,È,è,Ü,·[]B

Catalog,àŽQ[]Æ

CollectionFolder: •ŋŽš—ñ

,±,lfvfŋpfefB,Å,íAjjf^fŋfO,ì'ĒÉftfHf<f_,ì•Ô'l,Ü,½,íŋ'è,^a,Å,«,Ü,·ŋB

Catalog,àŽQŋÆ

CollectionFolderUsage :Long iŠÇ— ŽÒê—p j

, ±, ìvf f p p f e f B, Å, í ACE » Ý, ì CollectionFolder i CEÉftfHf<f_ j Žg—p Ý'è, ì'í, ð•Ô, μ, Ü, · B

ŽŸ, ì'í, ð•Ô, μ, Ü, · B

í, É Žg—p, ·, é = 0

fj f ^ f f O E f f v f v f f f “, É], x = 1

Žg—p, μ, É, ç = 2

CollectionFolderUsageConstants A Catalog, à Ž Q Æ

DiskSpaceAvailable:Long iŠÇ— ŽÒê—p j

,±, ìfvf p p f e f B, Å, í A f j f ^ f f O f { f Š f ... [f € ã, ì Ž g — p % o Â " \ f f B f X f N < ó, « — e —
Ê, a f o f C f g ' P ^ Ê, Å • Ô, ³, ê, Û, · B

Catalog, à Ž Q Æ

FlushLogConstantely:fu□[f<□iŠÇ—□ŽÒ□ê—p□j

,±,ìfvf□fpfefB,Å,í□A“ü—
í,ì,½,Ñ,ÉLogFile,đ□Å□V,ì□î•ñ,É□X□V,·,éífvfVf#f“,ì•Ô'l,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

Catalog,àŽQ□Æ

FullName: •ŕŽš—ñiŠÇ—ŽÒê—p

,±,lfvfppfefB,Å,íAfff^fO,iftj<fpfX-¼,đ•Ô,μ,Û,·B

Catalog,àŽQÆ

HasPassword:fu

,±,lfvf f p p f e f B, Å, í A f j f ^ f f O, É', «ž, Ý— p f p f X f f f h, a Y' è, ³, ê, Ä, ç, é, ©, Ç, ¼, ©, ð•Ô, µ, Û, ·B

Catalog, àŽQÆ

IsRemoteCatalog:fu[]f<

,±,lfvf[]fpfefB,Å,í[]Afff^[]fO,afNf%ofCfAf“fg,Æ,μ,ÄŠJ,č,Ä,č,é,©,Ç,ϣ,©,đ•Ô,μ,Ü,·[]B

fff^[]fO,àŽQ[]Æ

KeepCategoryNamesUnique: iŠÇ—ŽÒê—p j

, ±, ìfvf f p p f e f B, Å, í A, ±, ìj f f ^ f f f O, É Category - ¼, ì d • i, ^a < - % o o Â, ³, ê, Ä, ç, é, ©, Ç, x
, ©, ì • Ô ' l, Ü, ½, í Y ' è, ^a, Å, <, Ü, · B

Catalog, à Ž Q Æ

KeepDeleted:fu[f<iŠÇ—ŽÒê—p]

,±,lfvf[fpfefB,Å,íAííœ,³,ê,½Records,đ•œŠ^%oÂ"\,É,·,é,½,ß,É•Ú'¶,·,é,©A, ,é,ç,í
%oi<v,Éííœ,·,é,©,ì•Ô'l,Ü,½,íY'è,^a,Å,«,Ü,·B

Catalog,àŽQÆ

LogEntries:flufWfFfNfgiŠÇ—ŽÒê—p

,±,lfvfppfefB,Å,íAjjf^fO,ìLogEntriesfRfÇfNfVf+f“,đ•Ô,μ,Û,·B

Catalog,àŽQÆ

LogFile: •ŕŽš—ňŕŠÇ—ŕŽÒŕê—pŕj

,±,ŕvfŕfpfefB,ŕ,ŕŕAŕŕfŕ^ŕfŕO,ŕfŕfOŕŕf@ŕCŕ<,ŕ•Ô'ŕ,ŕ,ŕ½,ŕŕŕ'è,ŕ,ŕŕ,ŕ«,ŕ,ŕ,ŕB

Catalog,ŕŽQŕÆ

Logging:fu[f·iŠÇ—ŽÒê—p]

,±,ìfvf[]pfefB,Å,í[]A[]f^f[]fO,Åf[]fO[]fj“ ,Æf[]fO[]fjft,ì[]Ø,è'Ö,!,^a[]s,í,ê,½,©,Ç,¤
,©,ì·Ö'l,Û,½,í[]Ý'è,^a,Å,«,Û,·[]B

Catalog,àŽQ[]Æ

LogLength :LongiŠÇ—ŽÒê—p

,±,lfvfppfefB,Å,íAf,fŠfO,ì·,³,ì•Ô'l,Ü,½,íÝ'è,^a,Å,«,Ü,·B

Catalog,àŽQÆ

MemoryAvailable:Long iŠÇ—ŽÒê—p j

,±,lfvf f p p f e f B, Å, í AfRf “ f s f ... [f ^, Å Ž g — p % ° Å “ \, È f j f ^ f f O, l f f, f Š — e — Ê, ð f o f C f g ‘ P ^ Ê, Å • Ô, μ, Ü, · B

Catalog, à Ž Q Æ

MemoryFree:LongiŠÇ—ŽÒê—p

,±,ìfvf[]pfefB,Á,í[]Afff^f[]Ofjf@fCf<“à,ì<ó,«f[]f,fŠ—e—Ê,ðfofCfg’P^Ê,Á•Ô,μ,Û,·[]B,±
,ê,í[]Afff^f[]fO,ðCompressing(ˆ³[]k),·,é,±,Æ,É,æ,Á,ĂŠJ•ú,³,ê,é<ó,«—e—Ê,Á,·[]B

Catalog,àŽQ[]Æ

MemoryRecommended:LongiŠÇ—ŽÒê—p

,±,lfvfppfefB,Å,íAjjf^fO,ì,,f,fŠ—e—Ê,đfofCfg'P^Ê,Å•Ô,μ,Ü,·B

Catalog,àŽQÆ

MemoryRequired:Long iŠÇ—ŽÒê—p j

,±,lfvf f p f e f B, Å, í A f j f ^ f f O, ì Ž À s, É • K — v, È f f, f Š — e — Ê, ð f o f C f g ' P ^ Ê, Å • Ô, µ, Ü, · B

Catalog, à Ž Q Æ

Name: •řŽš—ň

,±,řvfřpfefB,Å,íAřfř^řfO-¼,đ•Ô,μ,Û,·B,±,ê,řffřHfřfg,řvfřpfefB,Å,·B

Catalog,àŽQÆ

NativeThumbnailSize:Long iŠÇ—ŽÒê—p j

,±, ìfvf f p p f e f B, Å, í Af l f Š f W f i f <, ì Cataloging, É Ž g —
p, ³, ê, é Af l f C f e f B f u E f T f € f l f C f < f T f C f Y, ð f s f N f Z f < P ^ Ê, Å • Ô ' l, Ü, ½, í Y ' è, ð, Å, «, Ü, · B

Y ' è % Å " \, È ' l, í 96 A 128 A, Ü, ½, í 192, Å, · B

Catalog, à Ž Q Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□Afff^f□fO,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

Cataog,àŽQ□Æ

Query: •¶Žš—ň

,±
,lfvf[]pfefB,Å,í[]A[]u[]Eÿ[]õfc[] [f:fo[] [v,ÉfNfGfš,ì•Ô'l,Ü,½,í[]Ý'è,ª,Å,«,Ü,·[]BfNfGfš,í[]A[]u[]Eÿ[]õfc[]
 [f:fo[] [vfvf<f_fEf“f[]ffj... [] [“à,ìŽg—p%oÅ“\,É•¶Žš—ň,©[]A,Ü,½,í[]f[]y[]f%o[]f“fh—p,ÉŽ©—
R,É'è<` ,Å,«,é•¶Žš—ň,Å[]\[]—,³,ê,Ü,·[]Bše•”•ª,í“Tab”•¶Žš,Å<æ[]Ø,ç,ê[]A[]f[]N[]f[]G[]f[]š,ì[]ð[]E[],í
%oü[]s•¶Žš,Å<æ[]Ø,ç,ê,Ü,·[]B

—á:

catalog.Query = "Record Name" & vbTab & "starts with" & vbTab & "0" & vbCr _
& "or" & vbTab & "Record Name" & vbTab & "contains" & vbTab & "8"

MsgBox catalog.Query

Catalog,àŽQ[]Æ

Records: IfufWfFfNfg

, ±, ìfvfñpfefB, Å, íAjjf^fñO, ìRecordsfRfÆfNjVfñf“, ì“Ç, Ýño, μ, ^a, Å, «, Û, ·ñB

Catalog, àŽQñÆ

RecordsDeleted:LongiŠÇ—ŽÒê—p

,±,lfvf[]pfefB,Á,í[]A[]í[]œ,³,ê,½f[]fR[]fh[]”,đ•Ô,μ,Ü,·[]B,±
,ê,ç,lf[]fR[]fh,í[]ARecoverDeletedRecords,đ[]Ä,Ń[]o,μ,Ä•œŠ^,·,é,±,Æ,^a,Á,«,Ü,·[]B

Catalog,àŽQ[]Æ

SelectedCategories:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]Afff^f[]fO,CategorySelection,đ•Ô,μ,Û,·[]B

Catalog,àŽQ[]Æ

SelectedRecords:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]Afff^f[]fO,ì RecordSelection,đ•Ô,μ,Û,·[]B

Catalog,àŽQ[]Æ

RestrictedPermissions:fu[f<iŠÇ—ŽÒê—p]

,±,lfvf[fpfefB,Å,Í[Ajff^f]fO,Éuser_permissions,^aÝ'è,³,ê,Ä,†,é,©,Ç,κ
,©,đ•Ô'I,Ü,½,ÍÝ'è,Å,«,Ü,·B

Catalog,àŽQÆ

SaveLogToFile:fu[f<iŠÇ—ŽÒê—p]

,±,lfvf[fpfefB,Å,ÍAf[fO,đftf@fCf<,É•Û‘¶,·,é,©,Ç,κ,©,đ•Ô'l,Û,½,ÍÝ'è,Å,«,Û,·B

Catalog,àŽQÆ

SortDirection:Long

,±,ìfvf[]pfefB,Å,í[]Afff^f[]fO,ì[]»[]Ý,ì^[]fg•ù[]ü,ð•Ô'ì,Ü,½,í[]Ý'è,·,é,±,Æ,^a,Å,«,Ü,·[]B

ŽŸ,ì'ì,ð[]Ý'è,Å,«,Ü,·[]B

[],[]‡ = 0
[]~[]‡ = 1

SortDirectionConstants[]A_Catalog_àŽQ[]Æ

Sorting:Long

,±,lfvf[]fpfefB,Å,í[]Afff^f[]fO,ì[]»[]Ý,ì[]f[]fg•û-@,ð•Ô'l,Ü,½,í[]Ý'è,Å,«,Ü,·[]B

ŽŸ,ì'l,ð[]Ý'è,Å,«,Ü,·[]B

f[]fR[]f[]h-¼,Åf[]f[]g = 0

ftf@f[]Cf<[]»`Ž®,Åf[]f[]g = 1

%oæ'œf,[]f[]h,Åf[]f[]g = 2

%oð'œ"x,Åf[]f[]g = 3

f[]fR[]f[]h[]C[]³"ú,Åf[]f[]g = 4

SortingConstants[]ACatalog,àŽQ[]Æ

UpdateCatalogImmediately:fu[f<[iŠÇ—ŽÒê—p[j

,±
,lfvf[fpfefB,Å,Í[Ajff^f[fo,ì•ï[XÇ<%oÊ,ðjff^f[ftf@fCf<,É,½,¾,¿,É[X[V,·,é,©[i^À'S[<,ð[dŽ<,μ
,É,ç[j[A, ,é,ç,ÍÇã,Å[X[V,·,é,©[i[,'-[<[dŽ<[j,ð•Ô'I,Ü,½,Í[Y'è,Å,«,Ü,·[B

Catalog,àŽQ[Æ

UserPermissions:flfufWfFfNfgiŠÇ—ŽÒê—p

,±,lfvf[]pfefB,Å,í[]Afff^f[]fO,̀̀user_permissionsfRfCefNfVf#f“,đ•Ô,μ,Û,·[]B

Catalog,àŽQ[]Æ

View:Long

,±,lfvf□fpfefB,Å,í□Afff^f□fO,ì•\Ž!f,□[fh,đ•Ô,μ,Û,·□B

ŽŸ,ì!đ•Ô,μ,Û,·□B

fŠfXfgE`Ž®,Å•\Ž! = 0

fTf€flfCf<□¬,Å•\Ž! = 1

fTf€flfCf<'†,Å•\Ž! = 2

fTf€flfCf<'â,Å•\Ž! = 3

ŠÇ—□ŽOf,□[fh,Å•\Ž! = 4

ViewConstant□ACatalog,àŽQ□Æ

Backup (PathName as String, FullBackup as String) iŠÇ—ŽÒê—p

,±,lf^
fbfh,É,æ,è Afjf^fO,lfobfNfAfbfvfRfs[,Žw'è,iftf@fCf<,É•Û'¶,³,ê,Û,·B"FullBackup",a^,ìê
 Afjf^fO'S'ì,³fRfs[,³,êA<U,ìê,lfCFR[fh,ÆfjfeSfSî•ñ,³fRfs[,³,êAŽg—
p,·,é'O,Éfjf^fO,đ•œŠ^(fŠXfgfA),³,¹,é•K—v,³,è, ,Û,·B

Catalog,àŽQÆ

Catalog[iPathName as String]

, ±, ìf\fbfh, É, æ, èA“Á'è, ìftj@fCf<, Ü, ½, ÍftfHf<f_, ðffj^fO, ·, é, ±, Æ, ^a, Å, «, Ü, ·B

Catalog, àŽQÆ

Compress □iŠÇ—□ŽÒ□ê—p□j

,±,ìf□\fbfh,É,æ,è□Afff^f□fO,^{a^3}□k,³,ê,Ü,·□B

Catalog,àŽQ□Æ

ImportCategories (FromPathName as String)

, ±, ìf Ñ \fbfh, É, æ, è □ A “ Á ’ è, ìftf@fCf<, ©, ç Categories, ^a “ Ç, Ý □ Ž, Ü, ê, Û, · □ B

Catalog, à Ž Q □ Æ

ImportRecords **FromPathName:** • **Žš—ň**

, ±, ìf\fbfh, É, æ, èA“Á’è, ìftf@fCf<, ©, çrecords, a“Ç, Ýž.Ü, ê, Ü, ·B

Catalog, àŽQÆ

Rebuild iŠÇ—ŽÒê—p j

, ±, ìf\fbfh, É, æ, è Afjf^fO, C•œ, ³, ê AfCf“fffNfX, Ä\z, ³, ê, Ü, ·B

Catalog, àŽQÆ

RecoverDeletedRecords □iŠÇ—□ŽÒ□ê—p□j

,±,lf□\fbfh,í□Ajjf^f□fO,©,ç□í□œ,³,ê,½,·,×,Ä,ìrecords,đ•œŠ^,³,¹,Ü,·□B

Catalog,àŽQ□Æ

ShowAllRecords

,±,ìf\fbfh,É,æ,èAfff^fOfEfBf“fhfE“à,ì,·,x,Ä,ìfCEfR[fh,^a•\Ž!,³,êAEindf\fbfh,^a
%ođœ,³,ê,Ü,·B

Catalog,àŽQÆ

StatusList:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□Afff^f□fO,ìstatus list,đ•Ô,μ,Û,·□B

Catalog,àŽQ□Æ

PublishToWWW:fu[f<

,±,lfvf[]pfeB,Å,í[]Afff^f[]fO,ðWeb<κ—L,·,é,©,Ç,κ,©,ì•Ô'ì,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

fff^f[]fO,àŽQ[]Æ

AddDuplicateAssets:fu[]f<

,±,lfvf[]fpfefB,Å,í[]Aftf@fCf<,ìjff^f[]fO,ì[]d•j,đ" F,β,é,©,Ç,ϣ,©,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

Application:flufWfFfNfg

,±,lfvf[]pfefB,Å,í[]AApplicationflufWfFfNfg,đ•Ô,μ,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

CatalogingAction:Long

,±,lfvf[]pfefB,Å,í[]Afff^f[]fOŽž,lfvf[]fZfX,ÅŽg—p,³,ê,é^È%^o,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

'Ç%^oÁ,ì,Ý = 0
'Ç%^oÁ/[]X[]V = 1
[]X[]V,ì,Ý = 2

CatalogingActionConstants[]CatalogingOptions,àŽQ[]Æ

ColorThumbnailQuality:Long

,±,lfvf[]pfeB,Å,í[]Afff%o[][,lfTf€fjfCf<,đ[]î[]¬,·,é[]Ú[]A,»,ì•iŽ¿,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

ŽŸ,ì'l,^aí[]Ý'è,Å,«,Ü,·[]B

•W[]€ = 0
[],•i^Ê = 1

ThumbnailQualityConstants[]A_CatalogingOptions,àŽQ[]Æ

CopyAssetToCollectionFolder:fu[]f<

,±
,lfvf[]ppfefB,Å,í[]Aftf@fCf<,ìjff^f[]fOŽž,É[]Aftf@fCf<,ð[]AŽw'è,μ,½[]'ĀÉftfHf<f_ÉfRfs[][,·,é,©[]A,»,
è,Æ,àflfŠfWfjif<,lftf@fCf<,ðŽQ[]Æ,·,é,©,ì•Ó'l,Ü,½,í[]Ý'è,^aÅ,«,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

CountAssetsForProgress:fu

,±,lfvf[]fpfefB,Å,í[]Afj^f[]fo,·,é'O,ÉftjHf<f_Ü,½,Íf{fŠf...
[]f€"à,lfjf@fCf<,ðj]fEf"fg,μ,Å[]Afvf[]fOfÆfXfo[],ì[]U[]x,ð•\Ž|,·,é,©,Ç,¤
,©,ð•Ô'l,Ü,½,í[]Ý'è,Å,«,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

ExcludeDamagedAssets:fu[]f<

,±,ìfvf[]fpfefB,Å,íACumulus,ìfNf%oofbVf...,ìCE´^ö,Æ,È,é[]áŠQftf@fCf<,ð[]A“o~^%oð[]œfŠfXfg,É'Ç
%oÁ,·,é,©,Ç,α,©,ð•Ô'l,Ü,½,í[]Ý'è,Å,«,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

ExcludedAssets: • ¶Žš—ňfŠfXfg

,±, ìvf[]fpfefB, Å, í[]A“o~ ^
%ođ[]œ,³, ê,½[]Ajjf^f[]fO,³, ê, È, çftf@fCf<, ìfŠfXfg, ì•Ô'ì, Û, ½, í[]Ý'è,ª, Å, «, Û, ·[]B

CatalogingOptions, àŽQ[]Æ

FileFormatTable:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]Aftf@fCf<CE`Ž@fe[]fuf<,ì“Ç,Ý[]o,μ,ª,Å,«,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

GrayscaleThumbnailQuality:Long

,±, ìfvf[]fpfefB, Å, í[]AfOfCE[][fxfp[][f<, ìTf€f[]fCf<[]ì[]-Žž, ì•iŽž, ì•Ô'ì, Ü, ½, í[]Ý'è, ¢, Å, «, Ü, ·[]B

ŽŸ, ì'ì, ¢[]Ý'è, Å, «, Ü, ·[]B

•W[]€ = 0
[], •i^É = 1

ThumbnailQualityConstants[]ACatalogingOptions, àŽQ[]Æ

IncludeCategoriesFromAsset:fu

,±, ìfvf[]fpfefB, Å, í[]AflfŠfwfif<ftf@fCf<“à, É•Û‘¶, µ, ½fjfeSfŠ, ð[]A[]ì[]¬, ³, ê, ½fCEfR[][fh, É’Ç
%oÁ, ·, é, ©, Ç, æ, ©, ð•Ó'l, Ü, ½, í[]Ý’è, Å, «, Ü, ·[]B

CatalogingOptions, àŽQ[]Æ

IncludeFolderNamesAsCategories:fu[]f<

,±,ìfvf[]fpfefB,Å,í[]Ajjf^f[]fO,³,ê,½ftf@fCf<,ìftfHf<f_[]'ç,ð[]fefSfŠ,Æ,μ,Ä"o~^,·,é,©,Ç,α
,©[]A[]eftfHf<f_[]j[]fefSfŠ,ð[]i[]-³,ê,½f[]fR[][]fh,É'Ç%oÁ,·,é,©,Ç,α,©,ð•Ô'l,Ü,½,í[]Ý'è,Å,«,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

IncludeNotesFromAsset:fu

,±
,lfvf[]pfeB,Å,Í[]Aflfšfwfif:ftf@fCf<,É•Û'¶,³,ê,½fRf[]“fg,âfLfffvfVf+f”,ð[]A[]i[]-,³,ê,½fCefR[]fh,É'Ç
%oÁ,·,é,©,Ç,α,©,İ•Ó'l,Û,½,İ[]Y'è,ª,Å,«,Û,·[]B

CatalogingOptions,àŽQ[]Æ

LinearThumbnailQuality:Long

,±,lfvf[]fpfefB,Å,Í[]Af%ofCf“fA[]fg,lfTf€flfCf·•iŽ,ì•Ô'l,Ü,½,Í[]Ý'è,ª,Å,«,Ü,·[]B

ŽŸ,ì'l,ª[]Ý'è,Å,«,Ü,·[]B

•W[]€ = 0
[],•i^Ê = 1

ThumbnailQualityConstants[]ACatalogingOptions,àŽQ[]Æ

Notes: • ¶Žš—ñ

,±,lfvf□fpfefB,Å,í□Ajjf^f□fOfifvfVf#f“,Å‘O,à,Á,ÄŽw’è,μ,½fm□[fg,ì•Ô‘I,Ü,½,í□Ý’è,ª,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

OpenPropertyWindow:fu[]f<

,±
,lfvf[]fpfefB,Å,í[]Aflfšfwfif<ftf@fCf<,ªffj^f[]fO,³,ê,é,²,Æ,É[]A,» ,lfCEfR[]lfhfvf[]fpfefBfEfBf“fhfE,đŽ ©
“®“l,ÉŠJ,ç,Ä[]A,½,¾,¿,É•Ó[]W,ª,Å,« ,é, ©,Ç,κ, ©,l•Ô'l,Ü,½,í[]Ý'è,ª,Å,« ,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

OptimizeThumbnailsAutomatically:fu[]f<

,±,ìfvf[]fpfefB,Å,í[]Ajjf^f[]fOŽž,ÉTf€f[]Cf<,ì-¾,é,³,ÆfRf“fgf%ofXfg,đŽ©“®“l,É[]Å“K%o»,·,é,©,Ç,¤
,©,ì•Ô'l,Û,½,í[]Ý'è,ª,Å,«,Û,·[]B

CatalogingOptions,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□Ajjf^f□fO□EflfvfVf#f“,ì□eflfufWfFfNfg,ì“Ç,Ý□o,μ,^a,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

ResolveShortcuts:fu[]f<

,±, ìvf[]fpfefB, Å, í[]Afvf#[]fgfjfbfg, ìjff^f[]fOŽž, ÉfŠf“fN[]æ, ìfifŠfWfif<, ðjff^f[]fO, ·, é, ©-
³Ž<, ·, é, ©, ì[]A•Ô'ì, Û, ½, ì[]Ý'è, ¢, Å, «, Û, ·[]B

CatalogingOptions, àŽQ[]Æ

Status: •¶Žš—ň

,±,lfvf□fpfefB,Å,í□A□efXfe□[f^fX,ì•Ô'l,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

ThumbnailSource:Long

,±,lfvf[]fpfefB,Å,í[]Aftf€flfCf<,ì[]-Žž,ì^[]fX,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

ŽŸ,ì'l,^a[]Ý'è,Å,«,Ü,·[]B

$$\begin{aligned} flfŠfWfif<“à,ìfTf€flfCf< &= 0 \\ fCf[][]fW'S'ì &= 1 \end{aligned}$$

ThumbnailSourceConstants[]ACatalogingOptions,àŽQ[]Æ

User: •ŕŽš—ň

,±
,lfvf[]pfefB,Á,í[]Afff^f[]OfifvfVf#f“ ,Å‘O,à,Á,ÄŽw’è,μ,½[]uft[]fU[]vftfB[]f<fh,i•Ô‘I,Ü,½,í[]Ý’è,ª,Å,«
,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AApplicationflfufWfFfNfg,đ•Ô,μ,Ü,·□B

Catalogs,àŽQ□Æ

Count:Long

,±,lfvf□fpfefB,Å,í□AfrfCEfNfVf‡“”†,ìfj^f□f□□”,đ•Ô,μ,Ü,·□B

Catalogs,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□Ajjf^f□fO,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

Catalogs,àŽQ□Æ

Add (Pathname as String [,WriteAccessPassword as String]) as Object

,±,ìf□\fbfh,É,æ,è□AflfvfVf#f“,ì□',«□ž,Ý—pfpfXf□□[fh,ðŽg,Á,ÄjJf^f□fOftf@fCf<,ðŠJ,,±
,Æ,ª,À,«□Ajjf^f□fQfIfufWfFfNfg,ð•Ö,μ,Ü,·□B

Catalogs, àŽQ□Æ

Item (Index as Long / Name as String) as Object

,±, ìfvf[]fpfefB, Å, íCf“fffNfX, Ü, ½, í-¼‘O, ðŽw’è, ·, é, ±
,Æ, É, æ, è[]Afrf[]fNfvf±f““†, ìjff^f[]fO, ð•Ô, μ, Ü, ·[]B

Catalogs, àŽQ[]Æ

Remove (Index as Long / Name as String)

fCf“fffNfX,Ü,½,Í-¼‘O,ðŽw’è,·,é,±,Æ,É,æ,è□AfrfEfNfVf†f“,ìCatalog,ª•Â,¶,ç,ê,Û,·□B

Catalogs,àŽQ□Æ

New (Pathname as String, [CatalogName as String]) as Object

, ±, ìf\fbfh, É, æ, èA V<Kfjf^fOfjf@fCf<, ìì- AfI[fvf“AcataloglfufWfFfNfg, ð•Ô, ·, ±
, Æ, ð, Å, «, Ü, ·Bjff^fO-¼, íÉ—â%oÅ“\, ÅA, » , ìê†tf@fCf<-¼, äfftfHf<fg, Æ, µ, ÅŽg—p, ³, ê, Ü, ·B

Catalogs, àŽQÆ

Application: flfufWfFfNfg

, ±, ìfvf[]fpfefB, Å, í[]AApplicationflfufWfFfNfg, ð•Ô, µ, Ü, ·[]B

Categories, àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]Acatalog,lfjfefSfŠ[]”,đ•Ô,μ,Ü,·[]B

Categories,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AjjfefSfŠ,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

Categories,àŽQ□Æ

Add:flfufWfFfNfg

,±,lf∧fbfh,É,æ,èAfftjHf<fg,ìjffefSfŠ-¼,đŽg,Á,ÄV<KjffefSfŠ,^aCumulusjff^fO,ì'æ^êŠK'w,É'Ç
%oÁ,³,êAV<K,Éi¬,³,ê,^{1/2}categoryflfufWfFfNfg,đ•Ô,μ,Û,·B

Categories,àŽQÆ

AddCopy (Category as Object) as Object

, ±, ìf[]\fbfh, É, æ, è[]ACumulusffj^f[]fO, ì'æ^êŠK'w, É, , é, ·, x, Ä, ìfTfufjffefSfŠ, ÆfìfŠfWfif<ffjefSfŠ, ðŠÜ, pcategory, ðfRfs[][, ð, ê[]A[]V<K, É[]ì[]¬, ð, ê, ½categoryfìfufWfFfNfg, ð•Ó, µ, Ü, ·[]B

Categories, àŽQ[]Æ

Item (Index as Long / Name as String) as Object

, ±, ìvf[]fpfefB, Å, í[]Acategory, ðfCf“fffNfX • Ê, Ü, ½, í-¼‘O • Ê, É • Ô, µ, Ü, ·[]B, ±
, ê, ìfftfHf<fg, ìvf[]fpfefB, Å, ·[]B

Categories, àŽQ[]Æ

ItemByID (ID as Long) as Object

,±,lfvf[]fpfefB,Å,í[]Acategory,ðjffefSfŠID•É,É•Ô,μ,Û,·[]B

Categories,àŽQ[]Æ

Remove [i]Index as Long / Name as String [j]

fCf“fffNfX,Ü,½,Í-¼‘O,ďŽw’è,·,é,±,Æ,Åcategory,đCumulusjff^fO,©,çíœ,·,é,±,Æ,^a,Å,«,Ü,·B

Categories,àŽQÆ

Export (Path as string)

Export,É,æ,èACumulusff^ffO,ìffefSfŠ,ª',«o,³,ê,Û,·B',«o,µftf@fCf<,ª'¶Y,µ,È,çê¶,íA
¶→,³,ê,Û,·B

Categories,àŽQÆ

Application:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·□B

Categories,àŽQ□Æ

Collapsed:fu□[f<

,±,lfvf□fpfefB,Å,í□Aft□[fUfCf“f^ftfF□[fX“à,ìjffefSfŠ,ì”ňŠK‘w•\Ž!□ó‘Ô,đ•Ô‘l,Ü,½,í□Ý‘è,Å,<,Ü,·□B

Categories,àŽQ□Æ

Directory: • ¶ Ž š — ñ

, ±, ì v f ò f p p e f B, Å, í ò A f f B f C E f N f g f Š f j f e f S f Š ò i f j f Š f W f j f < f t f @ f C f < , ^a • Û ' ¶ , ³ , ê , Ä , † , é f t f H f < f _ - ¹/₄ Š K ' w , ð • \ , μ , ¹/₂ f j f e f S f Š ò j , ì f p f X , ì • Ó ' l , Û , ¹/₂ , ì ò Y ' è , ^a , Å , « , Û , • ò B

Categories, à Ž Q ò Æ

ID:Long

,±,lfvf[]fpfefB,Å,í[]AjjfefSfŠ,ì“à•”ID,đ•Ô,μ,Û,·[]B

Categories,àŽQ[]Æ

Level:Long

,±,lfvf□fpfefB,Å,í□AjjfefSfŠfcfŠ□[“à,ìjjfefSfŠ,ìfÇfxf<,đ•Ô,μ,Û,·□B

Categories,àŽQ□Æ

Name: • ¶Žš—ñ

, ±, ìfvf□fpfefB, Å, í□AjjfefSfš-¼, ì•Ô'I, Ü, ½, í□Ý'è, ¢, Å, «, Ü, ·□B, ±, ê, íffftfHf<fg, ìfvf□fpfefB, Å, ·□B

Categories, àŽQ□Æ

Original:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfGfCfŠfAfX,lfJfŠfWfJf<category,ì•Ô'I,Ü,½,í□Ý'è,ª,Å,«,Ü,·□B

Categories,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvfñfpfefB,Å,íñAjjfefSfŠ,ìñeflfufWfFfNfg,đ•Ô,μ,Û,·ñB

Categories,àŽQñÆ

ParentCategory:flfufWfFfNfg

,±
,lfvf[]pfefB,Å,í[]AfffefSfŠ,̀category,̀i•Ô'!Ü,½,í[]Ý'è,ª,Å,«,Ü,·[]B'![]m,È,μ[]n,í[]A'æ^èŠK'wfffefSfŠ,ð
^Ô-i,μ,Ü,·[]B

Categories,àŽQ[]Æ

SubCategories:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AjjfefSfš,̀̀sub-categories,̀̀RfCEfNjVf#f“,đ•Ô,μ,Û,·[]B

Categories,àŽQ[]Æ

Type:Long

,±,lfvf[]pfefB,Å,í[]A[]ffefSfŠ,ìĀ`Ž®,đ•Ô,μ,Û,·[]B

ŽŸ,ì'l,đ•Ô,μ,Û,·[]B

'Ê[]í,[]ffefSfŠ	= 0
fGfCfŠfAfX	= 1 []i“Ç,Ý,Æ,è[]ê—p[]j
ftfHf<f_[]ffefSfŠ	= 2

CategoryTypeConstants[]ACategories,àŽQ[]Æ

Export (Path as string)

Export,É,æ,è AfjfefSfŠ,ª1,Â',«o,³,ê,Û,·B',«o,µftf@fCf<,ª'¶Ý,µ,È,çê‡,Íi¬,³,ê,Û,·B

Categories,àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

FileFormatEntry,àŽQ[]Æ

DefaultBitmap: •¶Žš—ň

,±
,lfvf[]fpfefB,Å,í[]Ajjf^f[]fOŽž,Éftf@fCf<,ìfTf€fifCf<,ª[]ì[]¬,Å,«,È,ç[]ê[]‡,É'í'ð,³,ê,é[]AffftfHf<fg,ìfrfbfg
f}fbfv%œ'œ,ì•Ô'í,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

FileFormatEntry,àŽQ[]Æ

Extension: •¶Žš—ň

,±,ìfvf¶fpfefB,Å,í¶Aftf@fCf<CE`Ž®Žw'è,ªfTfj
¶[fg,·,éftf@fCf<CE`Ž®,İSg'£Žq,ì•Ô'l,Ü,½,í¶Y'è,ª,Å,«,Ü,·¶B

FileFormatEntry,àŽQ¶Æ

FileFormat:•¶Žš—ň

,±,lfvf□fpfefB,Å,í□Aftf@fCf<CE`Ž®Žw'è,ìftf@fCf<CE`Ž®,ì•¶Žš—ň,ì•Ô'l,Û,½,í□Ý'è,^a,Å,«,Û,·□B

FileFormatEntry,àŽQ□Æ

IsActive:fu

,±,lfvf[]pfeB,Å,í[]Aftf@fCf<CE`Ž®Žw'è,^a—LCEø,©,»,¤,Å,È,ç,©,ì•Ô'l,Ü,½,í[]Ý'è,^aÅ,«,Ü,·[]B

FileFormatEntry,àŽQ[]Æ

Name: • ¶Žš—ñ

,±,ìvfv[]fpfefB,Å,í[]A[]uGeneric Filter[]v,É, ,éftfBf<f^,È,Ç,ìftf@fCf<Æ`Ž®Žw'èfRf“fgf[][]f<-
¼,ì•Ó'l,Û,½,í[]Ý'è,^a,Å,«,Û,·[]B,±,ê,íffftfHf<fg,ìvfv[]fpfefB,Å,·[]B

FileFormatEntry,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]Aftf@fCf<CE`Ž®Žw'è,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

FileFormatEntry,àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

FileFormatTable,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]AfCf“fXfg[]f<,³,ê,½ftf@fCf<CE`Ž®Žw'è,ì”,đ•Ô,μ,Û,·[]B

FileFormatTable,àŽQ[]Æ

Add (Name as String [, AsIndex as Long]) as Object

, ±, ìf[]\fbfh, É, æ, è[]A“Á'è, ìftfBf<f^fRf“fgf[][]f<-¼[]i, ½, Æ, ÷, Ì[]uGeneric
Filter[]v[]j, ìftf@fCf<CE`Ž®Žw'è, ð'Ç%oA,³, ê, Ü, ·[]BfìfvfVf#f“ , ìfpf%of[][]f^AsIndex, ð[]Ý'è,³, ê, Ä, ç
, é[]ê[]# , í[]A, » , ±, É' }“ü,³, ê[]A[]Ý'è,³, ê, Ä, ç, È, ¯ , ê, Î0^È'u, É' }“ü,³, ê, Ü, ·[]B[]V<K, É[]i[]¬,³, ê, ½file format
entryfìfufWfFfNfg, ð•Ô, μ, Ü, ·[]B

FileFormatTable, àŽQ[]Æ

Item (Index as Long / Name as String) as Object

, ±, ìvfvfñfpfefB, Å, íAfile format entry, ðfCf“fffNfX•Ê, Û, ½, Í-¼‘O•Ê, É•Ô, µ, Û, ·B-
¼‘O, ðŠg'£Žq, Ì, Ý, ìêññAññ%o, Ê^ê'v, ·, éftf@fCf<CE`Ž®Žw'è, ð•Ô, ³, êñA-
¼‘O, ðŠg'£ŽqñA<æñØ, è•ñŽšñA, ·, æ, ÑftfBf<f^fRf“fgfññ[f<-¼, ©, çññ-, ³, ê, Ä, ç,
, éñêññ, ìñAŽw'è, ³, ê, ½“ü—í, ð•Ô, µ, Û, ·B<æñØ, è•ñŽš, É, ìñA'ñA:'ñA, Û, ½, Í-'í, ç, , , ê, ©, ðŽg—
p, Å, «, Û, ·B, ±, ê, ìffftfHf<fg, ìvfvfñfpfefB, Å, ·B

—á:

dim filter as object

set filter = theApp.CatalogingOptions.FileFormatTable ("bmp:Canto Wang Filter", 4)

FileFormatTable, àŽQñÆ

Parent:flfufWfFfNfg

,±,lfvf[]pfefB,Å,í[]Aftf@fCf<CE`Ž®Žw'è,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

FileFormatTable,àŽQ[]Æ

Remove Index as Long / Name as String

,±,ìfvf[]fpfefB,Å,í[]Aftf@fCf<CE`Ž®Žw'è,³fCf"fffNfX•Ê,Û,½,Í-¼'O•Ê,Éí[]œ,³,ê,Û,·[]B-
¼'O,³Sg'£Žq,ì,Ý,ì[]ê[]#[]A[]Å[]%o,É^ê'v,·,éftf@fCf<CE`Ž®Žw'è,³í[]œ,ê[]A-
¼'O,³Sg'£Žq[]A<æ[]Ø,è•¶Žš[]A,¨,æ,ÑftfBf<f^fRf"fgf[][]f<-¼,©,ç[]\[]-,³,ê,Ä,ç
,é[]ê[]#,í[]AŽw'è,³,ê,½"ü—í,³í[]œ,³,ê,Û,·[]B<æ[]Ø,è•¶Žš,É,í[]A' '[]A':[]A,Û,½,Í-',ì,ç,.,ê,©,ðŽg—
p,Å,«,Û,·[]B

—á:

theApp.CatalogingOptions.FileFormatTable.Remove ("bmp:Canto Wang Filter")

FileFormatTable,àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

AssetReference,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]pfefB,Å,í[]Aftf@fCf<fŠftf@fÆf“fX,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

AssetReference,àŽQ[]Æ

Text: •¶Žš—ň

,±, ìvf[]fpfefB, Å, í[]Aftf@fCf<fŠftf@fÆf“fX, ìfpfX-¼,ª•¶Žš—ň, Å•Ô,³,ê,Ü,·[]B,±
,ê, ìfftfHf<fg, ìvf[]fpfefB, Å, ·[]B

AssetReference, àŽQ[]Æ

Type: •¶Žš—ň

,±,ìfvf[]fpfefB,Å,í[]Aftf@fCf<fŠftf@fÇf“fX,ìÇ`Ž®^a,•¶Žš—ň,Å•Ô,³,ê,Ü,·[]B

Ç»[]sfo[][fWf#f“,Å,í[]Aftf@fÇf“fXÇ`Ž®,í"MacOS",Ü,½,í"Windows",ì,ç,,ê,©,Å,·[]B

AssetReference,àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

AssetReference,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]pfefB,Å,í[]Aftf@fCf<fŠftf@fÆf“fX,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

AssetReference,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]AŠeŽífvf%ofbfjgftfH[][f€,ì,³,Ü,´,Ü,Èfile_references,ì",đ•Ô,μ,Ü,·[]B

AssetReference,àŽQ[]Æ

Item (Index as Long / Name as String) as Object

, ±, ìfvf[]fpfefB, Å, ÍCf“fffNfX, Ü, ½, Í-¼‘O, ðŽw’è, ·, é, ±, Æ, Å[] Afile reference, ð•Ô, µ, Ü, ·[]B

Œ»[]sfo[] [fWf±f“, Å, Í[]A-¼‘O, Í"MacOS", Ü, ½, Í"Windows", ì, ç, , , ê, ©, É, È, è, Ü, ·[]B, ±, ê, ìffftfHf<fg, ìfvf[]fpfefB, Å, ·[]B

AssetReference, àŽQ[]Æ

Update (PathName as String)

,±,ìf∧\fbfh,É,æ,èAftj@fCf<fŠftj@fŒf“fX,ª“Á'è,ìfpfX,ÅXV,³,ê,Ü,·B

AssetReference,àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

LogEntries,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]Log_entries”,đ•Ô,μ,Û,·[]B

LogEntries,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvfñfpfefB,Å,íñAññfO“ü—í,ìñeflfufWfFfNfg,ð•Ô,μ,Û,·ñB

LogEntries,àŽQñÆ

Clear

, ±, ìf□^fbfh, É, æ, è□Afff^f□fO, ìf□f, fŠf□fO, ³fNfŠfA, ³, ê, Ü, ·□B

LogEntries, àŽQ□Æ

Save[iPathname as String]

,±,ìf[]\fbfh,É,æ,è[]Af[]fO,³fefLfXfgftf@fCf<,É•Ù'¶,³,ê,Ü,·[]Bfj^f[]fO,ìfivfVfþf“
"SaveLogToFile",³fAfNfefBfu,ì[]ê[]#[]A,·,x,Ä,ìf[]fOf[]f@fCf<,³fefLfXfgftf@fCf<,Æ,µ,Ä•Ù'¶,³,ê[]A,»,¼
,Ä,É,ç[]ê[]#,ìf[]f,fSf[]fO"ü—í,¾,¯,ª•Ù'¶,³,ê,Ü,·[]B

LogEntries,àŽQ[]Æ

Item (Index as Long) as Object

, ±, ìvf[]pfefB, Å, í[]Alog_entry, ³fCf“fffNfX•Ê, Ê•Ô, ³, ê, Ü, ·[]B, ±, ê, ífftfHf<fg, ìvf[]pfefB, Å, ·[]B

LogEntries, àŽQ[]Æ

Action: •¶Žš—ň

,±, ìfvf□fpfefB, Å, í□A□ufjf^f□fO, đŠJ, □v, ì, æ, x, Èfjf^f□fO, É'í, μ, Ä□s, í, ê, ½□^—□, đ<L□q, ·, é•¶Žš—
ň, đ•Ó, μ, Ú, ·□B

LogEntries, àŽQ□Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

LogEntries,àŽQ[]Æ

Date: "ú•t

,±,lfvf□fpfefB,Å,Í□Af□fO“ü—Í,lf^fCf€fXf^f“fv,đ•Ô,μ,Û,·□B

LogEntries,àŽQ□Æ

Name: • ¶Žš—ñ

, ±, ìvfñfpfefB, Å, íAñfñO“ü—í, ìftñlfU-¼, ð•Ô, µ, Ü, ·ñB, ±, ê, ìfftfHf<fg, ìvfñfpfefB, Å, ·ñB

LogEntries, àŽQñÆ

Object: •¶Žš—ñ

,±,ìfvf[]fpfefB,Å,í[]AfCEfR[]fj-¼,âfj]fefSfš-¼,È,Ç[]Af[]fO“ü—í,ì'Ç
%oÁ[]î•ñfifufWfFfNfg,đ•Ô,μ,Û,·[]B

LogEntries,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvfñfpfefB,Å,íñAññfO“ü—í,ìñeflfufWfFfNfg,đ•Ô,μ,Û,·ñB

LogEntries,àŽQñÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

PathMapping,àŽQ[]Æ

FromPath: •řŽš—ň

,±,řvfřfpfefB,Å,ířAf}fbfvĚ³,řpfX,ì•Ô'l,Û,½,íř'è,^a,Å,«,Û,·řB

PathMapping,àŽQřÆ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfpfXf}fbfsf“fO,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

PathMapping,àŽQ□Æ

ToPath: • ¶Žš—ñ

,±, ìfvf[]fpfefB, Å, í[]AFromPath, ì}fbfv[]æ, Å, ,épfX, ì•Ô'l, Ü, ½, í[]Ý'è, ¢, Å, «, Ü, ·[]B

PathMapping, àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

PathMapping,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]AfpfXf}fbfsf“fOfe[]fuf<“à,ì“ü—í[],đ•Ô,μ,Û,·[]B

PathMapping,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfpfXf}fbfsf“fO,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

PathMapping,àŽQ□Æ

Add (FromPath as String, ToPath as String) as Object

, ±, ìf[]\fbfh, É, æ, è[]A“Á’è, ìFromPath, “, æ, ÑToPath • ¶Žš—ñ, ðŽg, Á, Ä[]V<K“ü—
Í, ðpfXf}fbfsf“fOfè[]fuf<, É’Ç%oÁ, ³, ê[]A[]V<K[]ì[]¬, ³, ê, ½path_mappingfjfufWjFfNfg, ð•Ô, µ, Ü, ·[]B

PathMapping, àŽQ[]Æ

Item (Index as Long / FromPath as String) as Object

, ±, ìvf□fpfefB, Å, í□Path mappinglfufWfFfNfg, ³fCf“ffNfX•Ê, Ü, ½, ÍFromPath•Ê, É•Ô, ³, ê, Ü, ·□B, ±
, ê, ìfftfHf<fg, ìvf□fpfefB, Å, ·□B

PathMapping, àŽQ□Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Preferences,àŽQ[]Æ

OpenAtStartup:fu

,±,ìfvf[]pfeB,Å,í[]AfAvfšP[]fVf#f“<N“®Žž,Éjff^f[]fO,ð[]Ä“xŠ],,©,Ç,κ
,©,í•Ô'l,Û,½,í[]Ý'è,^a,Å,«,Û,·[]B

Preferences,àŽQ[]Æ

OpenCatalogView:Long

,±,lfvf[]fpfefB,Å,í[]Afff^f[]fO,ì<N“®Žž,ì•\Ž!,đ•Ô'l,Ü,½,í[]Ý'è,Å,«,Ü,·[]B

ŽŸ,ì'l,đ[]Ý'è,Å,«,Ü,·[]B

ŠÇ—[]ŽÒf,[]fh = 0

fTf€f[]fCf<f,[]fh = 1

fŠfXfgf,[]fh = 2

•Å,¶,ç,è,½,Æ,«,ì[]ó'Ô = 3

CatalogViewConstants[]APreferences,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvfñpfefB,Å,íAfAfvfŠfPñ[fVfñf“ñÝ’è,ìeflfufWfFfNfg,đ•Ô,μ,Û,·ñB

Preferences,àŽQñÆ

PathMappings:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□Apath_mappingsflfufWfFfNfg,đ•Ô,μ,Û,·□B

Preferences,àŽQ□Æ

PreviewSize:Long

,±, ìfvf□fpfefB, Å, í□Afvf□Efrf...□[fEfbf“fhfE, ìffftfHf<fgfTfCfY, ì•Ô'ì, Ü, ½, í□Ý'è, à, Å, «, Ü, ·□B

ŽŸ, ì'ì, ð□Ý'è, Å, «, Ü, ·□B

fìfŠfWfif<fvf□Efrf...□[fTfCfY = 0
□Å'åfvf□Efrf...□[fTfCfY = 1
f}fjf...fAf<fvf□Efrf...□[fTfCfY = 2

PreviewSizeConstants□APreferences, àŽQ□Æ

ResolveRelatedCategories:fu[f<

,±, ìfvf[]fpfefB, Å, í[]AfjfeSfŠ, ìfGfCfŠfAfX, đŽg—p, μ, ĀĒŸ[]đ, ·, é, ©, Ç, ¼
, ©, í•Œ'í, Ū, ½, í[]Ÿ'è, ª, Å, «, Ū, ·[]B

Preferences, àŽQ[]Æ

SearchForCategoriesAbove:fu[f<

,±,ìfvf[]pfefB,Å,í[]AjjfefSfŠCEÿ[]ö,Å[]ã^Ê,ìjjfefSfŠ,àšÜ,ß,ÄCEÿ[]ö,·,é,©,Ç,¤
,©,í•Ô'l,Ü,½,í[]Ý'è,^aÅ,«,Ü,·[]B

Preferences,àžQ[]Æ

SearchForCategoriesBelow:fu[]f<

,±,ìfvf[]fpfefB,Å,í[]AjjfefSfŠCEÿ[]ö,Å%°^ÊjjfefSfŠ,àšÜ,ß,ÄCEÿ[]ö,·,é,©,Ç,¤
,©,í•Ö'l,Ü,½,í[]Ý'è,^aÅ,«,Ü,·[]B

Preferences,àžQ[]Æ

SearchAllSelectedCategories:fu

,±
,lfvfjfpfefB,Å,íAjjfefSfŠCEŸö,Å,·,x,Ä,lfjfefSfŠ,ðŠÜ,bfCEfR[fh,ðCEŸö,·,é,©A,»,ê,Æ,à1,Â^Èä
,lfjfefSfŠ,ðŠÜ,bfCEfR[fh,ðCEŸö,·,é,©,ì•Ô'l,Ü,½,ÍŸ'è,^a,Å,«,Ü,·B

Preferences,àŽQÆ

ShowTooltips:fu

,±,lfvf[]fpfefB,Å,í[]Aftf€flfCf<f,[]fh,Åfc[]f<f`fbfv,đ•\Ž|,.,é,©,Ç,κ,©,ì•Ô'l,Ü,½,í[]Ý'è,ª,Å,«,Ü,·[]B

Preferences,àŽQ[]Æ

ShowWarnings:fu[f<

,±,lfvf[fpfefB,Å,íACEx[[],đ•\Ž|,·,é,©,Ç,¤,©,ì•Ô'l,Ü,½,íY'è,^a,Å,«,Ü,·B

Preferences,àŽQ[Æ

ThumbnailSimilarityThreshold (0 To 1):Long

,±, ìfvfïfpfefB, Å, íAftf€flfCf<, ì—pŽ—CEÿïð, ðïS, æïÙïA—pŽ—, ì“xï‡, ç
, ðïÝ'è, µ, ½'ì, ì•Ô'ì, ð, µ, ½, èïA, Û, ½ïÝ'è, ð, , é, ±, Æ, ^a, Å, «, Û, ·ïBffftfHf<fg'ì, ì{ 10, 30}
, Å, ·ïBCEÿïð"í'ì, ð<., , é, É, íïA, æ, èï¬, ³, ç'ì, ðïÝ'è, µ, Û, ·ïB

Preferences, àŽQïÆ

Units:Long

,±,lfvf□fpfefB,Å,í□A•\Ž!‘P^Ê,ì•Ô‘l,Ü,½,í□Ý’è,^a,Å,«,Ü,·□B

ŽŸ,ì‘l,^a□Ý’è,Å,«,Ü,·□B

fCf“f`	= 0
fZf“f` f□□[fgf<	= 1
f~fŠf□□[fgf<	= 2
fzfCf“fg	= 3
fsfNfZf<	= 4
fpfCfj	= 5

UnitConstants□Preferences,àŽQ□Æ

UseGrid:fu[f<

,±,ìfvf[]pfeB,Å,í[]Ajjf^f[]fOfEfBf“fhfE,ìfTfCfY•ï[]X,ÉfOfŠfbfh,đŽg—p,·,é,©,Ç,κ
,©,í•Ô'l,Û,½,í[]Ý'è,^a,Å,«,Û,·[]B

Preferences,àŽQ[]Æ

UsePathMapping:fu[f<

,±,ìfvf[]pfeB,Å,í[]Aftf@fCf<fŠftf@fÆf“fX,ìjff^f[]fO,ÉpfXf}fbfsf“fOfef[]fuf<,đŽg—p,·,é,©,Ç,¤
,©,í•Ô'l,Û,½,í[]Ý'è,^a,Å,<,Ü,·[]B

Preferences,àŽQ[]Æ

WindowToOpenOnDoubleClick:Long

,±, ìvf[]fpfefB, Å, Í[]AfCEfR[][fh, ðf_fuf<fNfŠfbfN, µ, ½, Æ, «, Ç, ìEfBf“fhfE, ðŠJ, -
, ©, ð•Ö'l, Ü, ½, Í[]Ý'è, Å, «, Ü, ·[]B

ŽŸ, ì'l, ð[]Ý'è, Å, «, Ü, ·[]B

fvf[]fpfefBfEfBf“fhfE = 0
fvfCEfrf...[][fEfBf“fhfE = 1

OnDoubleClickConstants[]APreferences, àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Record,àŽQ[]Æ

Categories: f l f u f W f F f N f g

, ±, ì f v f f p p f e f B, Å, í Af C E f R f h, É Š,, è “ - , Ä, ç, ê, ½ categories, ì f R f C E f N f V f f f “, ð • Ô, μ, Ü, · B

Record, à Ž Q Æ

Deletable:fu[]f<

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fh,ª[]í[]œ%ººÂ"\\,©,Ç,¤,©,ì•Ô'İ,Ü,½,í[]Ý'è,ª,Å,«,Ü,·[]B

Record,àŽQ[]Æ

AssetCreationDate:“ú•t

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fjh,lfifŠfWfif<ftf@fCf<,ì[]ì-“ú,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

Record,àŽQ[]Æ

AssetDataSize:“ú•t

,±,lfvf[]fpfefB,Å,í[]AfIfŠfWfif<ftf@fCf<,ìff[]f^ftfH[]fNfTfCfY,ì•Ô'1,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

Record,àŽQ[]Æ

FileFormat: • ¶Žš—ñ

,±, ìfvf[]fpfefB, Å, í[]AfCEfR[]f[]h, ìftf@fCf<CE` Ž® , ì•Ô'ì, Ü, ½, í[]Ý'è, ª, Å, «, Ü, ·[]B

Record, àŽQ[]Æ

AssetModificationDate:“ú•t

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fjh,lfifŠfWfjif<,ì[]C[]³“ú,đ•Ô'l,Ü,½,í[]Ý'è,Å,«,Ü,·[]B

Record,àŽQ[]Æ

AssetReferences

,±,ìfvf[]fpfefB,Å,í[]AflfŠfWfif<ftf@fCf<,ì,³,Ü,´,Ü,Ëfvf%ofbfgftfH[]lf€,É,Â,ç
,Ä,ìftf@fCf<fŠftf@fCfj“fX,ð“Ç,Y[]o,·,±,Æ,^a,Å,<,Ü,·[]B

Record,àŽQ[]Æ

AssetRsrcSize:Long

,±,lfvf[]fpfefB,Å,í[]AfIfŠfWfif<ftf@fCf<,lfŠf^[]fXftfH[]fNfTfCfY,ì•Ô'I,Ü,½,í[]Ý'è,^aÅ,«,Ü,·[]B

Record,àŽQ[]Æ

AssetSize:Long

,±
,lfvf[]pfefB,Å,í[]AflfŠfwfif<ftf@fCf<,lftf@fCf<ftfCfY[]iflfŠfwfif<ff[]f^fTfCfY,ÆAssetRsrcSize,l[]±Æv
[]j,đ•Ô,μ,Û,·[]B

Record,àŽQ[]Æ

Height:Double

,±,lfvf[]fpfefB,Å,í[]Aflfšfwfif<ftf@fCf<,lftf@fCf<,l[],,³afCf“f`P^Ê,Å•Ô,³ê,é,©[]A[]Ý'è,Å,«,Ü,·[]B

Record,àŽQ[]Æ

HorizontalResolution:Double

,±,lfvf□fpfefB,Å,í□AflfŠfWfif<ftf@fCf<,ì□...•½%‰đ‘œ“x,ì•Ô‘I,Ü,½,í□Ý‘è,ª,Å,«,Ü,·□B

Record,àŽQ□Æ

ID:Long

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fh,ì“à•”ID,đ•Ô,μ,Û,·[]B

Record,àŽQ[]Æ

MacCreator: •¶Žš—ň

,±, ìfvf[]pfefB, Å, í[]AfCEfR[]fh, ìMacintoshfNfŠfG[]f^f^fCfv[]i4•¶Žš[]; ì•Ô'l, Ü, ½, í[]Ý'è, ¢, Å, «, Ü, ·[]B

Record, àŽQ[]Æ

MacFileType: • ¶Žš—ñ

, ±, ìfvf[]fpfefB, Å, í[]AfCEfR[]f[]h, ìMacintoshftf@fCf<f^fCfv[]i4•¶Žš[]j, ì•Ô'l, Ü, ½, í[]Ý'è, ¢, Å, «, Ü, ·[]B

Record, àŽQ[]Æ

Asset: • ¶Žš—ñ

,±, ìfvf¶fpfefB, Å, í¶AfÆfR¶[fh, ìftj@fCf<•\Ž!fpfX, ì•Ô'! ,Ü, ½, í¶Ý'è, ¢, Å, «, Ü, ·¶B

Record, àŽQ¶Æ

Modifiable:fu□[f<

,±,lfvf□fpfefB,Å,í□AfCEfR□[fh,ª□C□³%oÅ"\\,©,Ç,α,©,ì•Ô'İ,Ü,½,Í□Ý'è,ª,Å,«,Ü,·□B

Record,àŽQ□Æ

Name: • ¶Žš—ñ

, ±, ìjvf□fpfefB, Å, í□AfCEfR□[fh-¼, ì•Ô'l, Ü, ½, í□Ý'è,ª, Å, «, Ü, ·□B, ±, ê, íffftfHf<fg, ìjvf□fpfefB, Å, ·□B

Record, àŽQ□Æ

Notes: • ¶Žš—ñ

,±, ìfvf[]fpfefB, Å, í[]AfCEfR[]fh, ìfm[]fg, ì•Ô'l, Ü, ½, í[]Ý'è, ¢, Å, «, Ü, ·[]B

Record, àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fh,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Record,àŽQ[]Æ

RecordCreationDate:“ú•t

,±,lfvf[]pfefB,Å,í[]AfCEfR[]fh,ì[]ì[]¬“ú,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

Record,àŽQ[]Æ

RecordModificationDate: "ú•t

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fh,ì[]C[]³"ú,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

Record, àŽQ[]Æ

Software: •¶Žš—ň

,±,lfvf□fpfefB,Å,í□AflfšfWfif<ftf@fCf<,ì□ì□~f\ftfgfEfFfA,ì•Ô'l,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

Record,àŽQ□Æ

Status:flfufWfFfNfg

,±,lfvf[]pfefB,Å,í[]Af[]fR[]fh,ìstatus,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

f[]fR[]fh,ìfXfe[]f^fX,ð[]Ý'è,·,é,É,í[]AŽŸ,ì[]•¶,ðŽg—p,μ,Ä,,³/₄,³,†[]B

set record.status = newStatus

"set",ð[]È—^a,·,é,Æ[]AŽQ[]Æ,³,ê,éfXfe[]f^fX-¼[]iff[]f[]Hf<fg,lfvf[]pfefB[]j,^a•ï,í,è,Ü,·[]B

Record,àŽQ[]Æ

TypeSpecific: •ŕŽš—ň

,±,lfvf□fpfefB,Å,í□Aftf@fCf<CE`Ž®“Á—L,ì□î•ň,đ16□i•ŕŽš—ň,Æ,μ,Ä•Ô'I,Ü,½,í□Ý'è,Å,«,Ü,·□B

Record,àŽQ□Æ

User: •řš—ň

,±,ìfvf[]pfefB,Å,í[]AfCEfR[]fh,ìft[]fU-¼,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

Record,àŽQ[]Æ

VerticalResolution:Double

,±,lfvf□fpfefB,Å,í□AflfŠfWfif<ftf@fCf<,ì□,'¼%øđ'œ"x,ì•Ô'l,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

Record,àŽQ□Æ

Width:Double

,±,lfvf□fpfefB,Å,í□AflfŠfwfif<ftf@fCf<,ì•□,đfCf“f`P^Ê,Å•Ô'l,Ü,½,í□Ý'è,Å,«,Ü,·□B

Record,àŽQ□Æ

UpdateAssetReference

fŠ\j<foj,fWf...[f<,É,æ,Á,Ä_fCfAf[]fOf{fbfNfX,ð•\Ž|,¹,„fŠftj@fCEf“fX,ð%øð[]Á,Å,«,é[]ê[]#[]A,±,lf[]\fbfh,É,æ,è[]AfCEfR[]fh,lf|fŠfWfif<ftj@fCf<, file reference,ªŠm”F,³,ê[]A[]X[]V,³,ê,Ü,·[]B

Record,àŽQ[]Æ

CopyAsset[iToPathName as String]

, ±, ìf\fbfh, É, æ, èAfÆfR[fh, ìfšfWfj<ftf@fCf<, a“Á'è, ìtfHf<f_fpfX, ÉfRfs[, ³, ê, Ü, ·B

Record, àŽQÆ

CopyThumbnail

,±,ìf∧fbfh,É,æ,èAfœfR[fh,ìTf€flfCf<,³NfŠfbfvf{[fh,ÉfRfs[,³,ê,Ü,·B

Record,àŽQÆ

Delete

,±, ìf□\fbfh,É,æ,è□Af□EjR□[fh,³fj^f□fO,©,ç□í□œ,³,ê,Û,·□B

Record,àŽQ□Æ

Deselect

,±,ìf□\fbfh,É,æ,è□Afff^f□fO,ìrecord_selection,©,cfÆfR□[fh,ª'l'ð%øð□œ,³,ê,Û,·□B

Record,àŽQ□Æ

Export*i*ToPathName as String

Export,É,æ,èAfCEfR[fhî•ñ,ª,«o,³,ê,Û,·B,«o,µftf@fCf<,ª'¶Y,µ,È,çê‡,ÍAì¬,³,ê,Û,·
B

Record,àŽQÆ

MoveAsset[iToPathName as String]

,±,ìf∧

fbfh,É,æ,èAfeR[fh,ìfšfwfif<ftf@fcf<,ª“Á’è,ìftfHf<f_fpfX,É^Ú“®,³,êAfeR[fh,ìfšfwfif<ftf@fcf<,ìfšftf@fcef“fX,ªXV,³,ê,Û,·B

Record,àŽQÆ

ShowPreviewWindow

,±,lf□\fbfh,É,æ,è□AflfŠfWfif<ftf@fCf<,lfvfCEfrf...□lfEfBf“fhfE,afAfvfŠfP□[fvf#f“ftfCE□[f€“à,É•\
Ž!,³,ê,Û,·□B

Record,àŽQ□Æ

OptimizeThumbnail

,±,ìf∧fbfh,É,æ,èAfœfR[fh,ìTf€flfCf<,ª'N-¾,É,È,è,Ü,·B

Record,àŽQÆ

PasteThumbnail

,±,ìf∧fbfh,É,æ,èAfÆfR[fh,ìTf€flfCf<,³fNfŠfbfvf{[fh,©,çfrfbfgf}fbfv,É'u,«Š·,í,è,Û,·B

Record,àŽQÆ

RotateThumbnailByDegrees as Long

,±,lf\fbfh,É,æ,èAftf€fjCf<,Žw'è,Šp"x,É%ň"]³,ê,Û,·Bfpf
%of[f^,íA90,ì" {",Å,É,¯,ê,î,È,è,Û,¹,ňB

Record,àŽQÆ

Select

, ±, ìf□\fbfh, É, æ, è□AfœfR□[fh, ðfj^f□fO, record selection, É'Ç%Á,³, ê, Ü, ·□B

Record, àŽQ□Æ

ShowPropertiesWindow

,±,ìf\fbfh,É,æ,èAfR[fh,ìvffpfefBfEbf“fhfE,ª•\Ž!,³,ê,Ü,·B

Record,àŽQÆ

Update [Always as Boolean]

, ±, ìf \fbfh, É, æ, èA •K—v, É%ž, ¶, ÄfCEfR [fh, aXV, ³, ê, Ü, ·BfjvfVf+f“fpf
%f [f^"Always", ð"True", ÉÝ'è, ·, é, ÆAí, ÉXV, a s, í, ê, Ü, ·B

Record, àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Record,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]Records,lfRf[]fNfVf+f[]",đ•Ô,μ,Ü,·[]B

Record,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fh,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Record,àŽQ[]Æ

Add:flfufWfFfNfg

,±,lf∧fbfh,É,æ,èAïŽå,ÉfefXfg—
p,Éj<ó,lfEfr[fh,^aV<Kì→,³,êAV<Kì→,³,ê,^{1/2}recordflfufWfFfNfg,^a•Ô,³,ê,Û,·B

Record,àŽQÆ

AddCopy iRecord as Object j

, ±, ìf Ñfbfh, É, æ, è A • Ê, ìj f ^ f f O, ©, ç, ±
, ìj f ^ f f O, Ö f Æ f R Ñ f h, ð f R f s Ñ [, ³, ê A V < K Ñ Ñ ¬, ³, ê, ½ record f l f u f W f F f N f g, ª • Ô, ³, ê, Ü, · B

Record, à Ž Q Ñ Æ

Item (Index as Long / Name as String) as Object

,±, ìvf□fpfefB, Å, í□Afcf“fffNfx, Ü, ½, í-¼‘O, đŽw’è, ·, é, ±, Æ, ÅRfCEfNfVf†f“, ìrecord, đ•Ô, ·, ±, Æ, ð, Å, «, Ü, ·□B, ±, ê, ìfftfHf†fg, ìvf□fpfefB, Å, ·□B

Record, àŽQ□Æ

ItemByID **ilID as Long**

, ±, ìfvf ìfpfefB, Å, í Arecord, ðf ÆfR ì [fhID • Ê, É “Ç, Ý ì o, µ, Å, «, Ü, · ì B

Record, à Ž Q ì Æ

Remove Index as Long / Name as String

fCf“fffNfX,Ü,½,Í-¼‘O,đŽw’è,·,é,±
,Æ,Å Record,^ff^fO,©,çíœ,³,ê,Û,·B·j” ,lfEfR[fh,đŽw,·-¼‘O,đŽw’è,³,ê,Ä,ç,éê#AÅ
%o,lfEfR[fh,¾, ,^íœ,³,ê,Û,·B

Record,àŽQÆ

RemoveByID as Long

,±,ìf\fbfh,É,æ,èArecord,³ŒfRfhID•É,Éjff^ffO,©,çíœ,³,ê,Ü,·B

Record,àŽQÆ

Export*i*ToPathName as String*j*

Export,É,æ,èA,·,x,Ä,lfCFR[fhî•ñ,ª',«o,³,ê,Û,·B',«o,µftf@fCf<,ª'¶Ý,µ,È,çê‡,ÍAì¬,³,ê,Û,·B

Record,àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

SelectedCategories,àŽQ[]Æ

Count:Long

,±, ìfvf[]pfefB, Å, íACumulusfj^f[]fO“à, ì' ðfjefSfS, ì[]A, Ü, ½, í1f[]R[]fh“à, É“o~^, ³, ê, Ä, ç
, éfjefSfS[]”, ð•Ô, µ, Û, ·[]B

SelectedCategories, àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□A'I'ðffjefSfŠ,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

SelectedCategories,àŽQ□Æ

Add Category as Object

, ±, ìf Ñfbfh, É, æ, è ÑAjjf^f ÑfO, ìjjfefSfŠ' l' ð Ñ€-Ú, Ü, ½, íf ÑEfr Ñfh, ìjjfefSfŠftfB Ñfh, ÉjjfefSfŠ, a' Ç
%oÁ, ³, ê ÑAcategoryf ÑfufWfFfNfg, a•Ö, ³, ê, Ü, ÑB

SelectedCategories, àŽQ ÑÆ

Item (Index as Long / Name as String) as Object

,±, ìfvf[]fpfefB, Å, ÌfCf“fffNfX, Ü, ½, Í-¼‘O, ðŽw’è, ·, é, ±, Æ, Å[]A‘I’ð, μ, ½category, ð•Ô, ·, ±, Æ, ð, Å, «, Ü, ·[]B, ±, ê, ÌffftfHfçfg, ìfvf[]fpfefB, Å, ·[]B

SelectedCategories, àŽQ[]Æ

ItemByID (ID as Long) as Object

,±,lfvf□fpfefB,Å,í□A'I'δ,μ,½category,ðffjefSfŠID•Ê,É•Ô,μ,Ü,·□B

SelectedCategories,àŽQ□Æ

Remove [Index as Long / Name as String]

fCf“fffNfX,Ü,½,Í-¼‘O,ðŽw’è,·,é,±,Æ,Å[AfJf^fO,ìjJfefSfŠ‘l’ð€-
Ú,Ü,½,ÍfÆfR[fh,©,çJfefSfŠ,ªíœ,³,ê,Ü,·B

SelectedCategories,àŽQÆ

RemoveByID as Long

,±,ìf\fbfh,É,æ,èAfjf^fO,ìjfeSfŠ'ì'ð€-
Ú,Û,½,íCfR[fh,©,çAfjfeSfŠ,³jfeSfŠID•É,Éíœ,³,ê,Û,·B

SelectedCategories,àŽQÆ

Export iPath as string

Export, É, æ, è ACumulus f f ^ f f O, ì ' ð f f e f S f Š, Ü, ½, Í f C E f R [f h, É " o ~ ^, µ, ½ f f e f S f Š, ¢, « o, ³, ê, Ü, · B
, « o, µ f t f @ f C f <, ¢, ¶, Ý, µ, É, ¢ ê ð †, Í A ì ð ¬, ³, ê, Ü, · B

SelectedCategories, à Ž Q / Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

SelectedRecords,àŽQ[]Æ

Count:Long

,±,ìfvf□fpfefB,Å,íACumulusfjf^f□fO“à,ì'í'ðfÆfR□[fh,ì□”,ð•Ô,μ,Û,·□B

SelectedRecords,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]A'I'ðfÆfR[]fh,ì[]eflfufWfFfNfg,ð•Ô,μ,Û,·[]B

SelectedRecords,àŽQ[]Æ

Add Record as Object

, ±, ìf Ñfbfh, É, æ, è ÑA f j f ^ f Ñf O, ìf ÑE f R Ñ[f h ' í ' ð Ñ€ - Ú, É f ÑE f R Ñ[f h, á ' Ç
% Á, ð, ê ÑA record f l f u f W f F f N f g, á • Ó, ð, ê, Û, . ÑB

Selected Records, à Ž Q ÑÆ

Item (Index as Long / Name as String) as Object

fCf“fffNfX,Ü,½,Í-¼‘O,đŽw’è,·,é,±,Æ,Å□A‘đ,μ,½record,đ•Ô,·,±,Æ,ª,Å,«,Ü,·□B,±
.ê,łffftfHf<fg,łfvf□fpfefB,Å,·□B

SelectedRecords,àŽQ□Æ

ItemByID (ID as Long) as Object

,±,lfvf[]fpfefB,Å,í[]A'I'δ,μ,½record,đfĈEfR[]fhID•Ê,É•Ô,μ,Û,·[]B

SelectedRecords,àŽQ[]Æ

Remove Index as Long / Name as String

, ±, ìf\fbfh, É, æ, èfCf"fffNfX, Ü, ½, Í-¼'O, ðŽw'è, ·, é, ±, Æ, ÅAjjf^fO, ìfCFR[fh'l'ð€-
Ú, ©, çfCFR[fh, ðiœ, ³, ê, Ü, ·B•j", ìfCFR[fh, ðŽw, ·-¼'O, ðŽw'è, ³, ê, Å, ç, éê±AÅ%
, ìfCFR[fh, ¾, ·, ð'l'ð%ðœ, ³, ê, Ü, ·B

SelectedRecords, àŽQÆ

RemoveByID as Long

,±,ìf∧fbfh,É,æ,èAjjf^fO,ìfCFR[h'í'ð€-Ú,©,cfCFR[hID•Ê,ÉfCFR[h,³íœ,³,ê,Û,·B

SelectedRecords,àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Server,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfT[]lfo,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Server,àŽQ[]Æ

IsAdministrator:fu

,±,lfvf[]pfefB,Å,í[]Aft[]fo,Ö,ìCE»[]Ý,ì[]Ú'±,ªŠÇ—[]ŽÒ,É,æ,é[]Ú'±,©,Ç,κ,©,đ•Ô,μ,Û,·[]B

Server,àŽQ[]Æ

Name: • ¶Žš—ñ

,±, ìfvf[]fpfefB, Å, í[]AfT[][fo-¼, ð•Ô, µ, Ü, ·[]B

Server, àŽQ[]Æ

Catalogs:fIfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfT[][fo,ìŠ],ç,½catalogsfRfCEfNfVf+f“,đ•Ô,μ,Û,·[]B

Server,àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

ServerCatalog,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfT[]lfojff^f[]fO,ì[]eflfufWfFfNfg,đ•Ô,μ,Ü,·[]B

ServerCatalog,àŽQ[]Æ

Name: • ¶Žš—ñ

, ±, ìfvf□fpfefB, Å, í□AfŠf, □[fgjff^f□fO-¼, đ•Ô, μ, Ü, ·□B, ±, ê, ífftfHf<fg, ìlfufWfFfNfg, Å, ·□B

ServerCatalog, àŽQ□Æ

ID:Long

,±,ìfvf[]fpfefB,Å,í[]AfŠf,[]ifgfjf^f[]fO,ìID,ð•Ô,μ,Û,·[]B

ServerCatalog,àŽQ[]Æ

IsShared:fu

,±,lfvf[]pfeB,Å,í[]AfŠf,[]fgjff^f[]fO,ì<κ—L[]ó'Ô,δ•Ô,μ,Û,·[]B

ServerCatalog,àŽQ[]Æ

Open:flfufWfFfNfg

,±,lf∧

fbfh,É,æ,èAFT[fo,Åšf,[fgjff^ffO,ªšj,©,êAšf,[fgjff^ffO,̀catalogflfufWfFfNfg,ª•Ô,³,ê,Û,·
B

ServerCatalog,àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

ServerCatalog,àŽQ[]Æ

Count:Long

,±,lfvf□fpfefB,Å,í□AŠJ,č,½fŠf,□lfgfjf^f□fO,lfRfĀfNjVf†f“□”,đ•Ô,μ,Ü,·□B

ServerCatalog,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfT[]lfojff^f[]fOfRf[]fNfVf#f“,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

ServerCatalog,àŽQ[]Æ

Add (Pathname as String [, WriteAccessPassword as String]) as Object

, ±, ìf□\fbfh, É, æ, è□AflfvfVf#f“, ì□', «□ž, Ý—
pfpfXf□□[fh, ðžg, Á, Ä□ASù'¶, ìjff^f□fO, ðfT□[fo, ìjff^f□fOfŠfXfg, É'Ç%oÁ, ·, é, ±, Æ, a, Å, «□Aserver
catalog, ð•Ô, µ, Û, ·□B

ServerCatalog, àžQ□Æ

Item (Index as Long / Name as String) as Object

, ±, ìfvf[]fpfefB, Å, ìfCf“fffNfX, Ü, ½, í-¼‘O, ðŽw’è, ·, é, ±, Æ, Å[]AfrfCEfNfVf†f“, ìserver
catalog, ð•Ô, µ, Ü, ·[]B, ±, ê, ìffftfHf<fg, ìfvf[]fpfefB, Å, ·[]B

ServerCatalog, àŽQ[]Æ

ItemByID (ID as Long) as Object

,±,lfvf□fpfefB,Å,í□AfRfCEfNfVf†f“,ìserver_catalog,đfjf^f□fO,ìID•Ê,Ê•Ô,μ,Û,·□B

ServerCatalog,àŽQ□Æ

New (Pathname as String, [CatalogName as String]) as Object

,±,ìf□\fbfh,É,æ,è□Aft□[fo,Åjff^f□fO,ð□V<K□ì□¬,μ□A,»,ê,ðft□[fo,ìjff^f□fOjŠfXfg,É'Ç
%oÁ,μ□Aserver_catalog,ð•Ô,μ,Û,·□Bjff^f□fO-¼,í□É—ª%oÁ"\,Å□A,»,ì□é□†ftf@fCf<-
¼,ªffftfHf<fg,Æ,μ,ÅŽg—p,³,ê,Û,·□B

ServerCatalog, àŽQ□Æ

Remove Index as Long / Name as String

, ±, ìfvf[]fpfefB, Å, í[]AfCf“fffNfX, Ü, ½, í-¼‘O, ðŽw’è, ·, é, ±, Æ, Åserver
catalog, ³fRfÆfNfVf†f“, ©, ç[]í[]œ, ³, ê, Ü, ·[]B

ServerCatalog, àŽQ[]Æ

RemoveByID as Long

, ±, ìfvf[]fpfefB, Å, í[]Aserver_catalog , ^f[]fOID • Ê, ÉfRfCEfNfVf#f“, ©, ç[]í[]œ, ³, ê, Ü, ·[]B

ServerCatalog, àŽQ[]Æ

Restore (BackupPathName as String, PathName as String [, WriteAccessPassword as String]) as Object

,±,ìf□^
fbfh,É,æ,è□Afff^f□fO,ìfofbfNfAfbfvftf@fCf<"BackupPathName",ð•œŠ^,³,¹□AflfvfVf†f“,ì□',«□ž,Ý—
pfpfXf□□[fh,ðŽg,Á,ÁfT□[fo,É□V<Kfff^f□fO"PathName",ð□ì□¬,μ,Û,·□B,»,μ,Ä□A,»,é,ðfT□[fo,ìfff^f□f
OfŠfXfg,É'Ç%◦Á,μ□A,Û,½server_catalog,ð•Ô,μ,Û,·□B

ServerCatalog, àŽQ□Æ

Application:flfufWfFfNfg

,±,lfvf[]pfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Status,àŽQ[]Æ

ID:Long

,±,lfvf[]fpfefB,Å,í[]AfXfe[][f^fX,ì“à•”ID,đ•Ô,μ,Û,·[]B

Status,àŽQ[]Æ

Name: • ¶Žš—ñ

, ±, ìvfñpfefB, Å, íAfxfe[f^fX-¼, ð•Ô, µ, Ü, ·B, ±, ê, ífftfHf<fg, ìvfñpfefB, Å, ·B

Status, àŽQÆ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfXfe[]f^fX,ì[]eflfufWfFfNfg,δ•Ô,μ,Û,·[]B

Status,àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

StatusList,àŽQ[]Æ

Count:Long

,±,ìfvf[]pfeB,Å,í[]Afff^f[]fO,ìfXfe[]f^fX[]",đ•Ô,μ,Û,·[]B

StatusList,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfXfe[]f^fXfŠfXfg,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

StatusList,àŽQ[]Æ

Add (Name as String, AsIndex as Long) as Object

,±,ìf□\fbfh,É,æ,è□A“Á'è,ì-
¼'Ö,ÆfCf“fffNfX,đŽg,Á,Ä□Afxfe□[f^fX,đjff^f□fO,ìfxfe□[f^fXfŠfXfg,É'}“ü,μ□AstatuslfufWfFfNfg
,đ•Ö,μ,Ü,·□B

StatusList,àŽQ□Æ

Item (Index as Long / Name as String) as Object

,±,lfvf[]pfefB,Å,lfCf“fffNfX,Ü,½,Í-¼‘O,đŽw’è,·,é,±,Æ,Å[]Astatus,đ•Ô,·,±,Æ,^a,Å,«,Ü,·[]B,±
,ê,lfjftfHf<fg,lfvf[]pfefB,Å,·[]B

StatusList,àŽQ[]Æ

ItemByID (ID as Long) as Object

,±,ìfvf[]fpfefB,Å,í[]Astatus,ðfXfe[][f^fXID•Ê,É•Ô,μ,Û,·[]B

StatusList,àŽQ[]Æ

Remove [i]Index as Long / Name as String [j]

fCf“fffNfX,Ü,½,Í-¼‘O,ðŽw’è,·,é,±,Æ,Å [Astatus,ðfj^f fO,lfXfe [f^fXfŠfXfg,©,çíœ,Å,«,Ü,·B

StatusList,àŽQÆ

RemoveById iLong, Å, ìID j

, ±, ìf \f bfh, É, æ, è Astatus, ðfXfe [f^fXID•É, Éjff^fO, ìfXfe [f^fXfŠfXfg, ©, ç í œ, Å, «, Ü, · B

StatusList, àŽQ Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

SubCategories,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]AfRfCEfNfVf‡f""à,lfTfu]j]fefSfŠ[]",đ•Ô,μ,Û,·[]B

SubCategories,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvfñfpfefB,Å,íñAftfufjJfefSfŠ,ìñeflfufWfFfNfg,đ•Ô,μ,Û,·ñB

SubCategories,àŽQñÆ

Add:flfufWfFfNfg

,±,ìf∧fbfh,É,æ,èAffftfHf<fg,ìjffefSfŠ-¼,đŽg,Á,ÄA∇<KffjefSfŠ,đTfufjffefSfŠRfĀfNfVf†“,É’Ç
%oÁ,μAcategoryflfufWfFfNfg,đ•Ö,μ,Û,·B

SubCategories,àŽQÆ

AddCopy (Category as Object) as Object

,±,ìf□^

fbfh,É,æ,è□AftfufjfeSfŠ,ÆflfŠfWfif;fjfeSfŠ,ðšÜ,p,·,×,Ä,ìjfeSfŠ,ðTfufjfeSfŠRfCEfNfVf#f“,ÉfRf
s□[,μ□AcategoryfjfufWfFfNfg,ð•Ó,μ,Û,·□B

SubCategories,àžQ□Æ

Item (Index as Long / Name as String) as Object

,±,lfvf[]pfefB,Å,lfCf“fffNfX,Ü,½,í-¼‘O,đŽw’è,·,é,±,Æ,Å[]Acategory,đ•Ô,·,±,Æ,^a,Å,«,Ü,·[]B,±
,ê,lfjftfHf<fg,lfvf[]pfefB,Å,·[]B

SubCategories,àŽQ[]Æ

Remove [i]Index as Long / Name as String [j]

, ±, ìf [^]fbfh, É, æ, èfCf" fffNfX, Ü, ½, Í-¼ 'O, ðŽw'è, ·, é, ±
, Æ, Å [Acategory, ðj]fe]SfŠfRfCfNfVf†f", ©, ç [í]œ, Å, «, Ü, · [B

SubCategories, àŽQ [Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

UserPermission,àŽQ[]Æ

CanDeleteRecords:fu

,±,ìfvf[]pfeB,Å,í[]Aft[]fU,³ff^f[]fO“à,ìfCEfR[]fh,ìí[]œ,ð<-%%Â,³,ê,Ä,ç,é,©,Ç,æ
,©,ì•Ô'l,Ü,½,í[]Ý'è,ª,Å,«,Ü,·[]B

UserPermission,àŽQ[]Æ

CanModifyCategories:fu

,±,ìfvf[]pfeB,Å,íAft[]fU,ªff^f[]fOjŠfXfg,ìC[]³[]iffefSfŠ,ì'Ç%oÁ[]A•ï[]X[]A,Û,½,íí[]œ[]j,ð<-
%oÁ,³,ê,Ä,ç,é,©,Ç,æ,©,ì•Ó'l,Û,½,í[]Y'è,ª,Å,«,Û,·[]B

UserPermission,àŽQ[]Æ

CanModifyRecords:fu

,±,ìfvf[]pfefB,Å,í[]Aft[]fU,³fCEfR[]fh,ì[]C³,ð<-‰oÂ,³,ê,Ä,ç,é,©,Ç,¤
,©,ì•Ô'l,Ü,½,í[]Ý'è,³,Å,«,Ü,·[]B

UserPermission,àŽQ[]Æ

CanModifyStatus:fu[f<

,±,ìfvf[]fpfefB,Å,í[]Aft[][fU,³fXfe[][f^fX,ì'Ç%oÁ[]A•ï[]X[]A,Ü,½,í[]í[]œ,É,æ,èstatus list,ð[]C[]³,·,é,±,Æ,³<-%oÁ,³,ê,Ä,ç,é,©,Ç,æ,©,ì•Ó'l,Ü,½,í[]Ý'è,³,Å,«,Ü,·[]B

UserPermission,àŽQ[]Æ

CanOpenCatalog:fu[f<

,±,ìfvf[]fpfefB,Å,í[]Aft[][fU,^acatalog,đŠJ,,±,Æ,^a<-%%oÂ,³,ê,Ä,ç,é,©,Ç,æ
,©,í•Ô'l,Ü,½,í[]Ý'è,^a,Å,<,Ü,·[]B

UserPermission,àŽQ[]Æ

Name: • ¶Žš—ñ

, ±, ìfvf[]fpfefB, Å, í[]Auser_permission(ft[][fUfAfNfZfXCE_), ìft[][fU-¼, ì•Ô'I, Ü, ½, í[]Ý'è, ¢, Å, «, Ü, ·[]B

UserPermission, àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfAfNfZfXCE ,l□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

UserPermission,àŽQ□Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

UserPermission,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]Auser_permissions”,đ•Ô,μ,Û,·[]B

UserPermission,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfAfNfZfXCE ,l□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

UserPermission,àŽQ□Æ

Add (Name as String) as Object

,±,ìf□\fbfh,É,æ,è□A“Á’è,ì-¼’O,đŽg,Á,Ä□V<KfAfNfZfXCE ,đfAfNfZfXCE fRfCEfNfVf#f“,É’Ç
%oÁ,μ□Auser_permissionfufWfFfNfg,đ•Ô,μ,Û,·□B

UserPermission,àŽQ□Æ

Item (Index as Long / Name as String) as Object

,±,lfvf[]fpfefB,Å,í[]Auser_permission,đfCf"fffNfX•Ê,Û,½,Í-¼'O•Ê,É•Ô,μ,Û,·[]B

UserPermission,àŽQ[]Æ

Remove (Index as Long / Name as String)

fCf“fffNfX,Ü,½,Í-¼‘O,ðŽw’è,·,é,±,Æ,Å□Auser
permission,ðfAfNfZfXCE □EfrfCEfNfVf†f“,©,ç□í□œ,·,é,±,Æ,ª,Å,«,Ü,·□B

UserPermission,àŽQ□Æ

ColorModeConstants

,±,ê,ç,ì'è" ,íAƒĈfR[fh,ì%œ'œf,[fh,đ•\,μ,Û,·B

ŽŸ,ì'í,đ'ý'è,Å,«,Û,·B

f%ƒCf" fA[fg = 0,
fOfĈ[fXfP[fX = 1
fJf%o[= 2

Application Object

CumulusfAfvfŠfP[]fVf†f“fIfufWfFfNfg,É,ÍŽŸ,ì,à,ì,ª, ,è,Ü,·[]B

[Application](#)
[CatalogingOptions](#)
[Catalogs](#)
[ConnectToServer](#)
[FrontCatalog](#)
[Fullname](#)
[Name](#)
[Parent](#)
[Preferences](#)
[RestoreCatalog](#)
[Visible](#)
[Quit](#)

[Overview,àŽQ\[\]Æ](#)

Catalog Object

ffj^f fOfifufWfFfNfg,đŽg,Á,ÄAŠJ,č,½Cumulusffj^f fO,ÉfAfNfZfX,Å,«,Ü,·B

AllowSharing
Application
Backup
CanDeleteRecords
CanModifyCategories
CanModifyRecords
CanModifyStatus
Catalog
CatalogServer
Categories
CategoriesVisible
CategoryTree
CollectionFolder
CollectionFolderUsage
Compress
DiskSpaceAvailable
Find
FlushLogConstantly
FullName
HasPassword
ImportCategories
ImportRecords
IsRemoteCatalog
KeepCategoryNamesUnique
KeepDeleted
LogEntries
LogFile
Logging
LogLength
MemoryAvailable
MemoryFree
MemoryRecommended
MemoryRequired
Name
NativeThumbnailSize
Parent
PublishToWWW
Query
Rebuild
RecoverDeletedRecords
Records
RecordsDeleted
RestrictedPermissions
SaveLogToFile
ShowAllRecords
SelectedCategories
SelectedRecords
SortDirection
Sorting
StatusList

UpdateCatalogImmediately
UserPermission
View

Overview, àŽQ□Æ

Catalogs Collection

ffj^f[]OfRfCEfNfVf#f“,Í[]Afj^f[]OfIfufWfFfNfg,ðŠÜ,bfRfCEfNfVf#f“,Å,·[]B

[Add](#)

[Application](#)

[Count](#)

[Item](#)

[New](#)

[Parent](#)

[Remove](#)

[Overview](#),àŽQ[]Æ

Record Object

fCEfR□[fhfIfufWfFfNfg,í□Ajjf^f□fO“à,ì1,Â,ìfCEfR□[fh,ð•\ ,μ□A1,Â,ìfCEfR□[fhf□f“fo,Ö,ìfAfNfZfX,ª,Å,«,Ü,·□B

[Application](#)

[Asset](#)

[AssetCreationDate](#)

[AssetDataSize](#)

[AssetModificationDate](#)

[AssetReference](#)

[AssetRsrcSize](#)

[AssetSize](#)

[Categories](#)

[ColorMode](#)

[CopyAsset](#)

[CopyThumbnail](#)

[Delete](#)

[Deletable](#)

[Deselect](#)

[Export](#)

[FileFormat](#)

[Height](#)

[HorizontalResolution](#)

[ID](#)

[MacCreator](#)

[MacFileType](#)

[Modifiable](#)

[MoveAsset](#)

[Name](#)

[Notes](#)

[OptimizeThumbnail](#)

[Parent](#)

[PasteThumbnail](#)

[RecordCreationDate](#)

[RecordModificationDate](#)

[RotateThumbnail](#)

[Select](#)

[ShowPreviewWindow](#)

[ShowPropertiesWindow](#)

[Software](#)

[Status](#)

[TypeSpecific](#)

[Update](#)

[UpdateAssetReference](#)

[User](#)

[VerticalResolution](#)

[Width](#)

[Overview](#), àŽQ□Æ

Records Collection

fCefR[fhfRfCefNfVf#f“, íAfCefR[fhfIfufGfWfFfNfg, đŠÜ, bfRfCefNfVf#f“, Å, ·B

[Add](#)

[AddCopy](#)

[Application](#)

[Count](#)

[Export](#)

[Item](#)

[ItemByID](#)

[Parent](#)

[Remove](#)

[RemoveByID](#)

[Overview](#), àŽQÆ

Server Object

fT[]f oflfufWfFfNfg,É,æ,è[]AfŠf,[]f g f T []f o,É[]Ú'±,μ,Ä[]A,»,ê,ðŠÇ—[],",æ,ŃŽg—p,·,é,±,Æ,â,Å,«,Û,·[]B

[Application](#)

[Catalogs](#)

[IsAdministrator](#)

[Name](#)

[Parent](#)

[Overview](#), àŽQ[]Æ

ServerCatalog Object

fT[f ofj f^f fOf fufWfFfNfg,É,æ,è[AŠ],č,½fŠf,[fgfj f^f fO,ÉfAfNfZfX,Å,<,Ü,.B

- [Application](#)
- [ID](#)
- [IsShared](#)
- [Name](#)
- [Open](#)
- [Parent](#)

[Overview,àŽQÆ](#)

ServerCatalogs Collection

fT[]lfofjff^f[]fOfRfCEfNfVf#f“,í[]AfT[]lfofjff^f[]fOfIfufWfFfNfg,ðŠÜ,þfRfCEfNfVf#f“,Å,·[]B

[Add](#)

[Application](#)

[Count](#)

[Item](#)

[ItemByID](#)

[New](#)

[Parent](#)

[Remove](#)

[RemoveByID](#)

[Restore](#)

[Overview](#), àŽQ[]Æ

SelectedRecords Collection

'1'ðfCEfR[]fhfRfCEfNfVf+f", í[]Afff^f[]fO, ì'1'ð,³,ê,^{1/2}fCEfR[]fh,ðŠÜ,bfRfCEfNfVf+f",.Å,.[]B

[Add](#)

[Application](#)

[Count](#)

[Export](#)

[Item](#)

[ItemByID](#)

[Parent](#)

[Remove](#)

[RemoveByID](#)

[Overview](#), àŽQ[]Æ

Categories Collection

fjfeSfŠfRfCefNfVf#f“, íAjjf^fO, fjfeSfŠ, ð-¼‘O•Ê, Ê\

[fg, ³, ê, ½fŠfXfg, Æ, µ, ĀŠŪ, pfRfCefNfVf#f“, Ā, ·B

[Add](#)

[AddCopy](#)

[Application](#)

[Count](#)

[Export](#)

[Item](#)

[ItemByID](#)

[Parent](#)

[Remove](#)

[Overview](#), àŽQÆ

Category Object

ffjefSfŠfIfufWfFfNfg,É,æ,èACumulusff^fO“à,ì1,Â,ffjefSfŠ,ÉfAfNfZfX,Å,«,Ü,·B

[Application](#)

[Collapsed](#)

[Directory](#)

[Export](#)

[ID](#)

[Level](#)

[Name](#)

[Original](#)

[Parent](#)

[ParentCategory](#)

[SubCategories](#)

[Type](#)

[Overview](#),àŽQÆ

SubCategories Collection

fTfufjJefSfŠfRfŒfNfVf+f“, íAjjfefSfŠ, ìTfufjJefSfŠ, ðŠÜ, bfRfŒfNfVf+f“, Å, ·B

[Add](#)

[AddCopy](#)

[Application](#)

[Count](#)

[Item](#)

[Parent](#)

[Remove](#)

[Overview](#), àŽQÆ

SelectedCategories Collection

'l'ðffjefSfSfRfCEfNfVf+f",íAjjf^fO,ìffjefSfS'l'ð€-
Ú,Ú,½,íCEfR[fh,É"o~^,³,ê,½ffjefSfS,ðSÚ,pfRfCEfNfVf+f",Å,·B

[Add](#)

[Application](#)

[Count](#)

[Export](#)

[Item](#)

[ItemByID](#)

[Parent](#)

[Remove](#)

[RemoveByID](#)

[Overview](#),àŽQÆ

StatusList Object

fXfe[]lf^fXfŠfXfgfJfufWfFfNfg,É,æ,èACumulusjff^f[]fO,lfXfe[]lf^fXfŠfXfg,ÉfAfNfZfX,Å,«,Ü,·B.

[Add](#)

[Application](#)

[Count](#)

[Item](#)

[ItemByID](#)

[Parent](#)

[Remove](#)

[RemoveByID](#)

[Overview](#),àŽQÆ

AssetReferences Collection

fŠftf@fCF“fXfRfCFNfVf#f“, íA, ,éfCFR[fh,lfŠftf@fCF“fX,ªAWindows,“,æ,ÑMacintosh—¼•û,ì\Z!CE`Z® ,ðZ,Á,Ä,ç,éê#A,Ç,ç,©1,Á,É,¾, ft[fU,ªfAfNfZfX,Å,« ,é,æ,ª,É,µ,Ü,·B

Application

Count

Item

Parent

Update

Overview, àŽQÆ

AssetReference Object

f\$ftf@fCf“fXflfufWfFfNfg,íA“Á'è,ìvf%ofbfgftfH[f€,ìf\$ftf@fCf“fX,É,ì,ÝfAfNfZfX,Å,«,é,æ,π,É,μ,Û,·B

Application

Parent

Text

Type

Overview,àŽQÆ

CatalogingOptions Object

ƒƒf^fƒfOƒEƒfƒvƒVƒfƒ“ƒfƒuƒWƒFƒNƒg,É,æ,èƒACumulus,ƒƒfƒ^fƒfOƒEƒfƒvƒVƒfƒ“,ÉfAfNfZfX,Å,<,Ü,·ƒB

[AddDuplicateAssets](#)

[Application](#)

[CatalogingAction](#)

[Categories](#)

[ColorThumbnailQuality](#)

[CopyAssetToCollectionFolder](#)

[CountAssetsForProgress](#)

[ExcludeDamagedAssets](#)

[ExcludeAssets](#)

[FileFormatTable](#)

[GrayscaleThumbnailQuality](#)

[IncludeCategoriesFromAsset](#)

[IncludeFolderNamesAsCategories](#)

[IncludeNotesFromAsset](#)

[LinearThumbnailQuality](#)

[Notes](#)

[OpenPropertyWindow](#)

[OptimizeThumbnailAutomatically](#)

[Parent](#)

[ResolveShortcuts](#)

[Status](#)

[ThumbnailSource](#)

[User](#)

[Overview, àŽQÆ](#)

Preferences

fAfvfŠfP[]fVf#f“[]Ý’èfIfufWfFfNfg,É,æ,è[]ACumulus,lfAfvfŠfP[]fVf#f“[]Ý’è,ðfAfNfZfX,Å,«,Ü,·[]B

[Application](#)

[ManualPreviewSize](#)

[OpenAtStartup](#)

[OpenCatalogView](#)

[Parent](#)

[PathMapping](#)

[PreviewSize](#)

[ResolveRelatedCategories](#)

[SearchAllSelectedCategories](#)

[SearchForCategoriesAbove](#)

[SearchForCategoriesBelow](#)

[ShowTooltips](#)

[ShowWarnings](#)

[ThumbnailSimilarityThreshold](#)

[Units](#)

[UseGrid](#)

[UsePathMapping](#)

[WindowToOpenOnDoubleClick](#)

[Overview,àŽQ\[\]Æ](#)

Status Object

fXfe[]f^fXfjfufWfFfNfg,É,æ,è[]Afff^f[]fO“à,ìfXfe[]f^fXfŠfXfg,ìfXfe[]f^fXftfB[]f<fh,ì1,Â,ìfXfe[]f^fX-¼,ÉfAfNfZfX,Å,«,Ü,·[]B

Application

ID

Name

Parent

Overview,àŽQ[]Æ

UserPermission Object

fAfNfzfXCE flfufWfFfNfg,É,æ,èAfjf^fO,ìufAfNfZfXCE ,ìÝ'èvfIfvfVf#f",ì1,Â,ÉfAfNfZfX,Å,«,Ü,·
B

Application

CanDeleteRecords

CanModifyCategories

CanModifyRecords

CanModifyStatus

CanOpenCatalog

Name

Parent

Overview,àŽQÆ

UserPermissions Collection

fAfNfZfXCE fRfCEfNfVf+f“ ,É,æ,è□Afjf^f□fO,lfAfNfZfXCE ,ÉfAfNfZfX,Å,«,Ü,·□B

[Add](#)

[Application](#)

[Count](#)

[Item](#)

[Parent](#)

[Remove](#)

[Overview](#), àŽQ□Æ

FileFormatEntry Object

ftf@fCf<CE`Ž®Žw'èlfufWfFfNfg,É,æ,è□A'P^è,̀ftf@fCf·CE`Ž®Žw'è,ÉfAfNfZfX,Å,«,Ü,·□B

[Application](#)
[DefaultBitmap](#)
[Extension](#)
[FileFormat](#)
[IsActive](#)
[Name](#)
[Parent](#)

[Overview](#),àŽQ□Æ

FileFormatTablefRfCEfNfVf#f“

FileFormatTablefRfCEfNfVf#f“,É,æ,è□A•i□”,lftf@fCf<CE`Ž®Žw'è,ÉfAfNfZfX,Å,«,Ü,·□B

[Add](#)

[Application](#)

[Count](#)

[Item](#)

[Parent](#)

[Remove](#)

[Overview](#),àŽQ□Æ

LogEntryIfufWfFfNfg

LogEntryIfufWfFfNfg,É,æ,èA'P^è,ìfO“ü—Í,ÉfAfNfZfX,Å,«,Ü,·B

Action

Application

Date

Name

Object

Parent

Overview,àŽQÆ

LogEntriesfRfCEfNfVf#f“

LogEntriesfRfCEfNfVf#f“,É,æ,è□Afff^ffO,ì•;□”,ìffO“ü—Í,ÉfAfNfZfX,Å,«,Ü,·□B

[Application](#)

[Clear](#)

[Count](#)

[Item](#)

[Parent](#)

[Save](#)

[Overview](#),àŽQ□Æ

PathMappingIfufWfFfNfg

PathMappingIfufWfFfNfg,É,æ,è□A'P^ê,ìjpfXf}fbfsf“fO“ü—Í,ÉfAfNfZfX,Å,«,Ü,·□B

[Application](#)

[FromPath](#)

[Parent](#)

[ToPath](#)

[Overview](#),àŽQ□Æ

PathMappingsfRfCEfNfVf#f“

PathMappingsfRfCEfNfVf#f“,É,æ,è□AfAvfŠfP□[fVf#f“,lfpfXf}fbfsf“fOf□[fuf<,ÉfAfNfZfX,Å,«,Ü,·□B

[Application](#)

[Count](#)

[Parent](#)

[Add](#)

[Item](#)

[Remove](#)

[Overview](#),àŽQ□Æ

CategoryTypeConstants

,±,ê,ç,ìÿ'è'l,íAjjfefSfŠ,ìE`Ž®,ð•\,μ,Û,·B

ŽŸ,ì'l,ªÿ'è,Å,«,Û,·B

'ÊíjjfefSfŠ = 0
fGfCfŠfAfX = 1
ftfHf<f_fjjfefSfŠ = 2

CollectionFolderUsageConstants

,±,ê,ç,ìÿ'è'l,íA'CEÉftfHf<f_,lŽg—p•û-@,lf^fCfv,đ•\,μ,Û,·B

ŽŸ,ì'l,ªÿ'è,Å,«,Û,·B

í,ÉŽg—p = 0
ff^fOEFlfvfvfjf“,É],α = 1
Žg—p,μ,É,φ = 2

SortDirectionConstants

,±,ê,ç,ì¸ý'è'l,í¸Afff^ffo,ì¸[fg•ûCEü,ð•\,µ,Û,·¸B

ŽŸ,ì'l,a¸ý'è,Å,«,Û,·¸B

¸.¸‡ = 0
¸~¸‡ = 1

Sorting Constants

, ±, ê, ç, ì, ÿ, è, 'l, í, ð, ñ, ã, ö, ø, ù, ü, ÿ, ð

ž, Ÿ, ì, 'l, ð, ñ, ã, ö, ø, ù, ü, ÿ, ð

-¼'O, Åf[]fg = 0
 Ć`Ž@, Åf[]fg = 1
 %œ'œf, []fh, Åf[]fg = 2
 %ø'œ"x, Åf[]fg = 3
 "ú•t, Åf[]fg = 4

ViewConstants

,±,ê,ç,ìÿ'è'l,í[Afjff^f[]fO,ì•\Ž!•ú-@,đ•\,μ,Û,·[]B

ŽŸ,ì'l,a[]ý'è,Å,«,Û,·[]B

fšfXfgĚ`Ž@,Å•\Ž! = 0

fTf€flfCf<[]-,Å•\Ž! = 1

fTf€flfCf<'t,Å•\Ž! = 2

fTf€flfCf<'å,Å•\Ž! = 3

ŠÇ—[]ŽOf,[]fh,Å•\Ž! = 4

ThumbnailQualityConstants

, ±, ê, ç, ì, ÿ, è, 'l, í, A, ì, ñ, ò, ÷, é, f, t, j, €, f, l, f, C, f, <, ì, •, i, Ž, ÿ, ð, •, \, µ, Ü, •, B

Ž, Ÿ, ì, 'l, ð, ÿ, è, Å, «, Ü, •, B

- W € = 0
- , • i ^ Ê = 1

ThumbnailSourceConstants

,±,ê,ç,ìŸ'è'l,íA□i□¬,³,ê,éTf€flfCf<,ìŠó-],ìA□[fX,ð•\,μ,Û,·□B

ŽŸ,ì'l,ªŸ'è,Å,«,Û,·□B

fìfŠfWfif<,ìTf€flfCf<,©,ç□i□¬ = 0
fCf□□[fW'S'ì,©,ç□i□¬ = 1

CatalogingActionConstants

,±,ê,ç,ìÿ'è'l,íAfff^ffOfvfffZfX,ÅŽg—p,³,ê,é^—,đ•\,μ,Û,·B

ŽŸ,ì'l,ªÿ'è,Å,«,Û,·B

'Ç%oÁ,ì,Ÿ = 0

'Ç%oÁ/ X V = 1

X V,ì,Ÿ = 2

CatalogViewConstants

,±,ê,ç,ìÿ'è'l,í□Afff^f□fO,ì<N“®Žž,ì•\Ž!f,□[fh,đ•\,μ,Û,·□B

ŽŸ,ì'l,ª□ÿ'è,Å,«,Û,·□B

ŠÇ—□ŽÒf,□[fh = 0

fTf€flfCf<f,□[fh = 1

fefLjXfgf,□[fh = 2

•Å,¶,ç,ê,½,Æ,«,ì□ó'Ô = 3

PreviewSizeConstants

,±,ê,ç,ìÿ'è'l,í□Afvfœfrf...□[fEfBf“fhfE,ìfftfHf<fgfTfCfY,ð•\,μ,Û,·□B

ŽŸ,ì'l,ª□ÿ'è,Å,«,Û,·□B

f|fŠfWfif<fTfCfY = 0
□Å'âfTfCfY = 1
f}fjf...fAf<fTfCfY = 2

UnitConstants

,±,ê,ç,ìÿ'è'l,íA•Ž|'P^Ê,ð•\,μ,Û,·B

Žÿ,ì'l,ªÿ'è%oÂ"\,Å,·B

fCf"f`	= 0
fZf"f`f[]fgf<	= 1
f~fŠf[]fgf<	= 2
f fCf"f`fg	= 3
fsfNfZf<	= 4
fpfCfj	= 5

OpenOnDoubleClickConstants

,±,ê,ç,ì,ý'è'l,í,íA,íE,íR,í[fh,đj_fuf<fNfŠfbfN,·,é,ú,íA,ç,ìfE,íBf"fhfE,ªŠJ,,©,đŽ,í,μ,Ü,·,íB

ŽŸ,ì'l,ª,í,ý'è,Ä,«,Ü,·,íB

fE,íR,í[fhfvf,ípfefBfE,íBf"fhfE = 0
fvfE,íRf...í[fE,íBf"fhfE = 1

