

[30m

COLLABORATORS

	<i>TITLE :</i> [30m		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		January 2, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	[30m	1
1.1	1
1.2	simple @onopen/@onclose hole demonstration	1

Chapter 1

[30m

1.1

```
x2c ( ||x2c ||x2c (28) ||  
      ) ||x2c (29) ||
```

```
    ||x2c (20) ||  
: ||x2c (3a) ||  
; ||x2c (3b) ||  
/ ||x2c (2f) ||  
( ||x2c (28) ||  
) ||x2c (29) ||  
+ ||x2c (2b) ||  
- ||x2c (2d) ||  
. ||x2c (2e) ||  
, ||x2c (2c) ||  
' ||x2c (27) ||  
< ||x2c (3c) ||  
> ||x2c (3e) ||
```

1.2 simple @onopen/@onclose hole demonstration

Just try to view this guide when AMIRC is running. ;-)

Oh and quitting this document will quit all tcp/ip stacks. <g>

Here are some extras:

```
saveas  
about  
displaybeep  
window to back  
window to front  
minimize  
normalize  
maximize  
quit
```