Index

Numbers

32-bit ABI, 3
32-bit mode
  limitations, 3
64-bit ABI, 3
64-bit mode
  limitations, 3

A

ABI
  attribute summary, 13
  supported, 2
addressing scheme, 5
argument registers, 6
arguments
  passing, 37
assembly language programs, 4, 18-28
  global pointer, 20
  issues, 36
  leaf routine, 29
  porting, 18, 36
  predefined variables, 19
attribute summary, 13

B

build
  multiple versions, 41
  n32 application, 41
  o32 program, 33
build procedure, 18

C

calling convention, 5
C functions
  floating point, 18
char, 12
code
  PIC, 9
compiling
  for n32 and o32, 38
  n32 program, 41
  o32 program, 33
composite types, 6
.cpload, 36
.cpload register, 20
.cprestore, 36
.cprestore register, 20
.cpsetup register, 21

D

data types, 12
  char, 12
  double, 12
  float, 12

int, 12
pointer, 12
short int, 12
differences
hardware, 18
double, 12
doublewords, 6

E

executing
n32 program, 41

F

float, 12
floating points, 6
arguments, 7
C functions, 18
quad-precision, 6
registers, 6, 26
FPU, 26
FR bit, 26
function
C, 18
get_regs(), 37
regs.s, 29

G

get_regs() function, 37
GOT, 20
$gp register, 20, 29, 36

I

implementation differences, 12
include files, 18
int, 12
integer parameters, 5
integer registers, 6
internal subprogram interface, 5
ints
sign-extended, 6

L

leaf routine, 29
libraries, 4, 15
porting, 17
linking, 22

M

macros
sys/asm.h, 37
main() function, 29
makefiles
porting, 17
memory, 8
migrating to n32, 4
multiple versions, 41

N

n32
addresses, 5
and assembly language, 4
argument passing, 37
argument registers, 2

build procedure, 18
calling convention, 2, 5
compiling varargs, 34
data types, 12
debug format, 2
doublewords, 6
examples, 29-42
floating point registers, 2
floating points
parameters, 6
FR bit, 26
implementation differences, 12
integer model, 2
integer parameters, 5
ISA, 2
libraries, 4, 15
migration, 4
native calling sequence, 6
native subprogram interface, 5
optimizer, 18
parameter passing, 10
pointers, 5
porting, 17
recompile programs, 4
register conventions, 9
register sizes, 21, 37
requirements, 4
runtime issues, 18
source code, 17
stack parameter, 6
subroutine linkage, 22
n64
data types, 12
implementation differences, 12
libraries, 15
native calling sequence, 6
native subprogram interface, 5
NARGSAVE, 22
native calling sequence, 6
native subprogram interface, 5

O

o32
build, 33
FR bit, 26
libraries, 15
optimizer, 18

P

parameter passing, 10
passing arguments, 37
PIC, 9
pointers, 5, 12
porting
assembly language code, 18, 36
example, 29-42
for n32 and o32, 38
libraries, 17
macros, 37
makefiles, 17
porting environment, 17
porting guidelines, 17
porting to n32, 4
position-independent code, 9
predefined variables, 19
prototypes, 7

Q

quad-precision floating point, 6

R

registers
argument, 6

conventions, 9
.cpload, 20
.cprestore, 20
.cpsetup, 21
floating point, 6, 8, 26
$gp, 20, 29, 36
integer, 6
reserving memory, 8
size, 21, 37
reg.s function, 29
routines, 8
leaf, 29
varargs, 34
run
o32 program, 33
runtime issues, 18

S

scalar parameters, 6
short int, 12
Since, 36
source code
changes, 17
stack parameter slots, 6
stack pointer, 8
stack regions, 6
structs, 6
subroutine linkage, 22
sys/asm.h file, 37

T

types
composite, 6
data, 12
structs, 6
unions, 6

U

unions, 6

V

varargs, 7
function, 29
routine, 34
variable argument routines, 7
variables
predefined, 19
versions
multiple, 41