Index

B

backup and restore
  commands, 64
  during conversion to XFS, 81, 92, 97
bad block handling, 4
block device files
  as a type of file, 59
  description, 14-18
block sizes
  and *mkfs*, 82, 97
  guidelines, 76
  range of sizes, 64, 76
  syntax, 76

C

CacheFs filesystems, 65
cfg command
  description, 182
  using, 188
cfsadmin command, 65
character device files
  as a type of file, 59
  description, 14-18
chkconfig command
  nocleantmp option, 107
  quotacheck option, 113, 114
  quotas option, 113, 114
cloning system disks, 48-50
compatibility
  32-bit programs and XFS, 63
  dump/restore and filesystem type, 64
  NFS, 63
component records, 193
concatenation
  definition, 129
  guidelines, 136
  not allowed on Root filesystems, 134
controllers
  identifying controller number, 20
  number of disk drives, 2
  supported, 2
conventions, typographical, xxi
corruption of filesystems, 72
CPUs
  and versions of *fx*, 28
  and versions of *sash*, 13, 28
  restrict to running GRIO processes, 192, 198
cylinder groups, 62
cylinders, 4

D

daemons
  GRIO, 182, 191
  XLV, 133
deadline scheduling, 181
/debug filesystem, 65
/dev/dsk/xlv directory, 133

device files
creating mnemonic names, 38
creating special files, 37
creating with *MAKEDEV*, 36
creating with *mknod*, 37
description, 14-18
for *lv* logical volumes, 168
ls listings, 15
lv device file names, 120
major and minor device numbers, 16
names, 16-18
permissions and owner, 16
See also block device files, character device files.
using as command arguments, 20
XLV device file names, 120, 133
device names
disk for *dump* file, 91
identifying with *prtvtoc*, 90
mnemonic, 38
tape drive, 90
df command and XLV, 137
direct I/O, 137
directories
as a type of file, 59
cleaning temporary, 107
definition, 56
hidden, 67
standard IRIX, 54
temporary, 112
/tmp and */var/tmp*, 107
directory organization, 54
disk blocks
bad block handling, 4
definition, 4
disk drives
adding a new disk as a filesystem, 70
approved types for GRIO, 184
device parameters, 13
growing a filesystem onto new, 71
identifying controller number and drive address, 20
non-SCSI disks, xix
parameters for GRIO, 184, 188
physical structure, 3
supported types, 1
disk partitions
and external log size, 135
and volume elements, 130
block and character devices, 120
considerations in choosing partition layouts, 10
creating custom layouts, 32
creating standard layouts, 31
definition, 4
device names, 90
displaying with *prtvtoc*, 25
making an XFS filesystem, 82
on older systems, 8
overlapping, 5
partition numbers, names, and functions, 6
planning, 80
repartitioning, 80
repartitioning during conversion, 93
repartitioning with *fx*, 27
sizes for striped volume elements, 136
standard partition layouts, 7
types, 11
Disk Plexing Option, 126
disk quotas
description, 71
edquota command, 113
imposing, 113
monitoring, 114
quotacheck command, 114
quotaoff command, 114
quotaon command, 114
quot command, 111
disk space
estimating with *xfs_estimate*, 78
files that grow, 106

for logs, 78
getting more, 80
growing a logical volume, 149
identifying large users, 110
increasing for XFS, 78
monitoring free inodes, 105
monitoring free space, 105
unused files, 104
drive addresses
identifying, 20
setting, 2
du command, 110
dump command
commands used during conversion to XFS, 92, 97
requirements for conversion to XFS, 81
when to use, 64
dvhtool command
adding files to the volume header, 22
and volume element sizes, 136
description, 13
examining a volume header, 22
removing files in the volume header, 24

E

edquota command, 113
EFS filesystems
adding space, 70
and XLV logical volumes, 123
changing size, 70
checking for consistency, 68, 115
corruption, 72
description, 61
fragmentation, 62
history, xix
inodes, 58, 61
maximum file size, 61
maximum filesystem size, 61
mounting, 66, 100-103
names, 61
reorganizing, 69
unmounting, 68, 103
XLV subvolumes, 134
efs partition type, 11
error recovery
and XLV, 134
disabling for GRIO, 188-191
/etc/config/ggd.options file, 182, 198
/etc/fstab file
entries for filesystems, 84, 101
entries for system disk, 91
entries for XLV logical volumes, 144, 164, 187
/etc/grio_config file, 182, 188, 191, 193, 198
/etc/grio_disks file, 182, 196
/etc/init.d/grio file, 191
/etc/init.d/quotas file, 114
/etc/init.d/rmtmpfiles file, 107
/etc/lvtab file
description, 164
syntax, 168
/etc/nodelock file, 141
/etc/rc2.d/S94grio file, 182
exportfs command, 64
extents
EFS filesystem, 62
indirect, 62
XFS filesystem, 64
extent size, 76, 185, 187
external logs
and log subvolumes, 123
creating with *mkfs*, example, 83
definition, 7, 77
disk partitions for, 11
example, 146
See also logs.
size, 78

F

fcntl system call, 64, 137
files
  and hard links, 59
  and symbolic links, 59
  definition, 56
  files that grow, 106
  information in inodes, 58
  locating unused, 108
  possible unused files, 104
  types, 59
filesystems
  adding space, 70
  checking for consistency, 68, 115-117
  corruption, 72, 117
  creating, 66
  definition, 56
  mounting, 66, 100-103
  names, 61
  NFS, 64
  /proc, 65
  remote, 103
  routine administration tasks, 99
  See also EFS filesystems, XFS filesystems.
  unmounting, 68, 103
/ filesystem. *See* Root filesystem.
font conventions, xxi
formatting disks, 4, 21
fragmentation, 62, 69
fsck_cachefs command, 69
fsck command
  description, 68
  using, 115, 199-215
fsr command, 62, 69
fx command
  and device parameters, 13
  and partition types, 12
  in volume header, 13
  IRIX version, 30
  repartitioning disks, 27-36
  repartitioning example, 39, 44
  standalone version, 28
  standard vs. custom partitions, 12
  using expert mode to assign partition types, 12
  using the standalone version, 93
  versions for different processors, 28

G

Getting Started With XFS Filesystems, xix
ggd daemon
  description, 182
  restarting, 188, 191
GRIO
  component records, 193
  configuring the *ggd* daemon, 191
  creating an XLV logical volume for, 185
  deadline scheduling, 181
  default guarantee options, 178
  description, 175, 176
  disabling disk error recovery, 188-191
  features, 176
  file descriptors, 177
  file formats, 192-198
  guarantee types, 178-182
  hard guarantees, 179, 183
  hardware configuration requirements, 183
  lock file, 182
  non-scheduled reservations, 182
  overview, 176
  per-file guarantees, 179
  per-filesystem guarantees, 179
  private guarantees, 179
  rate, 176
  real-time scheduling, 181
  relationship records, 195
  reservations, 176
  shared guarantees, 179

sizes to choose, 177
soft guarantees, 179
streams, 175
system components, 182
growfs command
extending a filesystem onto a logical volume, 87
using after increasing the size of a logical volume, 173
guaranteed-rate I/O. *See* GRIO.

H

hard errors, 134
hard guarantees, 179, 183
hard links, 59
hardware requirements, 63, 183
heads, recording, definition, 3
hidden directories, 67

I

ide diagnostics program, 12
initializing a disk, 21
inodes
checking by *fsck*, 201
description, 58
in EFS filesystems, 61
monitoring free inodes, 105
XFS filesystems, 64
internal logs
and the data subvolume, 123
and xfslog partitions, 12
creating with *mkfs*, example, 82
definition, 7, 77
See also logs.
size, 78
IRIS Volume Manager, 123
IRIX administration documentation, xvii-xviii, xxiii
IRIX Advanced Site and Server Administration Guide, xix
IRIX directory organization, 54

J

journaling information, 63, 127

L

links, 59
ln command
creating hard links, 60
creating mnemonic names, 38
creating symbolic links, 60
logical volume labels
and logical volume assembly, 133
and *lv* volume names, 168
checks made by *lvck*, 139
creating with *mklv*, 169
daemon that updates them, 133
definition, 12
information used at system startup, 126
printing with *lvck*, 170
removing with *dvhtool*, 24
updating with *mklv –f*, 173
written by *xlv_make*, 142
logical volumes
adding plexes, 150
advantages, 120
choosing which subvolumes, 134
coming up at system startup, 126, 133
creating, examples, 142-145
creating, overview, 121
definition of volume, 125
deleting objects, 154
description, 120

detaching plexes, 153
device names, 133
disadvantages, 120
disk labels, 119
displaying objects, 148
example (figure), 123
growing, 149
hierarchy of objects, 123
increasing size, 149
lv. *See lv* logical volumes.
moving to a new system, 126, 133
naming, 133
read and write errors, 134
removing labels in volume headers, 24
See also lv logical volumes, XLV logical volumes.
sizes, 135
striping, definition and illustration, 121
used as raw devices, 120, 126
volume composition, 125
XLV. *See XLV logical volumes.*

logs
choosing size, 78
choosing type, 77
creating external with *fx*, 12
description, 77
example of external, 146
external, definition, 77
external, specifying size, 78
internal, definition, 77
internal, specifying size, 78
internal log, when used, 135
size syntax, 78

lost+found directories, 55, 66

lv_to_xlv command, 163

lvck command
description, 139
using, 170

lvinfo command, 138

lvlab logical volume labels. *See* logical volume labels.

lv logical volumes, 123
checking with *lvck*, 170
converting to XLV, 163
creating on new disks, 171
creating out of old and new disks, 87
creating with *mklv*, 169
description, 138
device names, 168
/etc/lvtab file, 168
history, xix
increasing the size, 173
restrictions in using, 138
See also logical volume labels, logical volumes.
shrinking, 174
volume names, 168

lvol partition type, 11

M

major device numbers, 16

MAKEDEV command, 14, 36

manual pages, xxiii

metadata, filesystem, 123

miniroot, using for filesystem administration, 69

minor device numbers, 16

mkfs command
command line syntax, 82, 83, 97
example commands, 66
example output, 83
for GRIO, 187

mklv command
using to create a logical volume for an existing filesystem, 87
using to create new logical volumes, 169
using to extend logical volumes, 173

mknod command, 14, 37

mnemonic device file names, 38

mount command, 100-102

mounting filesystems
  CacheFS filesystems, 65
  description, 66
  illustration, 57, 66
  methods, 68
mount point, 66
mpadmin command, 192

N

named pipes, 59
NetLS licenses
  Disk Plexing Option, xxiii, 126
  High Performance Guaranteed-Rate I/O, xxiii, 175
NFS compatibility, 63
NFS filesystems, 64, 103
non-scheduled reservations, 182

O

obsolete manuals, xix
optimal I/O size, 186, 194, 196
option disks
  adding a new, 50-52
  definition, 6
  possible partition layouts, 9
  turning into a system disk, 44

P

partitions. *See* disk partitions.
per-file guarantees, 179
per-filesystem guarantees, 179
platters, definition, 3
plexes
  adding to volumes, 150
  booting off alternate Root, 160
  checking for required software, 141
  definition, 127
  deleting, 154
  detaching, 153
  Disk Plexing Option, xxiii, 126
  displaying, 148
  example of creating, 145, 146
  for Root filesystem, 158
  holes in address space, 128, 135
  monitoring plex revives, 152
  mounting, 155
  plex composition, 129
  read and write errors, 134
  removing, 155
  See also logical volumes.
  volume element sizes, 135
  when to use, 135
plex revives, 128, 152
prerequisite hardware, 63, 183
private guarantees, 179
/proc filesystems, 65
prtvtoc command
  and root disk partition device name, 90
  description, 13
  displaying disk partitions, 25

Q

quotacheck command, 114
quotaoff command, 114
quotaon command, 114
quotas file, 113
quotas subsystem, 71
quot command, 111

R

raw device files. *See* character device files.
raw partition type, 11
read continuous (RC) bit, 183
real-time files, 137
real-time process, 192
real-time scheduling, 181
real-time subvolumes
  and utilities, 137
  creating files, 137
  GRIO files, 176
  hardware requirements, 183
  only real-time on disk, 127
reference pages, xxiii
relationship records, 195
remote filesystems, 103
repartitioning
  definition, 10
  example, 39, 44
  See also disk partitions.
reserved partition, 6
restore command
  and XFS filesystems, 64
  commands used during conversion to XFS, 95, 97
retry mechanisms, 183
Root filesystem
  and *fsck*, 68
  and the miniroot, 69
  booting off an alternate plex, 160
  combining with Usr, 80
  converting to XFS, 89
  definition, 57
  dumping, 92
  mounting and unmounting restrictions, 67
  on plexed logical volume, 158
  restoring all files, 95
  restrictions, 136
  running out of space, 112
  standard directories, 54
root partition, 6
  and striping, 136
  and XLV, 134
  combining with usr partition, 93
  converting to XFS, 89-96
  device name, 90
/root prefix for files, 69

S

sash standalone program, 13
scripting XLV configurations, 165
SCSI address. *See* drive addresses.
sgilabel
  creating with *fx*, 13
  description, 12
shared guarantees, 179
soft guarantees, 179
special files. *See* device files.
striped volume elements. *See* volume elements.
stripe unit
  definition, 130
  specifying for *lv* logical volumes, 168
striping disks
  description and illustration, 121
  restrictions, 138
subvolumes
  composition, 126
  data subvolume definition, 126
  displaying, 148
  log subvolume definition, 127
  real time subvolume definition, 127
  See also logical volumes.
  subvolume types, 126

super-blocks, 62, 212-215
surfaces, definition, 3
swap partition, 6, 102
symbolic links
  as a type of file, 59, 60
  dangling, 60
  definition, 60
  for older pathnames, 54
symmon standalone program, 12
system administration documentation, xvii-xviii, xxiii
system disks
  creating by cloning, 48-50
  creating from IRIX, 44-47
  creating from the PROM Monitor, 38-44
  definition, 6
  possible partition layouts, 7
  required disk partitions, 6

T

temporary directories
  cleaning, 107
  setting TMPDIR, 112
tracks, definition, 4

U

umount command, 103
unit number. *See* drive addresses.
UNIX domain sockets, 59
unmounting filesystems
  methods, 68
  umount command, 103
Usr filesystem
  combining with Root filesystem, 80
  converting to XFS, 89
  dumping, 92
  required for system operation, 67
  restoring all files, 95
  standard directories, 55
/usr/lib/libgrio.so, 183
usr partition, 6
  combining with root partition, 93
  device name, 90

V

volhdr partition, 6
volhdr partition type, 11
volume elements
  changing size with *dvhtool*, 136
  definition, 130
  deleting, 154
  displaying, 148
  multipartition volume elements, 132, 136
  single partition volume elements, definition, 130
  striped, definition, 130
  striped, example of creating, 145
  striping, when to use, 136
volume header
  adding files, 22
  examining with *dvhtool*, 22
  removing files, 24
volume headers
  description, 12
  when used, 14
volume partition, 6
volume partition type, 11
volumes. *See* logical volumes.

X

xdkm command, 27
xfs_check command
  description, 69
  how to use, 117
  reporting and repairing problems, 117
xfs_copy command, 114
xfs_estimate command, 78
xfs_growfs command
  description, 71
  example, 150
  extending a filesystem onto a logical volume, 86
xfsdump command, 64
XFS filesystems
  adding space, 70
  and standard commands, 64
  block sizes, 64, 76
  changing size, 70
  checking for consistency, 69, 117
  commands, 64
  converting an option disk, 96
  converting a system disk, 89-96
  copying with *xfs_check*, 114
  corruption, 72, 117
  creating, 66
  description, 63
  extents, 64
  features, 63
  filesystem on a new disk partition, 82
  history, xix
  inodes, 58
  journaling information, 127
  logs. *See* logs.
  making filesystems, 82-84
  maximum file size, 63
  maximum filesystem size, 63
  mounting, 66, 100-103
  names, 61
  on system disk, 89
  preparing to make filesystems, 75-81
  restore compatibility, 64
  unmounting, 68, 103
xfslog partition, 6
xfslog partition type, 11
xfsm command
  creating an XFS filesystem, 82
  mounting and unmounting filesystems, 100
xfs partition type, 11
xfsrestore command, 64
xlv_labd daemon, 133
xlv_make command
  and disk partition types, 143
  GRIO example, 186
  using to create a logical volume for an existing filesystem, 86
  using to create volume objects, 142-145
xlv_mgr command
  adding a plex, 150
  checking that plexing software is installed, 142
  deleting volume objects, 154
  detaching a plex, 153
  displaying objects, 148
  growing a volume, 149
xlv_plexd daemon, 133, 155
xlvd daemon, 133
xlvlab logical volume labels. *See* logical volume labels.
XLV logical volumes
  configuring system for more than ten, 162
  converting *lv* logical volumes, 163
  creating out of old and new disks, 86
  creating spare objects, 149
  daemons, 133
  don't use XLV when ..., 134

error policy, 134
history, xix
names, 120
no configuration file, 133
overview, 122-134
planning logical volumes, 134-136
recording configuration, 164
See also logical volumes.
with EFS, 122
xlvm command, 141
xlv partition type, 11