

Sheet1

P_NAME,C,25	TWIS`RIFLE,C,25	PRIMER,C,35	BAFB_DIAMV_4,N,
DUPONT IMR-4064	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1667
DUPONT IMR-4227	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1520
DUPONT IMR-4895	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1678
HERCULES 2400	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1510
HERCULES RELOADER 7	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1740
HODGDON BL-C(2)	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1786
HODGDON H-110	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1587
WIN 296	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1471
WIN 680	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1554
WIN 748	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1792
DUPONT IMR-4227	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1383
HERCULES 2400	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1362
HERCULES RELOADER 7	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1726
HODGDON H-110	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1516
WIN 296	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1432
WIN 680	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1513
DUPONT IMR-4064	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1701
DUPONT IMR-4227	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1632
DUPONT IMR-4895	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1821
HERCULES RELOADER 7	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1848
HODGDON H-110	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1708
WIN 296	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1664
WIN 680	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1747
WIN 748	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1859
DUPONT IMR-4064	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1667
DUPONT IMR-4227	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1520
DUPONT IMR-4895	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1678
HERCULES 2400	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1510
HERCULES RELOADER 7	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1740
HODGDON BL-C(2)	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1786
HODGDON H-110	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1587
WIN 296	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1471
WIN 680	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1554
WIN 748	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1792
ACCURATE MR2460	1-12 WISEMAN TEST BARREL	WIN WLR	10 0.308 1940
DUPONT IMR-3031	1-12 WISEMAN TEST BARREL	WIN WLR	10 0.308 1940
DUPONT IMR-4198	1-12 WISEMAN TEST BARREL	WIN WLR	10 0.308 1950
DUPONT IMR-4320	1-12 WISEMAN TEST BARREL	WIN WLR	10 0.308 1960
DUPONT IMR-4895	1-12 WISEMAN TEST BARREL	WIN WLR	10 0.308 1940
WIN 748	1-12 WISEMAN TEST BARREL	WIN WLR	10 0.308 1880
DUPONT IMR-3031	1-12 WISEMAN TEST BARREL	WIN WLR	10 0.308 1850
DUPONT IMR-4198	1-12 WISEMAN TEST BARREL	WIN WLR	10 0.308 1780
DUPONT IMR-4320	1-12 WISEMAN TEST BARREL	WIN WLR	10 0.308 1860
DUPONT IMR-4895	1-12 WISEMAN TEST BARREL	WIN WLR	10 0.308 1840
HERCULES RELOADER 12	1-12 WISEMAN TEST BARREL	WIN WLR	10 0.308 1690
HODGDON H-414	1-12 WISEMAN TEST BARREL	WIN WLR	10 0.308 1770
DUPONT IMR-4064	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1701
DUPONT IMR-4227	1-10 THOMPSON CENTER CONTENDER	CCI 200, 250	10 0.308 1632

Sheet1

DUPONT IMR-4895	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1821
HERCULES RELOADER 7	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1848
HODGDON H-110	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1708
WIN 296	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1664
WIN 680	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1747
WIN 748	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1859
ACCURATE MR2460	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
DUPONT IMR-3031	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
DUPONT IMR-4198	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1950
DUPONT IMR-4320	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1960
DUPONT IMR-4895	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
WIN 748	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1880
DUPONT IMR-3031	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1859
DUPONT IMR-4064	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1942
DUPONT IMR-4227	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1708
HERCULES RELOADER 7	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1912
HODGDON H-110	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1785
NORMA N-201	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1938
WIN 296	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1778
WIN 680	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1834
DUPONT IMR-3031	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1859
DUPONT IMR-4064	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1942
DUPONT IMR-4227	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1708
HERCULES RELOADER 7	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1912
HODGDON H-110	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1785
NORMA N-201	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1938
WIN 296	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1778
WIN 680	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1834
DUPONT IMR-4198	1-14	THOMPSON CENTER CONTENDER	FEDERAL 210	10	0.308	2200
DUPONT IMR-4227	1-14	THOMPSON CENTER CONTENDER	FEDERAL 210	10	0.308	2200
HERCULES 2400	1-14	THOMPSON CENTER CONTENDER	FEDERAL 210	10	0.308	2100
WIN 680	1-14	THOMPSON CENTER CONTENDER	FEDERAL 210	10	0.308	2200
DUPONT IMR-4198	1-14	THOMPSON CENTER CONTENDER	FEDERAL 210	10	0.308	2100
HERCULES 2400	1-14	THOMPSON CENTER CONTENDER	FEDERAL 210	10	0.308	2000
WIN 680	1-14	THOMPSON CENTER CONTENDER	FEDERAL 210	10	0.308	2000
DUPONT IMR-3031	1-14	THOMPSON CENTER CONTENDER	FEDERAL 210	10	0.308	1900
DUPONT IMR-4198	1-14	THOMPSON CENTER CONTENDER	FEDERAL 210	10	0.308	2000
HERCULES 2400	1-14	THOMPSON CENTER CONTENDER	FEDERAL 210	10	0.308	2000
WIN 680	1-14	THOMPSON CENTER CONTENDER	FEDERAL 210	10	0.308	1900
DUPONT IMR-3031	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1859
DUPONT IMR-4064	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1942
DUPONT IMR-4227	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1708
HERCULES RELOADER 7	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1912
HODGDON H-110	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1785
NORMA N-201	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1938
WIN 296	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1778
WIN 680	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1834
ACCURATE MR2460	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	2040
DUPONT IMR-3031	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1920

Sheet1

HERCULES RELOADER 12	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
HERCULES RELOADER 7	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1800
HODGDON H-335	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1950
HODGDON H-4198	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1910
ACCURATE MR2460	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
DUPONT IMR-3031	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
DUPONT IMR-4198	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1950
DUPONT IMR-4320	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1960
DUPONT IMR-4895	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
WIN 748	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1880
ACCURATE MR2460	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
DUPONT IMR-3031	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
DUPONT IMR-4198	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1950
DUPONT IMR-4320	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1960
DUPONT IMR-4895	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
WIN 748	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1880
ACCURATE MR2460	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
DUPONT IMR-3031	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
DUPONT IMR-4198	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1950
DUPONT IMR-4320	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1960
DUPONT IMR-4895	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1940
WIN 748	1-12	WISEMAN TEST BARREL	WIN WLR	10	0.308	1880
DUPONT IMR-4227	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1383
HERCULES 2400	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1362
HERCULES RELOADER 7	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1726
HODGDON H-110	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1516
WIN 296	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1432
WIN 680	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1513
DUPONT IMR-4064	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1667
DUPONT IMR-4227	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1520
DUPONT IMR-4895	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1678
HERCULES 2400	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1510
HERCULES RELOADER 7	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1740
HODGDON BL-C(2)	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1786
HODGDON H-110	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1587
WIN 296	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1471
WIN 680	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1554
WIN 748	1-10	THOMPSON CENTER CONTENDER	CCI 200, 250	10	0.308	1792

Sheet1

V_5,N,P_W4,IP_W5,N,6,2

1618	32.00	30.00
1344	18.00	16.00
1541	28.50	26.50
1313	16.00	14.00
1586	24.00	22.00
1715	32.00	30.00
1417	18.00	16.00
1293	17.50	15.50
1373	19.00	17.00
1695	34.50	32.50
1222	17.00	15.00
1184	15.00	13.00
1568	23.00	21.00
1326	17.00	15.00
1549	16.50	14.50
1337	19.00	17.00
1653	33.00	31.00
1447	18.00	16.00
1723	32.00	30.00
1706	25.00	23.00
1512	18.00	16.00
1459	17.50	15.50
1555	19.00	17.00
1745	35.50	33.50
1618	32.00	30.00
1344	18.00	16.00
1541	28.50	26.50
1313	16.00	14.00
1586	24.00	22.00
1715	32.00	30.00
1417	18.00	16.00
1293	17.50	15.50
1373	19.00	17.00
1695	34.50	32.50
1700	32.50	28.50
1690	31.00	27.00
1650	26.00	22.00
1730	34.00	30.00
1700	32.00	28.00
1670	35.00	31.00
1600	30.00	26.00
1490	25.00	21.00
1640	33.00	29.00
1600	31.00	27.00
1460	30.00	26.00
1580	37.00	33.00
1653	33.00	31.00
1447	18.00	16.00

Sheet1

1723	32.00	30.00
1706	25.00	23.00
1512	18.00	16.00
1459	17.50	15.50
1555	19.00	17.00
1745	35.50	33.50
1700	32.50	28.50
1690	31.00	27.00
1650	26.00	22.00
1730	34.00	30.00
1700	32.00	28.00
1670	35.00	31.00
1770	32.00	30.00
1825	37.00	35.00
1512	18.00	16.00
1746	26.00	24.00
1572	18.00	16.00
1770	35.00	33.00
1574	18.00	16.00
1656	20.00	18.00
1770	32.00	30.00
1825	37.00	35.00
1512	18.00	16.00
1746	26.00	24.00
1572	18.00	16.00
1770	35.00	33.00
1574	18.00	16.00
1656	20.00	18.00
1800	28.00	23.80
1800	24.60	20.10
1800	21.70	17.60
1800	25.50	19.10
1700	27.30	22.80
1700	21.80	17.70
1700	23.80	19.20
1600	32.90	27.90
1600	27.80	22.60
1600	22.70	17.10
1600	23.60	18.70
1770	32.00	30.00
1825	37.00	35.00
1512	18.00	16.00
1746	26.00	24.00
1572	18.00	16.00
1770	35.00	33.00
1574	18.00	16.00
1656	20.00	18.00
1850	34.00	30.00
1580	33.00	29.00

Sheet1

1670	34.50	30.50
1530	26.00	22.00
1710	33.00	29.00
1660	29.00	25.00
1700	32.50	28.50
1690	31.00	27.00
1650	26.00	22.00
1730	34.00	30.00
1700	32.00	28.00
1670	35.00	31.00
1700	32.50	28.50
1690	31.00	27.00
1650	26.00	22.00
1730	34.00	30.00
1700	32.00	28.00
1670	35.00	31.00
1700	32.50	28.50
1690	31.00	27.00
1650	26.00	22.00
1730	34.00	30.00
1700	32.00	28.00
1670	35.00	31.00
1222	17.00	15.00
1184	15.00	13.00
1568	23.00	21.00
1326	17.00	15.00
1549	16.50	14.50
1337	19.00	17.00
1618	32.00	30.00
1344	18.00	16.00
1541	28.50	26.50
1313	16.00	14.00
1586	24.00	22.00
1715	32.00	30.00
1417	18.00	16.00
1293	17.50	15.50
1373	19.00	17.00
1695	34.50	32.50