

Sheet1

P_NAME,C,25	TWIS`RIFLE,C,25	PRIMER,C,35	BAFB_DIAMV_4,N,
ACCURATE MR2460	1-9 LILJA TEST BBL.	FEDERAL 205	14 0.284 2140
DUPONT IMR-4895	1-9 LILJA TEST BBL.	FEDERAL 205	14 0.284 2150
HODGDON BL-C(2)	1-9 LILJA TEST BBL.	FEDERAL 205	14 0.284 2050
HODGDON H-335	1-9 LILJA TEST BBL.	FEDERAL 205	14 0.284 2110
ACCURATE MR2460	1-9 LILJA TEST BBL.	FEDERAL 205	14 0.284 2140
DUPONT IMR-4895	1-9 LILJA TEST BBL.	FEDERAL 205	14 0.284 2150
HODGDON BL-C(2)	1-9 LILJA TEST BBL.	FEDERAL 205	14 0.284 2050
HODGDON H-335	1-9 LILJA TEST BBL.	FEDERAL 205	14 0.284 2110
ACCURATE MR2460	1-9 LILJA TEST BBL.	FEDERAL 205	14 0.284 2140
DUPONT IMR-4895	1-9 LILJA TEST BBL.	FEDERAL 205	14 0.284 2150
HODGDON BL-C(2)	1-9 LILJA TEST BBL.	FEDERAL 205	14 0.284 2050
HODGDON H-335	1-9 LILJA TEST BBL.	FEDERAL 205	14 0.284 2110
DUPONT IMR-3031	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2204
DUPONT IMR-4064	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2140
DUPONT IMR-4320	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2116
DUPONT IMR-4895	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2225
HERCULES RELOADER 7	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 1957
HODGDON BL-C(2)	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2239
HODGDON H-322	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2287
HODGDON H-335	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2355
HODGDON H-380	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2025
WIN 748	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2152
DUPONT IMR-3031	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2165
DUPONT IMR-4064	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2111
DUPONT IMR-4320	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2176
DUPONT IMR-4895	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2085
HERCULES RELOADER 7	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 1830
HODGDON BL-C(2)	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2169
HODGDON H-322	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2168
HODGDON H-335	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2255
HODGDON H-380	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 1974
WIN 748	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2029
DUPONT IMR-3031	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2083
DUPONT IMR-4064	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 1989
DUPONT IMR-4320	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2057
DUPONT IMR-4895	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2041
HERCULES RELOADER 7	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 1778
HODGDON BL-C(2)	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2070
HODGDON H-322	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2084
HODGDON H-335	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2065
HODGDON H-380	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 1906
WIN 748	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 1983
DUPONT IMR-3031	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2165
DUPONT IMR-4064	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2111
DUPONT IMR-4320	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2176
DUPONT IMR-4895	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2085
HERCULES RELOADER 7	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 1830
HODGDON BL-C(2)	1-14 THOMPSON CENTER CONTENDER	CCI 400, 450	10 0.284 2169

Sheet1

HODGDON H-322	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2168
HODGDON H-335	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2255
HODGDON H-380	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1974
WIN 748	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2029
DUPONT IMR-4227	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2320
HERCULES RELOADER 12	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2320
HERCULES RELOADER 7	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2430
HODGDON H-322	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2410
DUPONT IMR-3031	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2302
DUPONT IMR-4064	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2186
DUPONT IMR-4320	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2188
DUPONT IMR-4895	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2300
HERCULES RELOADER 7	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2038
HODGDON BL-C(2)	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2333
HODGDON H-322	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2412
HODGDON H-335	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2401
HODGDON H-380	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2033
WIN 748	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2174
DUPONT IMR-3031	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2083
DUPONT IMR-4064	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1989
DUPONT IMR-4320	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2057
DUPONT IMR-4895	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2041
HERCULES RELOADER 7	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1778
HODGDON BL-C(2)	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2070
HODGDON H-322	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2084
HODGDON H-335	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2065
HODGDON H-380	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1906
WIN 748	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1983
DUPONT IMR-3031	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1923
DUPONT IMR-4320	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1963
DUPONT IMR-4895	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2065
HODGDON BL-C(2)	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2024
HODGDON H-322	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1936
HODGDON H-335	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1962
HODGDON H-380	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1848
WIN 748	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1947
DUPONT IMR-4227	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2320
HERCULES RELOADER 12	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2320
HERCULES RELOADER 7	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2430
HODGDON H-322	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2410
DUPONT IMR-3031	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2204
DUPONT IMR-4064	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2140
DUPONT IMR-4320	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2116
DUPONT IMR-4895	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2225
HERCULES RELOADER 7	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1957
HODGDON BL-C(2)	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2239
HODGDON H-322	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2287
HODGDON H-335	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2355
HODGDON H-380	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2025

Sheet1

WIN 748	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2152
ACCURATE MR2230	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2270
ACCURATE MR2460	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2290
HODGDON BL-C(2)	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2140
HODGDON H-4895	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2130
ACCURATE MR2230	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2270
ACCURATE MR2460	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2290
HODGDON BL-C(2)	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2140
HODGDON H-4895	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2130
ACCURATE MR2230	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2270
ACCURATE MR2460	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2290
HODGDON BL-C(2)	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2140
HODGDON H-4895	1-9	LILJA TEST BBL.	FEDERAL 205	14	0.284	2130
DUPONT IMR-3031	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2165
DUPONT IMR-4064	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2111
DUPONT IMR-4320	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2176
DUPONT IMR-4895	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2085
HERCULES RELOADER 7	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1830
HODGDON BL-C(2)	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2169
HODGDON H-322	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2168
HODGDON H-335	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2255
HODGDON H-380	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1974
WIN 748	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2029
DUPONT IMR-3031	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2083
DUPONT IMR-4064	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1989
DUPONT IMR-4320	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2057
DUPONT IMR-4895	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2041
HERCULES RELOADER 7	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1778
HODGDON BL-C(2)	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2070
HODGDON H-322	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2084
HODGDON H-335	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	2065
HODGDON H-380	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1906
WIN 748	1-14	THOMPSON CENTER CONTENDER	CCI 400, 450	10	0.284	1983

Sheet1

V_5,N,P_W4,IP_W5,N,6,2

1840	28.00	24.00
1830	28.50	24.50
1790	30.00	26.00
1810	27.50	23.50
1840	28.00	24.00
1830	28.50	24.50
1790	30.00	26.00
1810	27.50	23.50
1840	28.00	24.00
1830	28.50	24.50
1790	30.00	26.00
1810	27.50	23.50
2062	29.50	27.50
2003	30.00	28.00
1983	31.00	29.00
2074	31.00	29.00
1782	23.00	21.00
2096	32.00	30.00
2127	29.00	27.00
2214	31.50	29.50
1917	33.00	31.00
2011	31.50	29.50
2005	29.00	27.00
1972	30.00	28.00
2043	31.00	29.00
1934	30.00	28.00
1672	22.00	20.00
2016	31.00	29.00
2034	28.00	26.00
2113	30.50	28.50
1856	32.00	30.00
1887	30.00	28.00
1921	28.00	26.00
1858	29.00	27.00
1928	30.00	28.00
1902	29.00	27.00
1636	22.00	20.00
1923	30.00	28.00
1926	27.00	25.00
1915	28.00	26.00
1788	31.00	29.00
1852	29.00	27.00
2005	29.00	27.00
1972	30.00	28.00
2043	31.00	29.00
1934	30.00	28.00
1672	22.00	20.00
2016	31.00	29.00

Sheet1

2034	28.00	26.00
2113	30.50	28.50
1856	32.00	30.00
1887	30.00	28.00
1910	22.50	18.50
2080	31.00	27.00
2060	26.50	22.50
2120	28.50	24.50
2131	30.00	28.00
2046	30.00	28.00
2062	31.50	29.50
2077	31.50	29.50
1855	23.50	21.50
2206	33.00	31.00
2197	29.00	27.00
2246	32.50	30.50
1897	33.00	31.00
2026	32.50	30.50
1921	28.00	26.00
1858	29.00	27.00
1928	30.00	28.00
1902	29.00	27.00
1636	22.00	20.00
1923	30.00	28.00
1926	27.00	25.00
1915	28.00	26.00
1788	31.00	29.00
1852	29.00	27.00
1786	26.50	24.50
1832	29.00	27.00
1262	29.00	27.00
1874	29.00	27.00
1776	25.50	23.50
1803	26.50	24.50
1738	30.00	28.00
1812	28.00	26.00
1910	22.50	18.50
2080	31.00	27.00
2060	26.50	22.50
2120	28.50	24.50
2062	29.50	27.50
2003	30.00	28.00
1983	31.00	29.00
2074	31.00	29.00
1782	23.00	21.00
2096	32.00	30.00
2127	29.00	27.00
2214	31.50	29.50
1917	33.00	31.00

Sheet1

2011	31.50	29.50
2020	30.00	26.00
2020	30.00	26.00
1880	31.50	27.50
1790	27.50	23.50
2020	30.00	26.00
2020	30.00	26.00
1880	31.50	27.50
1790	27.50	23.50
2020	30.00	26.00
2020	30.00	26.00
1880	31.50	27.50
1790	27.50	23.50
2005	29.00	27.00
1972	30.00	28.00
2043	31.00	29.00
1934	30.00	28.00
1672	22.00	20.00
2016	31.00	29.00
2034	28.00	26.00
2113	30.50	28.50
1856	32.00	30.00
1887	30.00	28.00
1921	28.00	26.00
1858	29.00	27.00
1928	30.00	28.00
1902	29.00	27.00
1636	22.00	20.00
1923	30.00	28.00
1926	27.00	25.00
1915	28.00	26.00
1788	31.00	29.00
1852	29.00	27.00