

SEQUENCIDESC,C,60

400 Admate 100 10 CPI  
401 Admate 100 12 CPI  
402 Admate 100 12 Lines/Inch  
403 Admate 100 15-17 CPI  
404 Admate 100 6 Lines/Inch  
405 Admate 100 8 Lines/Inch  
406 Admate 100 Alt. Var Ln Sp  
407 Admate 100 Bldirect'l ON  
408 Admate 100 Bold OFF  
409 Admate 100 Bold ON  
410 Admate 100 Condense Off  
411 Admate 100 DblStrike OFF  
412 Admate 100 DblStrike ON  
413 Admate 100 DblWIDE OFF  
414 Admate 100 DdlWIDE ON  
415 Admate 100 Draft Mode  
416 Admate 100 Emphasize OFF  
417 Admate 100 Emphasize ON  
418 Admate 100 Initialize  
419 Admate 100 Italic OFF  
420 Admate 100 Italic ON  
421 Admate 100 Mastr Font/Typ  
422 Admate 100 NLQ Mode  
423 Admate 100 Propor'nl Off  
424 Admate 100 Propor'nl On  
425 Admate 100 Select Char St  
426 Admate 100 Set LFT Margin  
427 Admate 100 Set RHT Margin  
428 Admate 100 Set Tab Stops  
429 Admate 100 Skip Perf OFF  
430 Admate 100 Skip Perf ON  
431 Admate 100 SUBScript OFF  
432 Admate 100 SUBScript ON  
433 Admate 100 SUP-Scr OFF  
434 Admate 100 SUPERscript ON  
435 Admate 100 Underline OFF  
436 Admate 100 Underline ON  
437 Admate 100 UNldirect'l ON  
438 Admate 100 Var. Ln Space  
439 Alphacom I 10 CPI  
440 Alphacom I 12 CPI  
441 Alphacom I 12 Lines/Inch  
442 Alphacom I 15-17 CPI  
443 Alphacom I 6 Lines/Inch  
444 Alphacom I 8 Lines/Inch  
445 Alphacom I Bold OFF  
446 Alphacom I Bold ON  
447 Alphacom I DblStrike OFF

448 Alphacom I DblStrike ON  
449 Alphacom I DdlWIDE OFF  
450 Alphacom I DdlWIDE ON  
451 Alphacom I Emphasize OFF  
452 Alphacom I Emphasize ON  
453 Alphacom I Initialize  
454 Alphacom I Move ABS Horiz  
455 Alphacom I Move ABS Vert.  
456 Alphacom I NLQ Mode  
457 Alphacom I Propor'nl Off  
458 Alphacom I Propor'nl On  
459 Alphacom I Set BOT Margin  
460 Alphacom I Set LFT Margin  
461 Alphacom I Set RHT Margin  
462 Alphacom I Set Tab Stops  
463 Alphacom I Set TOP Margin  
464 Alphacom I SUBScript OFF  
465 Alphacom I SUBScript ON  
466 Alphacom I SUP-Scr OFF  
467 Alphacom I SUPERscript ON  
468 Alphacom I Underline OFF  
469 Alphacom I Underline ON  
470 Alps Allegro 24 10 CPI  
471 Alps Allegro 24 12 CPI  
472 Alps Allegro 24 12 Lines/Inch  
473 Alps Allegro 24 15-17 CPI  
474 Alps Allegro 24 6 Lines/Inch  
475 Alps Allegro 24 8 Lines/Inch  
476 Alps Allegro 24 Alt. Var Ln Sp  
477 Alps Allegro 24 Bldirect'l ON  
478 Alps Allegro 24 Bold OFF  
479 Alps Allegro 24 Bold ON  
480 Alps Allegro 24 Condense Off  
481 Alps Allegro 24 DblHeight OFF  
482 Alps Allegro 24 DblHeight ON  
483 Alps Allegro 24 DblStrike OFF  
484 Alps Allegro 24 DblStrike ON  
485 Alps Allegro 24 DblWIDE OFF  
486 Alps Allegro 24 DdlWIDE ON  
487 Alps Allegro 24 Draft Mode  
488 Alps Allegro 24 Emphasize OFF  
489 Alps Allegro 24 Emphasize ON  
490 Alps Allegro 24 Initialize  
491 Alps Allegro 24 Italic OFF  
492 Alps Allegro 24 Italic ON  
493 Alps Allegro 24 Mastr Font/Typ  
494 Alps Allegro 24 Move ABS Horiz  
495 Alps Allegro 24 Move REL Horiz  
496 Alps Allegro 24 NLQ Mode

497 Alps Allegro 24 Propor'nl Off  
498 Alps Allegro 24 Propor'nl On  
499 Alps Allegro 24 Sel. Prt Style  
500 Alps Allegro 24 Select Char St  
501 Alps Allegro 24 Set LFT Margin  
502 Alps Allegro 24 Set RHT Margin  
503 Alps Allegro 24 Set Tab Stops  
504 Alps Allegro 24 Skip Perf OFF  
505 Alps Allegro 24 Skip Perf ON  
506 Alps Allegro 24 SUBScript OFF  
507 Alps Allegro 24 SUBScript ON  
508 Alps Allegro 24 Underline OFF  
509 Alps Allegro 24 Underline ON  
510 Alps Allegro 24 UNIdirect'l ON  
511 Alps Allegro 24 UP-Scr OFF  
512 Alps Allegro 24 UPERscript ON  
513 Alps Allegro 24 Var. Ln Space  
514 Alps ALQ 200/300 [Epson FX] NLQ Mode  
515 Alps ALQ 200/300 [Epson FX] 10 CPI  
516 Alps ALQ 200/300 [Epson FX] 12 CPI  
517 Alps ALQ 200/300 [Epson FX] 12 Lines/Inch  
518 Alps ALQ 200/300 [Epson FX] 15-17 CPI  
519 Alps ALQ 200/300 [Epson FX] 6 Lines/Inch  
520 Alps ALQ 200/300 [Epson FX] 8 Lines/Inch  
521 Alps ALQ 200/300 [Epson FX] Alt. Var Ln Sp  
522 Alps ALQ 200/300 [Epson FX] Bldirect'l ON  
523 Alps ALQ 200/300 [Epson FX] Bold OFF  
524 Alps ALQ 200/300 [Epson FX] Bold ON  
525 Alps ALQ 200/300 [Epson FX] Condense Off  
526 Alps ALQ 200/300 [Epson FX] DbIStrike OFF  
527 Alps ALQ 200/300 [Epson FX] DbIStrike ON  
528 Alps ALQ 200/300 [Epson FX] DbIWIDE OFF  
529 Alps ALQ 200/300 [Epson FX] DdIWIDE ON  
530 Alps ALQ 200/300 [Epson FX] Draft Mode  
531 Alps ALQ 200/300 [Epson FX] Emphasize OFF  
532 Alps ALQ 200/300 [Epson FX] Emphasize ON  
533 Alps ALQ 200/300 [Epson FX] Initialize  
534 Alps ALQ 200/300 [Epson FX] Italic OFF  
535 Alps ALQ 200/300 [Epson FX] Italic ON  
536 Alps ALQ 200/300 [Epson FX] Mastr Font/Typ  
537 Alps ALQ 200/300 [Epson FX] Propor'nl Off  
538 Alps ALQ 200/300 [Epson FX] Propor'nl On  
539 Alps ALQ 200/300 [Epson FX] Sel. Prt Style  
540 Alps ALQ 200/300 [Epson FX] Select Char St  
541 Alps ALQ 200/300 [Epson FX] Set LFT Margin  
542 Alps ALQ 200/300 [Epson FX] Set RHT Margin  
543 Alps ALQ 200/300 [Epson FX] Set Tab Stops  
544 Alps ALQ 200/300 [Epson FX] Skip Perf OFF  
545 Alps ALQ 200/300 [Epson FX] Skip Perf ON

Sheet1

546 Alps ALQ 200/300 [Epson FX] SUBScript OFF  
547 Alps ALQ 200/300 [Epson FX] SUBScript ON  
548 Alps ALQ 200/300 [Epson FX] SUP-Scr OFF  
549 Alps ALQ 200/300 [Epson FX] SUPERscript ON  
550 Alps ALQ 200/300 [Epson FX] Underline OFF  
551 Alps ALQ 200/300 [Epson FX] Underline ON  
552 Alps ALQ 200/300 [Epson FX] UNIdirect'l ON  
553 Alps ALQ 200/300 [Epson FX] Var. Ln Space  
554 Alps ALQ 200/300 [Epson LQ] 10 CPI  
555 Alps ALQ 200/300 [Epson LQ] 12 CPI  
556 Alps ALQ 200/300 [Epson LQ] 12 Lines/Inch  
557 Alps ALQ 200/300 [Epson LQ] 15-17 CPI  
558 Alps ALQ 200/300 [Epson LQ] 6 Lines/Inch  
559 Alps ALQ 200/300 [Epson LQ] 8 Lines/Inch  
560 Alps ALQ 200/300 [Epson LQ] Alt. Var Ln Sp  
561 Alps ALQ 200/300 [Epson LQ] BIdirect'l ON  
562 Alps ALQ 200/300 [Epson LQ] Bold OFF  
563 Alps ALQ 200/300 [Epson LQ] Bold ON  
564 Alps ALQ 200/300 [Epson LQ] Condense Off  
565 Alps ALQ 200/300 [Epson LQ] DbIHeight OFF  
566 Alps ALQ 200/300 [Epson LQ] DbIHeight ON  
567 Alps ALQ 200/300 [Epson LQ] DbIStrike OFF  
568 Alps ALQ 200/300 [Epson LQ] DbIStrike ON  
569 Alps ALQ 200/300 [Epson LQ] DbIWIDE OFF  
570 Alps ALQ 200/300 [Epson LQ] DdIWIDE ON  
571 Alps ALQ 200/300 [Epson LQ] Draft Mode  
572 Alps ALQ 200/300 [Epson LQ] Emphasize OFF  
573 Alps ALQ 200/300 [Epson LQ] Emphasize ON  
574 Alps ALQ 200/300 [Epson LQ] Initialize  
575 Alps ALQ 200/300 [Epson LQ] Italic OFF  
576 Alps ALQ 200/300 [Epson LQ] Italic ON  
577 Alps ALQ 200/300 [Epson LQ] Mastr Font/Typ  
578 Alps ALQ 200/300 [Epson LQ] Move ABS Horiz  
579 Alps ALQ 200/300 [Epson LQ] Move REL Horiz  
580 Alps ALQ 200/300 [Epson LQ] NLQ Mode  
581 Alps ALQ 200/300 [Epson LQ] Propor'nI Off  
582 Alps ALQ 200/300 [Epson LQ] Propor'nI On  
583 Alps ALQ 200/300 [Epson LQ] Sel. Prt Style  
584 Alps ALQ 200/300 [Epson LQ] Select Char St  
585 Alps ALQ 200/300 [Epson LQ] Set LFT Margin  
586 Alps ALQ 200/300 [Epson LQ] Set RHT Margin  
587 Alps ALQ 200/300 [Epson LQ] Set Tab Stops  
588 Alps ALQ 200/300 [Epson LQ] Skip Perf OFF  
589 Alps ALQ 200/300 [Epson LQ] Skip Perf ON  
590 Alps ALQ 200/300 [Epson LQ] SUBScript OFF  
591 Alps ALQ 200/300 [Epson LQ] SUBScript ON  
592 Alps ALQ 200/300 [Epson LQ] SUP-Scr OFF  
593 Alps ALQ 200/300 [Epson LQ] SUPERscript ON  
594 Alps ALQ 200/300 [Epson LQ] Underline OFF

Sheet1

595 Alps ALQ 200/300 [Epson LQ] Underline ON  
596 Alps ALQ 200/300 [Epson LQ] UNIdirect'l ON  
597 Alps ALQ 200/300 [Epson LQ] Var. Ln Space  
598 Alps P2000 [Epson] 10 CPI  
599 Alps P2000 [Epson] 12 CPI  
600 Alps P2000 [Epson] 12 Lines/Inch  
601 Alps P2000 [Epson] 15-17 CPI  
602 Alps P2000 [Epson] 6 Lines/Inch  
603 Alps P2000 [Epson] 8 Lines/Inch  
604 Alps P2000 [Epson] Alt. Var Ln Sp  
605 Alps P2000 [Epson] Bldirect'l ON  
606 Alps P2000 [Epson] Bold OFF  
607 Alps P2000 [Epson] Bold ON  
608 Alps P2000 [Epson] Condense Off  
609 Alps P2000 [Epson] DblStrike OFF  
610 Alps P2000 [Epson] DblStrike ON  
611 Alps P2000 [Epson] DblWIDE OFF  
612 Alps P2000 [Epson] DdlWIDE ON  
613 Alps P2000 [Epson] Draft Mode  
614 Alps P2000 [Epson] Emphasize OFF  
615 Alps P2000 [Epson] Emphasize ON  
616 Alps P2000 [Epson] Initialize  
617 Alps P2000 [Epson] Italic OFF  
618 Alps P2000 [Epson] Italic ON  
619 Alps P2000 [Epson] Mastr Font/Typ  
620 Alps P2000 [Epson] NLQ Mode  
621 Alps P2000 [Epson] Propor'nl Off  
622 Alps P2000 [Epson] Propor'nl On  
623 Alps P2000 [Epson] Select Char St  
624 Alps P2000 [Epson] Set LFT Margin  
625 Alps P2000 [Epson] Set RHT Margin  
626 Alps P2000 [Epson] Set Tab Stops  
627 Alps P2000 [Epson] Skip Perf OFF  
628 Alps P2000 [Epson] Skip Perf ON  
629 Alps P2000 [Epson] SUBScript OFF  
630 Alps P2000 [Epson] SUBScript ON  
631 Alps P2000 [Epson] SUP-Scr OFF  
632 Alps P2000 [Epson] SUPERscript ON  
633 Alps P2000 [Epson] Underline OFF  
634 Alps P2000 [Epson] Underline ON  
635 Alps P2000 [Epson] UNIdirect'l ON  
636 Alps P2000 [Epson] Var. Ln Space  
637 Alps P200G/2100 10 CPI  
638 Alps P200G/2100 12 CPI  
639 Alps P200G/2100 12 Lines/Inch  
640 Alps P200G/2100 15-17 CPI  
641 Alps P200G/2100 6 Lines/Inch  
642 Alps P200G/2100 8 Lines/Inch  
643 Alps P200G/2100 Alt. Var Ln Sp

644 Alps P200G/2100 Bldirect'l ON  
645 Alps P200G/2100 Bold OFF  
646 Alps P200G/2100 Bold ON  
647 Alps P200G/2100 Condense Off  
648 Alps P200G/2100 DbIHeight OFF  
649 Alps P200G/2100 DbIHeight ON  
650 Alps P200G/2100 DbIStrike OFF  
651 Alps P200G/2100 DbIStrike ON  
652 Alps P200G/2100 DbIWIDE OFF  
653 Alps P200G/2100 DdlWIDE ON  
654 Alps P200G/2100 Draft Mode  
655 Alps P200G/2100 Emphasize OFF  
656 Alps P200G/2100 Emphasize ON  
657 Alps P200G/2100 Initialize  
658 Alps P200G/2100 Italic OFF  
659 Alps P200G/2100 Italic ON  
660 Alps P200G/2100 Mastr Font/Typ  
661 Alps P200G/2100 Move ABS Horiz  
662 Alps P200G/2100 Move REL Horiz  
663 Alps P200G/2100 NLQ Mode  
664 Alps P200G/2100 Propor'nI Off  
665 Alps P200G/2100 Propor'nI On  
666 Alps P200G/2100 Sel. Prt Style  
667 Alps P200G/2100 Select Char St  
668 Alps P200G/2100 Set LFT Margin  
669 Alps P200G/2100 Set RHT Margin  
670 Alps P200G/2100 Set Tab Stops  
671 Alps P200G/2100 Skip Perf OFF  
672 Alps P200G/2100 Skip Perf ON  
673 Alps P200G/2100 SUBScript OFF  
674 Alps P200G/2100 SUBScript ON  
675 Alps P200G/2100 SUP-Scr OFF  
676 Alps P200G/2100 SUPERscript ON  
677 Alps P200G/2100 Underline OFF  
678 Alps P200G/2100 Underline ON  
679 Alps P200G/2100 UNldirect'l ON  
680 Alps P200G/2100 Var. Ln Space  
681 Amdek 5040 10 CPI  
682 Amdek 5040 12 CPI  
683 Amdek 5040 12 Lines/Inch  
684 Amdek 5040 15-17 CPI  
685 Amdek 5040 6 Lines/Inch  
686 Amdek 5040 8 Lines/Inch  
687 Amdek 5040 Bold OFF  
688 Amdek 5040 Bold ON  
689 Amdek 5040 DbIStrike OFF  
690 Amdek 5040 DbIStrike ON  
691 Amdek 5040 DdlWide OFF  
692 Amdek 5040 DdlWIDE ON

693 Amdek 5040 Emphasize OFF  
694 Amdek 5040 Emphasize ON  
695 Amdek 5040 Initialize  
696 Amdek 5040 Move ABS Horiz  
697 Amdek 5040 Move ABS Vert.  
698 Amdek 5040 NLQ Mode  
699 Amdek 5040 Propor'n'l Off  
700 Amdek 5040 Propor'n'l On  
701 Amdek 5040 Set BOT Margin  
702 Amdek 5040 Set LFT Margin  
703 Amdek 5040 Set RHT Margin  
704 Amdek 5040 Set Tab Stops  
705 Amdek 5040 Set TOP Margin  
706 Amdek 5040 SUBScript OFF  
707 Amdek 5040 SUBScript ON  
708 Amdek 5040 SUP-Scr OFF  
709 Amdek 5040 SUPERscript ON  
710 Amdek 5040 Underline OFF  
711 Amdek 5040 Underline ON  
712 Amstrad 3000/3160 10 CPI  
713 Amstrad 3000/3160 12 CPI  
714 Amstrad 3000/3160 12 Lines/Inch  
715 Amstrad 3000/3160 15-17 CPI  
716 Amstrad 3000/3160 6 Lines/Inch  
717 Amstrad 3000/3160 8 Lines/Inch  
718 Amstrad 3000/3160 Alt. Var Ln Sp  
719 Amstrad 3000/3160 Bldirect'l ON  
720 Amstrad 3000/3160 Bold OFF  
721 Amstrad 3000/3160 Bold ON  
722 Amstrad 3000/3160 Condense Off  
723 Amstrad 3000/3160 DblHeight OFF  
724 Amstrad 3000/3160 DblHeight ON  
725 Amstrad 3000/3160 DblStrike OFF  
726 Amstrad 3000/3160 DblStrike ON  
727 Amstrad 3000/3160 DblWIDE OFF  
728 Amstrad 3000/3160 DdlWIDE ON  
729 Amstrad 3000/3160 Draft Mode  
730 Amstrad 3000/3160 Emphasize OFF  
731 Amstrad 3000/3160 Emphasize ON  
732 Amstrad 3000/3160 Initialize  
733 Amstrad 3000/3160 Int Chr Spac'g  
734 Amstrad 3000/3160 Italic OFF  
735 Amstrad 3000/3160 Italic ON  
736 Amstrad 3000/3160 Mastr Font/Typ  
737 Amstrad 3000/3160 Move ABS Horiz  
738 Amstrad 3000/3160 Move REL Horiz  
739 Amstrad 3000/3160 NLQ Mode  
740 Amstrad 3000/3160 Propor'n'l Off  
741 Amstrad 3000/3160 Propor'n'l On

742 Amstrad 3000/3160 Sel. Prt Style  
743 Amstrad 3000/3160 Select Char St  
744 Amstrad 3000/3160 Set LFT Margin  
745 Amstrad 3000/3160 Set RHT Margin  
746 Amstrad 3000/3160 Set Tab Stops  
747 Amstrad 3000/3160 Skip Perf OFF  
748 Amstrad 3000/3160 Skip Perf ON  
749 Amstrad 3000/3160 SUBScript OFF  
750 Amstrad 3000/3160 SUBScript ON  
751 Amstrad 3000/3160 SUP-Scr OFF  
752 Amstrad 3000/3160 SUPERscript ON  
753 Amstrad 3000/3160 Underline OFF  
754 Amstrad 3000/3160 Underline ON  
755 Amstrad 3000/3160 UNIdirect'l ON  
756 Amstrad 3000/3160 Var. Ln Space  
757 Amstrad LQ 3500 10 CPI  
758 Amstrad LQ 3500 12 CPI  
759 Amstrad LQ 3500 12 Lines/Inch  
760 Amstrad LQ 3500 15-17 CPI  
761 Amstrad LQ 3500 6 Lines/Inch  
762 Amstrad LQ 3500 8 Lines/Inch  
763 Amstrad LQ 3500 Alt. Var Ln Sp  
764 Amstrad LQ 3500 Bldirect'l ON  
765 Amstrad LQ 3500 Bold OFF  
766 Amstrad LQ 3500 Bold ON  
767 Amstrad LQ 3500 Condense Off  
768 Amstrad LQ 3500 DbIHeight OFF  
769 Amstrad LQ 3500 DbIHeight ON  
770 Amstrad LQ 3500 DbIStrike OFF  
771 Amstrad LQ 3500 DbIStrike ON  
772 Amstrad LQ 3500 DbIWIDE OFF  
773 Amstrad LQ 3500 DdIWIDE ON  
774 Amstrad LQ 3500 Draft Mode  
775 Amstrad LQ 3500 Emphasize OFF  
776 Amstrad LQ 3500 Emphasize ON  
777 Amstrad LQ 3500 Initialize  
778 Amstrad LQ 3500 Int Chr Spac'g  
779 Amstrad LQ 3500 Italic OFF  
780 Amstrad LQ 3500 Italic ON  
781 Amstrad LQ 3500 Mastr Font/Typ  
782 Amstrad LQ 3500 Move ABS Horiz  
783 Amstrad LQ 3500 Move REL Horiz  
784 Amstrad LQ 3500 NLQ Mode  
785 Amstrad LQ 3500 Propor'nI Off  
786 Amstrad LQ 3500 Propor'nI On  
787 Amstrad LQ 3500 Sel. Prt Style  
788 Amstrad LQ 3500 Select Char St  
789 Amstrad LQ 3500 Set LFT Margin  
790 Amstrad LQ 3500 Set RHT Margin



Sheet1

791 Amstrad LQ 3500 Set Tab Stops  
792 Amstrad LQ 3500 Skip Perf OFF  
793 Amstrad LQ 3500 Skip Perf ON  
794 Amstrad LQ 3500 SUBScript OFF  
795 Amstrad LQ 3500 SUBScript ON  
796 Amstrad LQ 3500 SUP-Scr OFF  
797 Amstrad LQ 3500 SUPERscript ON  
798 Amstrad LQ 3500 Underline OFF  
799 Amstrad LQ 3500 Underline ON  
800 Amstrad LQ 3500 UNIdirect'l ON  
801 Amstrad LQ 3500 Var. Ln Space  
802 Anadex 9620A 10 CPI.  
803 Anadex 9620A 12 CPI.  
804 Anadex 9620A 6 lines per inch.  
805 Anadex 9620A 8 lines per inch.  
806 Anadex 9620A Underline Off.  
807 Anadex 9620A Underline On.  
808 Anadex DP-6500 10 CPI.  
809 Anadex DP-6500 12 CPI.  
810 Anadex DP-6500 6 lines per inch.  
811 Anadex DP-6500 8 lines per inch.  
812 Anadex DP-6500 Double Stike Off.  
813 Anadex DP-6500 Double Stike On.  
814 Anadex DP-6500 Italics Off.  
815 Anadex DP-6500 Italics On.  
816 Anadex DP-6500 Underline Off.  
817 Anadex DP-6500 Underline On.  
818 Anadex DP-9000/DP-9500 10 CPI.  
819 Anadex DP-9000/DP-9500 12 CPI.  
820 Anadex DP-9000/DP-9500 6 lines per inch.  
821 Anadex DP-9000/DP-9500 8 lines per inch.  
822 Anadex DP-9000/DP-9500 Underline Off.  
823 Anadex DP-9000/DP-9500 Underline On.  
824 Anadex DP-9001/DP-9501 10 CPI.  
825 Anadex DP-9001/DP-9501 6 lines per inch.  
826 Anadex DP-9001/DP-9501 8 lines per inch.  
827 Anadex DP-9001/DP-9501 Underline Off.  
828 Anadex DP-9001/DP-9501 Underline On.  
829 Astrad 4000 10 CPI  
830 Astrad 4000 12 CPI  
831 Astrad 4000 12 Lines/Inch  
832 Astrad 4000 15-17 CPI  
833 Astrad 4000 6 Lines/Inch  
834 Astrad 4000 8 Lines/Inch  
835 Astrad 4000 Alt. Var Ln Sp  
836 Astrad 4000 Bldirect'l ON  
837 Astrad 4000 Bold OFF  
838 Astrad 4000 Bold ON  
839 Astrad 4000 Condense Off

840 Astrad 4000 DblHeight OFF  
841 Astrad 4000 DblHeight ON  
842 Astrad 4000 DblStrike OFF  
843 Astrad 4000 DblStrike ON  
844 Astrad 4000 DblWIDE OFF  
845 Astrad 4000 DdlWIDE ON  
846 Astrad 4000 Draft Mode  
847 Astrad 4000 Emphasize OFF  
848 Astrad 4000 Emphasize ON  
849 Astrad 4000 Initialize  
850 Astrad 4000 Int Chr Spac'g  
851 Astrad 4000 Italic OFF  
852 Astrad 4000 Italic ON  
853 Astrad 4000 Mastr Font/Typ  
854 Astrad 4000 Move ABS Horiz  
855 Astrad 4000 Move REL Horiz  
856 Astrad 4000 NLQ Mode  
857 Astrad 4000 Propor'nl Off  
858 Astrad 4000 Propor'nl On  
859 Astrad 4000 Sel. Prt Style  
860 Astrad 4000 Select Char St  
861 Astrad 4000 Set LFT Margin  
862 Astrad 4000 Set RHT Margin  
863 Astrad 4000 Set Tab Stops  
864 Astrad 4000 Skip Perf OFF  
865 Astrad 4000 Skip Perf ON  
866 Astrad 4000 SUBScript OFF  
867 Astrad 4000 SUBScript ON  
868 Astrad 4000 SUP-Scr OFF  
869 Astrad 4000 SUPERscript ON  
870 Astrad 4000 Underline OFF  
871 Astrad 4000 Underline ON  
872 Astrad 4000 UNIdirect'l ON  
873 Astrad 4000 Var. Ln Space  
874 AT&T 477 10 CPI  
875 AT&T 477 12 CPI  
876 AT&T 477 12 Lines/Inch  
877 AT&T 477 15-17 CPI  
878 AT&T 477 6 Lines/Inch  
879 AT&T 477 8 Lines/Inch  
880 AT&T 477 Alt. Var Ln Sp  
881 AT&T 477 Bldirect'l ON  
882 AT&T 477 Bold OFF  
883 AT&T 477 Bold ON  
884 AT&T 477 Condense Off  
885 AT&T 477 DblStrike OFF  
886 AT&T 477 DblStrike ON  
887 AT&T 477 DblWIDE OFF  
888 AT&T 477 DdlWIDE ON

889 AT&T 477 Draft Mode  
890 AT&T 477 Emphasize OFF  
891 AT&T 477 Emphasize ON  
892 AT&T 477 Initialize  
893 AT&T 477 Italic OFF  
894 AT&T 477 Italic ON  
895 AT&T 477 Mastr Font/Typ  
896 AT&T 477 NLQ Mode  
897 AT&T 477 Propor'nl Off  
898 AT&T 477 Propor'nl On  
899 AT&T 477 Select Char St  
900 AT&T 477 Set LFT Margin  
901 AT&T 477 Set RHT Margin  
902 AT&T 477 Set Tab Stops  
903 AT&T 477 Skip Perf OFF  
904 AT&T 477 Skip Perf ON  
905 AT&T 477 SUBScript OFF  
906 AT&T 477 SUBScript ON  
907 AT&T 477 SUP-Scr OFF  
908 AT&T 477 SUPERscript ON  
909 AT&T 477 Underline OFF  
910 AT&T 477 Underline ON  
911 AT&T 477 UNldirect'l ON  
912 AT&T 477 Var. Ln Space  
913 Axiom DX-2500/3500 10 CPI  
914 Axiom DX-2500/3500 12 CPI  
915 Axiom DX-2500/3500 12 Lines/Inch  
916 Axiom DX-2500/3500 15-17 CPI  
917 Axiom DX-2500/3500 6 Lines/Inch  
918 Axiom DX-2500/3500 8 Lines/Inch  
919 Axiom DX-2500/3500 Bold OFF  
920 Axiom DX-2500/3500 Bold ON  
921 Axiom DX-2500/3500 Condense Off  
922 Axiom DX-2500/3500 DbIStrike OFF  
923 Axiom DX-2500/3500 DbIStrike ON  
924 Axiom DX-2500/3500 DbIWIDE OFF  
925 Axiom DX-2500/3500 DdlWIDE ON  
926 Axiom DX-2500/3500 Draft Mode  
927 Axiom DX-2500/3500 Emphasize OFF  
928 Axiom DX-2500/3500 Emphasize ON  
929 Axiom DX-2500/3500 Initialize  
930 Axiom DX-2500/3500 Move ABS Horiz  
931 Axiom DX-2500/3500 Move ABS Vert.  
932 Axiom DX-2500/3500 NLQ Mode  
933 Axiom DX-2500/3500 Propor'nl Off  
934 Axiom DX-2500/3500 Propor'nl On  
935 Axiom DX-2500/3500 Set BOT Margin  
936 Axiom DX-2500/3500 Set LFT Margin  
937 Axiom DX-2500/3500 Set RHT Margin

938 Axiom DX-2500/3500 Set Tab Stops  
939 Axiom DX-2500/3500 Set TOP Margin  
940 Axiom DX-2500/3500 SUBScript OFF  
941 Axiom DX-2500/3500 SUBScript ON  
942 Axiom DX-2500/3500 SUP-Scr OFF  
943 Axiom DX-2500/3500 SUPERscript ON  
944 Axiom DX-2500/3500 Underline OFF  
945 Axiom DX-2500/3500 Underline ON  
946 Blaser 10 CPI.  
947 Blaser 12 CPI.  
948 Blaser 6 lines per inch.  
949 Blaser 8 lines per inch.  
950 Blaser Double Stike Off.  
951 Blaser Double Stike On.  
952 Blaser Reset  
953 Blaser Setup  
954 Blaser Underline Off.  
955 Blaser Underline On.  
956 Brother 2024-L 10 CPI  
957 Brother 2024-L 12 CPI  
958 Brother 2024-L 12 Lines/Inch  
959 Brother 2024-L 15-17 CPI  
960 Brother 2024-L 6 Lines/Inch  
961 Brother 2024-L 8 Lines/Inch  
962 Brother 2024-L Alt. Var Ln Sp  
963 Brother 2024-L Bldirect'l ON  
964 Brother 2024-L Bold OFF  
965 Brother 2024-L Bold ON  
966 Brother 2024-L Condense Off  
967 Brother 2024-L DbIHeight OFF  
968 Brother 2024-L DbIHeight ON  
969 Brother 2024-L DbIStrike OFF  
970 Brother 2024-L DbIStrike ON  
971 Brother 2024-L DbIWIDE OFF  
972 Brother 2024-L DdlWIDE ON  
973 Brother 2024-L Draft Mode  
974 Brother 2024-L Emphasize OFF  
975 Brother 2024-L Emphasize ON  
976 Brother 2024-L Initialize  
977 Brother 2024-L Int Chr Spac'g  
978 Brother 2024-L Italic OFF  
979 Brother 2024-L Italic ON  
980 Brother 2024-L Mastr Font/Typ  
981 Brother 2024-L Move ABS Horiz  
982 Brother 2024-L Move REL Horiz  
983 Brother 2024-L NLQ Mode  
984 Brother 2024-L Propor'nl Off  
985 Brother 2024-L Propor'nl On  
986 Brother 2024-L Sel. Prt Style

987 Brother 2024-L Select Char St  
988 Brother 2024-L Set LFT Margin  
989 Brother 2024-L Set RHT Margin  
990 Brother 2024-L Set Tab Stops  
991 Brother 2024-L Skip Perf OFF  
992 Brother 2024-L Skip Perf ON  
993 Brother 2024-L SUBScript OFF  
994 Brother 2024-L SUBScript ON  
995 Brother 2024-L SUP-Scr OFF  
996 Brother 2024-L SUPERscript ON  
997 Brother 2024-L Underline OFF  
998 Brother 2024-L Underline ON  
999 Brother 2024-L UNIdirect'l ON  
1000 Brother 2024-L Var. Ln Space  
1001 Brother BP5420 10 CPI  
1002 Brother BP5420 12 CPI  
1003 Brother BP5420 12 Lines/Inch  
1004 Brother BP5420 15-17 CPI  
1005 Brother BP5420 6 Lines/Inch  
1006 Brother BP5420 8 Lines/Inch  
1007 Brother BP5420 Alt. Var Ln Sp  
1008 Brother BP5420 Bldirect'l ON  
1009 Brother BP5420 Bold OFF  
1010 Brother BP5420 Bold ON  
1011 Brother BP5420 Condense Off  
1012 Brother BP5420 DblStrike OFF  
1013 Brother BP5420 DblStrike ON  
1014 Brother BP5420 DblWIDE OFF  
1015 Brother BP5420 DdlWIDE ON  
1016 Brother BP5420 Draft Mode  
1017 Brother BP5420 Emphasize OFF  
1018 Brother BP5420 Emphasize ON  
1019 Brother BP5420 Initialize  
1020 Brother BP5420 Italic OFF  
1021 Brother BP5420 Italic ON  
1022 Brother BP5420 Mastr Font/Typ  
1023 Brother BP5420 NLQ Mode  
1024 Brother BP5420 Propor'nl Off  
1025 Brother BP5420 Propor'nl On  
1026 Brother BP5420 Select Char St  
1027 Brother BP5420 Set LFT Margin  
1028 Brother BP5420 Set RHT Margin  
1029 Brother BP5420 Set Tab Stops  
1030 Brother BP5420 Skip Perf OFF  
1031 Brother BP5420 Skip Perf ON  
1032 Brother BP5420 SUBScript OFF  
1033 Brother BP5420 SUBScript ON  
1034 Brother BP5420 SUP-Scr OFF  
1035 Brother BP5420 SUPERscript ON

Sheet1

1036 Brother BP5420 Underline OFF  
1037 Brother BP5420 Underline ON  
1038 Brother BP5420 UNIdirect'l ON  
1039 Brother BP5420 Var. Ln Space  
1040 Brother DM-5 10 CPI  
1041 Brother DM-5 12 CPI  
1042 Brother DM-5 12 Lines/Inch  
1043 Brother DM-5 15-17 CPI  
1044 Brother DM-5 6 Lines/Inch  
1045 Brother DM-5 8 Lines/Inch  
1046 Brother DM-5 Alt. Var Ln Sp  
1047 Brother DM-5 Bldirect'l ON  
1048 Brother DM-5 Bold OFF  
1049 Brother DM-5 Bold ON  
1050 Brother DM-5 Condense Off  
1051 Brother DM-5 DblStrike OFF  
1052 Brother DM-5 DblStrike ON  
1053 Brother DM-5 DbIWIDE OFF  
1054 Brother DM-5 DdIWIDE ON  
1055 Brother DM-5 Draft Mode  
1056 Brother DM-5 Emphasize OFF  
1057 Brother DM-5 Emphasize ON  
1058 Brother DM-5 Initialize  
1059 Brother DM-5 Italic OFF  
1060 Brother DM-5 Italic ON  
1061 Brother DM-5 Mastr Font/Typ  
1062 Brother DM-5 NLQ Mode  
1063 Brother DM-5 Propor'nl Off  
1064 Brother DM-5 Propor'nl On  
1065 Brother DM-5 Select Char St  
1066 Brother DM-5 Set LFT Margin  
1067 Brother DM-5 Set RHT Margin  
1068 Brother DM-5 Set Tab Stops  
1069 Brother DM-5 Skip Perf OFF  
1070 Brother DM-5 Skip Perf ON  
1071 Brother DM-5 SUBScript OFF  
1072 Brother DM-5 SUBScript ON  
1073 Brother DM-5 SUP-Scr OFF  
1074 Brother DM-5 SUPERscript ON  
1075 Brother DM-5 Underline OFF  
1076 Brother DM-5 Underline ON  
1077 Brother DM-5 UNIdirect'l ON  
1078 Brother DM-5 Var. Ln Space  
1079 Brother HR-10/15/20/25 6 lines per inch.  
1080 Brother HR-10/15/20/25 8 lines per inch.  
1081 Brother HR-10/15/20/25 Reset  
1082 Brother HR-10/15/20/25 Setup  
1083 Brother HR-10/15/20/25 Underline Off.  
1084 Brother HR-10/15/20/25 Underline On.

1085 Brother HR-35 10 CPI  
1086 Brother HR-35 12 CPI  
1087 Brother HR-35 12 Lines/Inch  
1088 Brother HR-35 15-17 CPI  
1089 Brother HR-35 6 Lines/Inch  
1090 Brother HR-35 8 Lines/Inch  
1091 Brother HR-35 Bold OFF  
1092 Brother HR-35 Bold ON  
1093 Brother HR-35 DblStrike OFF  
1094 Brother HR-35 DblStrike ON  
1095 Brother HR-35 DdlWIDE OFF  
1096 Brother HR-35 DdlWIDE ON  
1097 Brother HR-35 Emphasize OFF  
1098 Brother HR-35 Emphasize ON  
1099 Brother HR-35 Initialize  
1100 Brother HR-35 Move ABS Horiz  
1101 Brother HR-35 Move ABS Vert.  
1102 Brother HR-35 NLQ Mode  
1103 Brother HR-35 Propor'nl Off  
1104 Brother HR-35 Propor'nl On  
1105 Brother HR-35 Set BOT Margin  
1106 Brother HR-35 Set LFT Margin  
1107 Brother HR-35 Set RHT Margin  
1108 Brother HR-35 Set Tab Stops  
1109 Brother HR-35 Set TOP Margin  
1110 Brother HR-35 SUBScript OFF  
1111 Brother HR-35 SUBScript ON  
1112 Brother HR-35 SUP-Scr OFF  
1113 Brother HR-35 SUPERscript ON  
1114 Brother HR-35 Underline OFF  
1115 Brother HR-35 Underline ON  
1116 Brother HR-40 12 CPI  
1117 Brother HR-40 12 Lines/Inch  
1118 Brother HR-40 15-17 CPI  
1119 Brother HR-40 6 Lines/Inch  
1120 Brother HR-40 8 Lines/Inch  
1121 Brother HR-40 Bold OFF  
1122 Brother HR-40 Bold ON  
1123 Brother HR-40 Condense Off  
1124 Brother HR-40 DblStrike OFF  
1125 Brother HR-40 DblStrike ON  
1126 Brother HR-40 DblWIDE OFF  
1127 Brother HR-40 DdlWIDE ON  
1128 Brother HR-40 Draft Mode  
1129 Brother HR-40 Emphasize OFF  
1130 Brother HR-40 Emphasize ON  
1131 Brother HR-40 Initialize  
1132 Brother HR-40 Move ABS Horiz  
1133 Brother HR-40 Move ABS Vert.

1134 Brother HR-40 NLQ Mode  
1135 Brother HR-40 Propor'nl Off  
1136 Brother HR-40 Propor'nl On  
1137 Brother HR-40 Set BOT Margin  
1138 Brother HR-40 Set LFT Margin  
1139 Brother HR-40 Set RHT Margin  
1140 Brother HR-40 Set Tab Stops  
1141 Brother HR-40 Set TOP Margin  
1142 Brother HR-40 SUBScript OFF  
1143 Brother HR-40 SUBScript ON  
1144 Brother HR-40 SUP-Scr OFF  
1145 Brother HR-40 SUPERscript ON  
1146 Brother HR-40 Underline OFF  
1147 Brother HR-40 Underline ON  
1148 Brother HR1 10 CPI.  
1149 Brother HR1 12 CPI.  
1150 Brother HR1 6 lines per inch.  
1151 Brother HR1 Reset  
1152 Brother HR1 Setup  
1153 Brother M-1724 [Epson] 10 CPI  
1154 Brother M-1724 [Epson] 12 CPI  
1155 Brother M-1724 [Epson] 12 Lines/Inch  
1156 Brother M-1724 [Epson] 15-17 CPI  
1157 Brother M-1724 [Epson] 6 Lines/Inch  
1158 Brother M-1724 [Epson] 8 Lines/Inch  
1159 Brother M-1724 [Epson] Bold OFF  
1160 Brother M-1724 [Epson] Bold ON  
1161 Brother M-1724 [Epson] Condense Off  
1162 Brother M-1724 [Epson] DblStrike OFF  
1163 Brother M-1724 [Epson] DblStrike ON  
1164 Brother M-1724 [Epson] DblWIDE OFF  
1165 Brother M-1724 [Epson] DdlWIDE ON  
1166 Brother M-1724 [Epson] Draft Mode  
1167 Brother M-1724 [Epson] Emphasize OFF  
1168 Brother M-1724 [Epson] Emphasize ON  
1169 Brother M-1724 [Epson] Initialize  
1170 Brother M-1724 [Epson] Move ABS Horiz  
1171 Brother M-1724 [Epson] Move ABS Vert.  
1172 Brother M-1724 [Epson] NLQ Mode  
1173 Brother M-1724 [Epson] Propor'nl Off  
1174 Brother M-1724 [Epson] Propor'nl On  
1175 Brother M-1724 [Epson] Set BOT Margin  
1176 Brother M-1724 [Epson] Set LFT Margin  
1177 Brother M-1724 [Epson] Set RHT Margin  
1178 Brother M-1724 [Epson] Set Tab Stops  
1179 Brother M-1724 [Epson] Set TOP Margin  
1180 Brother M-1724 [Epson] SUBScript OFF  
1181 Brother M-1724 [Epson] SUBScript ON  
1182 Brother M-1724 [Epson] SUP-Scr OFF



Sheet1

1183 Brother M-1724 [Epson] SUPERscript ON  
1184 Brother M-1724 [Epson] Underline OFF  
1185 Brother M-1724 [Epson] Underline ON  
1186 Brother Twinwriter 5 10 CPI  
1187 Brother Twinwriter 5 12 CPI  
1188 Brother Twinwriter 5 12 Lines/Inch  
1189 Brother Twinwriter 5 15-17 CPI  
1190 Brother Twinwriter 5 6 Lines/Inch  
1191 Brother Twinwriter 5 8 Lines/Inch  
1192 Brother Twinwriter 5 Alt. Var Ln Sp  
1193 Brother Twinwriter 5 Bldirect'l ON  
1194 Brother Twinwriter 5 Bold OFF  
1195 Brother Twinwriter 5 Bold ON  
1196 Brother Twinwriter 5 Condense Off  
1197 Brother Twinwriter 5 DblStrike OFF  
1198 Brother Twinwriter 5 DblStrike ON  
1199 Brother Twinwriter 5 DblWIDE OFF  
1200 Brother Twinwriter 5 DdlWIDE ON  
1201 Brother Twinwriter 5 Draft Mode  
1202 Brother Twinwriter 5 Emphasize OFF  
1203 Brother Twinwriter 5 Emphasize ON  
1204 Brother Twinwriter 5 Initialize  
1205 Brother Twinwriter 5 Italic OFF  
1206 Brother Twinwriter 5 Italic ON  
1207 Brother Twinwriter 5 Mastr Font/Typ  
1208 Brother Twinwriter 5 NLQ Mode  
1209 Brother Twinwriter 5 Propor'nl Off  
1210 Brother Twinwriter 5 Propor'nl On  
1211 Brother Twinwriter 5 Select Char St  
1212 Brother Twinwriter 5 Set LFT Margin  
1213 Brother Twinwriter 5 Set RHT Margin  
1214 Brother Twinwriter 5 Set Tab Stops  
1215 Brother Twinwriter 5 Skip Perf OFF  
1216 Brother Twinwriter 5 Skip Perf ON  
1217 Brother Twinwriter 5 SUBScript OFF  
1218 Brother Twinwriter 5 SUBScript ON  
1219 Brother Twinwriter 5 SUP-Scr OFF  
1220 Brother Twinwriter 5 SUPERscript ON  
1221 Brother Twinwriter 5 Underline OFF  
1222 Brother Twinwriter 5 Underline ON  
1223 Brother Twinwriter 5 UNldirect'l ON  
1224 Brother Twinwriter 5 Var. Ln Space  
1225 Businessland 45LQ 10 CPI  
1226 Businessland 45LQ 12 CPI  
1227 Businessland 45LQ 12 Lines/Inch  
1228 Businessland 45LQ 15-17 CPI  
1229 Businessland 45LQ 6 Lines/Inch  
1230 Businessland 45LQ 8 Lines/Inch  
1231 Businessland 45LQ Bold OFF

1232 Businessland 45LQ Bold ON  
1233 Businessland 45LQ Condense Off  
1234 Businessland 45LQ DbIStrike OFF  
1235 Businessland 45LQ DbIStrike ON  
1236 Businessland 45LQ DbIWIDE OFF  
1237 Businessland 45LQ DdIWIDE ON  
1238 Businessland 45LQ Draft Mode  
1239 Businessland 45LQ Emphasize OFF  
1240 Businessland 45LQ Emphasize ON  
1241 Businessland 45LQ Initialize  
1242 Businessland 45LQ Move ABS Horiz  
1243 Businessland 45LQ Move ABS Vert.  
1244 Businessland 45LQ NLQ Mode  
1245 Businessland 45LQ Propor'nl Off  
1246 Businessland 45LQ Propor'nl On  
1247 Businessland 45LQ Set BOT Margin  
1248 Businessland 45LQ Set LFT Margin  
1249 Businessland 45LQ Set RHT Margin  
1250 Businessland 45LQ Set Tab Stops  
1251 Businessland 45LQ Set TOP Margin  
1252 Businessland 45LQ SUBScript OFF  
1253 Businessland 45LQ SUBScript ON  
1254 Businessland 45LQ SUP-Scr OFF  
1255 Businessland 45LQ SUPERscript ON  
1256 Businessland 45LQ Underline OFF  
1257 Businessland 45LQ Underline ON  
1258 C. Itoh 8510A 10 CPI.  
1259 C. Itoh 8510A 12 CPI.  
1260 C. Itoh 8510A 6 lines per inch.  
1261 C. Itoh 8510A 8 lines per inch.  
1262 C. Itoh 8510A Double Stike Off.  
1263 C. Itoh 8510A Double Stike On.  
1264 C. Itoh 8510A Reset  
1265 C. Itoh 8510A Setup  
1266 C. Itoh 8510A Underline Off.  
1267 C. Itoh 8510A Underline On.  
1268 C. Itoh C-310/15 X 10 CPI  
1269 C. Itoh C-310/15 X 12 CPI  
1270 C. Itoh C-310/15 X 12 Lines/Inch  
1271 C. Itoh C-310/15 X 15-17 CPI  
1272 C. Itoh C-310/15 X 6 Lines/Inch  
1273 C. Itoh C-310/15 X 8 Lines/Inch  
1274 C. Itoh C-310/15 X Alt. Var Ln Sp  
1275 C. Itoh C-310/15 X Bldirect'I ON  
1276 C. Itoh C-310/15 X Bold OFF  
1277 C. Itoh C-310/15 X Bold ON  
1278 C. Itoh C-310/15 X Condense Off  
1279 C. Itoh C-310/15 X DbIStrike OFF  
1280 C. Itoh C-310/15 X DbIStrike ON

1281 C. Itoh C-310/15 X DbIWIDE OFF  
1282 C. Itoh C-310/15 X DdIWIDE ON  
1283 C. Itoh C-310/15 X Draft Mode  
1284 C. Itoh C-310/15 X Emphasize OFF  
1285 C. Itoh C-310/15 X Emphasize ON  
1286 C. Itoh C-310/15 X Initialize  
1287 C. Itoh C-310/15 X Int Chr Spac'g  
1288 C. Itoh C-310/15 X Italic OFF  
1289 C. Itoh C-310/15 X Italic ON  
1290 C. Itoh C-310/15 X Mastr Font/Typ  
1291 C. Itoh C-310/15 X NLQ Mode  
1292 C. Itoh C-310/15 X Propor'nl Off  
1293 C. Itoh C-310/15 X Propor'nl On  
1294 C. Itoh C-310/15 X Sel. Prt Style  
1295 C. Itoh C-310/15 X Select Char St  
1296 C. Itoh C-310/15 X Set LFT Margin  
1297 C. Itoh C-310/15 X Set RHT Margin  
1298 C. Itoh C-310/15 X Set Tab Stops  
1299 C. Itoh C-310/15 X Skip Perf OFF  
1300 C. Itoh C-310/15 X Skip Perf ON  
1301 C. Itoh C-310/15 X SUBScript OFF  
1302 C. Itoh C-310/15 X SUBScript ON  
1303 C. Itoh C-310/15 X SUP-Scr OFF  
1304 C. Itoh C-310/15 X SUPERscript ON  
1305 C. Itoh C-310/15 X Underline OFF  
1306 C. Itoh C-310/15 X Underline ON  
1307 C. Itoh C-310/15 X UNIdirect'l ON  
1308 C. Itoh C-310/15 X Var. Ln Space  
1309 C. Itoh F10 10 CPI.  
1310 C. Itoh F10 12 CPI.  
1311 C. Itoh F10 6 lines per inch.  
1312 C. Itoh F10 8 lines per inch.  
1313 C. Itoh F10 Double Stike Off.  
1314 C. Itoh F10 Double Stike On.  
1315 C. Itoh F10 Underline Off.  
1316 C. Itoh F10 Underline On.  
1317 C. Itoh LIPS 10+ 10 CPI.  
1318 C. Itoh LIPS 10+ 12 CPI.  
1319 C. Itoh LIPS 10+ 6 lines per inch.  
1320 C. Itoh LIPS 10+ 8 lines per inch.  
1321 C. Itoh LIPS 10+ Double Stike Off.  
1322 C. Itoh LIPS 10+ Double Stike On.  
1323 C. Itoh LIPS 10+ Italics Off.  
1324 C. Itoh LIPS 10+ Italics On.  
1325 C. Itoh LIPS 10+ Reset  
1326 C. Itoh LIPS 10+ Setup  
1327 C. Itoh LIPS 10+ Underline Off.  
1328 C. Itoh LIPS 10+ Underline On.  
1329 Canon A-550 10 CPI

Sheet1

1330 Canon A-550 12 CPI  
1331 Canon A-550 12 Lines/Inch  
1332 Canon A-550 15-17 CPI  
1333 Canon A-550 6 Lines/Inch  
1334 Canon A-550 8 Lines/Inch  
1335 Canon A-550 Bold OFF  
1336 Canon A-550 Bold ON  
1337 Canon A-550 Condense Off  
1338 Canon A-550 DblStrike OFF  
1339 Canon A-550 DblStrike ON  
1340 Canon A-550 DdIWIDE OFF  
1341 Canon A-550 DdIWIDE ON  
1342 Canon A-550 Draft Mode  
1343 Canon A-550 Emphasize OFF  
1344 Canon A-550 Emphasize ON  
1345 Canon A-550 Initialize  
1346 Canon A-550 Move ABS Horiz  
1347 Canon A-550 Move ABS Vert.  
1348 Canon A-550 NLQ Mode  
1349 Canon A-550 Propor'nl Off  
1350 Canon A-550 Propor'nl On  
1351 Canon A-550 Set BOT Margin  
1352 Canon A-550 Set LFT Margin  
1353 Canon A-550 Set RHT Margin  
1354 Canon A-550 Set Tab Stops  
1355 Canon A-550 Set TOP Margin  
1356 Canon A-550 SUBScript OFF  
1357 Canon A-550 SUBScript ON  
1358 Canon A-550 SUP-Scr OFF  
1359 Canon A-550 SUPERscript ON  
1360 Canon A-550 Underline OFF  
1361 Canon A-550 Underline ON  
1362 Canon A-60 10 CPI  
1363 Canon A-60 12 CPI  
1364 Canon A-60 12 Lines/Inch  
1365 Canon A-60 15-17 CPI  
1366 Canon A-60 6 Lines/Inch  
1367 Canon A-60 8 Lines/Inch  
1368 Canon A-60 Alt. Var Ln Sp  
1369 Canon A-60 Bldirect'l ON  
1370 Canon A-60 Bold OFF  
1371 Canon A-60 Bold ON  
1372 Canon A-60 Condense Off  
1373 Canon A-60 DblStrike OFF  
1374 Canon A-60 DblStrike ON  
1375 Canon A-60 DblWIDE OFF  
1376 Canon A-60 DdIWIDE ON  
1377 Canon A-60 Draft Mode  
1378 Canon A-60 Emphasize OFF

1379 Canon A-60 Emphasize ON  
1380 Canon A-60 Initialize  
1381 Canon A-60 Int Chr Spac'g  
1382 Canon A-60 Italic OFF  
1383 Canon A-60 Italic ON  
1384 Canon A-60 Mastr Font/Typ  
1385 Canon A-60 NLQ Mode  
1386 Canon A-60 Propor'nl Off  
1387 Canon A-60 Propor'nl On  
1388 Canon A-60 Sel. Prt Style  
1389 Canon A-60 Select Char St  
1390 Canon A-60 Set LFT Margin  
1391 Canon A-60 Set RHT Margin  
1392 Canon A-60 Set Tab Stops  
1393 Canon A-60 Skip Perf OFF  
1394 Canon A-60 Skip Perf ON  
1395 Canon A-60 SUBScript OFF  
1396 Canon A-60 SUBScript ON  
1397 Canon A-60 SUP-Scr OFF  
1398 Canon A-60 SUPERscript ON  
1399 Canon A-60 Underline OFF  
1400 Canon A-60 Underline ON  
1401 Canon A-60 UNIdirect'l ON  
1402 Canon A-60 Var. Ln Space  
1403 Canon AP-110 10 CPI  
1404 Canon AP-110 12 CPI  
1405 Canon AP-110 12 Lines/Inch  
1406 Canon AP-110 15-17 CPI  
1407 Canon AP-110 6 Lines/Inch  
1408 Canon AP-110 8 Lines/Inch  
1409 Canon AP-110 Bold OFF  
1410 Canon AP-110 Bold ON  
1411 Canon AP-110 Condense Off  
1412 Canon AP-110 DblStrike OFF  
1413 Canon AP-110 DblStrike ON  
1414 Canon AP-110 DdlWIDE OFF  
1415 Canon AP-110 DdlWIDE ON  
1416 Canon AP-110 Draft Mode  
1417 Canon AP-110 Emphasize OFF  
1418 Canon AP-110 Emphasize ON  
1419 Canon AP-110 Initialize  
1420 Canon AP-110 Move ABS Horiz  
1421 Canon AP-110 Move ABS Vert.  
1422 Canon AP-110 NLQ Mode  
1423 Canon AP-110 Propor'nl Off  
1424 Canon AP-110 Propor'nl On  
1425 Canon AP-110 Set BOT Margin  
1426 Canon AP-110 Set LFT Margin  
1427 Canon AP-110 Set RHT Margin

1428 Canon AP-110 Set Tab Stops  
1429 Canon AP-110 Set TOP Margin  
1430 Canon AP-110 SUBScript OFF  
1431 Canon AP-110 SUBScript ON  
1432 Canon AP-110 SUP-Scr OFF  
1433 Canon AP-110 SUPERscript ON  
1434 Canon AP-110 Underline OFF  
1435 Canon AP-110 Underline ON  
1436 Canon AP-400/92 10 CPI  
1437 Canon AP-400/92 12 CPI  
1438 Canon AP-400/92 12 Lines/Inch  
1439 Canon AP-400/92 15-17 CPI  
1440 Canon AP-400/92 6 Lines/Inch  
1441 Canon AP-400/92 8 Lines/Inch  
1442 Canon AP-400/92 Bold OFF  
1443 Canon AP-400/92 Bold ON  
1444 Canon AP-400/92 Condense Off  
1445 Canon AP-400/92 DblStrike OFF  
1446 Canon AP-400/92 DblStrike ON  
1447 Canon AP-400/92 DblWIDE OFF  
1448 Canon AP-400/92 DdlWIDE ON  
1449 Canon AP-400/92 Draft Mode  
1450 Canon AP-400/92 Emphasize OFF  
1451 Canon AP-400/92 Emphasize ON  
1452 Canon AP-400/92 Initialize  
1453 Canon AP-400/92 Move ABS Horiz  
1454 Canon AP-400/92 Move ABS Vert.  
1455 Canon AP-400/92 NLQ Mode  
1456 Canon AP-400/92 Propor'nl Off  
1457 Canon AP-400/92 Propor'nl On  
1458 Canon AP-400/92 Set BOT Margin  
1459 Canon AP-400/92 Set LFT Margin  
1460 Canon AP-400/92 Set RHT Margin  
1461 Canon AP-400/92 Set Tab Stops  
1462 Canon AP-400/92 Set TOP Margin  
1463 Canon AP-400/92 SUBScript OFF  
1464 Canon AP-400/92 SUBScript ON  
1465 Canon AP-400/92 SUP-Scr OFF  
1466 Canon AP-400/92 SUPERscript ON  
1467 Canon AP-400/92 Underline OFF  
1468 Canon AP-400/92 Underline ON  
1469 Canon AP-550 10 CPI  
1470 Canon AP-550 12 CPI  
1471 Canon AP-550 12 Lines/Inch  
1472 Canon AP-550 15-17 CPI  
1473 Canon AP-550 6 Lines/Inch  
1474 Canon AP-550 8 Lines/Inch  
1475 Canon AP-550 Bold OFF  
1476 Canon AP-550 Bold ON

Sheet1

1477 Canon AP-550 Condense Off  
1478 Canon AP-550 DblStrike OFF  
1479 Canon AP-550 DblStrike ON  
1480 Canon AP-550 DblWIDE OFF  
1481 Canon AP-550 DdlWIDE ON  
1482 Canon AP-550 Draft Mode  
1483 Canon AP-550 Emphasize OFF  
1484 Canon AP-550 Emphasize ON  
1485 Canon AP-550 Initialize  
1486 Canon AP-550 Move ABS Horiz  
1487 Canon AP-550 Move ABS Vert.  
1488 Canon AP-550 NLQ Mode  
1489 Canon AP-550 Propor'nl Off  
1490 Canon AP-550 Propor'nl On  
1491 Canon AP-550 Set BOT Margin  
1492 Canon AP-550 Set LFT Margin  
1493 Canon AP-550 Set RHT Margin  
1494 Canon AP-550 Set Tab Stops  
1495 Canon AP-550 Set TOP Margin  
1496 Canon AP-550 SUBScript OFF  
1497 Canon AP-550 SUBScript ON  
1498 Canon AP-550 SUP-Scr OFF  
1499 Canon AP-550 SUPERscript ON  
1500 Canon AP-550 Underline OFF  
1501 Canon AP-550 Underline ON  
1502 Canon AP-76 Emphasize OFF  
1503 Canon AP-76 SUBScript ON  
1504 Canon AP-76 10 CPI  
1505 Canon AP-76 12 CPI  
1506 Canon AP-76 12 Lines/Inch  
1507 Canon AP-76 15-17 CPI  
1508 Canon AP-76 6 Lines/Inch  
1509 Canon AP-76 8 Lines/Inch  
1510 Canon AP-76 Bold OFF  
1511 Canon AP-76 Bold ON  
1512 Canon AP-76 Condense Off  
1513 Canon AP-76 DblStrike OFF  
1514 Canon AP-76 DblStrike ON  
1515 Canon AP-76 DdlWIDE OFF  
1516 Canon AP-76 DdlWIDE ON  
1517 Canon AP-76 Draft Mode  
1518 Canon AP-76 Emphasize ON  
1519 Canon AP-76 Initialize  
1520 Canon AP-76 Move ABS Horiz  
1521 Canon AP-76 Move ABS Vert.  
1522 Canon AP-76 NLQ Mode  
1523 Canon AP-76 Propor'nl Off  
1524 Canon AP-76 Propor'nl On  
1525 Canon AP-76 Set BOT Margin

1526 Canon AP-76 Set LFT Margin  
1527 Canon AP-76 Set RHT Margin  
1528 Canon AP-76 Set Tab Stops  
1529 Canon AP-76 Set TOP Margin  
1530 Canon AP-76 SUBScript OFF  
1531 Canon AP-76 SUP-Scr OFF  
1532 Canon AP-76 SUPERscript ON  
1533 Canon AP-76 Underline OFF  
1534 Canon AP-76 Underline ON  
1535 Canon LBP-8 A1/A2 10 CPI.  
1536 Canon LBP-8 A1/A2 12 CPI.  
1537 Canon LBP-8 A1/A2 6 lines per inch.  
1538 Canon LBP-8 A1/A2 8 lines per inch.  
1539 Canon LBP-8 A1/A2 Double Stike Off.  
1540 Canon LBP-8 A1/A2 Double Stike On.  
1541 Canon LBP-8 A1/A2 Reset  
1542 Canon LBP-8 A1/A2 Setup  
1543 Canon LBP-8 A1/A2 Underline Off.  
1544 Canon LBP-8 A1/A2 Underline On.  
1545 Canon LBP-8 A1/A2(ISO) 10 CPI.  
1546 Canon LBP-8 A1/A2(ISO) 12 CPI.  
1547 Canon LBP-8 A1/A2(ISO) 6 lines per inch.  
1548 Canon LBP-8 A1/A2(ISO) 8 lines per inch.  
1549 Canon LBP-8 A1/A2(ISO) Double Stike Off.  
1550 Canon LBP-8 A1/A2(ISO) Double Stike On.  
1551 Canon LBP-8 A1/A2(ISO) Italics Off.  
1552 Canon LBP-8 A1/A2(ISO) Italics On.  
1553 Canon LBP-8 A1/A2(ISO) Reset  
1554 Canon LBP-8 A1/A2(ISO) Setup  
1555 Canon LBP-8 A1/A2(ISO) Underline Off.  
1556 Canon LBP-8 A1/A2(ISO) Underline On.  
1557 Centronics 240 [DP] 10 CPI  
1558 Centronics 240 [DP] 12 CPI  
1559 Centronics 240 [DP] 12 Lines/Inch  
1560 Centronics 240 [DP] 15-17 CPI  
1561 Centronics 240 [DP] 6 Lines/Inch  
1562 Centronics 240 [DP] 8 Lines/Inch  
1563 Centronics 240 [DP] Alt. Var Ln Sp  
1564 Centronics 240 [DP] Bldirect'l ON  
1565 Centronics 240 [DP] Bold OFF  
1566 Centronics 240 [DP] Bold ON  
1567 Centronics 240 [DP] Condense Off  
1568 Centronics 240 [DP] DbIStrike OFF  
1569 Centronics 240 [DP] DbIStrike ON  
1570 Centronics 240 [DP] DbIWIDE OFF  
1571 Centronics 240 [DP] DdIWIDE ON  
1572 Centronics 240 [DP] Draft Mode  
1573 Centronics 240 [DP] Emphasize OFF  
1574 Centronics 240 [DP] Emphasize ON



1575 Centronics 240 [DP] Initialize  
1576 Centronics 240 [DP] Italic OFF  
1577 Centronics 240 [DP] Italic ON  
1578 Centronics 240 [DP] Mastr Font/Typ  
1579 Centronics 240 [DP] NLQ Mode  
1580 Centronics 240 [DP] Propor'nl Off  
1581 Centronics 240 [DP] Propor'nl On  
1582 Centronics 240 [DP] Select Char St  
1583 Centronics 240 [DP] Set LFT Margin  
1584 Centronics 240 [DP] Set RHT Margin  
1585 Centronics 240 [DP] Set Tab Stops  
1586 Centronics 240 [DP] Skip Perf OFF  
1587 Centronics 240 [DP] Skip Perf ON  
1588 Centronics 240 [DP] SUBScript OFF  
1589 Centronics 240 [DP] SUBScript ON  
1590 Centronics 240 [DP] SUP-Scr OFF  
1591 Centronics 240 [DP] SUPERscript ON  
1592 Centronics 240 [DP] Underline OFF  
1593 Centronics 240 [DP] Underline ON  
1594 Centronics 240 [DP] UNIdirect'l ON  
1595 Centronics 240 [DP] Var. Ln Space  
1596 Centronics 250 10 CPI  
1597 Centronics 250 12 CPI  
1598 Centronics 250 12 Lines/Inch  
1599 Centronics 250 15-17 CPI  
1600 Centronics 250 6 Lines/Inch  
1601 Centronics 250 8 Lines/Inch  
1602 Centronics 250 Alt. Var Ln Sp  
1603 Centronics 250 Bldirect'l ON  
1604 Centronics 250 Bold OFF  
1605 Centronics 250 Bold ON  
1606 Centronics 250 Condense Off  
1607 Centronics 250 DbIStrike OFF  
1608 Centronics 250 DbIStrike ON  
1609 Centronics 250 DbIWIDE OFF  
1610 Centronics 250 DdlWIDE ON  
1611 Centronics 250 Draft Mode  
1612 Centronics 250 Emphasize OFF  
1613 Centronics 250 Emphasize ON  
1614 Centronics 250 Initialize  
1615 Centronics 250 Italic OFF  
1616 Centronics 250 Italic ON  
1617 Centronics 250 Mastr Font/Typ  
1618 Centronics 250 NLQ Mode  
1619 Centronics 250 Propor'nl Off  
1620 Centronics 250 Propor'nl On  
1621 Centronics 250 Select Char St  
1622 Centronics 250 Set LFT Margin  
1623 Centronics 250 Set RHT Margin

Sheet1

1624 Centronics 250 Set Tab Stops  
1625 Centronics 250 Skip Perf OFF  
1626 Centronics 250 Skip Perf ON  
1627 Centronics 250 SUBScript OFF  
1628 Centronics 250 SUBScript ON  
1629 Centronics 250 SUP-Scr OFF  
1630 Centronics 250 SUPERscript ON  
1631 Centronics 250 Underline OFF  
1632 Centronics 250 Underline ON  
1633 Centronics 250 UNIdirect'I ON  
1634 Centronics 250 Var. Ln Space  
1635 Centronics 351/352/353 10 CPI.  
1636 Centronics 351/352/353 12 CPI.  
1637 Centronics 351/352/353 6 lines per inch.  
1638 Centronics 351/352/353 8 lines per inch.  
1639 Centronics 351/352/353 Underline Off.  
1640 Centronics 351/352/353 Underline On.  
1641 Centronics H136 10 CPI  
1642 Centronics H136 12 CPI  
1643 Centronics H136 12 Lines/Inch  
1644 Centronics H136 15-17 CPI  
1645 Centronics H136 6 Lines/Inch  
1646 Centronics H136 8 Lines/Inch  
1647 Centronics H136 Alt. Var Ln Sp  
1648 Centronics H136 BIdirect'I ON  
1649 Centronics H136 Bold OFF  
1650 Centronics H136 Bold ON  
1651 Centronics H136 Condense Off  
1652 Centronics H136 DbIStrike OFF  
1653 Centronics H136 DbIStrike ON  
1654 Centronics H136 DbIWIDE OFF  
1655 Centronics H136 DdIWIDE ON  
1656 Centronics H136 Draft Mode  
1657 Centronics H136 Emphasize OFF  
1658 Centronics H136 Emphasize ON  
1659 Centronics H136 Initialize  
1660 Centronics H136 Italic OFF  
1661 Centronics H136 Italic ON  
1662 Centronics H136 Mastr Font/Typ  
1663 Centronics H136 NLQ Mode  
1664 Centronics H136 Propor'nl Off  
1665 Centronics H136 Propor'nl On  
1666 Centronics H136 Select Char St  
1667 Centronics H136 Set LFT Margin  
1668 Centronics H136 Set RHT Margin  
1669 Centronics H136 Set Tab Stops  
1670 Centronics H136 Skip Perf OFF  
1671 Centronics H136 Skip Perf ON  
1672 Centronics H136 SUBScript OFF

1673 Centronics H136 SUBScript ON  
1674 Centronics H136 SUP-Scr OFF  
1675 Centronics H136 SUPERscript ON  
1676 Centronics H136 Underline OFF  
1677 Centronics H136 Underline ON  
1678 Centronics H136 UNIdirect'I ON  
1679 Centronics H136 Var. Ln Space  
1680 Centronics H80-1/2 10 CPI  
1681 Centronics H80-1/2 12 CPI  
1682 Centronics H80-1/2 12 Lines/Inch  
1683 Centronics H80-1/2 15-17 CPI  
1684 Centronics H80-1/2 6 Lines/Inch  
1685 Centronics H80-1/2 8 Lines/Inch  
1686 Centronics H80-1/2 Alt. Var Ln Sp  
1687 Centronics H80-1/2 BIdirect'I ON  
1688 Centronics H80-1/2 Bold OFF  
1689 Centronics H80-1/2 Bold ON  
1690 Centronics H80-1/2 Condense Off  
1691 Centronics H80-1/2 DbIStrike OFF  
1692 Centronics H80-1/2 DbIStrike ON  
1693 Centronics H80-1/2 DbIWIDE OFF  
1694 Centronics H80-1/2 DdIWIDE ON  
1695 Centronics H80-1/2 Draft Mode  
1696 Centronics H80-1/2 Emphasize OFF  
1697 Centronics H80-1/2 Emphasize ON  
1698 Centronics H80-1/2 Initialize  
1699 Centronics H80-1/2 Italic OFF  
1700 Centronics H80-1/2 Italic ON  
1701 Centronics H80-1/2 Mastr Font/Typ  
1702 Centronics H80-1/2 NLQ Mode  
1703 Centronics H80-1/2 Propor'nI Off  
1704 Centronics H80-1/2 Propor'nI On  
1705 Centronics H80-1/2 Select Char St  
1706 Centronics H80-1/2 Set LFT Margin  
1707 Centronics H80-1/2 Set RHT Margin  
1708 Centronics H80-1/2 Set Tab Stops  
1709 Centronics H80-1/2 Skip Perf OFF  
1710 Centronics H80-1/2 Skip Perf ON  
1711 Centronics H80-1/2 SUBScript OFF  
1712 Centronics H80-1/2 SUBScript ON  
1713 Centronics H80-1/2 SUP-Scr OFF  
1714 Centronics H80-1/2 SUPERscript ON  
1715 Centronics H80-1/2 Underline OFF  
1716 Centronics H80-1/2 Underline ON  
1717 Centronics H80-1/2 UNIdirect'I ON  
1718 Centronics H80-1/2 Var. Ln Space  
1719 Centronics H80-1/H80-2 10 CPI.  
1720 Centronics H80-1/H80-2 12 CPI.  
1721 Centronics H80-1/H80-2 6 lines per inch.

Sheet1

1722 Centronics H80-1/H80-2 8 lines per inch.  
1723 Centronics H80-1/H80-2 Double Strike Off.  
1724 Centronics H80-1/H80-2 Double Strike On.  
1725 Centronics H80-1/H80-2 Italics Off.  
1726 Centronics H80-1/H80-2 Italics On.  
1727 Centronics H80-1/H80-2 Reset  
1728 Centronics H80-1/H80-2 Setup  
1729 Centronics H80-1/H80-2 Underline Off.  
1730 Centronics H80-1/H80-2 Underline On.  
1731 Citizen 120-D/180-D 10 CPI  
1732 Citizen 120-D/180-D 12 CPI  
1733 Citizen 120-D/180-D 12 Lines/Inch  
1734 Citizen 120-D/180-D 15-17 CPI  
1735 Citizen 120-D/180-D 6 Lines/Inch  
1736 Citizen 120-D/180-D 8 Lines/Inch  
1737 Citizen 120-D/180-D Alt. Var Ln Sp  
1738 Citizen 120-D/180-D Bldirect'l ON  
1739 Citizen 120-D/180-D Bold OFF  
1740 Citizen 120-D/180-D Bold ON  
1741 Citizen 120-D/180-D Condense Off  
1742 Citizen 120-D/180-D DbStrike OFF  
1743 Citizen 120-D/180-D DbStrike ON  
1744 Citizen 120-D/180-D DbWIDE OFF  
1745 Citizen 120-D/180-D DdWIDE ON  
1746 Citizen 120-D/180-D Draft Mode  
1747 Citizen 120-D/180-D Emphasize OFF  
1748 Citizen 120-D/180-D Emphasize ON  
1749 Citizen 120-D/180-D Initialize  
1750 Citizen 120-D/180-D Int Chr Spac'g  
1751 Citizen 120-D/180-D Italic OFF  
1752 Citizen 120-D/180-D Italic ON  
1753 Citizen 120-D/180-D Mastr Font/Typ  
1754 Citizen 120-D/180-D NLQ Mode  
1755 Citizen 120-D/180-D Propor'nl Off  
1756 Citizen 120-D/180-D Propor'nl On  
1757 Citizen 120-D/180-D Sel. Prt Style  
1758 Citizen 120-D/180-D Select Char St  
1759 Citizen 120-D/180-D Set LFT Margin  
1760 Citizen 120-D/180-D Set RHT Margin  
1761 Citizen 120-D/180-D Set Tab Stops  
1762 Citizen 120-D/180-D Skip Perf OFF  
1763 Citizen 120-D/180-D Skip Perf ON  
1764 Citizen 120-D/180-D SUBScript OFF  
1765 Citizen 120-D/180-D SUBScript ON  
1766 Citizen 120-D/180-D SUP-Scr OFF  
1767 Citizen 120-D/180-D SUPERscript ON  
1768 Citizen 120-D/180-D Underline OFF  
1769 Citizen 120-D/180-D Underline ON  
1770 Citizen 120-D/180-D UNldirect'l ON

1771 Citizen 120-D/180-D Var. Ln Space  
1772 Citizen Compressed Off  
1773 Citizen Compressed On  
1774 Citizen Eject Page  
1775 Citizen Emphasized Print Off  
1776 Citizen Emphasized Print On  
1777 Citizen Expanded Print Off  
1778 Citizen Expanded Print On  
1779 Citizen GSX-140 10 CPI  
1780 Citizen GSX-140 12 CPI  
1781 Citizen GSX-140 12 Lines/Inch  
1782 Citizen GSX-140 15-17 CPI  
1783 Citizen GSX-140 6 Lines/Inch  
1784 Citizen GSX-140 8 Lines/Inch  
1785 Citizen GSX-140 Alt. Var Ln Sp  
1786 Citizen GSX-140 Bldirect'l ON  
1787 Citizen GSX-140 Bold OFF  
1788 Citizen GSX-140 Bold ON  
1789 Citizen GSX-140 Condense Off  
1790 Citizen GSX-140 DbIHeight OFF  
1791 Citizen GSX-140 DbIStrike OFF  
1792 Citizen GSX-140 DbIStrike ON  
1793 Citizen GSX-140 DbIWIDE OFF  
1794 Citizen GSX-140 DdIWIDE ON  
1795 Citizen GSX-140 Draft Mode  
1796 Citizen GSX-140 Emphasize OFF  
1797 Citizen GSX-140 Emphasize ON  
1798 Citizen GSX-140 Initialize  
1799 Citizen GSX-140 Int Chr Spac'g  
1800 Citizen GSX-140 Italic OFF  
1801 Citizen GSX-140 Italic ON  
1802 Citizen GSX-140 Mastr Font/Typ  
1803 Citizen GSX-140 Move ABS Horiz  
1804 Citizen GSX-140 Move REL Horiz  
1805 Citizen GSX-140 NLQ Mode  
1806 Citizen GSX-140 Propor'nI Off  
1807 Citizen GSX-140 Propor'nI On  
1808 Citizen GSX-140 Sel. Prt Style  
1809 Citizen GSX-140 Select Char St  
1810 Citizen GSX-140 Set LFT Margin  
1811 Citizen GSX-140 Set RHT Margin  
1812 Citizen GSX-140 Set Tab Stops  
1813 Citizen GSX-140 Skip Perf OFF  
1814 Citizen GSX-140 Skip Perf ON  
1815 Citizen GSX-140 SUBScript OFF  
1816 Citizen GSX-140 SUBScript ON  
1817 Citizen GSX-140 SUP-Scr OFF  
1818 Citizen GSX-140 SUPERscript ON  
1819 Citizen GSX-140 Underline OFF

1820 Citizen GSX-140 Underline ON  
1821 Citizen GSX-140 UNdirect'l ON  
1822 Citizen GSX-140 Var. Ln Space  
1823 Citizen Italics Off  
1824 Citizen Italics On  
1825 Citizen Letter Quality Off  
1826 Citizen Letter Quality On  
1827 Citizen MSP-10/MSP-15 10 CPI.  
1828 Citizen MSP-10/MSP-15 12 CPI.  
1829 Citizen MSP-10/MSP-15 6 lines per inch.  
1830 Citizen MSP-10/MSP-15 8 lines per inch.  
1831 Citizen MSP-10/MSP-15 Double Stike Off.  
1832 Citizen MSP-10/MSP-15 Double Stike On.  
1833 Citizen MSP-10/MSP-15 Italics Off.  
1834 Citizen MSP-10/MSP-15 Italics On.  
1835 Citizen MSP-10/MSP-15 Reset  
1836 Citizen MSP-10/MSP-15 Setup  
1837 Citizen MSP-10/MSP-15 Underline Off.  
1838 Citizen MSP-10/MSP-15 Underline On.  
1839 Citizen Pitch 10 cpi  
1840 Citizen Pitch 12 cpi  
1841 Citizen Reset Printer to Defaults  
1842 Citizen Underline Off  
1843 Citizen Underline On  
1844 Comrex CR-I 10 CPI.  
1845 Comrex CR-I 12 CPI.  
1846 Comrex CR-I 6 lines per inch.  
1847 Comrex CR-I Reset  
1848 Comrex CR-I Setup  
1849 Comrex CR-II 10 CPI.  
1850 Comrex CR-II 12 CPI.  
1851 Comrex CR-II 6 lines per inch.  
1852 Comrex CR-II 8 lines per inch.  
1853 Comrex CR-II Double Stike Off.  
1854 Comrex CR-II Double Stike On.  
1855 Comrex CR-II Reset  
1856 Comrex CR-II Setup  
1857 Comrex CR-II Underline Off.  
1858 Comrex CR-II Underline On.  
1859 DaisyWriter 1500/2000 10 CPI.  
1860 DaisyWriter 1500/2000 12 CPI.  
1861 DaisyWriter 1500/2000 6 lines per inch.  
1862 DaisyWriter 1500/2000 8 lines per inch.  
1863 DaisyWriter 1500/2000 Double Stike Off.  
1864 DaisyWriter 1500/2000 Double Stike On.  
1865 DaisyWriter 1500/2000 Reset  
1866 DaisyWriter 1500/2000 Setup  
1867 DaisyWriter 1500/2000 Underline Off.  
1868 DaisyWriter 1500/2000 Underline On.

1869 Data Products SPG-8010 10 CPI.  
1870 Data Products SPG-8010 12 CPI.  
1871 Data Products SPG-8010 6 lines per inch.  
1872 Data Products SPG-8010 8 lines per inch.  
1873 Data Products SPG-8010 Double Strike Off.  
1874 Data Products SPG-8010 Double Strike On.  
1875 Data Products SPG-8010 Reset  
1876 Data Products SPG-8010 Setup  
1877 Data Products SPG-8010 Underline Off.  
1878 Data Products SPG-8010 Underline On.  
1879 Dataproducts DP-20/DP-55 10 CPI  
1880 Dataproducts DP-20/DP-55 12 CPI  
1881 Dataproducts DP-20/DP-55 12 Lines/Inch  
1882 Dataproducts DP-20/DP-55 15-17 CPI  
1883 Dataproducts DP-20/DP-55 6 Lines/Inch  
1884 Dataproducts DP-20/DP-55 8 Lines/Inch  
1885 Dataproducts DP-20/DP-55 Bold OFF  
1886 Dataproducts DP-20/DP-55 Bold ON  
1887 Dataproducts DP-20/DP-55 Condense Off  
1888 Dataproducts DP-20/DP-55 DbIStrike OFF  
1889 Dataproducts DP-20/DP-55 DbIStrike ON  
1890 Dataproducts DP-20/DP-55 DbIWIDE OFF  
1891 Dataproducts DP-20/DP-55 DdIWIDE ON  
1892 Dataproducts DP-20/DP-55 Draft Mode  
1893 Dataproducts DP-20/DP-55 Emphasize OFF  
1894 Dataproducts DP-20/DP-55 Emphasize ON  
1895 Dataproducts DP-20/DP-55 Initialize  
1896 Dataproducts DP-20/DP-55 Move ABS Horiz  
1897 Dataproducts DP-20/DP-55 Move ABS Vert.  
1898 Dataproducts DP-20/DP-55 NLQ Mode  
1899 Dataproducts DP-20/DP-55 Propor'nl Off  
1900 Dataproducts DP-20/DP-55 Propor'nl On  
1901 Dataproducts DP-20/DP-55 Set BOT Margin  
1902 Dataproducts DP-20/DP-55 Set LFT Margin  
1903 Dataproducts DP-20/DP-55 Set RHT Margin  
1904 Dataproducts DP-20/DP-55 Set Tab Stops  
1905 Dataproducts DP-20/DP-55 Set TOP Margin  
1906 Dataproducts DP-20/DP-55 SUBScript OFF  
1907 Dataproducts DP-20/DP-55 SUBScript ON  
1908 Dataproducts DP-20/DP-55 SUP-Scr OFF  
1909 Dataproducts DP-20/DP-55 SUPERscript ON  
1910 Dataproducts DP-20/DP-55 Underline OFF  
1911 Dataproducts DP-20/DP-55 Underline ON  
1912 Datasouth DS 180 10 CPI.  
1913 Datasouth DS 180 12 CPI.  
1914 Datasouth DS 180 6 lines per inch.  
1915 Datasouth DS 180 8 lines per inch.  
1916 Datasouth DS 180 Underline Off.  
1917 Datasouth DS 180 Underline On.

1918 DEC LA210 10 CPI  
1919 DEC LA210 12 CPI  
1920 DEC LA210 12 Lines/Inch  
1921 DEC LA210 15-17 CPI  
1922 DEC LA210 6 Lines/Inch  
1923 DEC LA210 8 Lines/Inch  
1924 DEC LA210 Alt. Var Ln Sp  
1925 DEC LA210 Bldirect'l ON  
1926 DEC LA210 Bold OFF  
1927 DEC LA210 Bold ON  
1928 DEC LA210 Condense Off  
1929 DEC LA210 DblStrike OFF  
1930 DEC LA210 DblStrike ON  
1931 DEC LA210 DblWIDE OFF  
1932 DEC LA210 DdlWIDE ON  
1933 DEC LA210 Draft Mode  
1934 DEC LA210 Emphasize OFF  
1935 DEC LA210 Emphasize ON  
1936 DEC LA210 Initialize  
1937 DEC LA210 Italic OFF  
1938 DEC LA210 Italic ON  
1939 DEC LA210 Mastr Font/Typ  
1940 DEC LA210 NLQ Mode  
1941 DEC LA210 Propor'nl Off  
1942 DEC LA210 Propor'nl On  
1943 DEC LA210 Select Char St  
1944 DEC LA210 Set LFT Margin  
1945 DEC LA210 Set RHT Margin  
1946 DEC LA210 Set Tab Stops  
1947 DEC LA210 Skip Perf OFF  
1948 DEC LA210 Skip Perf ON  
1949 DEC LA210 SUBScript OFF  
1950 DEC LA210 SUBScript ON  
1951 DEC LA210 SUP-Scr OFF  
1952 DEC LA210 SUPERscript ON  
1953 DEC LA210 Underline OFF  
1954 DEC LA210 Underline ON  
1955 DEC LA210 UNIdirect'l ON  
1956 DEC LA210 Var. Ln Space  
1957 DeskJet PLUS Bold OFF  
1958 DeskJet PLUS Bold ON  
1959 DeskJet PLUS Clear Horizontal Margins  
1960 DeskJet PLUS Eject Current Page  
1961 DeskJet PLUS End-of-line Wrap OFF  
1962 DeskJet PLUS End-of-line Wrap ON  
1963 DeskJet PLUS Envelope Feed  
1964 DeskJet PLUS Form Feed  
1965 DeskJet PLUS Half Line Feed  
1966 DeskJet PLUS Italics OFF



Sheet1

1967 DeskJet PLUS Italics ON  
1968 DeskJet PLUS Line Feed  
1969 DeskJet PLUS lines/inch: 1  
1970 DeskJet PLUS lines/inch: 2  
1971 DeskJet PLUS lines/inch: 3  
1972 DeskJet PLUS lines/inch: 4  
1973 DeskJet PLUS lines/inch: 6  
1974 DeskJet PLUS lines/inch: 8  
1975 DeskJet PLUS lines/inch:12  
1976 DeskJet PLUS lines/inch:16  
1977 DeskJet PLUS lines/inch:24  
1978 DeskJet PLUS lines/inch:48  
1979 DeskJet PLUS Perforation Skip OFF  
1980 DeskJet PLUS Perforation Skip ON  
1981 DeskJet PLUS Print Bidirectional  
1982 DeskJet PLUS Print Unidirectional Left to Right  
1983 DeskJet PLUS Print Unidirectional Right to Left  
1984 DeskJet PLUS Proportional Spacing OFF  
1985 DeskJet PLUS Proportional Spacing ON  
1986 DeskJet PLUS Reset  
1987 DeskJet PLUS Select 10 CPI  
1988 DeskJet PLUS Select 12 Point Character Height  
1989 DeskJet PLUS Select 16.67 CPI  
1990 DeskJet PLUS Select 20 CPI  
1991 DeskJet PLUS Select 5 CPI  
1992 DeskJet PLUS Select 6 Point Character Height  
1993 DeskJet PLUS Select Draft Quality Print  
1994 DeskJet PLUS Select Letter Quality Print  
1995 DeskJet PLUS Self-Test  
1996 DeskJet PLUS Set Landscape Orientation  
1997 DeskJet PLUS Set Left Margin: 1 line  
1998 DeskJet PLUS Set left margin: 2 Lines  
1999 DeskJet PLUS Set Left Margin: 4 lines  
2000 DeskJet PLUS Set Left Margin:10 lines  
2001 DeskJet PLUS Set Page Length: 56  
2002 DeskJet PLUS Set Page length: 60  
2003 DeskJet PLUS Set Page Length: 65  
2004 DeskJet PLUS Set Paper Size - A4 210mm x 297mm  
2005 DeskJet PLUS Set Paper Size - Envelopes 9 1/2 x 4 1/8  
2006 DeskJet PLUS Set Paper Size - U.S. Legal 8 1/2' x 14'  
2007 DeskJet PLUS Set Paper Size - U.S. Letter 8 1/2' x 11'  
2008 DeskJet PLUS Set Portrait Orientation  
2009 DeskJet PLUS Set Top Margin: 1 line  
2010 DeskJet PLUS Set Top Margin: 2 Lines  
2011 DeskJet PLUS Set Top Margin: 4 lines  
2012 DeskJet PLUS Set Top Margin:10 lines  
2013 DeskJet PLUS Subscript ON  
2014 DeskJet PLUS Superscript ON  
2015 DeskJet PLUS Superscript/Subscript OFF

Sheet1

2016 DeskJet PLUS Text Scale Mode OFF  
2017 DeskJet PLUS Text Scale Mode ON  
2018 DeskJet PLUS Tray Feed  
2019 DeskJet PLUS Underline OFF  
2020 DeskJet PLUS Underline ON: Double fixed  
2021 DeskJet PLUS Underline ON: Double floating  
2022 DeskJet PLUS Underline ON: Single fixed  
2023 DeskJet PLUS Underline ON: Single floating  
2024 DeskJet PLUS Underline Until End-of-line  
2025 DeskJet PLUS Underline Until Turned Off  
2026 Diablo 630API  
2027 Diablo 630API 10 CPI  
2028 Diablo 630API 12 CPI  
2029 Diablo 630API 12 Lines/Inch  
2030 Diablo 630API 15-17 CPI  
2031 Diablo 630API Alt. Var Ln S  
2032 Diablo 630API Bold OFF  
2033 Diablo 630API Bold ON  
2034 Diablo 630API DbIStrike OFF  
2035 Diablo 630API DbIStrike ON  
2036 Diablo 630API DbIWIDE OFF  
2037 Diablo 630API Draft Mode  
2038 Diablo 630API Emphasize OFF  
2039 Diablo 630API Emphasize ON  
2040 Diablo 630API Initialize  
2041 Diablo 630API Mastr Font/Ty  
2042 Diablo 630API NLQ Mode  
2043 Diablo 630API Sel. Prt Style  
2044 Diablo 630API Select Char S  
2045 Diablo 630API Set BOT Margin  
2046 Diablo 630API Set RHT Margin  
2047 Diablo 630API Set Tab Stops  
2048 Diablo 630API Set TOP Margin  
2049 Diablo 630API SUBScript OFF  
2050 Diablo 630API SUBScript ON  
2051 Diablo 630API SUP-Scr OFF  
2052 Diablo 630API SUPERscript On  
2053 Diablo 630API Underline OFF  
2054 Diablo 630API Underline ON  
2055 Diablo 630API User  
2056 Diablo 630API User  
2057 Diablo 630API Var. Ln Space  
2058 Diablo Activate Auto CR/LF  
2059 Diablo Activate Inverted HMI  
2060 Diablo Backspace  
2061 Diablo Backspace 1/120 inch  
2062 Diablo Backward Line feed  
2063 Diablo Bold Off  
2064 Diablo Bold On

2065 Diablo Carriage Return  
2066 Diablo Clear All horizontal and vertical Tabs  
2067 Diablo Clear Bold, Shadow, Auto-Underline  
2068 Diablo Clear Horizontal Tab at cursor position  
2069 Diablo Clear Top & Bottom Margins  
2070 Diablo Deactivate Inverted HMI  
2071 Diablo Disable Auto CR/LF  
2072 Diablo Eject Page  
2073 Diablo Form Feed  
2074 Diablo Half Line feed  
2075 Diablo Horizontal Tab  
2076 Diablo Italics Off  
2077 Diablo Italics On  
2078 Diablo Line Feed  
2079 Diablo One-Line Auto justification  
2080 Diablo Print Character in control code range  
2081 Diablo Print Special Character location 127  
2082 Diablo Print Special Character location 32  
2083 Diablo Reverse Half Line feed  
2084 Diablo Select Auto justification  
2085 Diablo Select Primary character set  
2086 Diablo Select Primary character set  
2087 Diablo Select Printwheel 1: Courier 10  
2088 Diablo Select Printwheel 2: Courier Legal 10  
2089 Diablo Select Printwheel 3: ECS multipurpose 10  
2090 Diablo Select Supplemental character set  
2091 Diablo Set Bottom Margin at cursor position  
2092 Diablo Set Horizontal Tab at cursor position  
2093 Diablo Set Left Margin  
2094 Diablo Set page length to 66 lines  
2095 Diablo Set Right Margin  
2096 Diablo Set Top Margin at cursor position  
2097 Diablo Set Vertical tab at cursor position  
2098 Diablo Space  
2099 Diablo Start Backward printing  
2100 Diablo Start shadow (Bold)  
2101 Diablo Stop Backward printing  
2102 Diablo Suppress Printing until Carriage Return  
2103 Diablo Tab to Column 1  
2104 Diablo Tab to Column 8  
2105 Diablo Underline Off  
2106 Diablo Underline On  
2107 Diablo Vertical Tab  
2108 Diablo-620 & 630 10 CPI.  
2109 Diablo-620 & 630 12 CPI.  
2110 Diablo-620 & 630 6 lines per inch.  
2111 Diablo-620 & 630 8 lines per inch.  
2112 Diablo-620 & 630 Double Strike Off.  
2113 Diablo-620 & 630 Double Strike On.

2114 Diablo-620 & 630 Reset  
2115 Diablo-620 & 630 Setup  
2116 Diablo-620 & 630 Underline Off.  
2117 Diablo-620 & 630 Underline On.  
2118 Diconix 150 plus [IBM] 10 CPI  
2119 Diconix 150 plus [IBM] 12 CPI  
2120 Diconix 150 plus [IBM] 12 Lines/Inch  
2121 Diconix 150 plus [IBM] 15-17 CPI  
2122 Diconix 150 plus [IBM] 6 Lines/Inch  
2123 Diconix 150 plus [IBM] 8 Lines/Inch  
2124 Diconix 150 plus [IBM] Alt. Var Ln Sp  
2125 Diconix 150 plus [IBM] Bldirect'l ON  
2126 Diconix 150 plus [IBM] Bold OFF  
2127 Diconix 150 plus [IBM] Bold ON  
2128 Diconix 150 plus [IBM] Condense Off  
2129 Diconix 150 plus [IBM] DblStrike OFF  
2130 Diconix 150 plus [IBM] DblStrike ON  
2131 Diconix 150 plus [IBM] DblWIDE OFF  
2132 Diconix 150 plus [IBM] DdlWIDE ON  
2133 Diconix 150 plus [IBM] Draft Mode  
2134 Diconix 150 plus [IBM] Emphasize OFF  
2135 Diconix 150 plus [IBM] Emphasize ON  
2136 Diconix 150 plus [IBM] Initialize  
2137 Diconix 150 plus [IBM] Italic OFF  
2138 Diconix 150 plus [IBM] Italic ON  
2139 Diconix 150 plus [IBM] Mastr Font/Typ  
2140 Diconix 150 plus [IBM] NLQ Mode  
2141 Diconix 150 plus [IBM] Propor'nl Off  
2142 Diconix 150 plus [IBM] Propor'nl On  
2143 Diconix 150 plus [IBM] Select Char St  
2144 Diconix 150 plus [IBM] Set LFT Margin  
2145 Diconix 150 plus [IBM] Set RHT Margin  
2146 Diconix 150 plus [IBM] Set Tab Stops  
2147 Diconix 150 plus [IBM] Skip Perf OFF  
2148 Diconix 150 plus [IBM] Skip Perf ON  
2149 Diconix 150 plus [IBM] SUBScript OFF  
2150 Diconix 150 plus [IBM] SUBScript ON  
2151 Diconix 150 plus [IBM] SUP-Scr OFF  
2152 Diconix 150 plus [IBM] SUPERscript ON  
2153 Diconix 150 plus [IBM] Underline OFF  
2154 Diconix 150 plus [IBM] Underline ON  
2155 Diconix 150 plus [IBM] UNldirect'l ON  
2156 Diconix 150 plus [IBM] Var. Ln Space  
2157 Diconix 150 [Epson] 10 CPI  
2158 Diconix 150 [Epson] 12 CPI  
2159 Diconix 150 [Epson] 12 Lines/Inch  
2160 Diconix 150 [Epson] 15-17 CPI  
2161 Diconix 150 [Epson] 6 Lines/Inch  
2162 Diconix 150 [Epson] 8 Lines/Inch

2163 Diconix 150 [Epson] Alt. Var Ln Sp  
2164 Diconix 150 [Epson] Bldirect'l ON  
2165 Diconix 150 [Epson] Bold OFF  
2166 Diconix 150 [Epson] Bold ON  
2167 Diconix 150 [Epson] Condense Off  
2168 Diconix 150 [Epson] DblStrike OFF  
2169 Diconix 150 [Epson] DblStrike ON  
2170 Diconix 150 [Epson] DblWIDE OFF  
2171 Diconix 150 [Epson] DdlWIDE ON  
2172 Diconix 150 [Epson] Draft Mode  
2173 Diconix 150 [Epson] Emphasize OFF  
2174 Diconix 150 [Epson] Emphasize ON  
2175 Diconix 150 [Epson] Initialize  
2176 Diconix 150 [Epson] Int Chr Spac'g  
2177 Diconix 150 [Epson] Italic OFF  
2178 Diconix 150 [Epson] Italic ON  
2179 Diconix 150 [Epson] Mastr Font/Typ  
2180 Diconix 150 [Epson] NLQ Mode  
2181 Diconix 150 [Epson] Propor'nl Off  
2182 Diconix 150 [Epson] Propor'nl On  
2183 Diconix 150 [Epson] Sel. Prt Style  
2184 Diconix 150 [Epson] Select Char St  
2185 Diconix 150 [Epson] Set LFT Margin  
2186 Diconix 150 [Epson] Set RHT Margin  
2187 Diconix 150 [Epson] Set Tab Stops  
2188 Diconix 150 [Epson] Skip Perf OFF  
2189 Diconix 150 [Epson] Skip Perf ON  
2190 Diconix 150 [Epson] SUBScript OFF  
2191 Diconix 150 [Epson] SUBScript ON  
2192 Diconix 150 [Epson] SUP-Scr OFF  
2193 Diconix 150 [Epson] SUPERscript ON  
2194 Diconix 150 [Epson] Underline OFF  
2195 Diconix 150 [Epson] Underline ON  
2196 Diconix 150 [Epson] UNIdirect'l ON  
2197 Diconix 150 [Epson] Var. Ln Space  
2198 Dynax DX-15 10 CPI.  
2199 Dynax DX-15 12 CPI.  
2200 Dynax DX-15 6 lines per inch.  
2201 Dynax DX-15 8 lines per inch.  
2202 Dynax DX-15 Double Stike Off.  
2203 Dynax DX-15 Double Stike On.  
2204 Dynax DX-15 Reset  
2205 Dynax DX-15 Setup  
2206 Dynax DX-15 Underline Off.  
2207 Dynax DX-15 Underline On.  
2208 Epson E/F/J/RX/LQ 10 CPI.  
2209 Epson E/F/J/RX/LQ 12 CPI.  
2210 Epson E/F/J/RX/LQ 6 lines per inch.  
2211 Epson E/F/J/RX/LQ 8 lines per inch.

2212 Epson E/F/J/RX/LQ Double Strike Off.  
2213 Epson E/F/J/RX/LQ Double Strike On.  
2214 Epson E/F/J/RX/LQ Italics Off.  
2215 Epson E/F/J/RX/LQ Italics On.  
2216 Epson E/F/J/RX/LQ Reset  
2217 Epson E/F/J/RX/LQ Setup  
2218 Epson E/F/J/RX/LQ Underline Off.  
2219 Epson E/F/J/RX/LQ Underline On.  
2220 Epson FX Clear Printer Buffer  
2221 Epson FX Compressed OFF  
2222 Epson FX Compressed ON  
2223 Epson FX Double Height OFF  
2224 Epson FX Double Height ON  
2225 Epson FX Double Width OFF  
2226 Epson FX Double Width ON  
2227 Epson FX Emphasized OFF  
2228 Epson FX Emphasized ON  
2229 Epson FX Enhanced OFF  
2230 Epson FX Enhanced ON  
2231 Epson FX Form Feed  
2232 Epson FX High Speed Draft OFF  
2233 Epson FX High Speed Draft ON  
2234 Epson FX Italics OFF  
2235 Epson FX Italics ON  
2236 Epson FX Line Feed  
2237 Epson FX Paper-Out Sensor OFF  
2238 Epson FX Paper-Out Sensor ON  
2239 Epson FX Print Bidirectional  
2240 Epson FX Print Courier  
2241 Epson FX Print Full Speed  
2242 Epson FX Print Half Speed  
2243 Epson FX Print Sans Serif  
2244 Epson FX Print Suppress Mode OFF  
2245 Epson FX Print Suppress Mode ON  
2246 Epson FX Print Unidirectional  
2247 Epson FX Proportional Spacing OFF  
2248 Epson FX Proportional Spacing ON  
2249 Epson FX Reset  
2250 Epson FX Select 10 CPI  
2251 Epson FX Select 12 CPI  
2252 Epson FX Select NLQ Print  
2253 Epson FX Select Utility Quality Print  
2254 Epson FX Set Form Length In Inches: 11  
2255 Epson FX Set Form Length In Inches: 14  
2256 Epson FX Set Form Length In Lines: 56  
2257 Epson FX Set Form Length In Lines: 56  
2258 Epson FX Set Justification to center.  
2259 Epson FX Set Justification to left & right.  
2260 Epson FX Set Justification to left.

2261 Epson FX Set Justification to right.  
2262 Epson FX Set Line Spacing 1/6  
2263 Epson FX Set Line Spacing 1/8  
2264 Epson FX Set Line Spacing 7/72  
2265 Epson FX Subscript OFF  
2266 Epson FX Subscript ON  
2267 Epson FX Superscript OFF  
2268 Epson FX Superscript ON  
2269 Epson FX Underline OFF  
2270 Epson FX Underline ON  
2271 Epson FX-800/1000 10 CPI.  
2272 Epson FX-800/1000 12 CPI.  
2273 Epson FX-800/1000 6 lines per inch.  
2274 Epson FX-800/1000 8 lines per inch.  
2275 Epson FX-800/1000 Double Strike Off.  
2276 Epson FX-800/1000 Double Strike On.  
2277 Epson FX-800/1000 Italics Off.  
2278 Epson FX-800/1000 Italics On.  
2279 Epson FX-800/1000 Reset  
2280 Epson FX-800/1000 Setup  
2281 Epson FX-800/1000 Underline Off.  
2282 Epson FX-800/1000 Underline On.  
2283 Epson Laser EPL-6000 10 CPI  
2284 Epson Laser EPL-6000 12 CPI  
2285 Epson Laser EPL-6000 12 Lines/Inch  
2286 Epson Laser EPL-6000 15-17 CPI  
2287 Epson Laser EPL-6000 6 Lines/Inch  
2288 Epson Laser EPL-6000 8 Lines/Inch  
2289 Epson Laser EPL-6000 Alt. Var Ln Sp  
2290 Epson Laser EPL-6000 Bold OFF  
2291 Epson Laser EPL-6000 Bold ON  
2292 Epson Laser EPL-6000 Condense Off  
2293 Epson Laser EPL-6000 DbStrike OFF  
2294 Epson Laser EPL-6000 DbStrike ON  
2295 Epson Laser EPL-6000 DdlWIDE ON  
2296 Epson Laser EPL-6000 Emphasize OFF  
2297 Epson Laser EPL-6000 Emphasize ON  
2298 Epson Laser EPL-6000 Initialize  
2299 Epson Laser EPL-6000 Int Chr Spac'g  
2300 Epson Laser EPL-6000 Italic OFF  
2301 Epson Laser EPL-6000 Italic ON  
2302 Epson Laser EPL-6000 Mastr Font/Typ  
2303 Epson Laser EPL-6000 Move ABS Horiz  
2304 Epson Laser EPL-6000 Move ABS Vert.  
2305 Epson Laser EPL-6000 Move REL Horiz  
2306 Epson Laser EPL-6000 Move REL Vert.  
2307 Epson Laser EPL-6000 Pop Cursor  
2308 Epson Laser EPL-6000 Propor'nl Off  
2309 Epson Laser EPL-6000 Propor'nl On

2310 Epson Laser EPL-6000 Push Cursor  
2311 Epson Laser EPL-6000 Sel. Prt Style  
2312 Epson Laser EPL-6000 Select Char St  
2313 Epson Laser EPL-6000 Set LFT Margin  
2314 Epson Laser EPL-6000 Set RHT Margin  
2315 Epson Laser EPL-6000 Set TOP Margin  
2316 Epson Laser EPL-6000 Skip Perf OFF  
2317 Epson Laser EPL-6000 Skip Perf ON  
2318 Epson Laser EPL-6000 SUBScript OFF  
2319 Epson Laser EPL-6000 SUBScript ON  
2320 Epson Laser EPL-6000 SUP-Scr OFF  
2321 Epson Laser EPL-6000 SUPERscript ON  
2322 Epson Laser EPL-6000 Underline OFF  
2323 Epson Laser EPL-6000 Underline ON  
2324 Epson Laser EPL-6000 Var. Ln Space  
2325 Epson Laser EPL-7000 10 CPI  
2326 Epson Laser EPL-7000 12 CPI  
2327 Epson Laser EPL-7000 12 Lines/Inch  
2328 Epson Laser EPL-7000 15-17 CPI  
2329 Epson Laser EPL-7000 6 Lines/Inch  
2330 Epson Laser EPL-7000 8 Lines/Inch  
2331 Epson Laser EPL-7000 Alt. Var Ln Sp  
2332 Epson Laser EPL-7000 Bold OFF  
2333 Epson Laser EPL-7000 Bold ON  
2334 Epson Laser EPL-7000 Condense Off  
2335 Epson Laser EPL-7000 DblStrike OFF  
2336 Epson Laser EPL-7000 DblStrike ON  
2337 Epson Laser EPL-7000 DdlWIDE ON  
2338 Epson Laser EPL-7000 Emphasize OFF  
2339 Epson Laser EPL-7000 Emphasize ON  
2340 Epson Laser EPL-7000 Initialize  
2341 Epson Laser EPL-7000 Int Chr Spac'g  
2342 Epson Laser EPL-7000 Italic OFF  
2343 Epson Laser EPL-7000 Italic ON  
2344 Epson Laser EPL-7000 Mastr Font/Typ  
2345 Epson Laser EPL-7000 Move ABS Horiz  
2346 Epson Laser EPL-7000 Move ABS Vert.  
2347 Epson Laser EPL-7000 Move REL Horiz  
2348 Epson Laser EPL-7000 Move REL Vert.  
2349 Epson Laser EPL-7000 Pop Cursor  
2350 Epson Laser EPL-7000 Propor'nl Off  
2351 Epson Laser EPL-7000 Propor'nl On  
2352 Epson Laser EPL-7000 Push Cursor  
2353 Epson Laser EPL-7000 Sel. Prt Style  
2354 Epson Laser EPL-7000 Select Char St  
2355 Epson Laser EPL-7000 Set LFT Margin  
2356 Epson Laser EPL-7000 Set RHT Margin  
2357 Epson Laser EPL-7000 Set TOP Margin  
2358 Epson Laser EPL-7000 Skip Perf OFF



2359 Epson Laser EPL-7000 Skip Perf ON  
2360 Epson Laser EPL-7000 SUBScript OFF  
2361 Epson Laser EPL-7000 SUBScript ON  
2362 Epson Laser EPL-7000 SUP-Scr OFF  
2363 Epson Laser EPL-7000 SUPERscript ON  
2364 Epson Laser EPL-7000 Underline OFF  
2365 Epson Laser EPL-7000 Underline ON  
2366 Epson Laser EPL-7000 Var. Ln Space  
2367 Epson LX 10 CPI.  
2368 Epson LX 12 CPI.  
2369 Epson LX 6 lines per inch.  
2370 Epson LX 8 lines per inch.  
2371 Epson LX Double Stike Off.  
2372 Epson LX Double Stike On.  
2373 Epson LX Italics Off.  
2374 Epson LX Italics On.  
2375 Epson LX Reset  
2376 Epson LX Setup  
2377 Epson LX Underline Off.  
2378 Epson LX Underline On.  
2379 Epson LX-90 10 CPI.  
2380 Epson LX-90 6 lines per inch.  
2381 Epson LX-90 8 lines per inch.  
2382 Epson LX-90 Double Stike Off.  
2383 Epson LX-90 Double Stike On.  
2384 Epson LX-90 Underline Off.  
2385 Epson LX-90 Underline On.  
2386 Epson MX-80 Compressed Off  
2387 Epson MX-80 Compressed On  
2388 Epson MX-80 Double Strike Off  
2389 Epson MX-80 Double Strike On  
2390 Epson MX-80 Eject Page  
2391 Epson MX-80 Emphasized Print Off  
2392 Epson MX-80 Emphasized Print On  
2393 Epson MX-80 Expanded Print Off  
2394 Epson MX-80 Expanded Print On  
2395 Epson MX-80 Italics Off  
2396 Epson MX-80 Italics On  
2397 Epson MX-80 Reset Printer to Defaults  
2398 Epson MX-80 Underline Off  
2399 Epson MX-80 Underline On  
2400 Facit 4513/4514 10 CPI  
2401 Facit 4513/4514 12 CPI  
2402 Facit 4513/4514 12 Lines/Inch  
2403 Facit 4513/4514 15-17 CPI  
2404 Facit 4513/4514 6 Lines/Inch  
2405 Facit 4513/4514 8 Lines/Inch  
2406 Facit 4513/4514 Alt. Var Ln Sp  
2407 Facit 4513/4514 Bldirect'l ON

2408 Facit 4513/4514 Bold OFF  
2409 Facit 4513/4514 Bold ON  
2410 Facit 4513/4514 Condense Off  
2411 Facit 4513/4514 DbIStrike OFF  
2412 Facit 4513/4514 DbIStrike ON  
2413 Facit 4513/4514 DbIWIDE OFF  
2414 Facit 4513/4514 DdIWIDE ON  
2415 Facit 4513/4514 Draft Mode  
2416 Facit 4513/4514 Emphasize OFF  
2417 Facit 4513/4514 Emphasize ON  
2418 Facit 4513/4514 Initialize  
2419 Facit 4513/4514 Italic OFF  
2420 Facit 4513/4514 Italic ON  
2421 Facit 4513/4514 Mastr Font/Typ  
2422 Facit 4513/4514 NLQ Mode  
2423 Facit 4513/4514 Propor'nl Off  
2424 Facit 4513/4514 Propor'nl On  
2425 Facit 4513/4514 Select Char St  
2426 Facit 4513/4514 Set LFT Margin  
2427 Facit 4513/4514 Set RHT Margin  
2428 Facit 4513/4514 Set Tab Stops  
2429 Facit 4513/4514 Skip Perf OFF  
2430 Facit 4513/4514 Skip Perf ON  
2431 Facit 4513/4514 SUBScript OFF  
2432 Facit 4513/4514 SUBScript ON  
2433 Facit 4513/4514 SUP-Scr OFF  
2434 Facit 4513/4514 SUPERscript ON  
2435 Facit 4513/4514 Underline OFF  
2436 Facit 4513/4514 Underline ON  
2437 Facit 4513/4514 UNIdirect'l ON  
2438 Facit 4513/4514 Var. Ln Space  
2439 Fortis DM2010/2015 10 CPI  
2440 Fortis DM2010/2015 12 CPI  
2441 Fortis DM2010/2015 12 Lines/Inch  
2442 Fortis DM2010/2015 15-17 CPI  
2443 Fortis DM2010/2015 6 Lines/Inch  
2444 Fortis DM2010/2015 8 Lines/Inch  
2445 Fortis DM2010/2015 Alt. Var Ln Sp  
2446 Fortis DM2010/2015 Bldirect'l ON  
2447 Fortis DM2010/2015 Bold OFF  
2448 Fortis DM2010/2015 Bold ON  
2449 Fortis DM2010/2015 Condense Off  
2450 Fortis DM2010/2015 DbIStrike OFF  
2451 Fortis DM2010/2015 DbIStrike ON  
2452 Fortis DM2010/2015 DbIWIDE OFF  
2453 Fortis DM2010/2015 DdIWIDE ON  
2454 Fortis DM2010/2015 Draft Mode  
2455 Fortis DM2010/2015 Emphasize OFF  
2456 Fortis DM2010/2015 Emphasize ON

2457 Fortis DM2010/2015 Initialize  
2458 Fortis DM2010/2015 Italic OFF  
2459 Fortis DM2010/2015 Italic ON  
2460 Fortis DM2010/2015 Mastr Font/Typ  
2461 Fortis DM2010/2015 NLQ Mode  
2462 Fortis DM2010/2015 Propor'nl Off  
2463 Fortis DM2010/2015 Propor'nl On  
2464 Fortis DM2010/2015 Sel. Prt Style  
2465 Fortis DM2010/2015 Select Char St  
2466 Fortis DM2010/2015 Set LFT Margin  
2467 Fortis DM2010/2015 Set RHT Margin  
2468 Fortis DM2010/2015 Set Tab Stops  
2469 Fortis DM2010/2015 Skip Perf OFF  
2470 Fortis DM2010/2015 Skip Perf ON  
2471 Fortis DM2010/2015 SUBScript OFF  
2472 Fortis DM2010/2015 SUBScript ON  
2473 Fortis DM2010/2015 SUP-Scr OFF  
2474 Fortis DM2010/2015 SUPERscript ON  
2475 Fortis DM2010/2015 Underline OFF  
2476 Fortis DM2010/2015 Underline ON  
2477 Fortis DM2010/2015 UNldirect'l ON  
2478 Fortis DM2010/2015 Var. Ln Space  
2479 Fujitsu 24C/24I/DL/DPL 10 CPI  
2480 Fujitsu 24C/24I/DL/DPL 12 CPI  
2481 Fujitsu 24C/24I/DL/DPL 12 Lines/Inch  
2482 Fujitsu 24C/24I/DL/DPL 15-17 CPI  
2483 Fujitsu 24C/24I/DL/DPL 6 Lines/Inch  
2484 Fujitsu 24C/24I/DL/DPL 8 Lines/Inch  
2485 Fujitsu 24C/24I/DL/DPL Alt. Var Ln Sp  
2486 Fujitsu 24C/24I/DL/DPL Bldirect'l ON  
2487 Fujitsu 24C/24I/DL/DPL Bold OFF  
2488 Fujitsu 24C/24I/DL/DPL Bold ON  
2489 Fujitsu 24C/24I/DL/DPL Condense Off  
2490 Fujitsu 24C/24I/DL/DPL DbIStrike OFF  
2491 Fujitsu 24C/24I/DL/DPL DbIStrike ON  
2492 Fujitsu 24C/24I/DL/DPL DbIWIDE OFF  
2493 Fujitsu 24C/24I/DL/DPL DdIWIDE ON  
2494 Fujitsu 24C/24I/DL/DPL Draft Mode  
2495 Fujitsu 24C/24I/DL/DPL Emphasize OFF  
2496 Fujitsu 24C/24I/DL/DPL Emphasize ON  
2497 Fujitsu 24C/24I/DL/DPL Initialize  
2498 Fujitsu 24C/24I/DL/DPL Italic OFF  
2499 Fujitsu 24C/24I/DL/DPL Italic ON  
2500 Fujitsu 24C/24I/DL/DPL Mastr Font/Typ  
2501 Fujitsu 24C/24I/DL/DPL NLQ Mode  
2502 Fujitsu 24C/24I/DL/DPL Propor'nl Off  
2503 Fujitsu 24C/24I/DL/DPL Propor'nl On  
2504 Fujitsu 24C/24I/DL/DPL Select Char St  
2505 Fujitsu 24C/24I/DL/DPL Set LFT Margin

Sheet1

2506 Fujitsu 24C/24I/DL/DPL Set RHT Margin  
2507 Fujitsu 24C/24I/DL/DPL Set Tab Stops  
2508 Fujitsu 24C/24I/DL/DPL Skip Perf OFF  
2509 Fujitsu 24C/24I/DL/DPL Skip Perf ON  
2510 Fujitsu 24C/24I/DL/DPL SUBScript OFF  
2511 Fujitsu 24C/24I/DL/DPL SUBScript ON  
2512 Fujitsu 24C/24I/DL/DPL SUP-Scr OFF  
2513 Fujitsu 24C/24I/DL/DPL SUPERscript ON  
2514 Fujitsu 24C/24I/DL/DPL Underline OFF  
2515 Fujitsu 24C/24I/DL/DPL Underline ON  
2516 Fujitsu 24C/24I/DL/DPL UNIdirect'I ON  
2517 Fujitsu 24C/24I/DL/DPL Var. Ln Space  
2518 Fujitsu DL 10 CPI  
2519 Fujitsu DL 12 CPI  
2520 Fujitsu DL 12 Lines/Inch  
2521 Fujitsu DL 15-17 CPI  
2522 Fujitsu DL 6 Lines/Inch  
2523 Fujitsu DL 8 Lines/Inch  
2524 Fujitsu DL Alt. Var Ln Sp  
2525 Fujitsu DL Bldirect'I ON  
2526 Fujitsu DL Bold OFF  
2527 Fujitsu DL Bold ON  
2528 Fujitsu DL Condense Off  
2529 Fujitsu DL DblStrike OFF  
2530 Fujitsu DL DblStrike ON  
2531 Fujitsu DL DblWIDE OFF  
2532 Fujitsu DL DdlWIDE ON  
2533 Fujitsu DL Draft Mode  
2534 Fujitsu DL Emphasize OFF  
2535 Fujitsu DL Emphasize ON  
2536 Fujitsu DL Initialize  
2537 Fujitsu DL Italic OFF  
2538 Fujitsu DL Italic ON  
2539 Fujitsu DL Mastr Font/Typ  
2540 Fujitsu DL NLQ Mode  
2541 Fujitsu DL Propor'nI Off  
2542 Fujitsu DL Propor'nI On  
2543 Fujitsu DL Select Char St  
2544 Fujitsu DL Set LFT Margin  
2545 Fujitsu DL Set RHT Margin  
2546 Fujitsu DL Set Tab Stops  
2547 Fujitsu DL Skip Perf OFF  
2548 Fujitsu DL Skip Perf ON  
2549 Fujitsu DL SUBScript OFF  
2550 Fujitsu DL SUBScript ON  
2551 Fujitsu DL SUP-Scr OFF  
2552 Fujitsu DL SUPERscript ON  
2553 Fujitsu DL Underline OFF  
2554 Fujitsu DL Underline ON

2555 Fujitsu DL UNldirect'l ON  
2556 Fujitsu DL Var. Ln Space  
2557 Fujitsu DotMax 9f/9i 10 CPI  
2558 Fujitsu DotMax 9f/9i 12 CPI  
2559 Fujitsu DotMax 9f/9i 12 Lines/Inch  
2560 Fujitsu DotMax 9f/9i 15-17 CPI  
2561 Fujitsu DotMax 9f/9i 6 Lines/Inch  
2562 Fujitsu DotMax 9f/9i 8 Lines/Inch  
2563 Fujitsu DotMax 9f/9i Alt. Var Ln Sp  
2564 Fujitsu DotMax 9f/9i Bldirect'l ON  
2565 Fujitsu DotMax 9f/9i Bold OFF  
2566 Fujitsu DotMax 9f/9i Bold ON  
2567 Fujitsu DotMax 9f/9i Condense Off  
2568 Fujitsu DotMax 9f/9i DblStrike OFF  
2569 Fujitsu DotMax 9f/9i DblStrike ON  
2570 Fujitsu DotMax 9f/9i DblWIDE OFF  
2571 Fujitsu DotMax 9f/9i DdlWIDE ON  
2572 Fujitsu DotMax 9f/9i Draft Mode  
2573 Fujitsu DotMax 9f/9i Emphasize OFF  
2574 Fujitsu DotMax 9f/9i Emphasize ON  
2575 Fujitsu DotMax 9f/9i Initialize  
2576 Fujitsu DotMax 9f/9i Italic OFF  
2577 Fujitsu DotMax 9f/9i Italic ON  
2578 Fujitsu DotMax 9f/9i Mastr Font/Typ  
2579 Fujitsu DotMax 9f/9i NLQ Mode  
2580 Fujitsu DotMax 9f/9i Propor'nl Off  
2581 Fujitsu DotMax 9f/9i Propor'nl On  
2582 Fujitsu DotMax 9f/9i Select Char St  
2583 Fujitsu DotMax 9f/9i Set LFT Margin  
2584 Fujitsu DotMax 9f/9i Set RHT Margin  
2585 Fujitsu DotMax 9f/9i Set Tab Stops  
2586 Fujitsu DotMax 9f/9i Skip Perf OFF  
2587 Fujitsu DotMax 9f/9i Skip Perf ON  
2588 Fujitsu DotMax 9f/9i SUBScript OFF  
2589 Fujitsu DotMax 9f/9i SUBScript ON  
2590 Fujitsu DotMax 9f/9i SUP-Scr OFF  
2591 Fujitsu DotMax 9f/9i SUPERscript ON  
2592 Fujitsu DotMax 9f/9i Underline OFF  
2593 Fujitsu DotMax 9f/9i Underline ON  
2594 Fujitsu DotMax 9f/9i UNldirect'l ON  
2595 Fujitsu DotMax 9f/9i Var. Ln Space  
2596 Fujitsu DX 10 CPI  
2597 Fujitsu DX 12 CPI  
2598 Fujitsu DX 12 Lines/Inch  
2599 Fujitsu DX 15-17 CPI  
2600 Fujitsu DX 6 Lines/Inch  
2601 Fujitsu DX 8 Lines/Inch  
2602 Fujitsu DX Alt. Var Ln Sp  
2603 Fujitsu DX Bldirect'l ON

2604 Fujitsu DX Bold OFF  
2605 Fujitsu DX Bold ON  
2606 Fujitsu DX Condense Off  
2607 Fujitsu DX DblStrike OFF  
2608 Fujitsu DX DblStrike ON  
2609 Fujitsu DX DblWIDE OFF  
2610 Fujitsu DX DdlWIDE ON  
2611 Fujitsu DX Draft Mode  
2612 Fujitsu DX Emphasize OFF  
2613 Fujitsu DX Emphasize ON  
2614 Fujitsu DX Initialize  
2615 Fujitsu DX Italic OFF  
2616 Fujitsu DX Italic ON  
2617 Fujitsu DX Mastr Font/Typ  
2618 Fujitsu DX NLQ Mode  
2619 Fujitsu DX Propor'nl Off  
2620 Fujitsu DX Propor'nl On  
2621 Fujitsu DX Select Char St  
2622 Fujitsu DX Set LFT Margin  
2623 Fujitsu DX Set RHT Margin  
2624 Fujitsu DX Set Tab Stops  
2625 Fujitsu DX Skip Perf OFF  
2626 Fujitsu DX Skip Perf ON  
2627 Fujitsu DX SUBScript OFF  
2628 Fujitsu DX SUBScript ON  
2629 Fujitsu DX SUP-Scr OFF  
2630 Fujitsu DX SUPERscript ON  
2631 Fujitsu DX Underline OFF  
2632 Fujitsu DX Underline ON  
2633 Fujitsu DX UNIdirect'l ON  
2634 Fujitsu DX Var. Ln Space  
2635 Fujitsu Laser RX 10 CPI  
2636 Fujitsu Laser RX 12 CPI  
2637 Fujitsu Laser RX 12 Lines/Inch  
2638 Fujitsu Laser RX 15-17 CPI  
2639 Fujitsu Laser RX 6 Lines/Inch  
2640 Fujitsu Laser RX 8 Lines/Inch  
2641 Fujitsu Laser RX Bold OFF  
2642 Fujitsu Laser RX Bold ON  
2643 Fujitsu Laser RX DblStrike OFF  
2644 Fujitsu Laser RX DblStrike ON  
2645 Fujitsu Laser RX DdlWIDE OFF  
2646 Fujitsu Laser RX DdlWIDE ON  
2647 Fujitsu Laser RX Emphasize ON  
2648 Fujitsu Laser RX Initialize  
2649 Fujitsu Laser RX Move ABS Horiz  
2650 Fujitsu Laser RX Move ABS Vert.  
2651 Fujitsu Laser RX NLQ Mode  
2652 Fujitsu Laser RX Propor'nl Off

2653 Fujitsu Laser RX Propor'nl On  
2654 Fujitsu Laser RX Set BOT Margin  
2655 Fujitsu Laser RX Set LFT Margin  
2656 Fujitsu Laser RX Set RHT Margin  
2657 Fujitsu Laser RX Set Tab Stops  
2658 Fujitsu Laser RX Set TOP Margin  
2659 Fujitsu Laser RX SUBScript OFF  
2660 Fujitsu Laser RX SUP-Scr OFF  
2661 Fujitsu Laser RX SUPERscript ON  
2662 Fujitsu Laser RX Underline OFF  
2663 Fujitsu Laser RX Underline ON  
2664 Fujitsu SP-320/SP-320e 10 CPI  
2665 Fujitsu SP-320/SP-320e 12 CPI  
2666 Fujitsu SP-320/SP-320e 12 Lines/Inch  
2667 Fujitsu SP-320/SP-320e 15-17 CPI  
2668 Fujitsu SP-320/SP-320e 6 Lines/Inch  
2669 Fujitsu SP-320/SP-320e 8 Lines/Inch  
2670 Fujitsu SP-320/SP-320e Bold OFF  
2671 Fujitsu SP-320/SP-320e Bold ON  
2672 Fujitsu SP-320/SP-320e DblStrike OFF  
2673 Fujitsu SP-320/SP-320e DblStrike ON  
2674 Fujitsu SP-320/SP-320e DdlWIDE OFF  
2675 Fujitsu SP-320/SP-320e DdlWIDE ON  
2676 Fujitsu SP-320/SP-320e Emphasize OFF  
2677 Fujitsu SP-320/SP-320e Emphasize ON  
2678 Fujitsu SP-320/SP-320e Initialize  
2679 Fujitsu SP-320/SP-320e Move ABS Horiz  
2680 Fujitsu SP-320/SP-320e Move ABS Vert.  
2681 Fujitsu SP-320/SP-320e NLQ Mode  
2682 Fujitsu SP-320/SP-320e Propor'nl Off  
2683 Fujitsu SP-320/SP-320e Propor'nl On  
2684 Fujitsu SP-320/SP-320e Set BOT Margin  
2685 Fujitsu SP-320/SP-320e Set LFT Margin  
2686 Fujitsu SP-320/SP-320e Set RHT Margin  
2687 Fujitsu SP-320/SP-320e Set Tab Stops  
2688 Fujitsu SP-320/SP-320e Set TOP Margin  
2689 Fujitsu SP-320/SP-320e SUBScript OFF  
2690 Fujitsu SP-320/SP-320e SUBScript ON  
2691 Fujitsu SP-320/SP-320e SUP-Scr OFF  
2692 Fujitsu SP-320/SP-320e SUPERscript ON  
2693 Fujitsu SP-320/SP-320e Underline OFF  
2694 Fujitsu SP-320/SP-320e Underline ON  
2695 Genicom 3310/3320 10 CPI  
2696 Genicom 3310/3320 12 CPI  
2697 Genicom 3310/3320 12 Lines/Inch  
2698 Genicom 3310/3320 15-17 CPI  
2699 Genicom 3310/3320 6 Lines/Inch  
2700 Genicom 3310/3320 8 Lines/Inch  
2701 Genicom 3310/3320 Bold OFF

2702 Genicom 3310/3320 Bold ON  
2703 Genicom 3310/3320 Condense Off  
2704 Genicom 3310/3320 DbIStrike OFF  
2705 Genicom 3310/3320 DbIStrike ON  
2706 Genicom 3310/3320 DbIWIDE OFF  
2707 Genicom 3310/3320 DdIWIDE ON  
2708 Genicom 3310/3320 Draft Mode  
2709 Genicom 3310/3320 Emphasize OFF  
2710 Genicom 3310/3320 Emphasize ON  
2711 Genicom 3310/3320 Initialize  
2712 Genicom 3310/3320 Move ABS Horiz  
2713 Genicom 3310/3320 Move ABS Vert.  
2714 Genicom 3310/3320 NLQ Mode  
2715 Genicom 3310/3320 Propor'nl Off  
2716 Genicom 3310/3320 Propor'nl On  
2717 Genicom 3310/3320 Set BOT Margin  
2718 Genicom 3310/3320 Set LFT Margin  
2719 Genicom 3310/3320 Set RHT Margin  
2720 Genicom 3310/3320 Set Tab Stops  
2721 Genicom 3310/3320 Set TOP Margin  
2722 Genicom 3310/3320 SUBScript OFF  
2723 Genicom 3310/3320 SUBScript ON  
2724 Genicom 3310/3320 SUP-Scr OFF  
2725 Genicom 3310/3320 SUPERscript ON  
2726 Genicom 3310/3320 Underline OFF  
2727 Genicom 3310/3320 Underline ON  
2728 HP 2225C+ (Epson Mode) 10 CPI.  
2729 HP 2225C+ (Epson Mode) 12 CPI.  
2730 HP 2225C+ (Epson Mode) 6 lines per inch.  
2731 HP 2225C+ (Epson Mode) 8 lines per inch.  
2732 HP 2225C+ (Epson Mode) Double Stike Off.  
2733 HP 2225C+ (Epson Mode) Double Stike On.  
2734 HP 2225C+ (Epson Mode) Reset  
2735 HP 2225C+ (Epson Mode) Setup  
2736 HP 2225C+ (Epson Mode) Underline Off.  
2737 HP 2225C+ (Epson Mode) Underline On.  
2738 HP 2225C+ (HP Mode) 10 CPI.  
2739 HP 2225C+ (HP Mode) 6 lines per inch.  
2740 HP 2225C+ (HP Mode) 8 lines per inch.  
2741 HP 2225C+ (HP Mode) Double Stike Off.  
2742 HP 2225C+ (HP Mode) Double Stike On.  
2743 HP 2225C+ (HP Mode) Reset  
2744 HP 2225C+ (HP Mode) Setup  
2745 HP 2225C+ (HP Mode) Underline Off.  
2746 HP 2225C+ (HP Mode) Underline On.  
2747 HP Label: 10x1" high 10 CPI.  
2748 HP Label: 10x1" high 12 CPI.  
2749 HP Label: 10x1" high 6 lines per inch.  
2750 HP Label: 10x1" high 8 lines per inch.



2751 HP Label: 10x1" high Double Stike Off.  
2752 HP Label: 10x1" high Double Stike On.  
2753 HP Label: 10x1" high Italics Off.  
2754 HP Label: 10x1" high Italics On.  
2755 HP Label: 10x1" high Reset  
2756 HP Label: 10x1" high Setup  
2757 HP Label: 10x1" high Underline Off.  
2758 HP Label: 10x1" high Underline On.  
2759 HP Label: 11x1" high 10 CPI.  
2760 HP Label: 11x1" high 12 CPI.  
2761 HP Label: 11x1" high 6 lines per inch.  
2762 HP Label: 11x1" high 8 lines per inch.  
2763 HP Label: 11x1" high Double Stike Off.  
2764 HP Label: 11x1" high Double Stike On.  
2765 HP Label: 11x1" high Italics Off.  
2766 HP Label: 11x1" high Italics On.  
2767 HP Label: 11x1" high Reset  
2768 HP Label: 11x1" high Setup  
2769 HP Label: 11x1" high Underline Off.  
2770 HP Label: 11x1" high Underline On.  
2771 HP Label: 7x1.5" high 10 CPI.  
2772 HP Label: 7x1.5" high 12 CPI.  
2773 HP Label: 7x1.5" high 6 lines per inch.  
2774 HP Label: 7x1.5" high 8 lines per inch.  
2775 HP Label: 7x1.5" high Double Stike Off.  
2776 HP Label: 7x1.5" high Double Stike On.  
2777 HP Label: 7x1.5" high Italics Off.  
2778 HP Label: 7x1.5" high Italics On.  
2779 HP Label: 7x1.5" high Reset  
2780 HP Label: 7x1.5" high Setup  
2781 HP Label: 7x1.5" high Underline Off.  
2782 HP Label: 7x1.5" high Underline On.  
2783 HP PaintJet (HP3630) 10 CPI.  
2784 HP PaintJet (HP3630) 12 CPI.  
2785 HP PaintJet (HP3630) 6 lines per inch.  
2786 HP PaintJet (HP3630) 8 lines per inch.  
2787 HP PaintJet (HP3630) Double Stike Off.  
2788 HP PaintJet (HP3630) Double Stike On.  
2789 HP PaintJet (HP3630) Reset  
2790 HP PaintJet (HP3630) Setup  
2791 HP PaintJet (HP3630) Underline Off.  
2792 HP PaintJet (HP3630) Underline On.  
2793 HP-LaserJet I, 10 CPI.  
2794 HP-LaserJet I, 12 CPI.  
2795 HP-LaserJet I, 6 lines per inch.  
2796 HP-LaserJet I, 8 lines per inch.  
2797 HP-LaserJet I, Double Stike Off.  
2798 HP-LaserJet I, Double Stike On.  
2799 HP-LaserJet I, Italics Off.

Sheet1

2800 HP-LaserJet I, Italics On.  
2801 HP-LaserJet I, Reset  
2802 HP-LaserJet I, Setup  
2803 HP-LaserJet I, Underline Off.  
2804 HP-LaserJet I, Underline On.  
2805 HPL3: Self test  
2806 IBM 80 CPS Graphics 10 CPI.  
2807 IBM 80 CPS Graphics 12 CPI.  
2808 IBM 80 CPS Graphics 6 lines per inch.  
2809 IBM 80 CPS Graphics 8 lines per inch.  
2810 IBM 80 CPS Graphics Double Strike Off.  
2811 IBM 80 CPS Graphics Double Strike On.  
2812 IBM 80 CPS Graphics Reset  
2813 IBM 80 CPS Graphics Setup  
2814 IBM 80 CPS Graphics Underline Off.  
2815 IBM 80 CPS Graphics Underline On.  
2816 IBM 80 CPS Matrix 10 CPI.  
2817 IBM 80 CPS Matrix 12 CPI.  
2818 IBM 80 CPS Matrix 6 lines per inch.  
2819 IBM 80 CPS Matrix 8 lines per inch.  
2820 IBM 80 CPS Matrix Double Strike Off.  
2821 IBM 80 CPS Matrix Double Strike On.  
2822 IBM Color Printer 10 CPI.  
2823 IBM Color Printer 12 CPI.  
2824 IBM Color Printer 6 lines per inch.  
2825 IBM Color Printer 8 lines per inch.  
2826 IBM Color Printer Double Strike Off.  
2827 IBM Color Printer Double Strike On.  
2828 IBM Color Printer Reset  
2829 IBM Color Printer Setup  
2830 IBM Color Printer Underline Off.  
2831 IBM Color Printer Underline On.  
2832 IBM Graphics 12 Characters per inch  
2833 IBM Graphics Disable proportional spacing  
2834 IBM Graphics Enable proportional spacing  
2835 IBM Graphics Reset Compressed print (16.7 CPI)  
2836 IBM Graphics Reset double strike (NLQ simulated)  
2837 IBM Graphics Reset double strike printing  
2838 IBM Graphics Reset emphasized printing  
2839 IBM Graphics Reset expanded printing (Double Width)  
2840 IBM Graphics Reset Skip Perforation  
2841 IBM Graphics Reset superscript mode  
2842 IBM Graphics Select 8LPI mode  
2843 IBM Graphics Select 10CPI for 12 point size print  
2844 IBM Graphics Select 10CPI for normal point size  
2845 IBM Graphics Select 12CPI for 10 point size print  
2846 IBM Graphics Select 16.7CPI and expanded print mode  
2847 IBM Graphics Select 16.7CPI for 7 point size print  
2848 IBM Graphics Select Bidirectional printing (Normal)

Sheet1

2849 IBM Graphics Select Compressed print (16.7 CPI)  
2850 IBM Graphics Select Courier type face  
2851 IBM Graphics Select double strike (NLQ simulated)  
2852 IBM Graphics Select double strike printing  
2853 IBM Graphics Select emphasized printing  
2854 IBM Graphics Select expanded printing (Double Width)  
2855 IBM Graphics Select IBM character set #1 (Normal)  
2856 IBM Graphics Select IBM character set #2  
2857 IBM Graphics Select Lineprinter type face  
2858 IBM Graphics Select normal type face (Lineprinter)  
2859 IBM Graphics Select normal type face (Lineprinter)  
2860 IBM Graphics Select Prestige Elite type face  
2861 IBM Graphics Select previously downloaded font  
2862 IBM Graphics Select superscript mode  
2863 IBM Graphics Select Unidirectional printing  
2864 IBM Graphics Set Skip Perforation to 4 lines  
2865 IBM Graphics Sets Variable Line feed to 12/72's (6LPI)  
2866 IBM Laser 4019 10 CPI  
2867 IBM Laser 4019 12 CPI  
2868 IBM Laser 4019 12 Lines/Inch  
2869 IBM Laser 4019 15-17 CPI  
2870 IBM Laser 4019 6 Lines/Inch  
2871 IBM Laser 4019 8 Lines/Inch  
2872 IBM Laser 4019 Alt. Var Ln Sp  
2873 IBM Laser 4019 Bold OFF  
2874 IBM Laser 4019 Bold ON  
2875 IBM Laser 4019 Condense Off  
2876 IBM Laser 4019 DblStrike OFF  
2877 IBM Laser 4019 DblStrike ON  
2878 IBM Laser 4019 DdlWIDE ON  
2879 IBM Laser 4019 Emphasize OFF  
2880 IBM Laser 4019 Emphasize ON  
2881 IBM Laser 4019 Initialize  
2882 IBM Laser 4019 Int Chr Spac'g  
2883 IBM Laser 4019 Italic OFF  
2884 IBM Laser 4019 Italic ON  
2885 IBM Laser 4019 Mastr Font/Typ  
2886 IBM Laser 4019 Move ABS Horiz  
2887 IBM Laser 4019 Move ABS Vert.  
2888 IBM Laser 4019 Move REL Horiz  
2889 IBM Laser 4019 Move REL Vert.  
2890 IBM Laser 4019 Pop Cursor  
2891 IBM Laser 4019 Propor'nl Off  
2892 IBM Laser 4019 Propor'nl On  
2893 IBM Laser 4019 Push Cursor  
2894 IBM Laser 4019 Sel. Prt Style  
2895 IBM Laser 4019 Select Char St  
2896 IBM Laser 4019 Set LFT Margin  
2897 IBM Laser 4019 Set RHT Margin

2898 IBM Laser 4019 Set TOP Margin  
2899 IBM Laser 4019 Skip Perf OFF  
2900 IBM Laser 4019 Skip Perf ON  
2901 IBM Laser 4019 SUBScript OFF  
2902 IBM Laser 4019 SUBScript ON  
2903 IBM Laser 4019 SUP-Scr OFF  
2904 IBM Laser 4019 SUPERscript ON  
2905 IBM Laser 4019 Underline OFF  
2906 IBM Laser 4019 Underline ON  
2907 IBM Laser 4019 Var. Ln Space  
2908 IBM Laser 4216 10 CPI  
2909 IBM Laser 4216 12 CPI  
2910 IBM Laser 4216 12 Lines/Inch  
2911 IBM Laser 4216 15-17 CPI  
2912 IBM Laser 4216 6 Lines/Inch  
2913 IBM Laser 4216 8 Lines/Inch  
2914 IBM Laser 4216 Alt. Var Ln Sp  
2915 IBM Laser 4216 Bold OFF  
2916 IBM Laser 4216 Bold ON  
2917 IBM Laser 4216 Condense Off  
2918 IBM Laser 4216 DblStrike OFF  
2919 IBM Laser 4216 DblStrike ON  
2920 IBM Laser 4216 DdWIDE ON  
2921 IBM Laser 4216 Emphasize OFF  
2922 IBM Laser 4216 Emphasize ON  
2923 IBM Laser 4216 Initialize  
2924 IBM Laser 4216 Int Chr Spac'g  
2925 IBM Laser 4216 Italic OFF  
2926 IBM Laser 4216 Italic ON  
2927 IBM Laser 4216 Mastr Font/Typ  
2928 IBM Laser 4216 Move ABS Horiz  
2929 IBM Laser 4216 Move ABS Vert.  
2930 IBM Laser 4216 Move REL Horiz  
2931 IBM Laser 4216 Move REL Vert.  
2932 IBM Laser 4216 Pop Cursor  
2933 IBM Laser 4216 Propor'nl Off  
2934 IBM Laser 4216 Propor'nl On  
2935 IBM Laser 4216 Push Cursor  
2936 IBM Laser 4216 Sel. Prt Style  
2937 IBM Laser 4216 Select Char St  
2938 IBM Laser 4216 Set LFT Margin  
2939 IBM Laser 4216 Set RHT Margin  
2940 IBM Laser 4216 Set TOP Margin  
2941 IBM Laser 4216 Skip Perf OFF  
2942 IBM Laser 4216 Skip Perf ON  
2943 IBM Laser 4216 SUBScript OFF  
2944 IBM Laser 4216 SUBScript ON  
2945 IBM Laser 4216 SUP-Scr OFF  
2946 IBM Laser 4216 SUPERscript ON

2947 IBM Laser 4216 Underline OFF  
2948 IBM Laser 4216 Underline ON  
2949 IBM Laser 4216 Var. Ln Space  
2950 IBM LetterQuality 5218 10 CPI.  
2951 IBM LetterQuality 5218 12 CPI.  
2952 IBM LetterQuality 5218 6 lines per inch.  
2953 IBM LetterQuality 5218 8 lines per inch.  
2954 IBM LetterQuality 5218 Reset  
2955 IBM LetterQuality 5218 Setup  
2956 IBM LetterQuality 5218 Underline Off.  
2957 IBM LetterQuality 5218 Underline On.  
2958 IBM Pageprinter 3812 10 CPI.  
2959 IBM Pageprinter 3812 6 lines per inch.  
2960 IBM Pageprinter 3812 8 lines per inch.  
2961 IBM Pageprinter 3812 Double Stike Off.  
2962 IBM Pageprinter 3812 Double Stike On.  
2963 IBM Pageprinter 3812 Reset  
2964 IBM Pageprinter 3812 Setup  
2965 IBM Pageprinter 3812 Underline Off.  
2966 IBM Pageprinter 3812 Underline On.  
2967 IBM Proprinter 10 CPI.  
2968 IBM Proprinter 12 CPI.  
2969 IBM Proprinter 6 lines per inch.  
2970 IBM Proprinter 8 lines per inch.  
2971 IBM Proprinter Double Stike Off.  
2972 IBM Proprinter Double Stike On.  
2973 IBM Proprinter Underline Off.  
2974 IBM Proprinter Underline On.  
2975 IBM Quietwriter 5201 10 CPI.  
2976 IBM Quietwriter 5201 12 CPI.  
2977 IBM Quietwriter 5201 6 lines per inch.  
2978 IBM Quietwriter 5201 8 lines per inch.  
2979 IBM Quietwriter 5201 Underline Off.  
2980 IBM Quietwriter 5201 Underline On.  
2981 IBM Quietwriter III 10 CPI.  
2982 IBM Quietwriter III 12 CPI.  
2983 IBM Quietwriter III 6 lines per inch.  
2984 IBM Quietwriter III 8 lines per inch.  
2985 IBM Quietwriter III Double Stike Off.  
2986 IBM Quietwriter III Double Stike On.  
2987 IBM Quietwriter III Underline Off.  
2988 IBM Quietwriter III Underline On.  
2989 IBM Wheelprinter 5216 10 CPI.  
2990 IBM Wheelprinter 5216 12 CPI.  
2991 IBM Wheelprinter 5216 6 lines per inch.  
2992 IBM Wheelprinter 5216 8 lines per inch.  
2993 IBM Wheelprinter 5216 Reset  
2994 IBM Wheelprinter 5216 Setup  
2995 IBM Wheelprinter 5216 Underline Off.

2996 IBM Wheelprinter 5216 Underline On.  
2997 IDS 460 10 CPI.  
2998 IDS 460 12 CPI.  
2999 IDS 460 6 lines per inch.  
3000 IDS 460 8 lines per inch.  
3001 IDS 460 Reset  
3002 IDS 460 Setup  
3003 IDS Prism 80/132 10 CPI.  
3004 IDS Prism 80/132 12 CPI.  
3005 IDS Prism 80/132 6 lines per inch.  
3006 IDS Prism 80/132 8 lines per inch.  
3007 IDS Prism 80/132 Reset  
3008 IDS Prism 80/132 Setup  
3009 IQ Laser Super 1 10 CPI  
3010 IQ Laser Super 1 12 CPI  
3011 IQ Laser Super 1 12 Lines/Inch  
3012 IQ Laser Super 1 15-17 CPI  
3013 IQ Laser Super 1 6 Lines/Inch  
3014 IQ Laser Super 1 8 Lines/Inch  
3015 IQ Laser Super 1 Alt. Var Ln Sp  
3016 IQ Laser Super 1 Bold OFF  
3017 IQ Laser Super 1 Bold ON  
3018 IQ Laser Super 1 Condense Off  
3019 IQ Laser Super 1 DblStrike OFF  
3020 IQ Laser Super 1 DblStrike ON  
3021 IQ Laser Super 1 DdlWIDE ON  
3022 IQ Laser Super 1 Emphasize OFF  
3023 IQ Laser Super 1 Emphasize ON  
3024 IQ Laser Super 1 Initialize  
3025 IQ Laser Super 1 Int Chr Spac'g  
3026 IQ Laser Super 1 Italic OFF  
3027 IQ Laser Super 1 Italic ON  
3028 IQ Laser Super 1 Landscape  
3029 IQ Laser Super 1 Mastr Font/Typ  
3030 IQ Laser Super 1 Move ABS Horiz  
3031 IQ Laser Super 1 Move ABS Vert.  
3032 IQ Laser Super 1 Move REL Horiz  
3033 IQ Laser Super 1 Move REL Vert.  
3034 IQ Laser Super 1 Pop Cursor  
3035 IQ Laser Super 1 Portrait  
3036 IQ Laser Super 1 Propor'nl Off  
3037 IQ Laser Super 1 Propor'nl On  
3038 IQ Laser Super 1 Push Cursor  
3039 IQ Laser Super 1 Sel. Prt Style  
3040 IQ Laser Super 1 Select Char St  
3041 IQ Laser Super 1 Set LFT Margin  
3042 IQ Laser Super 1 Set RHT Margin  
3043 IQ Laser Super 1 Set TOP Margin  
3044 IQ Laser Super 1 Skip Perf OFF

3045 IQ Laser Super 1 Skip Perf ON  
3046 IQ Laser Super 1 SUBScript OFF  
3047 IQ Laser Super 1 SUBScript ON  
3048 IQ Laser Super 1 SUP-Scr OFF  
3049 IQ Laser Super 1 SUPERscript ON  
3050 IQ Laser Super 1 Underline OFF  
3051 IQ Laser Super 1 Underline ON  
3052 IQ Laser Super 1 Var. Ln Space  
3053 ITT 9312 10 CPI  
3054 ITT 9312 12 CPI  
3055 ITT 9312 12 Lines/Inch  
3056 ITT 9312 15-17 CPI  
3057 ITT 9312 6 Lines/Inch  
3058 ITT 9312 8 Lines/Inch  
3059 ITT 9312 Alt. Var Ln Sp  
3060 ITT 9312 Bldirect'l ON  
3061 ITT 9312 Bold OFF  
3062 ITT 9312 Bold ON  
3063 ITT 9312 Condense Off  
3064 ITT 9312 DblStrike OFF  
3065 ITT 9312 DblStrike ON  
3066 ITT 9312 DblWIDE OFF  
3067 ITT 9312 DdlWIDE ON  
3068 ITT 9312 Draft Mode  
3069 ITT 9312 Emphasize OFF  
3070 ITT 9312 Emphasize ON  
3071 ITT 9312 Initialize  
3072 ITT 9312 Italic OFF  
3073 ITT 9312 Italic ON  
3074 ITT 9312 Mastr Font/Typ  
3075 ITT 9312 NLQ Mode  
3076 ITT 9312 Propor'n'l Off  
3077 ITT 9312 Propor'n'l On  
3078 ITT 9312 Select Char St  
3079 ITT 9312 Set LFT Margin  
3080 ITT 9312 Set RHT Margin  
3081 ITT 9312 Set Tab Stops  
3082 ITT 9312 Skip Perf OFF  
3083 ITT 9312 Skip Perf ON  
3084 ITT 9312 SUBScript OFF  
3085 ITT 9312 SUBScript ON  
3086 ITT 9312 SUP-Scr OFF  
3087 ITT 9312 SUPERscript ON  
3088 ITT 9312 Underline OFF  
3089 ITT 9312 Underline ON  
3090 ITT 9312 UNldirect'l ON  
3091 ITT 9312 Var. Ln Space  
3092 JDL/Juki 850 EW 10 CPI  
3093 JDL/Juki 850 EW 12 CPI

3094 JDL/Juki 850 EW 12 Lines/Inch  
3095 JDL/Juki 850 EW 15-17 CPI  
3096 JDL/Juki 850 EW 6 Lines/Inch  
3097 JDL/Juki 850 EW 8 Lines/Inch  
3098 JDL/Juki 850 EW Alt. Var Ln Sp  
3099 JDL/Juki 850 EW Bldirect'l ON  
3100 JDL/Juki 850 EW Bold OFF  
3101 JDL/Juki 850 EW Bold ON  
3102 JDL/Juki 850 EW Condense Off  
3103 JDL/Juki 850 EW DbStrike OFF  
3104 JDL/Juki 850 EW DbStrike ON  
3105 JDL/Juki 850 EW DbWIDE OFF  
3106 JDL/Juki 850 EW DdlWIDE ON  
3107 JDL/Juki 850 EW Draft Mode  
3108 JDL/Juki 850 EW Emphasize OFF  
3109 JDL/Juki 850 EW Emphasize ON  
3110 JDL/Juki 850 EW Initialize  
3111 JDL/Juki 850 EW Italic OFF  
3112 JDL/Juki 850 EW Italic ON  
3113 JDL/Juki 850 EW Mastr Font/Typ  
3114 JDL/Juki 850 EW NLQ Mode  
3115 JDL/Juki 850 EW Propor'nl Off  
3116 JDL/Juki 850 EW Propor'nl On  
3117 JDL/Juki 850 EW Sel. Prt Style  
3118 JDL/Juki 850 EW Select Char St  
3119 JDL/Juki 850 EW Set LFT Margin  
3120 JDL/Juki 850 EW Set RHT Margin  
3121 JDL/Juki 850 EW Set Tab Stops  
3122 JDL/Juki 850 EW Skip Perf OFF  
3123 JDL/Juki 850 EW Skip Perf ON  
3124 JDL/Juki 850 EW SUBScript OFF  
3125 JDL/Juki 850 EW SUBScript ON  
3126 JDL/Juki 850 EW SUP-Scr OFF  
3127 JDL/Juki 850 EW SUPERscript ON  
3128 JDL/Juki 850 EW Underline OFF  
3129 JDL/Juki 850 EW Underline ON  
3130 JDL/Juki 850 EW UNIdirect'l ON  
3131 JDL/Juki 850 EW Var. Ln Space  
3132 Juki 6100 10 CPI.  
3133 Juki 6100 6 lines per inch.  
3134 Juki 6100 8 lines per inch.  
3135 Juki 6100 Double Stike Off.  
3136 Juki 6100 Double Stike On.  
3137 Juki 6100 Reset  
3138 Juki 6100 Setup  
3139 Juki 6100 Underline Off.  
3140 Juki 6100 Underline On.  
3141 Kyocera F-1010 (Land) 10 CPI.  
3142 Kyocera F-1010 (Land) 12 CPI.



Sheet1

3143 Kyocera F-1010 (Land) 6 lines per inch.  
3144 Kyocera F-1010 (Land) 8 lines per inch.  
3145 Kyocera F-1010 (Land) Double Strike Off.  
3146 Kyocera F-1010 (Land) Double Strike On.  
3147 Kyocera F-1010 (Land) Italics Off.  
3148 Kyocera F-1010 (Land) Italics On.  
3149 Kyocera F-1010 (Land) Underline Off.  
3150 Kyocera F-1010 (Land) Underline On.  
3151 Kyocera F-1010 (Port) 10 CPI.  
3152 Kyocera F-1010 (Port) 12 CPI.  
3153 Kyocera F-1010 (Port) 6 lines per inch.  
3154 Kyocera F-1010 (Port) 8 lines per inch.  
3155 Kyocera F-1010 (Port) Double Strike Off.  
3156 Kyocera F-1010 (Port) Double Strike On.  
3157 Kyocera F-1010 (Port) Italics Off.  
3158 Kyocera F-1010 (Port) Italics On.  
3159 Kyocera F-1010 (Port) Underline Off.  
3160 Kyocera F-1010 (Port) Underline On.  
3161 Leading Edge A10/20/30 10 CPI  
3162 Leading Edge A10/20/30 12 CPI  
3163 Leading Edge A10/20/30 12 Lines/Inch  
3164 Leading Edge A10/20/30 15-17 CPI  
3165 Leading Edge A10/20/30 6 Lines/Inch  
3166 Leading Edge A10/20/30 8 Lines/Inch  
3167 Leading Edge A10/20/30 Bold OFF  
3168 Leading Edge A10/20/30 Bold ON  
3169 Leading Edge A10/20/30 Condense Off  
3170 Leading Edge A10/20/30 DbStrike OFF  
3171 Leading Edge A10/20/30 DbStrike ON  
3172 Leading Edge A10/20/30 DbWIDE OFF  
3173 Leading Edge A10/20/30 DdWIDE ON  
3174 Leading Edge A10/20/30 Draft Mode  
3175 Leading Edge A10/20/30 Emphasize OFF  
3176 Leading Edge A10/20/30 Emphasize ON  
3177 Leading Edge A10/20/30 Initialize  
3178 Leading Edge A10/20/30 Move ABS Horiz  
3179 Leading Edge A10/20/30 Move ABS Vert.  
3180 Leading Edge A10/20/30 NLQ Mode  
3181 Leading Edge A10/20/30 Propor'nl Off  
3182 Leading Edge A10/20/30 Propor'nl On  
3183 Leading Edge A10/20/30 Set BOT Margin  
3184 Leading Edge A10/20/30 Set LFT Margin  
3185 Leading Edge A10/20/30 Set RHT Margin  
3186 Leading Edge A10/20/30 Set Tab Stops  
3187 Leading Edge A10/20/30 Set TOP Margin  
3188 Leading Edge A10/20/30 SUBScript OFF  
3189 Leading Edge A10/20/30 SUBScript ON  
3190 Leading Edge A10/20/30 SUP-Scr OFF  
3191 Leading Edge A10/20/30 SUPERscript ON

Sheet1

3192 Leading Edge A10/20/30 Underline OFF  
3193 Leading Edge A10/20/30 Underline ON  
3194 Legend 808/1080/1200 10 CPI  
3195 Legend 808/1080/1200 12 CPI  
3196 Legend 808/1080/1200 12 Lines/Inch  
3197 Legend 808/1080/1200 15-17 CPI  
3198 Legend 808/1080/1200 6 Lines/Inch  
3199 Legend 808/1080/1200 8 Lines/Inch  
3200 Legend 808/1080/1200 Alt. Var Ln Sp  
3201 Legend 808/1080/1200 Bldirect'l ON  
3202 Legend 808/1080/1200 Bold OFF  
3203 Legend 808/1080/1200 Bold ON  
3204 Legend 808/1080/1200 Condense Off  
3205 Legend 808/1080/1200 DbStrike OFF  
3206 Legend 808/1080/1200 DbStrike ON  
3207 Legend 808/1080/1200 DbIWIDE OFF  
3208 Legend 808/1080/1200 DdIWIDE ON  
3209 Legend 808/1080/1200 Draft Mode  
3210 Legend 808/1080/1200 Emphasize OFF  
3211 Legend 808/1080/1200 Emphasize ON  
3212 Legend 808/1080/1200 Initialize  
3213 Legend 808/1080/1200 Int Chr Spac'g  
3214 Legend 808/1080/1200 Italic OFF  
3215 Legend 808/1080/1200 Italic ON  
3216 Legend 808/1080/1200 Mastr Font/Typ  
3217 Legend 808/1080/1200 NLQ Mode  
3218 Legend 808/1080/1200 Propor'nl Off  
3219 Legend 808/1080/1200 Propor'nl On  
3220 Legend 808/1080/1200 Sel. Prt Style  
3221 Legend 808/1080/1200 Select Char St  
3222 Legend 808/1080/1200 Set LFT Margin  
3223 Legend 808/1080/1200 Set RHT Margin  
3224 Legend 808/1080/1200 Set Tab Stops  
3225 Legend 808/1080/1200 Skip Perf OFF  
3226 Legend 808/1080/1200 Skip Perf ON  
3227 Legend 808/1080/1200 SUBScript OFF  
3228 Legend 808/1080/1200 SUBScript ON  
3229 Legend 808/1080/1200 SUP-Scr OFF  
3230 Legend 808/1080/1200 SUPERscript ON  
3231 Legend 808/1080/1200 Underline OFF  
3232 Legend 808/1080/1200 Underline ON  
3233 Legend 808/1080/1200 UNldirect'l ON  
3234 Legend 808/1080/1200 Var. Ln Space  
3235 Litton Westrex 10 CPI  
3236 Litton Westrex 12 CPI  
3237 Litton Westrex 12 Lines/Inch  
3238 Litton Westrex 15-17 CPI  
3239 Litton Westrex 6 Lines/Inch  
3240 Litton Westrex 8 Lines/Inch

3241 Litton Westrex Alt. Var Ln Sp  
3242 Litton Westrex Bldirect'l ON  
3243 Litton Westrex Bold OFF  
3244 Litton Westrex Bold ON  
3245 Litton Westrex Condense Off  
3246 Litton Westrex DbStrike OFF  
3247 Litton Westrex DbStrike ON  
3248 Litton Westrex DbWIDE OFF  
3249 Litton Westrex DdWIDE ON  
3250 Litton Westrex Draft Mode  
3251 Litton Westrex Emphasize OFF  
3252 Litton Westrex Emphasize ON  
3253 Litton Westrex Initialize  
3254 Litton Westrex Int Chr Spac'g  
3255 Litton Westrex Italic OFF  
3256 Litton Westrex Italic ON  
3257 Litton Westrex Mastr Font/Typ  
3258 Litton Westrex NLQ Mode  
3259 Litton Westrex Propor'nl Off  
3260 Litton Westrex Propor'nl On  
3261 Litton Westrex Sel. Prt Style  
3262 Litton Westrex Select Char St  
3263 Litton Westrex Set LFT Margin  
3264 Litton Westrex Set RHT Margin  
3265 Litton Westrex Set Tab Stops  
3266 Litton Westrex Skip Perf OFF  
3267 Litton Westrex Skip Perf ON  
3268 Litton Westrex SUBScript OFF  
3269 Litton Westrex SUBScript ON  
3270 Litton Westrex SUP-Scr OFF  
3271 Litton Westrex SUPERscript ON  
3272 Litton Westrex Underline OFF  
3273 Litton Westrex Underline ON  
3274 Litton Westrex UNldirect'l ON  
3275 Litton Westrex Var. Ln Space  
3276 Logitech FT-F002 10 CPI  
3277 Logitech FT-F002 12 CPI  
3278 Logitech FT-F002 12 Lines/Inch  
3279 Logitech FT-F002 15-17 CPI  
3280 Logitech FT-F002 6 Lines/Inch  
3281 Logitech FT-F002 8 Lines/Inch  
3282 Logitech FT-F002 Alt. Var Ln Sp  
3283 Logitech FT-F002 Bldirect'l ON  
3284 Logitech FT-F002 Bold OFF  
3285 Logitech FT-F002 Bold ON  
3286 Logitech FT-F002 Condense Off  
3287 Logitech FT-F002 DbStrike OFF  
3288 Logitech FT-F002 DbStrike ON  
3289 Logitech FT-F002 DbWIDE OFF

3290 Logitech FT-F002 DdlWIDE ON  
3291 Logitech FT-F002 Draft Mode  
3292 Logitech FT-F002 Emphasize OFF  
3293 Logitech FT-F002 Emphasize ON  
3294 Logitech FT-F002 Initialize  
3295 Logitech FT-F002 Int Chr Spac'g  
3296 Logitech FT-F002 Italic OFF  
3297 Logitech FT-F002 Italic ON  
3298 Logitech FT-F002 Mastr Font/Typ  
3299 Logitech FT-F002 NLQ Mode  
3300 Logitech FT-F002 Propor'nl Off  
3301 Logitech FT-F002 Propor'nl On  
3302 Logitech FT-F002 Sel. Prt Style  
3303 Logitech FT-F002 Select Char St  
3304 Logitech FT-F002 Set LFT Margin  
3305 Logitech FT-F002 Set RHT Margin  
3306 Logitech FT-F002 Set Tab Stops  
3307 Logitech FT-F002 Skip Perf OFF  
3308 Logitech FT-F002 Skip Perf ON  
3309 Logitech FT-F002 SUBScript OFF  
3310 Logitech FT-F002 SUBScript ON  
3311 Logitech FT-F002 SUP-Scr OFF  
3312 Logitech FT-F002 SUPERscript ON  
3313 Logitech FT-F002 Underline OFF  
3314 Logitech FT-F002 Underline ON  
3315 Logitech FT-F002 UNIdirect'I ON  
3316 Logitech FT-F002 Var. Ln Space  
3317 Manesmann 91 10 CPI  
3318 Manesmann 91 12 CPI  
3319 Manesmann 91 12 Lines/Inch  
3320 Manesmann 91 15-17 CPI  
3321 Manesmann 91 6 Lines/Inch  
3322 Manesmann 91 8 Lines/Inch  
3323 Manesmann 91 Alt. Var Ln Sp  
3324 Manesmann 91 Bold OFF  
3325 Manesmann 91 Bold ON  
3326 Manesmann 91 Condense Off  
3327 Manesmann 91 DblStrike OFF  
3328 Manesmann 91 DblStrike ON  
3329 Manesmann 91 DdlWIDE ON  
3330 Manesmann 91 Emphasize OFF  
3331 Manesmann 91 Emphasize ON  
3332 Manesmann 91 Initialize  
3333 Manesmann 91 Int Chr Spac'g  
3334 Manesmann 91 Italic OFF  
3335 Manesmann 91 Italic ON  
3336 Manesmann 91 Mastr Font/Typ  
3337 Manesmann 91 Move ABS Horiz  
3338 Manesmann 91 Move ABS Vert.

3339 Manesmann 91 Move REL Horiz  
3340 Manesmann 91 Move REL Vert.  
3341 Manesmann 91 Pop Cursor  
3342 Manesmann 91 Propor'n'l Off  
3343 Manesmann 91 Propor'n'l On  
3344 Manesmann 91 Push Cursor  
3345 Manesmann 91 Sel. Prt Style  
3346 Manesmann 91 Select Char St  
3347 Manesmann 91 Set LFT Margin  
3348 Manesmann 91 Set RHT Margin  
3349 Manesmann 91 Set TOP Margin  
3350 Manesmann 91 Skip Perf OFF  
3351 Manesmann 91 Skip Perf ON  
3352 Manesmann 91 SUBScript OFF  
3353 Manesmann 91 SUBScript ON  
3354 Manesmann 91 SUP-Scr OFF  
3355 Manesmann 91 SUPERscript ON  
3356 Manesmann 91 Underline OFF  
3357 Manesmann 91 Underline ON  
3358 Manesmann 91 Var. Ln Space  
3359 Mannesmann MT160/180 10 CPI.  
3360 Mannesmann MT160/180 12 CPI.  
3361 Mannesmann MT160/180 6 lines per inch.  
3362 Mannesmann MT160/180 8 lines per inch.  
3363 Mannesmann MT160/180 Double Stike Off.  
3364 Mannesmann MT160/180 Double Stike On.  
3365 Mannesmann MT160/180 Reset  
3366 Mannesmann MT160/180 Setup  
3367 Mannesmann MT160/180 Underline Off.  
3368 Mannesmann MT160/180 Underline On.  
3369 Mannesmann Spirit-80 10 CPI.  
3370 Mannesmann Spirit-80 6 lines per inch.  
3371 Mannesmann Spirit-80 8 lines per inch.  
3372 Mannesmann Spirit-80 Double Stike Off.  
3373 Mannesmann Spirit-80 Double Stike On.  
3374 Mannesmann Spirit-80 Italics Off.  
3375 Mannesmann Spirit-80 Italics On.  
3376 Mannesmann Spirit-80 Reset  
3377 Mannesmann Spirit-80 Setup  
3378 Mannesmann Spirit-80 Underline Off.  
3379 Mannesmann Spirit-80 Underline On.  
3380 Morrow MP-100/MP-200 Emphasize OFF  
3381 Morrow MP-100/MP-200 SUBScript ON  
3382 Morrow MP-100/MP-200 10 CPI  
3383 Morrow MP-100/MP-200 12 CPI  
3384 Morrow MP-100/MP-200 12 Lines/Inch  
3385 Morrow MP-100/MP-200 15-17 CPI  
3386 Morrow MP-100/MP-200 6 Lines/Inch  
3387 Morrow MP-100/MP-200 8 Lines/Inch

3388 Morrow MP-100/MP-200 Bold OFF  
3389 Morrow MP-100/MP-200 Bold ON  
3390 Morrow MP-100/MP-200 Condense Off  
3391 Morrow MP-100/MP-200 DblStrike OFF  
3392 Morrow MP-100/MP-200 DblStrike ON  
3393 Morrow MP-100/MP-200 DdlWIDE OFF  
3394 Morrow MP-100/MP-200 DdlWIDE ON  
3395 Morrow MP-100/MP-200 Draft Mode  
3396 Morrow MP-100/MP-200 Emphasize ON  
3397 Morrow MP-100/MP-200 Initialize  
3398 Morrow MP-100/MP-200 Move ABS Horiz  
3399 Morrow MP-100/MP-200 Move ABS Vert.  
3400 Morrow MP-100/MP-200 NLQ Mode  
3401 Morrow MP-100/MP-200 Propor'nl Off  
3402 Morrow MP-100/MP-200 Propor'nl On  
3403 Morrow MP-100/MP-200 Set BOT Margin  
3404 Morrow MP-100/MP-200 Set LFT Margin  
3405 Morrow MP-100/MP-200 Set RHT Margin  
3406 Morrow MP-100/MP-200 Set Tab Stops  
3407 Morrow MP-100/MP-200 Set TOP Margin  
3408 Morrow MP-100/MP-200 SUBScript OFF  
3409 Morrow MP-100/MP-200 SUP-Scr OFF  
3410 Morrow MP-100/MP-200 SUPERscript ON  
3411 Morrow MP-100/MP-200 Underline OFF  
3412 Morrow MP-100/MP-200 Underline ON  
3413 NEC 3515-25, 8815 10 CPI  
3414 NEC 3515-25, 8815 12 CPI  
3415 NEC 3515-25, 8815 12 Lines/Inch  
3416 NEC 3515-25, 8815 15-17 CPI  
3417 NEC 3515-25, 8815 6 Lines/Inch  
3418 NEC 3515-25, 8815 8 Lines/Inch  
3419 NEC 3515-25, 8815 Bold OFF  
3420 NEC 3515-25, 8815 Bold ON  
3421 NEC 3515-25, 8815 Condense Off  
3422 NEC 3515-25, 8815 DblStrike OFF  
3423 NEC 3515-25, 8815 DblStrike ON  
3424 NEC 3515-25, 8815 DblWIDE OFF  
3425 NEC 3515-25, 8815 DdlWIDE ON  
3426 NEC 3515-25, 8815 Draft Mode  
3427 NEC 3515-25, 8815 Emphasize OFF  
3428 NEC 3515-25, 8815 Emphasize ON  
3429 NEC 3515-25, 8815 Initialize  
3430 NEC 3515-25, 8815 Move ABS Horiz  
3431 NEC 3515-25, 8815 Move ABS Vert.  
3432 NEC 3515-25, 8815 NLQ Mode  
3433 NEC 3515-25, 8815 Propor'nl Off  
3434 NEC 3515-25, 8815 Propor'nl On  
3435 NEC 3515-25, 8815 Set BOT Margin  
3436 NEC 3515-25, 8815 Set LFT Margin

3437 NEC 3515-25, 8815 Set RHT Margin  
3438 NEC 3515-25, 8815 Set Tab Stops  
3439 NEC 3515-25, 8815 Set TOP Margin  
3440 NEC 3515-25, 8815 SUBScript OFF  
3441 NEC 3515-25, 8815 SUBScript ON  
3442 NEC 3515-25, 8815 SUP-Scr OFF  
3443 NEC 3515-25, 8815 SUPERscript ON  
3444 NEC 3515-25, 8815 Underline OFF  
3445 NEC 3515-25, 8815 Underline ON  
3446 NEC 8835 10 CPI  
3447 NEC 8835 10 CPI  
3448 NEC 8835 10 CPI  
3449 NEC 8835 12 CPI  
3450 NEC 8835 12 CPI  
3451 NEC 8835 12 CPI  
3452 NEC 8835 12 Lines/Inch  
3453 NEC 8835 12 Lines/Inch  
3454 NEC 8835 12 Lines/Inch  
3455 NEC 8835 15-17 CPI  
3456 NEC 8835 15-17 CPI  
3457 NEC 8835 15-17 CPI  
3458 NEC 8835 6 Lines/Inch  
3459 NEC 8835 6 Lines/Inch  
3460 NEC 8835 6 Lines/Inch  
3461 NEC 8835 8 Lines/Inch  
3462 NEC 8835 8 Lines/Inch  
3463 NEC 8835 8 Lines/Inch  
3464 NEC 8835 Bold OFF  
3465 NEC 8835 Bold OFF  
3466 NEC 8835 Bold OFF  
3467 NEC 8835 Bold ON  
3468 NEC 8835 Bold ON  
3469 NEC 8835 Bold ON  
3470 NEC 8835 Condense Off  
3471 NEC 8835 Condense Off  
3472 NEC 8835 Condense Off  
3473 NEC 8835 DblStrike OFF  
3474 NEC 8835 DblStrike OFF  
3475 NEC 8835 DblStrike OFF  
3476 NEC 8835 DblStrike ON  
3477 NEC 8835 DblStrike ON  
3478 NEC 8835 DblStrike ON  
3479 NEC 8835 DblWIDE OFF  
3480 NEC 8835 DblWIDE OFF  
3481 NEC 8835 DdlWIDE OFF  
3482 NEC 8835 DdlWIDE ON  
3483 NEC 8835 DdlWIDE ON  
3484 NEC 8835 DdlWIDE ON  
3485 NEC 8835 Draft Mode

3486 NEC 8835 Draft Mode  
3487 NEC 8835 Draft Mode  
3488 NEC 8835 Emphasize OFF  
3489 NEC 8835 Emphasize OFF  
3490 NEC 8835 Emphasize OFF  
3491 NEC 8835 Emphasize ON  
3492 NEC 8835 Emphasize ON  
3493 NEC 8835 Emphasize ON  
3494 NEC 8835 Initialize  
3495 NEC 8835 Initialize  
3496 NEC 8835 Initialize  
3497 NEC 8835 Move ABS Horiz  
3498 NEC 8835 Move ABS Horiz  
3499 NEC 8835 Move ABS Horiz  
3500 NEC 8835 Move ABS Vert.  
3501 NEC 8835 Move ABS Vert.  
3502 NEC 8835 Move ABS Vert.  
3503 NEC 8835 NLQ Mode  
3504 NEC 8835 NLQ Mode  
3505 NEC 8835 NLQ Mode  
3506 NEC 8835 Propor'nl Off  
3507 NEC 8835 Propor'nl Off  
3508 NEC 8835 Propor'nl Off  
3509 NEC 8835 Propor'nl On  
3510 NEC 8835 Propor'nl On  
3511 NEC 8835 Propor'nl On  
3512 NEC 8835 Set BOT Margin  
3513 NEC 8835 Set BOT Margin  
3514 NEC 8835 Set BOT Margin  
3515 NEC 8835 Set LFT Margin  
3516 NEC 8835 Set LFT Margin  
3517 NEC 8835 Set LFT Margin  
3518 NEC 8835 Set RHT Margin  
3519 NEC 8835 Set RHT Margin  
3520 NEC 8835 Set RHT Margin  
3521 NEC 8835 Set Tab Stops  
3522 NEC 8835 Set Tab Stops  
3523 NEC 8835 Set Tab Stops  
3524 NEC 8835 Set TOP Margin  
3525 NEC 8835 Set TOP Margin  
3526 NEC 8835 Set TOP Margin  
3527 NEC 8835 SUBScript OFF  
3528 NEC 8835 SUBScript OFF  
3529 NEC 8835 SUBScript OFF  
3530 NEC 8835 SUBScript ON  
3531 NEC 8835 SUBScript ON  
3532 NEC 8835 SUBScript ON  
3533 NEC 8835 SUP-Scr OFF  
3534 NEC 8835 SUP-Scr OFF



3535 NEC 8835 SUP-Scr OFF  
3536 NEC 8835 SUPERscript ON  
3537 NEC 8835 SUPERscript ON  
3538 NEC 8835 SUPERscript ON  
3539 NEC 8835 Underline OFF  
3540 NEC 8835 Underline OFF  
3541 NEC 8835 Underline OFF  
3542 NEC 8835 Underline ON  
3543 NEC 8835 Underline ON  
3544 NEC 8835 Underline ON  
3545 NEC Laser LC-85-/LC-86 10 CPI  
3546 NEC Laser LC-85-/LC-86 12 CPI  
3547 NEC Laser LC-85-/LC-86 12 Lines/Inch  
3548 NEC Laser LC-85-/LC-86 15-17 CPI  
3549 NEC Laser LC-85-/LC-86 6 Lines/Inch  
3550 NEC Laser LC-85-/LC-86 8 Lines/Inch  
3551 NEC Laser LC-85-/LC-86 Alt. Var Ln Sp  
3552 NEC Laser LC-85-/LC-86 Bold OFF  
3553 NEC Laser LC-85-/LC-86 Bold ON  
3554 NEC Laser LC-85-/LC-86 Condense Off  
3555 NEC Laser LC-85-/LC-86 DblStrike OFF  
3556 NEC Laser LC-85-/LC-86 DblStrike ON  
3557 NEC Laser LC-85-/LC-86 DdlWIDE ON  
3558 NEC Laser LC-85-/LC-86 Emphasize OFF  
3559 NEC Laser LC-85-/LC-86 Emphasize ON  
3560 NEC Laser LC-85-/LC-86 Initialize  
3561 NEC Laser LC-85-/LC-86 Int Chr Spac'g  
3562 NEC Laser LC-85-/LC-86 Italic OFF  
3563 NEC Laser LC-85-/LC-86 Italic ON  
3564 NEC Laser LC-85-/LC-86 Mastr Font/Typ  
3565 NEC Laser LC-85-/LC-86 Move ABS Horiz  
3566 NEC Laser LC-85-/LC-86 Move ABS Vert.  
3567 NEC Laser LC-85-/LC-86 Move REL Horiz  
3568 NEC Laser LC-85-/LC-86 Move REL Vert.  
3569 NEC Laser LC-85-/LC-86 Pop Cursor  
3570 NEC Laser LC-85-/LC-86 Propor'nl Off  
3571 NEC Laser LC-85-/LC-86 Propor'nl On  
3572 NEC Laser LC-85-/LC-86 Push Cursor  
3573 NEC Laser LC-85-/LC-86 Sel. Prt Style  
3574 NEC Laser LC-85-/LC-86 Select Char St  
3575 NEC Laser LC-85-/LC-86 Set LFT Margin  
3576 NEC Laser LC-85-/LC-86 Set RHT Margin  
3577 NEC Laser LC-85-/LC-86 Set TOP Margin  
3578 NEC Laser LC-85-/LC-86 Skip Perf OFF  
3579 NEC Laser LC-85-/LC-86 Skip Perf ON  
3580 NEC Laser LC-85-/LC-86 SUBScript OFF  
3581 NEC Laser LC-85-/LC-86 SUBScript ON  
3582 NEC Laser LC-85-/LC-86 SUP-Scr OFF  
3583 NEC Laser LC-85-/LC-86 SUPERscript ON

Sheet1

3584 NEC Laser LC-85-/LC-86 Underline OFF  
3585 NEC Laser LC-85-/LC-86 Underline ON  
3586 NEC Laser LC-85-/LC-86 Var. Ln Space  
3587 NEC Laser LC-89 10 CPI  
3588 NEC Laser LC-89 12 CPI  
3589 NEC Laser LC-89 12 Lines/Inch  
3590 NEC Laser LC-89 15-17 CPI  
3591 NEC Laser LC-89 6 Lines/Inch  
3592 NEC Laser LC-89 8 Lines/Inch  
3593 NEC Laser LC-89 Alt. Var Ln Sp  
3594 NEC Laser LC-89 Bold OFF  
3595 NEC Laser LC-89 Bold ON  
3596 NEC Laser LC-89 Condense Off  
3597 NEC Laser LC-89 DbIStrike OFF  
3598 NEC Laser LC-89 DbIStrike ON  
3599 NEC Laser LC-89 DdIWIDE ON  
3600 NEC Laser LC-89 Emphasize OFF  
3601 NEC Laser LC-89 Emphasize ON  
3602 NEC Laser LC-89 Initialize  
3603 NEC Laser LC-89 Int Chr Spac'g  
3604 NEC Laser LC-89 Italic OFF  
3605 NEC Laser LC-89 Italic ON  
3606 NEC Laser LC-89 Mastr Font/Typ  
3607 NEC Laser LC-89 Move ABS Horiz  
3608 NEC Laser LC-89 Move ABS Vert.  
3609 NEC Laser LC-89 Move REL Horiz  
3610 NEC Laser LC-89 Move REL Vert.  
3611 NEC Laser LC-89 Pop Cursor  
3612 NEC Laser LC-89 Propor'nI Off  
3613 NEC Laser LC-89 Propor'nI On  
3614 NEC Laser LC-89 Push Cursor  
3615 NEC Laser LC-89 Sel. Prt Style  
3616 NEC Laser LC-89 Select Char St  
3617 NEC Laser LC-89 Set LFT Margin  
3618 NEC Laser LC-89 Set RHT Margin  
3619 NEC Laser LC-89 Set TOP Margin  
3620 NEC Laser LC-89 Skip Perf OFF  
3621 NEC Laser LC-89 Skip Perf ON  
3622 NEC Laser LC-89 SUBScript OFF  
3623 NEC Laser LC-89 SUBScript ON  
3624 NEC Laser LC-89 SUP-Scr OFF  
3625 NEC Laser LC-89 SUPERscript ON  
3626 NEC Laser LC-89 Underline OFF  
3627 NEC Laser LC-89 Underline ON  
3628 NEC Laser LC-89 Var. Ln Space  
3629 NEC Pinwriter P2/P3 10 CPI.  
3630 NEC Pinwriter P2/P3 12 CPI.  
3631 NEC Pinwriter P2/P3 6 lines per inch.  
3632 NEC Pinwriter P2/P3 8 lines per inch.

3633 NEC Pinwriter P2/P3 Double Stike Off.  
3634 NEC Pinwriter P2/P3 Double Stike On.  
3635 NEC Pinwriter P2/P3 Underline Off.  
3636 NEC Pinwriter P2/P3 Underline On.  
3637 NEC Pinwriter P2200 10 CPI.  
3638 NEC Pinwriter P2200 12 CPI.  
3639 NEC Pinwriter P2200 6 lines per inch.  
3640 NEC Pinwriter P2200 8 lines per inch.  
3641 NEC Pinwriter P2200 Double Stike Off.  
3642 NEC Pinwriter P2200 Double Stike On.  
3643 NEC Pinwriter P2200 Italics Off.  
3644 NEC Pinwriter P2200 Italics On.  
3645 NEC Pinwriter P2200 Reset  
3646 NEC Pinwriter P2200 Setup  
3647 NEC Pinwriter P2200 Underline Off.  
3648 NEC Pinwriter P2200 Underline On.  
3649 NEC Pinwriter P5/P6/P7 10 CPI.  
3650 NEC Pinwriter P5/P6/P7 12 CPI.  
3651 NEC Pinwriter P5/P6/P7 6 lines per inch.  
3652 NEC Pinwriter P5/P6/P7 8 lines per inch.  
3653 NEC Pinwriter P5/P6/P7 Double Stike Off.  
3654 NEC Pinwriter P5/P6/P7 Double Stike On.  
3655 NEC Pinwriter P5/P6/P7 Italics Off.  
3656 NEC Pinwriter P5/P6/P7 Italics On.  
3657 NEC Pinwriter P5/P6/P7 Reset  
3658 NEC Pinwriter P5/P6/P7 Setup  
3659 NEC Pinwriter P5/P6/P7 Underline Off.  
3660 NEC Pinwriter P5/P6/P7 Underline On.  
3661 NEC Silentwriter LC850 10 CPI.  
3662 NEC Silentwriter LC850 12 CPI.  
3663 NEC Silentwriter LC850 6 lines per inch.  
3664 NEC Silentwriter LC850 8 lines per inch.  
3665 NEC Silentwriter LC850 Double Stike Off.  
3666 NEC Silentwriter LC850 Double Stike On.  
3667 NEC Silentwriter LC850 Reset  
3668 NEC Silentwriter LC850 Setup  
3669 NEC Silentwriter LC850 Underline Off.  
3670 NEC Silentwriter LC850 Underline On.  
3671 NEC Silentwriter LC860 10 CPI.  
3672 NEC Silentwriter LC860 12 CPI.  
3673 NEC Silentwriter LC860 6 lines per inch.  
3674 NEC Silentwriter LC860 8 lines per inch.  
3675 NEC Silentwriter LC860 Double Stike Off.  
3676 NEC Silentwriter LC860 Double Stike On.  
3677 NEC Silentwriter LC860 Italics Off.  
3678 NEC Silentwriter LC860 Italics On.  
3679 NEC Silentwriter LC860 Reset  
3680 NEC Silentwriter LC860 Setup  
3681 NEC Silentwriter LC860 Underline Off.

3682 NEC Silentwriter LC860 Underline On.  
3683 NEC Spinwriter 3550 10 CPI.  
3684 NEC Spinwriter 3550 12 CPI.  
3685 NEC Spinwriter 3550 6 lines per inch.  
3686 NEC Spinwriter 3550 8 lines per inch.  
3687 NEC Spinwriter 3550 Double Stike Off.  
3688 NEC Spinwriter 3550 Double Stike On.  
3689 NEC Spinwriter 3550 Reset  
3690 NEC Spinwriter 3550 Setup  
3691 NEC Spinwriter 3550 Underline Off.  
3692 NEC Spinwriter 3550 Underline On.  
3693 NEC Spinwriter 5515/25 10 CPI.  
3694 NEC Spinwriter 5515/25 12 CPI.  
3695 NEC Spinwriter 5515/25 6 lines per inch.  
3696 NEC Spinwriter 5515/25 8 lines per inch.  
3697 NEC Spinwriter 7710/20 10 CPI.  
3698 NEC Spinwriter 7710/20 12 CPI.  
3699 NEC Spinwriter 7710/20 6 lines per inch.  
3700 NEC Spinwriter 7710/20 8 lines per inch.  
3701 NEC Spinwriter 7710/20 Double Stike Off.  
3702 NEC Spinwriter 7710/20 Double Stike On.  
3703 NEC Spinwriter 7710/20 Reset  
3704 NEC Spinwriter 7710/20 Setup  
3705 NEC Spinwriter 7710/20 Underline Off.  
3706 NEC Spinwriter 7710/20 Underline On.  
3707 NEC Spinwriter 7715/25 10 CPI.  
3708 NEC Spinwriter 7715/25 12 CPI.  
3709 NEC Spinwriter 7715/25 6 lines per inch.  
3710 NEC Spinwriter 7715/25 8 lines per inch.  
3711 NEC Spinwriter 7715/25 Double Stike Off.  
3712 NEC Spinwriter 7715/25 Double Stike On.  
3713 NEC Spinwriter 7715/25 Reset  
3714 NEC Spinwriter 7715/25 Setup  
3715 NEC Spinwriter 7715/25 Underline Off.  
3716 NEC Spinwriter 7715/25 Underline On.  
3717 NEC Spinwriter 7730 10 CPI.  
3718 NEC Spinwriter 7730 12 CPI.  
3719 NEC Spinwriter 7730 6 lines per inch.  
3720 NEC Spinwriter 7730 8 lines per inch.  
3721 Oki 393/393C 10 CPI  
3722 Oki 393/393C 12 CPI  
3723 Oki 393/393C 12 Lines/Inch  
3724 Oki 393/393C 15-17 CPI  
3725 Oki 393/393C 6 Lines/Inch  
3726 Oki 393/393C 8 Lines/Inch  
3727 Oki 393/393C Alt. Var Ln Sp  
3728 Oki 393/393C Bldirect'l ON  
3729 Oki 393/393C Bold OFF  
3730 Oki 393/393C Bold ON

3731 Oki 393/393C Condense Off  
3732 Oki 393/393C DblHeight OFF  
3733 Oki 393/393C DblHeight ON  
3734 Oki 393/393C DblStrike OFF  
3735 Oki 393/393C DblStrike ON  
3736 Oki 393/393C DblWIDE OFF  
3737 Oki 393/393C DdlWIDE ON  
3738 Oki 393/393C Draft Mode  
3739 Oki 393/393C Emphasize OFF  
3740 Oki 393/393C Emphasize ON  
3741 Oki 393/393C Initialize  
3742 Oki 393/393C Int Chr Spac'g  
3743 Oki 393/393C Italic OFF  
3744 Oki 393/393C Italic ON  
3745 Oki 393/393C Mastr Font/Typ  
3746 Oki 393/393C Move ABS Horiz  
3747 Oki 393/393C Move REL Horiz  
3748 Oki 393/393C NLQ Mode  
3749 Oki 393/393C Propor'nl Off  
3750 Oki 393/393C Propor'nl On  
3751 Oki 393/393C Sel. Prt Style  
3752 Oki 393/393C Select Char St  
3753 Oki 393/393C Set LFT Margin  
3754 Oki 393/393C Set RHT Margin  
3755 Oki 393/393C Set Tab Stops  
3756 Oki 393/393C Skip Perf OFF  
3757 Oki 393/393C Skip Perf ON  
3758 Oki 393/393C SUBScript OFF  
3759 Oki 393/393C SUBScript ON  
3760 Oki 393/393C SUP-Scr OFF  
3761 Oki 393/393C SUPERscript ON  
3762 Oki 393/393C Underline OFF  
3763 Oki 393/393C Underline ON  
3764 Oki 393/393C UNIdirect'l ON  
3765 Oki 393/393C Var. Ln Space  
3766 Oki Laserline 6 10 CPI.  
3767 Oki Laserline 6 12 CPI.  
3768 Oki Laserline 6 6 lines per inch.  
3769 Oki Laserline 6 8 lines per inch.  
3770 Oki Laserline 6 Double Stike Off.  
3771 Oki Laserline 6 Double Stike On.  
3772 Oki Laserline 6 Italics Off.  
3773 Oki Laserline 6 Italics On.  
3774 Oki Laserline 6 Reset  
3775 Oki Laserline 6 Setup  
3776 Oki Laserline 6 Underline Off.  
3777 Oki Laserline 6 Underline On.  
3778 Oki Microline 182/183 10 CPI.  
3779 Oki Microline 182/183 12 CPI.

3780 Oki Microline 182/183 6 lines per inch.  
3781 Oki Microline 182/183 8 lines per inch.  
3782 Oki Microline 182/183 Double Stike Off.  
3783 Oki Microline 182/183 Double Stike On.  
3784 Oki Microline 182/183 Underline Off.  
3785 Oki Microline 182/183 Underline On.  
3786 Oki Microline 192/193 10 CPI.  
3787 Oki Microline 192/193 12 CPI.  
3788 Oki Microline 192/193 6 lines per inch.  
3789 Oki Microline 192/193 8 lines per inch.  
3790 Oki Microline 192/193 Double Stike Off.  
3791 Oki Microline 192/193 Double Stike On.  
3792 Oki Microline 192/193 Italics Off.  
3793 Oki Microline 192/193 Italics On.  
3794 Oki Microline 192/193 Reset  
3795 Oki Microline 192/193 Setup  
3796 Oki Microline 192/193 Underline Off.  
3797 Oki Microline 192/193 Underline On.  
3798 Oki Microline 292/3/4 10 CPI.  
3799 Oki Microline 292/3/4 12 CPI.  
3800 Oki Microline 292/3/4 6 lines per inch.  
3801 Oki Microline 292/3/4 8 lines per inch.  
3802 Oki Microline 292/3/4 Double Stike Off.  
3803 Oki Microline 292/3/4 Double Stike On.  
3804 Oki Microline 292/3/4 Italics Off.  
3805 Oki Microline 292/3/4 Italics On.  
3806 Oki Microline 292/3/4 Reset  
3807 Oki Microline 292/3/4 Setup  
3808 Oki Microline 292/3/4 Underline Off.  
3809 Oki Microline 292/3/4 Underline On.  
3810 Oki Microline 82A/83A 10 CPI.  
3811 Oki Microline 82A/83A 6 lines per inch.  
3812 Oki Microline 82A/83A 8 lines per inch.  
3813 Oki Microline 84/92/93 10 CPI.  
3814 Oki Microline 84/92/93 12 CPI.  
3815 Oki Microline 84/92/93 6 lines per inch.  
3816 Oki Microline 84/92/93 8 lines per inch.  
3817 Oki Microline 84/92/93 Double Stike Off.  
3818 Oki Microline 84/92/93 Double Stike On.  
3819 Oki Microline 84/92/93 Reset  
3820 Oki Microline 84/92/93 Setup  
3821 Oki Microline 84/92/93 Underline Off.  
3822 Oki Microline 84/92/93 Underline On.  
3823 Oki Okimate 20 10 CPI.  
3824 Oki Okimate 20 12 CPI.  
3825 Oki Okimate 20 6 lines per inch.  
3826 Oki Okimate 20 8 lines per inch.  
3827 Oki Okimate 20 Italics Off.  
3828 Oki Okimate 20 Italics On.

3829 Oki Okimate 20 Underline Off.  
3830 Oki Okimate 20 Underline On.  
3831 Oki Pacemark 2350 10 CPI.  
3832 Oki Pacemark 2350 12 CPI.  
3833 Oki Pacemark 2350 6 lines per inch.  
3834 Oki Pacemark 2350 8 lines per inch.  
3835 Oki Pacemark 2350 Underline Off.  
3836 Oki Pacemark 2350 Underline On.  
3837 Oki Pacemark 2410 10 CPI.  
3838 Oki Pacemark 2410 12 CPI.  
3839 Oki Pacemark 2410 Reset  
3840 Oki Pacemark 2410 Setup  
3841 Oki Pacemerk 2410-IBM 10 CPI.  
3842 Oki Pacemerk 2410-IBM 12 CPI.  
3843 Oki Pacemerk 2410-IBM 6 lines per inch.  
3844 Oki Pacemerk 2410-IBM 8 lines per inch.  
3845 Oki Pacemerk 2410-IBM Double Stike Off.  
3846 Oki Pacemerk 2410-IBM Double Stike On.  
3847 Oki Pacemerk 2410-IBM Underline Off.  
3848 Oki Pacemerk 2410-IBM Underline On.  
3849 Oki Plug&Play 192/193 10 CPI.  
3850 Oki Plug&Play 192/193 12 CPI.  
3851 Oki Plug&Play 192/193 6 lines per inch.  
3852 Oki Plug&Play 192/193 8 lines per inch.  
3853 Oki Plug&Play 192/193 Double Stike Off.  
3854 Oki Plug&Play 192/193 Double Stike On.  
3855 Oki Plug&Play 192/193 Italics Off.  
3856 Oki Plug&Play 192/193 Italics On.  
3857 Oki Plug&Play 192/193 Reset  
3858 Oki Plug&Play 192/193 Setup  
3859 Oki Plug&Play 192/193 Underline Off.  
3860 Oki Plug&Play 192/193 Underline On.  
3861 Oki Plug&Play 82A/83A 10 CPI.  
3862 Oki Plug&Play 82A/83A 12 CPI.  
3863 Oki Plug&Play 82A/83A 6 lines per inch.  
3864 Oki Plug&Play 82A/83A 8 lines per inch.  
3865 Oki Plug&Play 84/92/93 10 CPI.  
3866 Oki Plug&Play 84/92/93 12 CPI.  
3867 Oki Plug&Play 84/92/93 6 lines per inch.  
3868 Oki Plug&Play 84/92/93 8 lines per inch.  
3869 Oki Plug&Play 84/92/93 Double Stike Off.  
3870 Oki Plug&Play 84/92/93 Double Stike On.  
3871 Oki Plug&Play 84/92/93 Reset  
3872 Oki Plug&Play 84/92/93 Setup  
3873 Oki Plug&Play 84/92/93 Underline Off.  
3874 Oki Plug&Play 84/92/93 Underline On.  
3875 Okidata 192 10.0 cpi  
3876 Okidata 192 12.0 cpi  
3877 Okidata 192 17.1 cpi

3878 Okidata 192 Bold Off  
3879 Okidata 192 Bold On  
3880 Okidata 192 Eject Page  
3881 Okidata 192 Enhanced Print Off  
3882 Okidata 192 Enhanced Print On  
3883 Okidata 192 Italics Off  
3884 Okidata 192 Italics On  
3885 Okidata 92 12 CPI Elite  
3886 Okidata 92 12CPIOFF  
3887 Okidata 92 17.1 CPI/Condensed (Compressed Print)  
3888 Okidata 92 6 lpi  
3889 Okidata 92 8 lpi  
3890 Okidata 92 Clear Buffer; Reset most features  
3891 Okidata 92 COMPOFF  
3892 Okidata 92 Correspondence Quality (NLQ)  
3893 Okidata 92 Double Width (Expanded) Print  
3894 Okidata 92 DOUBLEOFF  
3895 Okidata 92 Emphasized Print  
3896 Okidata 92 EMPHOFF  
3897 Okidata 92 Enhanced (Double Strike) Print  
3898 Okidata 92 EXPANDOFF  
3899 Okidata 92 Form Feed Character  
3900 Okidata 92 NLQOFF  
3901 Okilaser 400/800 10 CPI  
3902 Okilaser 400/800 12 CPI  
3903 Okilaser 400/800 12 Lines/Inch  
3904 Okilaser 400/800 15-17 CPI  
3905 Okilaser 400/800 6 Lines/Inch  
3906 Okilaser 400/800 8 Lines/Inch  
3907 Okilaser 400/800 Alt. Var Ln Sp  
3908 Okilaser 400/800 Bold OFF  
3909 Okilaser 400/800 Bold ON  
3910 Okilaser 400/800 Condense Off  
3911 Okilaser 400/800 DblStrike OFF  
3912 Okilaser 400/800 DblStrike ON  
3913 Okilaser 400/800 DdlWIDE ON  
3914 Okilaser 400/800 Emphasize OFF  
3915 Okilaser 400/800 Emphasize ON  
3916 Okilaser 400/800 Initialize  
3917 Okilaser 400/800 Int Chr Spac'g  
3918 Okilaser 400/800 Italic OFF  
3919 Okilaser 400/800 Italic ON  
3920 Okilaser 400/800 Landscape  
3921 Okilaser 400/800 Mastr Font/Typ  
3922 Okilaser 400/800 Move ABS Horiz  
3923 Okilaser 400/800 Move ABS Vert.  
3924 Okilaser 400/800 Move REL Horiz  
3925 Okilaser 400/800 Move REL Vert.  
3926 Okilaser 400/800 Pop Cursor



3927 Okilaser 400/800 Portrait  
3928 Okilaser 400/800 Propor'nl Off  
3929 Okilaser 400/800 Propor'nl On  
3930 Okilaser 400/800 Push Cursor  
3931 Okilaser 400/800 Sel. Prt Style  
3932 Okilaser 400/800 Select Char St  
3933 Okilaser 400/800 Set LFT Margin  
3934 Okilaser 400/800 Set RHT Margin  
3935 Okilaser 400/800 Set TOP Margin  
3936 Okilaser 400/800 Skip Perf OFF  
3937 Okilaser 400/800 Skip Perf ON  
3938 Okilaser 400/800 SUBScript OFF  
3939 Okilaser 400/800 SUBScript ON  
3940 Okilaser 400/800 SUP-Scr OFF  
3941 Okilaser 400/800 SUPERscript ON  
3942 Okilaser 400/800 Underline OFF  
3943 Okilaser 400/800 Underline ON  
3944 Okilaser 400/800 Var. Ln Space  
3945 Olivetti DM-600 10 CPI  
3946 Olivetti DM-600 12 CPI  
3947 Olivetti DM-600 12 Lines/Inch  
3948 Olivetti DM-600 15-17 CPI  
3949 Olivetti DM-600 6 Lines/Inch  
3950 Olivetti DM-600 8 Lines/Inch  
3951 Olivetti DM-600 Alt. Var Ln Sp  
3952 Olivetti DM-600 Bldirect'I ON  
3953 Olivetti DM-600 Bold OFF  
3954 Olivetti DM-600 Bold ON  
3955 Olivetti DM-600 Condense Off  
3956 Olivetti DM-600 DblHeight OFF  
3957 Olivetti DM-600 DblHeight ON  
3958 Olivetti DM-600 DblStrike OFF  
3959 Olivetti DM-600 DblStrike ON  
3960 Olivetti DM-600 DblWIDE OFF  
3961 Olivetti DM-600 DdlWIDE ON  
3962 Olivetti DM-600 Draft Mode  
3963 Olivetti DM-600 Emphasize OFF  
3964 Olivetti DM-600 Emphasize ON  
3965 Olivetti DM-600 Initialize  
3966 Olivetti DM-600 Int Chr Spac'g  
3967 Olivetti DM-600 Italic OFF  
3968 Olivetti DM-600 Italic ON  
3969 Olivetti DM-600 Mastr Font/Typ  
3970 Olivetti DM-600 Move ABS Horiz  
3971 Olivetti DM-600 Move REL Horiz  
3972 Olivetti DM-600 NLQ Mode  
3973 Olivetti DM-600 Propor'nl Off  
3974 Olivetti DM-600 Propor'nl On  
3975 Olivetti DM-600 Sel. Prt Style

3976 Olivetti DM-600 Select Char St  
3977 Olivetti DM-600 Set LFT Margin  
3978 Olivetti DM-600 Set RHT Margin  
3979 Olivetti DM-600 Set Tab Stops  
3980 Olivetti DM-600 Skip Perf OFF  
3981 Olivetti DM-600 Skip Perf ON  
3982 Olivetti DM-600 SUBScript OFF  
3983 Olivetti DM-600 SUBScript ON  
3984 Olivetti DM-600 SUP-Scr OFF  
3985 Olivetti DM-600 SUPERscript ON  
3986 Olivetti DM-600 Underline OFF  
3987 Olivetti DM-600 Underline ON  
3988 Olivetti DM-600 UNIdirect'l ON  
3989 Olivetti DM-600 Var. Ln Space  
3990 Olympia ES-95I 10 CPI  
3991 Olympia ES-95I 12 CPI  
3992 Olympia ES-95I 12 Lines/Inch  
3993 Olympia ES-95I 15-17 CPI  
3994 Olympia ES-95I 6 Lines/Inch  
3995 Olympia ES-95I 8 Lines/Inch  
3996 Olympia ES-95I Bold OFF  
3997 Olympia ES-95I Bold ON  
3998 Olympia ES-95I Condense Off  
3999 Olympia ES-95I DblStrike OFF  
4000 Olympia ES-95I DblStrike ON  
4001 Olympia ES-95I DdIWIDE OFF  
4002 Olympia ES-95I DdIWIDE ON  
4003 Olympia ES-95I Draft Mode  
4004 Olympia ES-95I Emphasize OFF  
4005 Olympia ES-95I Emphasize ON  
4006 Olympia ES-95I Initialize  
4007 Olympia ES-95I Move ABS Horiz  
4008 Olympia ES-95I Move ABS Vert.  
4009 Olympia ES-95I NLQ Mode  
4010 Olympia ES-95I Propor'nl Off  
4011 Olympia ES-95I Propor'nl On  
4012 Olympia ES-95I Set BOT Margin  
4013 Olympia ES-95I Set LFT Margin  
4014 Olympia ES-95I Set RHT Margin  
4015 Olympia ES-95I Set Tab Stops  
4016 Olympia ES-95I Set TOP Margin  
4017 Olympia ES-95I SUBScript OFF  
4018 Olympia ES-95I SUBScript ON  
4019 Olympia ES-95I SUP-Scr OFF  
4020 Olympia ES-95I SUPERscript ON  
4021 Olympia ES-95I Underline OFF  
4022 Olympia ES-95I Underline ON  
4023 Olympia LaserStar 10 CPI  
4024 Olympia LaserStar 12 CPI

4025 Olympia LaserStar 12 Lines/Inch  
4026 Olympia LaserStar 15-17 CPI  
4027 Olympia LaserStar 6 Lines/Inch  
4028 Olympia LaserStar 8 Lines/Inch  
4029 Olympia LaserStar Bold OFF  
4030 Olympia LaserStar Bold OFF  
4031 Olympia LaserStar Bold ON  
4032 Olympia LaserStar Bold ON  
4033 Olympia LaserStar Condense Off  
4034 Olympia LaserStar DblStrike OFF  
4035 Olympia LaserStar DblStrike ON  
4036 Olympia LaserStar DdIWIDE OFF  
4037 Olympia LaserStar DdIWIDE ON  
4038 Olympia LaserStar Draft Mode  
4039 Olympia LaserStar Emphasize OFF  
4040 Olympia LaserStar Emphasize OFF  
4041 Olympia LaserStar Emphasize ON  
4042 Olympia LaserStar Emphasize ON  
4043 Olympia LaserStar Initialize  
4044 Olympia LaserStar Move ABS Horiz  
4045 Olympia LaserStar Move ABS Vert.  
4046 Olympia LaserStar NLQ Mode  
4047 Olympia LaserStar Propor'nl Off  
4048 Olympia LaserStar Propor'nl On  
4049 Olympia LaserStar Set BOT Margin  
4050 Olympia LaserStar Set LFT Margin  
4051 Olympia LaserStar Set RHT Margin  
4052 Olympia LaserStar Set Tab Stops  
4053 Olympia LaserStar Set TOP Margin  
4054 Olympia LaserStar SUBScript OFF  
4055 Olympia LaserStar SUBScript OFF  
4056 Olympia LaserStar SUBScript ON  
4057 Olympia LaserStar SUBScript ON  
4058 Olympia LaserStar SUP-Scr OFF  
4059 Olympia LaserStar SUP-Scr OFF  
4060 Olympia LaserStar SUPERscript ON  
4061 Olympia LaserStar SUPERscript ON  
4062 Olympia LaserStar Underline OFF  
4063 Olympia LaserStar Underline OFF  
4064 Olympia LaserStar Underline ON  
4065 Olympia LaserStar Underline ON  
4066 Olympia Masertype 10 CPI  
4067 Olympia Masertype 12 CPI  
4068 Olympia Masertype 12 Lines/Inch  
4069 Olympia Masertype 15-17 CPI  
4070 Olympia Masertype 6 Lines/Inch  
4071 Olympia Masertype 8 Lines/Inch  
4072 Olympia Masertype Bold OFF  
4073 Olympia Masertype Bold ON

4074 Olympia Masertype Condense Off  
4075 Olympia Masertype DbIStrike OFF  
4076 Olympia Masertype DbIStrike ON  
4077 Olympia Masertype DdIWIDE OFF  
4078 Olympia Masertype DdIWIDE ON  
4079 Olympia Masertype Draft Mode  
4080 Olympia Masertype Emphasize OFF  
4081 Olympia Masertype Emphasize ON  
4082 Olympia Masertype Initialize  
4083 Olympia Masertype Move ABS Horiz  
4084 Olympia Masertype Move ABS Vert.  
4085 Olympia Masertype NLQ Mode  
4086 Olympia Masertype Propor'nl Off  
4087 Olympia Masertype Propor'nl On  
4088 Olympia Masertype Set BOT Margin  
4089 Olympia Masertype Set LFT Margin  
4090 Olympia Masertype Set RHT Margin  
4091 Olympia Masertype Set Tab Stops  
4092 Olympia Masertype Set TOP Margin  
4093 Olympia Masertype SUBScript OFF  
4094 Olympia Masertype SUBScript ON  
4095 Olympia Masertype SUP-Scr OFF  
4096 Olympia Masertype SUPERscript ON  
4097 Olympia Masertype Underline OFF  
4098 Olympia Masertype Underline ON  
4099 OSM Daisy Wheel 10 CPI  
4100 OSM Daisy Wheel 12 CPI  
4101 OSM Daisy Wheel 12 Lines/Inch  
4102 OSM Daisy Wheel 15-17 CPI  
4103 OSM Daisy Wheel 6 Lines/Inch  
4104 OSM Daisy Wheel 8 Lines/Inch  
4105 OSM Daisy Wheel Bold OFF  
4106 OSM Daisy Wheel Bold ON  
4107 OSM Daisy Wheel Condense Off  
4108 OSM Daisy Wheel DbIStrike OFF  
4109 OSM Daisy Wheel DbIStrike ON  
4110 OSM Daisy Wheel DdIWIDE OFF  
4111 OSM Daisy Wheel DdIWIDE ON  
4112 OSM Daisy Wheel Draft Mode  
4113 OSM Daisy Wheel Emphasize OFF  
4114 OSM Daisy Wheel Emphasize ON  
4115 OSM Daisy Wheel Initialize  
4116 OSM Daisy Wheel Move ABS Horiz  
4117 OSM Daisy Wheel Move ABS Vert.  
4118 OSM Daisy Wheel NLQ Mode  
4119 OSM Daisy Wheel Propor'nl Off  
4120 OSM Daisy Wheel Propor'nl On  
4121 OSM Daisy Wheel Set BOT Margin  
4122 OSM Daisy Wheel Set LFT Margin

4123 OSM Daisy Wheel Set RHT Margin  
4124 OSM Daisy Wheel Set Tab Stops  
4125 OSM Daisy Wheel Set TOP Margin  
4126 OSM Daisy Wheel SUBScript OFF  
4127 OSM Daisy Wheel SUBScript ON  
4128 OSM Daisy Wheel SUP-Scr OFF  
4129 OSM Daisy Wheel SUPERscript ON  
4130 OSM Daisy Wheel Underline OFF  
4131 OSM Daisy Wheel Underline ON  
4132 Pacific Laser 25 in 1 10 CPI  
4133 Pacific Laser 25 in 1 12 CPI  
4134 Pacific Laser 25 in 1 12 Lines/Inch  
4135 Pacific Laser 25 in 1 15-17 CPI  
4136 Pacific Laser 25 in 1 6 Lines/Inch  
4137 Pacific Laser 25 in 1 8 Lines/Inch  
4138 Pacific Laser 25 in 1 Alt. Var Ln Sp  
4139 Pacific Laser 25 in 1 Bold OFF  
4140 Pacific Laser 25 in 1 Bold ON  
4141 Pacific Laser 25 in 1 Condense Off  
4142 Pacific Laser 25 in 1 DbIStrike OFF  
4143 Pacific Laser 25 in 1 DbIStrike ON  
4144 Pacific Laser 25 in 1 DdIWIDE ON  
4145 Pacific Laser 25 in 1 Emphasize OFF  
4146 Pacific Laser 25 in 1 Emphasize ON  
4147 Pacific Laser 25 in 1 Initialize  
4148 Pacific Laser 25 in 1 Int Chr Spac'g  
4149 Pacific Laser 25 in 1 Italic OFF  
4150 Pacific Laser 25 in 1 Italic ON  
4151 Pacific Laser 25 in 1 Mastr Font/Typ  
4152 Pacific Laser 25 in 1 Move ABS Horiz  
4153 Pacific Laser 25 in 1 Move ABS Vert.  
4154 Pacific Laser 25 in 1 Move REL Horiz  
4155 Pacific Laser 25 in 1 Move REL Vert.  
4156 Pacific Laser 25 in 1 Pop Cursor  
4157 Pacific Laser 25 in 1 Propor'nl Off  
4158 Pacific Laser 25 in 1 Propor'nl On  
4159 Pacific Laser 25 in 1 Push Cursor  
4160 Pacific Laser 25 in 1 Sel. Prt Style  
4161 Pacific Laser 25 in 1 Select Char St  
4162 Pacific Laser 25 in 1 Set LFT Margin  
4163 Pacific Laser 25 in 1 Set RHT Margin  
4164 Pacific Laser 25 in 1 Set TOP Margin  
4165 Pacific Laser 25 in 1 Skip Perf OFF  
4166 Pacific Laser 25 in 1 Skip Perf ON  
4167 Pacific Laser 25 in 1 SUBScript OFF  
4168 Pacific Laser 25 in 1 SUBScript ON  
4169 Pacific Laser 25 in 1 SUP-Scr OFF  
4170 Pacific Laser 25 in 1 SUPERscript ON  
4171 Pacific Laser 25 in 1 Underline OFF

4172 Pacific Laser 25 in 1 Underline ON  
4173 Pacific Laser 25 in 1 Var. Ln Space  
4174 Panasonic KX-1124/1624 10 CPI.  
4175 Panasonic KX-1124/1624 12 CPI.  
4176 Panasonic KX-1124/1624 6 lines per inch.  
4177 Panasonic KX-1124/1624 8 lines per inch.  
4178 Panasonic KX-1124/1624 Double Stike Off.  
4179 Panasonic KX-1124/1624 Double Stike On.  
4180 Panasonic KX-1124/1624 Italics Off.  
4181 Panasonic KX-1124/1624 Italics On.  
4182 Panasonic KX-1124/1624 Reset  
4183 Panasonic KX-1124/1624 Setup  
4184 Panasonic KX-1124/1624 Underline Off.  
4185 Panasonic KX-1124/1624 Underline On.  
4186 Panasonic KX-P1090 10 CPI.  
4187 Panasonic KX-P1090 12 CPI.  
4188 Panasonic KX-P1090 6 lines per inch.  
4189 Panasonic KX-P1090 8 lines per inch.  
4190 Panasonic KX-P1090 Double Stike Off.  
4191 Panasonic KX-P1090 Double Stike On.  
4192 Panasonic KX-P1090 Italics Off.  
4193 Panasonic KX-P1090 Italics On.  
4194 Panasonic KX-P1090 Reset  
4195 Panasonic KX-P1090 Setup  
4196 Panasonic KX-P1090 Underline Off.  
4197 Panasonic KX-P1090 Underline On.  
4198 Panasonic KX-P1091 10 CPI.  
4199 Panasonic KX-P1091 12 CPI.  
4200 Panasonic KX-P1091 6 lines per inch.  
4201 Panasonic KX-P1091 8 lines per inch.  
4202 Panasonic KX-P1091 Double Stike Off.  
4203 Panasonic KX-P1091 Double Stike On.  
4204 Panasonic KX-P1091 Italics Off.  
4205 Panasonic KX-P1091 Italics On.  
4206 Panasonic KX-P1091 Reset  
4207 Panasonic KX-P1091 Setup  
4208 Panasonic KX-P1091 Underline Off.  
4209 Panasonic KX-P1091 Underline On.  
4210 Panasonic KX-P3151 10 CPI.  
4211 Panasonic KX-P3151 12 CPI.  
4212 Panasonic KX-P3151 6 lines per inch.  
4213 Panasonic KX-P3151 8 lines per inch.  
4214 Panasonic KX-P3151 Double Stike Off.  
4215 Panasonic KX-P3151 Double Stike On.  
4216 Panasonic KX-P3151 Reset  
4217 Panasonic KX-P3151 Setup  
4218 Panasonic KX-P3151 Underline Off.  
4219 Panasonic KX-P3151 Underline On.  
4220 Panasonic Laser 4420 10 CPI

4221 Panasonic Laser 4420 12 CPI  
4222 Panasonic Laser 4420 12 Lines/Inch  
4223 Panasonic Laser 4420 15-17 CPI  
4224 Panasonic Laser 4420 6 Lines/Inch  
4225 Panasonic Laser 4420 8 Lines/Inch  
4226 Panasonic Laser 4420 Alt. Var Ln Sp  
4227 Panasonic Laser 4420 Bold OFF  
4228 Panasonic Laser 4420 Bold ON  
4229 Panasonic Laser 4420 Condense Off  
4230 Panasonic Laser 4420 DblStrike OFF  
4231 Panasonic Laser 4420 DblStrike ON  
4232 Panasonic Laser 4420 DdIWIDE ON  
4233 Panasonic Laser 4420 Emphasize OFF  
4234 Panasonic Laser 4420 Emphasize ON  
4235 Panasonic Laser 4420 Initialize  
4236 Panasonic Laser 4420 Int Chr Spac'g  
4237 Panasonic Laser 4420 Italic OFF  
4238 Panasonic Laser 4420 Italic ON  
4239 Panasonic Laser 4420 Mastr Font/Typ  
4240 Panasonic Laser 4420 Move ABS Horiz  
4241 Panasonic Laser 4420 Move ABS Vert.  
4242 Panasonic Laser 4420 Move REL Horiz  
4243 Panasonic Laser 4420 Move REL Vert.  
4244 Panasonic Laser 4420 Pop Cursor  
4245 Panasonic Laser 4420 Propor'n'l Off  
4246 Panasonic Laser 4420 Propor'n'l On  
4247 Panasonic Laser 4420 Push Cursor  
4248 Panasonic Laser 4420 Sel. Prt Style  
4249 Panasonic Laser 4420 Select Char St  
4250 Panasonic Laser 4420 Set LFT Margin  
4251 Panasonic Laser 4420 Set RHT Margin  
4252 Panasonic Laser 4420 Set TOP Margin  
4253 Panasonic Laser 4420 Skip Perf OFF  
4254 Panasonic Laser 4420 Skip Perf ON  
4255 Panasonic Laser 4420 SUBScript OFF  
4256 Panasonic Laser 4420 SUBScript ON  
4257 Panasonic Laser 4420 SUP-Scr OFF  
4258 Panasonic Laser 4420 SUPERscript ON  
4259 Panasonic Laser 4420 Underline OFF  
4260 Panasonic Laser 4420 Underline ON  
4261 Panasonic Laser 4420 Var. Ln Space  
4262 Panasonic Laser 4450 10 CPI  
4263 Panasonic Laser 4450 12 CPI  
4264 Panasonic Laser 4450 12 Lines/Inch  
4265 Panasonic Laser 4450 15-17 CPI  
4266 Panasonic Laser 4450 6 Lines/Inch  
4267 Panasonic Laser 4450 8 Lines/Inch  
4268 Panasonic Laser 4450 Alt. Var Ln Sp  
4269 Panasonic Laser 4450 Bold OFF

4270 Panasonic Laser 4450 Bold ON  
4271 Panasonic Laser 4450 Condense Off  
4272 Panasonic Laser 4450 DbIStrike OFF  
4273 Panasonic Laser 4450 DbIStrike ON  
4274 Panasonic Laser 4450 DdIWIDE ON  
4275 Panasonic Laser 4450 Emphasize OFF  
4276 Panasonic Laser 4450 Emphasize ON  
4277 Panasonic Laser 4450 Initialize  
4278 Panasonic Laser 4450 Int Chr Spac'g  
4279 Panasonic Laser 4450 Italic OFF  
4280 Panasonic Laser 4450 Italic ON  
4281 Panasonic Laser 4450 Mastr Font/Typ  
4282 Panasonic Laser 4450 Move ABS Horiz  
4283 Panasonic Laser 4450 Move ABS Vert.  
4284 Panasonic Laser 4450 Move REL Horiz  
4285 Panasonic Laser 4450 Move REL Vert.  
4286 Panasonic Laser 4450 Pop Cursor  
4287 Panasonic Laser 4450 Propor'nI Off  
4288 Panasonic Laser 4450 Propor'nI On  
4289 Panasonic Laser 4450 Push Cursor  
4290 Panasonic Laser 4450 Sel. Prt Style  
4291 Panasonic Laser 4450 Select Char St  
4292 Panasonic Laser 4450 Set LFT Margin  
4293 Panasonic Laser 4450 Set RHT Margin  
4294 Panasonic Laser 4450 Set TOP Margin  
4295 Panasonic Laser 4450 Skip Perf OFF  
4296 Panasonic Laser 4450 Skip Perf ON  
4297 Panasonic Laser 4450 SUBScript OFF  
4298 Panasonic Laser 4450 SUBScript ON  
4299 Panasonic Laser 4450 SUP-Scr OFF  
4300 Panasonic Laser 4450 SUPERscript ON  
4301 Panasonic Laser 4450 Underline OFF  
4302 Panasonic Laser 4450 Underline ON  
4303 Panasonic Laser 4450 Var. Ln Space  
4304 Panasonic Laser 4450i 10 CPI  
4305 Panasonic Laser 4450i 12 CPI  
4306 Panasonic Laser 4450i 12 Lines/Inch  
4307 Panasonic Laser 4450i 15-17 CPI  
4308 Panasonic Laser 4450i 6 Lines/Inch  
4309 Panasonic Laser 4450i 8 Lines/Inch  
4310 Panasonic Laser 4450i Alt. Var Ln Sp  
4311 Panasonic Laser 4450i Bold OFF  
4312 Panasonic Laser 4450i Bold ON  
4313 Panasonic Laser 4450i Condense Off  
4314 Panasonic Laser 4450i DbIStrike OFF  
4315 Panasonic Laser 4450i DbIStrike ON  
4316 Panasonic Laser 4450i DdIWIDE ON  
4317 Panasonic Laser 4450i Emphasize OFF  
4318 Panasonic Laser 4450i Emphasize ON



4319 Panasonic Laser 4450i Initialize  
4320 Panasonic Laser 4450i Int Chr Spac'g  
4321 Panasonic Laser 4450i Italic OFF  
4322 Panasonic Laser 4450i Italic ON  
4323 Panasonic Laser 4450i Mastr Font/Typ  
4324 Panasonic Laser 4450i Move ABS Horiz  
4325 Panasonic Laser 4450i Move ABS Vert.  
4326 Panasonic Laser 4450i Move REL Horiz  
4327 Panasonic Laser 4450i Move REL Vert.  
4328 Panasonic Laser 4450i Pop Cursor  
4329 Panasonic Laser 4450i Propor'nl Off  
4330 Panasonic Laser 4450i Propor'nl On  
4331 Panasonic Laser 4450i Push Cursor  
4332 Panasonic Laser 4450i Sel. Prt Style  
4333 Panasonic Laser 4450i Select Char St  
4334 Panasonic Laser 4450i Set LFT Margin  
4335 Panasonic Laser 4450i Set RHT Margin  
4336 Panasonic Laser 4450i Set TOP Margin  
4337 Panasonic Laser 4450i Skip Perf OFF  
4338 Panasonic Laser 4450i Skip Perf ON  
4339 Panasonic Laser 4450i SUBScript OFF  
4340 Panasonic Laser 4450i SUBScript ON  
4341 Panasonic Laser 4450i SUP-Scr OFF  
4342 Panasonic Laser 4450i SUPERscript ON  
4343 Panasonic Laser 4450i Underline OFF  
4344 Panasonic Laser 4450i Underline ON  
4345 Panasonic Laser 4450i Var. Ln Space  
4346 Proprinter Automatic Linefeed OFF  
4347 Proprinter Automatic Linefeed ON  
4348 Proprinter Bell  
4349 Proprinter Clear Printer Buffer  
4350 Proprinter Compressed ON  
4351 Proprinter Double Height OFF  
4352 Proprinter Double Height ON  
4353 Proprinter Double Line Spacing  
4354 Proprinter Double Width OFF  
4355 Proprinter Double Width ON  
4356 Proprinter Emphasized OFF  
4357 Proprinter Emphasized ON  
4358 Proprinter Enhanced OFF  
4359 Proprinter Enhanced ON  
4360 Proprinter Form Feed  
4361 Proprinter Italics OFF  
4362 Proprinter Italics ON  
4363 Proprinter Line Feed  
4364 Proprinter Overscore OFF  
4365 Proprinter Overscore ON  
4366 Proprinter Paper-Out Sensor OFF  
4367 Proprinter Paper-Out Sensor ON

4368 Proprinter Print Bidirectional  
4369 Proprinter Print Unidirectional  
4370 Proprinter Proportional Spacing OFF  
4371 Proprinter Proportional Spacing ON  
4372 Proprinter Reverse Line Feed  
4373 Proprinter Select 10 CPI  
4374 Proprinter Select 12 CPI  
4375 Proprinter Select Font  
4376 Proprinter Select Font: 10 CPI DLL Utility  
4377 Proprinter Select Font: 10 CPI Utility  
4378 Proprinter Select Font: 12 CPI DLL Utility  
4379 Proprinter Select Font: 12 CPI High Speed Draft  
4380 Proprinter Select Font: NLQ Courier  
4381 Proprinter Select Font: NLQ Courier DLL  
4382 Proprinter Select Font: NLQ Sans Serif  
4383 Proprinter Select Font: NLQ Sans Serif DLL  
4384 Proprinter Set Form Length In Inches: 11  
4385 Proprinter Set Form Length In Inches: 14  
4386 Proprinter Set Form Length In Lines: 56  
4387 Proprinter Set Form Length In Lines: 65  
4388 Proprinter Set Line Spacing 1/8  
4389 Proprinter Set Line Spacing 7/72  
4390 Proprinter Set Top Of Form  
4391 Proprinter Single Line Spacing  
4392 Proprinter Subscript OFF  
4393 Proprinter Subscript ON  
4394 Proprinter Superscript OFF  
4395 Proprinter Superscript ON  
4396 Proprinter Underline OFF  
4397 Proprinter Underline ON  
4398 QMS Kiss Laser 10 CPI  
4399 QMS Kiss Laser 12 CPI  
4400 QMS Kiss Laser 12 Lines/Inch  
4401 QMS Kiss Laser 15-17 CPI  
4402 QMS Kiss Laser 6 Lines/Inch  
4403 QMS Kiss Laser 8 Lines/Inch  
4404 QMS Kiss Laser Bold OFF  
4405 QMS Kiss Laser Bold ON  
4406 QMS Kiss Laser DbIStrike OFF  
4407 QMS Kiss Laser DbIStrike ON  
4408 QMS Kiss Laser DdIWIDE OFF  
4409 QMS Kiss Laser DdIWIDE ON  
4410 QMS Kiss Laser Emphasize OFF  
4411 QMS Kiss Laser Emphasize ON  
4412 QMS Kiss Laser Initialize  
4413 QMS Kiss Laser Move ABS Horiz  
4414 QMS Kiss Laser Move ABS Vert.  
4415 QMS Kiss Laser NLQ Mode  
4416 QMS Kiss Laser Propor'nl Off

4417 QMS Kiss Laser Propor'nl On  
4418 QMS Kiss Laser Set BOT Margin  
4419 QMS Kiss Laser Set LFT Margin  
4420 QMS Kiss Laser Set RHT Margin  
4421 QMS Kiss Laser Set Tab Stops  
4422 QMS Kiss Laser Set TOP Margin  
4423 QMS Kiss Laser SUBScript OFF  
4424 QMS Kiss Laser SUBScript ON  
4425 QMS Kiss Laser SUP-Scr OFF  
4426 QMS Kiss Laser SUPERscript ON  
4427 QMS Kiss Laser Underline OFF  
4428 QMS Kiss Laser Underline ON  
4429 QuadLaser 10 CPI.  
4430 QuadLaser 12 CPI.  
4431 QuadLaser 6 lines per inch.  
4432 QuadLaser 8 lines per inch.  
4433 QuadLaser Double Stike Off.  
4434 QuadLaser Double Stike On.  
4435 QuadLaser Italics Off.  
4436 QuadLaser Italics On.  
4437 QuadLaser Reset  
4438 QuadLaser Setup  
4439 QuadLaser Underline Off.  
4440 QuadLaser Underline On.  
4441 Quadram QuadJet 10 CPI.  
4442 Quadram QuadJet 6 lines per inch.  
4443 Quadram QuadJet 8 lines per inch.  
4444 Quadram QuadJet Reset  
4445 Quadram QuadJet Setup  
4446 Qume Sprint 5 6 lines per inch.  
4447 Qume Sprint 5 8 lines per inch.  
4448 Qume Sprint 5 Reset  
4449 Qume Sprint 5 Setup  
4450 Qume Sprint 5 Underline Off.  
4451 Qume Sprint 5 Underline On.  
4452 Qume Sprint 9/45, 9/55 10 CPI.  
4453 Qume Sprint 9/45, 9/55 12 CPI.  
4454 Qume Sprint 9/45, 9/55 6 lines per inch.  
4455 Qume Sprint 9/45, 9/55 8 lines per inch.  
4456 Qume Sprint 9/45, 9/55 Double Stike Off.  
4457 Qume Sprint 9/45, 9/55 Double Stike On.  
4458 Qume Sprint 9/45, 9/55 Reset  
4459 Qume Sprint 9/45, 9/55 Setup  
4460 Qume Sprint 9/45, 9/55 Underline Off.  
4461 Qume Sprint 9/45, 9/55 Underline On.  
4462 Radio Laser LP-100 10 CPI  
4463 Radio Laser LP-100 12 CPI  
4464 Radio Laser LP-100 12 Lines/Inch  
4465 Radio Laser LP-100 15-17 CPI

4466 Radio Laser LP-100 6 Lines/Inch  
4467 Radio Laser LP-100 8 Lines/Inch  
4468 Radio Laser LP-100 Alt. Var Ln Sp  
4469 Radio Laser LP-100 Bold OFF  
4470 Radio Laser LP-100 Bold ON  
4471 Radio Laser LP-100 Condense Off  
4472 Radio Laser LP-100 DbIStrike OFF  
4473 Radio Laser LP-100 DbIStrike ON  
4474 Radio Laser LP-100 DdIWIDE ON  
4475 Radio Laser LP-100 Emphasize OFF  
4476 Radio Laser LP-100 Emphasize ON  
4477 Radio Laser LP-100 Initialize  
4478 Radio Laser LP-100 Int Chr Spac'g  
4479 Radio Laser LP-100 Italic OFF  
4480 Radio Laser LP-100 Italic ON  
4481 Radio Laser LP-100 Mastr Font/Typ  
4482 Radio Laser LP-100 Move ABS Horiz  
4483 Radio Laser LP-100 Move ABS Vert.  
4484 Radio Laser LP-100 Move REL Horiz  
4485 Radio Laser LP-100 Move REL Vert.  
4486 Radio Laser LP-100 Pop Cursor  
4487 Radio Laser LP-100 Propor'nl Off  
4488 Radio Laser LP-100 Propor'nl On  
4489 Radio Laser LP-100 Push Cursor  
4490 Radio Laser LP-100 Sel. Prt Style  
4491 Radio Laser LP-100 Select Char St  
4492 Radio Laser LP-100 Set LFT Margin  
4493 Radio Laser LP-100 Set RHT Margin  
4494 Radio Laser LP-100 Set TOP Margin  
4495 Radio Laser LP-100 Skip Perf OFF  
4496 Radio Laser LP-100 Skip Perf ON  
4497 Radio Laser LP-100 SUBScript OFF  
4498 Radio Laser LP-100 SUBScript ON  
4499 Radio Laser LP-100 SUP-Scr OFF  
4500 Radio Laser LP-100 SUPERscript ON  
4501 Radio Laser LP-100 Underline OFF  
4502 Radio Laser LP-100 Underline ON  
4503 Radio Laser LP-100 Var. Ln Space  
4504 Roland LP-1100 10 CPI  
4505 Roland LP-1100 12 CPI  
4506 Roland LP-1100 12 Lines/Inch  
4507 Roland LP-1100 15-17 CPI  
4508 Roland LP-1100 6 Lines/Inch  
4509 Roland LP-1100 8 Lines/Inch  
4510 Roland LP-1100 Alt. Var Ln Sp  
4511 Roland LP-1100 Bold OFF  
4512 Roland LP-1100 Bold ON  
4513 Roland LP-1100 Condense Off  
4514 Roland LP-1100 DbIStrike OFF

4515 Roland LP-1100 DbIStrike ON  
4516 Roland LP-1100 DdIWIDE ON  
4517 Roland LP-1100 Emphasize OFF  
4518 Roland LP-1100 Emphasize ON  
4519 Roland LP-1100 Initialize  
4520 Roland LP-1100 Int Chr Spac'g  
4521 Roland LP-1100 Italic OFF  
4522 Roland LP-1100 Italic ON  
4523 Roland LP-1100 Landscape  
4524 Roland LP-1100 Mastr Font/Typ  
4525 Roland LP-1100 Move ABS Horiz  
4526 Roland LP-1100 Move ABS Vert.  
4527 Roland LP-1100 Move REL Horiz  
4528 Roland LP-1100 Move REL Vert.  
4529 Roland LP-1100 Pop Cursor  
4530 Roland LP-1100 Portrait  
4531 Roland LP-1100 Propor'nl Off  
4532 Roland LP-1100 Propor'nl On  
4533 Roland LP-1100 Push Cursor  
4534 Roland LP-1100 Sel. Prt Style  
4535 Roland LP-1100 Select Char St  
4536 Roland LP-1100 Set LFT Margin  
4537 Roland LP-1100 Set RHT Margin  
4538 Roland LP-1100 Set TOP Margin  
4539 Roland LP-1100 Skip Perf OFF  
4540 Roland LP-1100 Skip Perf ON  
4541 Roland LP-1100 SUBScript OFF  
4542 Roland LP-1100 SUBScript ON  
4543 Roland LP-1100 SUP-Scr OFF  
4544 Roland LP-1100 SUPERscript ON  
4545 Roland LP-1100 Underline OFF  
4546 Roland LP-1100 Underline ON  
4547 Roland LP-1100 Var. Ln Space  
4548 Roland PR-2417 10 CPI  
4549 Roland PR-2417 12 CPI  
4550 Roland PR-2417 12 Lines/Inch  
4551 Roland PR-2417 15-17 CPI  
4552 Roland PR-2417 6 Lines/Inch  
4553 Roland PR-2417 8 Lines/Inch  
4554 Roland PR-2417 Alt. Var Ln Sp  
4555 Roland PR-2417 Bldirect'l ON  
4556 Roland PR-2417 Bold OFF  
4557 Roland PR-2417 Bold ON  
4558 Roland PR-2417 Condense Off  
4559 Roland PR-2417 DbIHeight OFF  
4560 Roland PR-2417 DbIHeight ON  
4561 Roland PR-2417 DbIStrike OFF  
4562 Roland PR-2417 DbIStrike ON  
4563 Roland PR-2417 DbIWIDE OFF

4564 Roland PR-2417 DdlWIDE ON  
4565 Roland PR-2417 Draft Mode  
4566 Roland PR-2417 Emphasize OFF  
4567 Roland PR-2417 Emphasize ON  
4568 Roland PR-2417 Initialize  
4569 Roland PR-2417 Int Chr Spac'g  
4570 Roland PR-2417 Italic OFF  
4571 Roland PR-2417 Italic ON  
4572 Roland PR-2417 Mastr Font/Typ  
4573 Roland PR-2417 Move ABS Horiz  
4574 Roland PR-2417 Move REL Horiz  
4575 Roland PR-2417 NLQ Mode  
4576 Roland PR-2417 Propor'nl Off  
4577 Roland PR-2417 Propor'nl On  
4578 Roland PR-2417 Sel. Prt Style  
4579 Roland PR-2417 Select Char St  
4580 Roland PR-2417 Set LFT Margin  
4581 Roland PR-2417 Set RHT Margin  
4582 Roland PR-2417 Set Tab Stops  
4583 Roland PR-2417 Skip Perf OFF  
4584 Roland PR-2417 Skip Perf ON  
4585 Roland PR-2417 SUBScript OFF  
4586 Roland PR-2417 SUBScript ON  
4587 Roland PR-2417 SUP-Scr OFF  
4588 Roland PR-2417 SUPERscript ON  
4589 Roland PR-2417 Underline OFF  
4590 Roland PR-2417 Underline ON  
4591 Roland PR-2417 UNIdirect'l ON  
4592 Roland PR-2417 Var. Ln Space  
4593 Sanyo PR-5500 10 CPI.  
4594 Sanyo PR-5500 12 CPI.  
4595 Sanyo PR-5500 6 lines per inch.  
4596 Sanyo PR-5500 8 lines per inch.  
4597 Sanyo PR-5500 Reset  
4598 Sanyo PR-5500 Setup  
4599 Seikosha SP-1000 10 CPI  
4600 Seikosha SP-1000 12 CPI  
4601 Seikosha SP-1000 12 Lines/Inch  
4602 Seikosha SP-1000 15-17 CPI  
4603 Seikosha SP-1000 6 Lines/Inch  
4604 Seikosha SP-1000 8 Lines/Inch  
4605 Seikosha SP-1000 Alt. Var Ln Sp  
4606 Seikosha SP-1000 Bldirect'l ON  
4607 Seikosha SP-1000 Bold OFF  
4608 Seikosha SP-1000 Bold ON  
4609 Seikosha SP-1000 Condense Off  
4610 Seikosha SP-1000 DblStrike OFF  
4611 Seikosha SP-1000 DblStrike ON  
4612 Seikosha SP-1000 DbIWIDE OFF

4613 Seikosha SP-1000 DdlWIDE ON  
4614 Seikosha SP-1000 Draft Mode  
4615 Seikosha SP-1000 Emphasize OFF  
4616 Seikosha SP-1000 Emphasize ON  
4617 Seikosha SP-1000 Initialize  
4618 Seikosha SP-1000 Int Chr Spac'g  
4619 Seikosha SP-1000 Italic OFF  
4620 Seikosha SP-1000 Italic ON  
4621 Seikosha SP-1000 Mastr Font/Typ  
4622 Seikosha SP-1000 NLQ Mode  
4623 Seikosha SP-1000 Propor'nl Off  
4624 Seikosha SP-1000 Propor'nl On  
4625 Seikosha SP-1000 Sel. Prt Style  
4626 Seikosha SP-1000 Select Char St  
4627 Seikosha SP-1000 Set LFT Margin  
4628 Seikosha SP-1000 Set RHT Margin  
4629 Seikosha SP-1000 Set Tab Stops  
4630 Seikosha SP-1000 Skip Perf OFF  
4631 Seikosha SP-1000 Skip Perf ON  
4632 Seikosha SP-1000 SUBScript OFF  
4633 Seikosha SP-1000 SUBScript ON  
4634 Seikosha SP-1000 SUP-Scr OFF  
4635 Seikosha SP-1000 SUPERscript ON  
4636 Seikosha SP-1000 Underline OFF  
4637 Seikosha SP-1000 Underline ON  
4638 Seikosha SP-1000 UNIdirect'l ON  
4639 Seikosha SP-1000 Var. Ln Space  
4640 Seikosha SP-1200AI 10 CPI  
4641 Seikosha SP-1200AI 12 CPI  
4642 Seikosha SP-1200AI 12 Lines/Inch  
4643 Seikosha SP-1200AI 15-17 CPI  
4644 Seikosha SP-1200AI 6 Lines/Inch  
4645 Seikosha SP-1200AI 8 Lines/Inch  
4646 Seikosha SP-1200AI Alt. Var Ln Sp  
4647 Seikosha SP-1200AI Bldirect'l ON  
4648 Seikosha SP-1200AI Bold OFF  
4649 Seikosha SP-1200AI Bold ON  
4650 Seikosha SP-1200AI Condense Off  
4651 Seikosha SP-1200AI DbIStrike OFF  
4652 Seikosha SP-1200AI DbIStrike ON  
4653 Seikosha SP-1200AI DbIWIDE OFF  
4654 Seikosha SP-1200AI DdlWIDE ON  
4655 Seikosha SP-1200AI Draft Mode  
4656 Seikosha SP-1200AI Emphasize OFF  
4657 Seikosha SP-1200AI Emphasize ON  
4658 Seikosha SP-1200AI Initialize  
4659 Seikosha SP-1200AI Int Chr Spac'g  
4660 Seikosha SP-1200AI Italic OFF  
4661 Seikosha SP-1200AI Italic ON

4662 Seikosha SP-1200AI Mastr Font/Typ  
4663 Seikosha SP-1200AI NLQ Mode  
4664 Seikosha SP-1200AI Propor'nI Off  
4665 Seikosha SP-1200AI Propor'nI On  
4666 Seikosha SP-1200AI Sel. Prt Style  
4667 Seikosha SP-1200AI Select Char St  
4668 Seikosha SP-1200AI Set LFT Margin  
4669 Seikosha SP-1200AI Set RHT Margin  
4670 Seikosha SP-1200AI Set Tab Stops  
4671 Seikosha SP-1200AI Skip Perf OFF  
4672 Seikosha SP-1200AI Skip Perf ON  
4673 Seikosha SP-1200AI SUBScript OFF  
4674 Seikosha SP-1200AI SUBScript ON  
4675 Seikosha SP-1200AI SUP-Scr OFF  
4676 Seikosha SP-1200AI SUPERscript ON  
4677 Seikosha SP-1200AI Underline OFF  
4678 Seikosha SP-1200AI Underline ON  
4679 Seikosha SP-1200AI UNIdirect'I ON  
4680 Seikosha SP-1200AI Var. Ln Space  
4681 Siemens PT88/PT89 10 CPI  
4682 Siemens PT88/PT89 12 CPI  
4683 Siemens PT88/PT89 12 Lines/Inch  
4684 Siemens PT88/PT89 15-17 CPI  
4685 Siemens PT88/PT89 6 Lines/Inch  
4686 Siemens PT88/PT89 8 Lines/Inch  
4687 Siemens PT88/PT89 Alt. Var Ln Sp  
4688 Siemens PT88/PT89 Bldirect'I ON  
4689 Siemens PT88/PT89 Bold OFF  
4690 Siemens PT88/PT89 Bold ON  
4691 Siemens PT88/PT89 Condense Off  
4692 Siemens PT88/PT89 DbIStrike OFF  
4693 Siemens PT88/PT89 DbIStrike ON  
4694 Siemens PT88/PT89 DbIWIDE OFF  
4695 Siemens PT88/PT89 DdlWIDE ON  
4696 Siemens PT88/PT89 Draft Mode  
4697 Siemens PT88/PT89 Emphasize OFF  
4698 Siemens PT88/PT89 Emphasize ON  
4699 Siemens PT88/PT89 Initialize  
4700 Siemens PT88/PT89 Italic OFF  
4701 Siemens PT88/PT89 Italic ON  
4702 Siemens PT88/PT89 Mastr Font/Typ  
4703 Siemens PT88/PT89 NLQ Mode  
4704 Siemens PT88/PT89 Propor'nI Off  
4705 Siemens PT88/PT89 Propor'nI On  
4706 Siemens PT88/PT89 Select Char St  
4707 Siemens PT88/PT89 Set LFT Margin  
4708 Siemens PT88/PT89 Set RHT Margin  
4709 Siemens PT88/PT89 Set Tab Stops  
4710 Siemens PT88/PT89 Skip Perf OFF



4711 Siemens PT88/PT89 Skip Perf ON  
4712 Siemens PT88/PT89 SUBScript OFF  
4713 Siemens PT88/PT89 SUBScript ON  
4714 Siemens PT88/PT89 SUP-Scr OFF  
4715 Siemens PT88/PT89 SUPERscript ON  
4716 Siemens PT88/PT89 Underline OFF  
4717 Siemens PT88/PT89 Underline ON  
4718 Siemens PT88/PT89 UNldirect'l ON  
4719 Siemens PT88/PT89 Var. Ln Space  
4720 Silver Reed 550 (Line) Double Stike Off.  
4721 Silver Reed 550 (Line) Double Stike On.  
4722 Silver Reed 550 (Line) Underline Off.  
4723 Silver Reed 550 (Line) Underline On.  
4724 Silver Reed 550 (Ser) 10 CPI.  
4725 Silver Reed 550 (Ser) 12 CPI.  
4726 Silver Reed 550 (Ser) 6 lines per inch.  
4727 Silver Reed 550 (Ser) 8 lines per inch.  
4728 Silver Reed 550 (Ser) Reset  
4729 Silver Reed 550 (Ser) Setup  
4730 Silver Reed 770 10 CPI.  
4731 Silver Reed 770 12 CPI.  
4732 Silver Reed 770 6 lines per inch.  
4733 Silver Reed 770 8 lines per inch.  
4734 Silver Reed 770 Double Stike Off.  
4735 Silver Reed 770 Double Stike On.  
4736 Silver Reed 770 Reset  
4737 Silver Reed 770 Setup  
4738 Silver Reed 770 Underline Off.  
4739 Silver Reed 770 Underline On.  
4740 Smith Corona D-100 10 CPI  
4741 Smith Corona D-100 12 CPI  
4742 Smith Corona D-100 12 Lines/Inch  
4743 Smith Corona D-100 15-17 CPI  
4744 Smith Corona D-100 6 Lines/Inch  
4745 Smith Corona D-100 8 Lines/Inch  
4746 Smith Corona D-100 Alt. Var Ln Sp  
4747 Smith Corona D-100 Bldirect'l ON  
4748 Smith Corona D-100 Bold OFF  
4749 Smith Corona D-100 Bold ON  
4750 Smith Corona D-100 Condense Off  
4751 Smith Corona D-100 DbIStrike OFF  
4752 Smith Corona D-100 DbIStrike ON  
4753 Smith Corona D-100 DbIWIDE OFF  
4754 Smith Corona D-100 DdlWIDE ON  
4755 Smith Corona D-100 Draft Mode  
4756 Smith Corona D-100 Emphasize OFF  
4757 Smith Corona D-100 Emphasize ON  
4758 Smith Corona D-100 Initialize  
4759 Smith Corona D-100 Italic OFF

4760 Smith Corona D-100 Italic ON  
4761 Smith Corona D-100 Mastr Font/Typ  
4762 Smith Corona D-100 NLQ Mode  
4763 Smith Corona D-100 Propor'nl Off  
4764 Smith Corona D-100 Propor'nl On  
4765 Smith Corona D-100 Select Char St  
4766 Smith Corona D-100 Set LFT Margin  
4767 Smith Corona D-100 Set RHT Margin  
4768 Smith Corona D-100 Set Tab Stops  
4769 Smith Corona D-100 Skip Perf OFF  
4770 Smith Corona D-100 Skip Perf ON  
4771 Smith Corona D-100 SUBScript OFF  
4772 Smith Corona D-100 SUBScript ON  
4773 Smith Corona D-100 SUP-Scr OFF  
4774 Smith Corona D-100 SUPERscript ON  
4775 Smith Corona D-100 Underline OFF  
4776 Smith Corona D-100 Underline ON  
4777 Smith Corona D-100 UNIdirect'l ON  
4778 Smith Corona D-100 Var. Ln Space  
4779 Smith D-200/D-300 10 CPI  
4780 Smith D-200/D-300 12 CPI  
4781 Smith D-200/D-300 12 Lines/Inch  
4782 Smith D-200/D-300 15-17 CPI  
4783 Smith D-200/D-300 6 Lines/Inch  
4784 Smith D-200/D-300 8 Lines/Inch  
4785 Smith D-200/D-300 Alt. Var Ln Sp  
4786 Smith D-200/D-300 Bldirect'l ON  
4787 Smith D-200/D-300 Bold OFF  
4788 Smith D-200/D-300 Bold ON  
4789 Smith D-200/D-300 Condense Off  
4790 Smith D-200/D-300 DblStrike OFF  
4791 Smith D-200/D-300 DblStrike ON  
4792 Smith D-200/D-300 DbIWIDE OFF  
4793 Smith D-200/D-300 DdlWIDE ON  
4794 Smith D-200/D-300 Draft Mode  
4795 Smith D-200/D-300 Emphasize OFF  
4796 Smith D-200/D-300 Emphasize ON  
4797 Smith D-200/D-300 Initialize  
4798 Smith D-200/D-300 Int Chr Spac'g  
4799 Smith D-200/D-300 Italic OFF  
4800 Smith D-200/D-300 Italic ON  
4801 Smith D-200/D-300 Mastr Font/Typ  
4802 Smith D-200/D-300 NLQ Mode  
4803 Smith D-200/D-300 Propor'nl Off  
4804 Smith D-200/D-300 Propor'nl On  
4805 Smith D-200/D-300 Sel. Prt Style  
4806 Smith D-200/D-300 Select Char St  
4807 Smith D-200/D-300 Set LFT Margin  
4808 Smith D-200/D-300 Set RHT Margin

4809 Smith D-200/D-300 Set Tab Stops  
4810 Smith D-200/D-300 Skip Perf OFF  
4811 Smith D-200/D-300 Skip Perf ON  
4812 Smith D-200/D-300 SUBScript OFF  
4813 Smith D-200/D-300 SUBScript ON  
4814 Smith D-200/D-300 SUP-Scr OFF  
4815 Smith D-200/D-300 SUPERscript ON  
4816 Smith D-200/D-300 Underline OFF  
4817 Smith D-200/D-300 Underline ON  
4818 Smith D-200/D-300 UNIdirect'l ON  
4819 Smith D-200/D-300 Var. Ln Space  
4820 Star Gemini 10-X/15-X 10 CPI.  
4821 Star Gemini 10-X/15-X 12 CPI.  
4822 Star Gemini 10-X/15-X 6 lines per inch.  
4823 Star Gemini 10-X/15-X 8 lines per inch.  
4824 Star Gemini 10-X/15-X Double Stike Off.  
4825 Star Gemini 10-X/15-X Double Stike On.  
4826 Star Gemini 10-X/15-X Italics Off.  
4827 Star Gemini 10-X/15-X Italics On.  
4828 Star Gemini 10-X/15-X Reset  
4829 Star Gemini 10-X/15-X Setup  
4830 Star Gemini 10-X/15-X Underline Off.  
4831 Star Gemini 10-X/15-X Underline On.  
4832 Star ND-1 10 CPI  
4833 Star ND-1 12 CPI  
4834 Star ND-1 12 Lines/Inch  
4835 Star ND-1 15-17 CPI  
4836 Star ND-1 6 Lines/Inch  
4837 Star ND-1 8 Lines/Inch  
4838 Star ND-1 Alt. Var Ln Sp  
4839 Star ND-1 Bldirect'l ON  
4840 Star ND-1 Bold OFF  
4841 Star ND-1 Bold ON  
4842 Star ND-1 Condense Off  
4843 Star ND-1 DblStrike OFF  
4844 Star ND-1 DblStrike ON  
4845 Star ND-1 DbIWIDE OFF  
4846 Star ND-1 DdlWIDE ON  
4847 Star ND-1 Draft Mode  
4848 Star ND-1 Emphasize OFF  
4849 Star ND-1 Emphasize ON  
4850 Star ND-1 Initialize  
4851 Star ND-1 Int Chr Spac'g  
4852 Star ND-1 Italic OFF  
4853 Star ND-1 Italic ON  
4854 Star ND-1 Mastr Font/Typ  
4855 Star ND-1 NLQ Mode  
4856 Star ND-1 Propor'n'l Off  
4857 Star ND-1 Propor'n'l On

4858 Star ND-1 Sel. Prt Style  
4859 Star ND-1 Select Char St  
4860 Star ND-1 Set LFT Margin  
4861 Star ND-1 Set RHT Margin  
4862 Star ND-1 Set Tab Stops  
4863 Star ND-1 Skip Perf OFF  
4864 Star ND-1 Skip Perf ON  
4865 Star ND-1 SUBScript OFF  
4866 Star ND-1 SUBScript ON  
4867 Star ND-1 SUP-Scr OFF  
4868 Star ND-1 SUPERscript ON  
4869 Star ND-1 Underline OFF  
4870 Star ND-1 Underline ON  
4871 Star ND-1 UNIdirect'l ON  
4872 Star ND-1 Var. Ln Space  
4873 Star NX-100/1000/240/241 10 CPI  
4874 Star NX-100/1000/240/241 12 CPI  
4875 Star NX-100/1000/240/241 12 Lines/Inch  
4876 Star NX-100/1000/240/241 15-17 CPI  
4877 Star NX-100/1000/240/241 6 Lines/Inch  
4878 Star NX-100/1000/240/241 8 Lines/Inch  
4879 Star NX-100/1000/240/241 Alt. Var Ln Sp  
4880 Star NX-100/1000/240/241 Bldirect'l ON  
4881 Star NX-100/1000/240/241 Bold OFF  
4882 Star NX-100/1000/240/241 Bold ON  
4883 Star NX-100/1000/240/241 Condense Off  
4884 Star NX-100/1000/240/241 DblHeight OFF  
4885 Star NX-100/1000/240/241 DblHeight ON  
4886 Star NX-100/1000/240/241 DblStrike OFF  
4887 Star NX-100/1000/240/241 DblStrike ON  
4888 Star NX-100/1000/240/241 DblWIDE OFF  
4889 Star NX-100/1000/240/241 DdlWIDE ON  
4890 Star NX-100/1000/240/241 Draft Mode  
4891 Star NX-100/1000/240/241 Emphasize OFF  
4892 Star NX-100/1000/240/241 Emphasize ON  
4893 Star NX-100/1000/240/241 Initialize  
4894 Star NX-100/1000/240/241 Int Chr Spac'g  
4895 Star NX-100/1000/240/241 Italic OFF  
4896 Star NX-100/1000/240/241 Italic ON  
4897 Star NX-100/1000/240/241 Mastr Font/Typ  
4898 Star NX-100/1000/240/241 Move ABS Horiz  
4899 Star NX-100/1000/240/241 Move REL Horiz  
4900 Star NX-100/1000/240/241 NLQ Mode  
4901 Star NX-100/1000/240/241 Propor'nl Off  
4902 Star NX-100/1000/240/241 Propor'nl On  
4903 Star NX-100/1000/240/241 Sel. Prt Style  
4904 Star NX-100/1000/240/241 Select Char St  
4905 Star NX-100/1000/240/241 Set LFT Margin  
4906 Star NX-100/1000/240/241 Set RHT Margin

4907 Star NX-100/1000/240/241 Set Tab Stops  
4908 Star NX-100/1000/240/241 Skip Perf OFF  
4909 Star NX-100/1000/240/241 Skip Perf ON  
4910 Star NX-100/1000/240/241 SUBScript OFF  
4911 Star NX-100/1000/240/241 SUBScript ON  
4912 Star NX-100/1000/240/241 SUP-Scr OFF  
4913 Star NX-100/1000/240/241 SUPERscript ON  
4914 Star NX-100/1000/240/241 Underline OFF  
4915 Star NX-100/1000/240/241 Underline ON  
4916 Star NX-100/1000/240/241 UNIdirect'l ON  
4917 Star NX-100/1000/240/241 Var. Ln Space  
4918 Star NX10 6 Lines Per Inch  
4919 Star NX10 8 Lines Per Inch  
4920 Star NX10 Compressed Printing Off  
4921 Star NX10 Compressed Printing On  
4922 Star NX10 Emphasized Mode OFF  
4923 Star NX10 Emphasized Mode ON  
4924 Star NX10 Expanded Mode OFF  
4925 Star NX10 Expanded Mode ON  
4926 Star NX10 Form Feed Character  
4927 Star NX10 Initialization Code  
4928 Star NX10 Italics Mode OFF  
4929 Star NX10 Italics Mode ON  
4930 Star NX10 Master reset code  
4931 Star NX10 Near Letter Quality OFF  
4932 Star NX10 Near Letter Quality ON  
4933 Star NX10 Proportional Print Mode OFF  
4934 Star NX10 Proportional Print Mode On  
4935 Star NX10 Set FORM LENGTH  
4936 Star NX10 Use DOWNLOADABLE Font  
4937 Star NX10 Use NORMAL Font  
4938 Star NX10 Use NORMAL Print FONT  
4939 Star NX10 Use ROMAN 8 Font  
4940 Star Radix 10/15 10 CPI.  
4941 Star Radix 10/15 12 CPI.  
4942 Star Radix 10/15 6 lines per inch.  
4943 Star Radix 10/15 8 lines per inch.  
4944 Star Radix 10/15 Double Stike Off.  
4945 Star Radix 10/15 Double Stike On.  
4946 Star Radix 10/15 Italics Off.  
4947 Star Radix 10/15 Italics On.  
4948 Star Radix 10/15 Reset  
4949 Star Radix 10/15 Setup  
4950 Star Radix 10/15 Underline Off.  
4951 Star Radix 10/15 Underline On.  
4952 Swintec 8000 10 CPI  
4953 Swintec 8000 12 CPI  
4954 Swintec 8000 12 Lines/Inch  
4955 Swintec 8000 15-17 CPI

4956 Swintec 8000 6 Lines/Inch  
4957 Swintec 8000 8 Lines/Inch  
4958 Swintec 8000 Bold OFF  
4959 Swintec 8000 Bold ON  
4960 Swintec 8000 Condense Off  
4961 Swintec 8000 DbIStrike OFF  
4962 Swintec 8000 DbIStrike ON  
4963 Swintec 8000 DbIWIDE OFF  
4964 Swintec 8000 DdIWIDE ON  
4965 Swintec 8000 Draft Mode  
4966 Swintec 8000 Emphasize OFF  
4967 Swintec 8000 Emphasize ON  
4968 Swintec 8000 Initialize  
4969 Swintec 8000 Move ABS Horiz  
4970 Swintec 8000 Move ABS Vert.  
4971 Swintec 8000 NLQ Mode  
4972 Swintec 8000 Propor'nl Off  
4973 Swintec 8000 Propor'nl On  
4974 Swintec 8000 Set BOT Margin  
4975 Swintec 8000 Set LFT Margin  
4976 Swintec 8000 Set RHT Margin  
4977 Swintec 8000 Set Tab Stops  
4978 Swintec 8000 Set TOP Margin  
4979 Swintec 8000 SUBScript OFF  
4980 Swintec 8000 SUBScript ON  
4981 Swintec 8000 SUP-Scr OFF  
4982 Swintec 8000 SUPERscript ON  
4983 Swintec 8000 Underline OFF  
4984 Swintec 8000 Underline ON  
4985 Swintec 8016 10 CPI  
4986 Swintec 8016 12 CPI  
4987 Swintec 8016 12 Lines/Inch  
4988 Swintec 8016 15-17 CPI  
4989 Swintec 8016 6 Lines/Inch  
4990 Swintec 8016 8 Lines/Inch  
4991 Swintec 8016 Bold OFF  
4992 Swintec 8016 Bold ON  
4993 Swintec 8016 Condense Off  
4994 Swintec 8016 DbIStrike OFF  
4995 Swintec 8016 DbIStrike ON  
4996 Swintec 8016 DbIWIDE OFF  
4997 Swintec 8016 DdIWIDE ON  
4998 Swintec 8016 Draft Mode  
4999 Swintec 8016 Emphasize OFF  
5000 Swintec 8016 Emphasize ON  
5001 Swintec 8016 Initialize  
5002 Swintec 8016 Move ABS Horiz  
5003 Swintec 8016 Move ABS Vert.  
5004 Swintec 8016 NLQ Mode

5005 Swintec 8016 Propor'nl Off  
5006 Swintec 8016 Propor'nl On  
5007 Swintec 8016 Set BOT Margin  
5008 Swintec 8016 Set LFT Margin  
5009 Swintec 8016 Set RHT Margin  
5010 Swintec 8016 Set Tab Stops  
5011 Swintec 8016 Set TOP Margin  
5012 Swintec 8016 SUBScript OFF  
5013 Swintec 8016 SUBScript ON  
5014 Swintec 8016 SUP-Scr OFF  
5015 Swintec 8016 SUPERscript ON  
5016 Swintec 8016 Underline OFF  
5017 Swintec 8016 Underline ON  
5018 Tandy DMP 130A Bold OFF  
5019 Tandy DMP 130A Bold ON  
5020 Tandy DMP 130A Compressed OFF  
5021 Tandy DMP 130A Compressed ON (12 CPI)  
5022 Tandy DMP 130A Condensed OFF  
5023 Tandy DMP 130A Condensed ON  
5024 Tandy DMP 130A Expanded OFF  
5025 Tandy DMP 130A Expanded ON  
5026 Tandy DMP 130A Italics OFF  
5027 Tandy DMP 130A Italics ON  
5028 Tandy DMP 130A Normal (10 CPI)  
5029 Tandy DMP 130A Page eject  
5030 Texas Inst 850/855 10 CPI.  
5031 Texas Inst 850/855 12 CPI.  
5032 Texas Inst 850/855 6 lines per inch.  
5033 Texas Inst 850/855 8 lines per inch.  
5034 Texas Inst 850/855 Cancels shadow print.  
5035 Texas Inst 850/855 Double Stike Off.  
5036 Texas Inst 850/855 Double Stike On.  
5037 Texas Inst 850/855 Draft Print On.  
5038 Texas Inst 850/855 Quality Print On.  
5039 Texas Inst 850/855 Reset  
5040 Texas Inst 850/855 Select Font One.  
5041 Texas Inst 850/855 Select Font Three.  
5042 Texas Inst 850/855 Select Font two.  
5043 Texas Inst 850/855 Selects shadow print.  
5044 Texas Inst 850/855 Setup  
5045 Texas Inst 850/855 Underline Off.  
5046 Texas Inst 850/855 Underline On.  
5047 Texas Inst 860/865 10 CPI.  
5048 Texas Inst 860/865 12 CPI.  
5049 Texas Inst 860/865 6 lines per inch.  
5050 Texas Inst 860/865 8 lines per inch.  
5051 Texas Inst 860/865 Cancels shadow print.  
5052 Texas Inst 860/865 Double Stike Off.  
5053 Texas Inst 860/865 Double Stike On.

5054 Texas Inst 860/865 Draft Print On.  
5055 Texas Inst 860/865 Quality Print On.  
5056 Texas Inst 860/865 Reset  
5057 Texas Inst 860/865 Select Font One.  
5058 Texas Inst 860/865 Select Font Three.  
5059 Texas Inst 860/865 Select Font two.  
5060 Texas Inst 860/865 Selects shadow print.  
5061 Texas Inst 860/865 Setup  
5062 Texas Inst 860/865 Underline Off.  
5063 Texas Inst 860/865 Underline On.  
5064 Toshiba P 341/351 12 CPI.  
5065 Toshiba P 341/351 6 lines per inch.  
5066 Toshiba P 341/351 8 lines per inch.  
5067 Toshiba P 341/351 Double Stike Off.  
5068 Toshiba P 341/351 Double Stike On.  
5069 Toshiba P 341/351 Italics Off.  
5070 Toshiba P 341/351 Italics On.  
5071 Toshiba P 341/351 Reset  
5072 Toshiba P 341/351 Setup  
5073 Toshiba P 341/351 Underline Off.  
5074 Toshiba P 341/351 Underline On.  
5075 Toshiba P1340 6 lines per inch.  
5076 Toshiba P1340 8 lines per inch.  
5077 Toshiba P1340 Reset  
5078 Toshiba P1340 Setup  
5079 Toshiba P1340 Underline Off.  
5080 Toshiba P1340 Underline On.  
5081 Toshiba P1350 12 CPI.  
5082 Toshiba P1350 6 lines per inch.  
5083 Toshiba P1350 8 lines per inch.  
5084 Toshiba P1350 Reset  
5085 Toshiba P1350 Setup  
5086 Toshiba P1350 Underline Off.  
5087 Toshiba P1350 Underline On.  
5088 Toshiba P1351 12 CPI.  
5089 Toshiba P1351 6 lines per inch.  
5090 Toshiba P1351 8 lines per inch.  
5091 Toshiba P1351 Reset  
5092 Toshiba P1351 Setup  
5093 Toshiba P1351 Underline Off.  
5094 Toshiba P1351 Underline On.  
5095 Toshiba P321SL 1/120" Graphics OFF  
5096 Toshiba P321SL 1/120" Graphics ON  
5097 Toshiba P321SL 1/60" Graphics OFF  
5098 Toshiba P321SL 1/60" Graphics ON  
5099 Toshiba P321SL Automatic CR/LF OFF  
5100 Toshiba P321SL Automatic CR/LF ON  
5101 Toshiba P321SL Automatic LF OFF  
5102 Toshiba P321SL Automatic LF ON



Sheet1

5103 Toshiba P321SL Bell  
5104 Toshiba P321SL Bold Overprint OFF  
5105 Toshiba P321SL Bold Overprint ON: once  
5106 Toshiba P321SL Bold Overprint ON: twice  
5107 Toshiba P321SL Coded Graphics OFF  
5108 Toshiba P321SL Coded Graphics ON  
5109 Toshiba P321SL Condensed OFF  
5110 Toshiba P321SL Condensed ON  
5111 Toshiba P321SL Double Height OFF  
5112 Toshiba P321SL Double Height ON  
5113 Toshiba P321SL Expanded Character OFF  
5114 Toshiba P321SL Expanded Character ON  
5115 Toshiba P321SL Form Feed  
5116 Toshiba P321SL Half Line Feed  
5117 Toshiba P321SL IBM Emulation Mode:  
5118 Toshiba P321SL Italics OFF  
5119 Toshiba P321SL Italics ON  
5120 Toshiba P321SL Line Feed  
5121 Toshiba P321SL Native Toshiba Emulation Mode:  
5122 Toshiba P321SL Negative Half Line Feed  
5123 Toshiba P321SL Negative Line Feed  
5124 Toshiba P321SL Optional emulation card:  
5125 Toshiba P321SL Print Bidirectional  
5126 Toshiba P321SL Print Unidirectional  
5127 Toshiba P321SL Proportional Spacing OFF  
5128 Toshiba P321SL Proportional Spacing ON  
5129 Toshiba P321SL Reset  
5130 Toshiba P321SL Right Margin Control OFF  
5131 Toshiba P321SL Right Margin Control ON  
5132 Toshiba P321SL Select Bin 1  
5133 Toshiba P321SL Select Bin 2  
5134 Toshiba P321SL Select high speed resident font.  
5135 Toshiba P321SL Select letter quality downloaded font.  
5136 Toshiba P321SL Select letter quality font (Courier).  
5137 Toshiba P321SL Select letter quality proportional font.  
5138 Toshiba P321SL Select letter quality resident font(Prestige)  
5139 Toshiba P321SL Set Bottom Margin at the current line.  
5140 Toshiba P321SL Set Left Margin at the current printing posit  
5141 Toshiba P321SL Set Right Margin at the current printing posi  
5142 Toshiba P321SL Set Top Margin at the current line.  
5143 Toshiba P321SL Shadow Print OFF  
5144 Toshiba P321SL Shadow Print ON  
5145 Toshiba P321SL Start Backward Print  
5146 Toshiba P321SL Start Forward Print  
5147 Toshiba P321SL Subscript OFF  
5148 Toshiba P321SL Subscript ON  
5149 Toshiba P321SL Superscript OFF  
5150 Toshiba P321SL Superscript ON  
5151 Toshiba P321SL Underline OFF

Sheet1

5152 Toshiba P321SL Underline ON  
5153 Toshiba P351C 1/120 Graphics OFF  
5154 Toshiba P351C 1/120 Graphics ON  
5155 Toshiba P351C 1/60 Graphics OFF  
5156 Toshiba P351C 1/60 Graphics ON  
5157 Toshiba P351C Automatic CR/LF OFF  
5158 Toshiba P351C Automatic CR/LF ON  
5159 Toshiba P351C Automatic LF OFF  
5160 Toshiba P351C Automatic LF ON  
5161 Toshiba P351C Bell  
5162 Toshiba P351C Bold Overprint OFF  
5163 Toshiba P351C Bold Overprint ON: once  
5164 Toshiba P351C Bold Overprint ON: twice  
5165 Toshiba P351C Coded Graphics OFF  
5166 Toshiba P351C Coded Graphics ON  
5167 Toshiba P351C Condensed OFF  
5168 Toshiba P351C Condensed ON  
5169 Toshiba P351C Expanded Character OFF  
5170 Toshiba P351C Expanded Character ON  
5171 Toshiba P351C Form Feed  
5172 Toshiba P351C Half Line Feed  
5173 Toshiba P351C Italics OFF  
5174 Toshiba P351C Italics ON  
5175 Toshiba P351C Letter quality proportional spacing (Courier)  
5176 Toshiba P351C Line Feed  
5177 Toshiba P351C Negative Half Line Feed  
5178 Toshiba P351C Negative Line Feed  
5179 Toshiba P351C Print Bidirectional  
5180 Toshiba P351C Print Unidirectional  
5181 Toshiba P351C Proportional Spacing OFF  
5182 Toshiba P351C Proportional Spacing ON  
5183 Toshiba P351C Reset  
5184 Toshiba P351C Right Margin Control OFF  
5185 Toshiba P351C Right Margin Control ON  
5186 Toshiba P351C Select Automatic Ribbon Band Shift  
5187 Toshiba P351C Select Bin 1  
5188 Toshiba P351C Select Bin 2  
5189 Toshiba P351C Select IBM Emulation  
5190 Toshiba P351C Select letter quality downloaded.  
5191 Toshiba P351C Select letter quality resident font (Prestige)  
5192 Toshiba P351C Select Ribbon Band 1 (Yellow)  
5193 Toshiba P351C Select Ribbon Band 2 (Magenta)  
5194 Toshiba P351C Select Ribbon Band 3 (Cyan)  
5195 Toshiba P351C Select Ribbon Band 4 (Black)  
5196 Toshiba P351C Select Toshiba Emulation  
5197 Toshiba P351C Set Bottom Margin at the current line.  
5198 Toshiba P351C Set Left Margin: current printing position.  
5199 Toshiba P351C Set Right Margin: current printing position  
5200 Toshiba P351C Set Top Margin at the current line.

5201 Toshiba P351C Shadow Print OFF  
5202 Toshiba P351C Shadow Print ON  
5203 Toshiba P351C Start Backward Print  
5204 Toshiba P351C Start Forward Print  
5205 Toshiba P351C Underline OFF  
5206 Toshiba P351C Underline ON  
5207 UDP Laser 65 in 1 10 CPI  
5208 UDP Laser 65 in 1 12 CPI  
5209 UDP Laser 65 in 1 12 Lines/Inch  
5210 UDP Laser 65 in 1 15-17 CPI  
5211 UDP Laser 65 in 1 6 Lines/Inch  
5212 UDP Laser 65 in 1 8 Lines/Inch  
5213 UDP Laser 65 in 1 Alt. Var Ln Sp  
5214 UDP Laser 65 in 1 Bold OFF  
5215 UDP Laser 65 in 1 Bold ON  
5216 UDP Laser 65 in 1 Condense Off  
5217 UDP Laser 65 in 1 DblStrike OFF  
5218 UDP Laser 65 in 1 DblStrike ON  
5219 UDP Laser 65 in 1 DdIWIDE ON  
5220 UDP Laser 65 in 1 Emphasize OFF  
5221 UDP Laser 65 in 1 Emphasize ON  
5222 UDP Laser 65 in 1 Initialize  
5223 UDP Laser 65 in 1 Int Chr Spac'g  
5224 UDP Laser 65 in 1 Italic OFF  
5225 UDP Laser 65 in 1 Italic ON  
5226 UDP Laser 65 in 1 Mastr Font/Typ  
5227 UDP Laser 65 in 1 Move ABS Horiz  
5228 UDP Laser 65 in 1 Move ABS Vert.  
5229 UDP Laser 65 in 1 Move REL Horiz  
5230 UDP Laser 65 in 1 Move REL Vert.  
5231 UDP Laser 65 in 1 Pop Cursor  
5232 UDP Laser 65 in 1 Propor'n'l Off  
5233 UDP Laser 65 in 1 Propor'n'l On  
5234 UDP Laser 65 in 1 Push Cursor  
5235 UDP Laser 65 in 1 Sel. Prt Style  
5236 UDP Laser 65 in 1 Select Char St  
5237 UDP Laser 65 in 1 Set LFT Margin  
5238 UDP Laser 65 in 1 Set RHT Margin  
5239 UDP Laser 65 in 1 Set TOP Margin  
5240 UDP Laser 65 in 1 Skip Perf OFF  
5241 UDP Laser 65 in 1 Skip Perf ON  
5242 UDP Laser 65 in 1 SUBScript OFF  
5243 UDP Laser 65 in 1 SUBScript ON  
5244 UDP Laser 65 in 1 SUP-Scr OFF  
5245 UDP Laser 65 in 1 SUPERscript ON  
5246 UDP Laser 65 in 1 Underline OFF  
5247 UDP Laser 65 in 1 Underline ON  
5248 UDP Laser 65 in 1 Var. Ln Space  
5249 Xerox 2700 II Double Stike Off.

Sheet1

5250 Xerox 2700 II Double Strike On.  
5251 Xerox 2700 II Reset  
5252 Xerox 2700 II Setup  
5253 Xerox 2700 II Underline Off.  
5254 Xerox 2700 II Underline On.  
5255 Xerox 4045 - 630 Mode 10 CPI.  
5256 Xerox 4045 - 630 Mode 12 CPI.  
5257 Xerox 4045 - 630 Mode 6 lines per inch.  
5258 Xerox 4045 - 630 Mode 8 lines per inch.  
5259 Xerox 4045 - 630 Mode Double Strike Off.  
5260 Xerox 4045 - 630 Mode Double Strike On.  
5261 Xerox 4045 - 630 Mode Underline Off.  
5262 Xerox 4045 - 630 Mode Underline On.  
300 PCL3: Characters/inch: 10.0  
301 PCL3: Characters/inch: 12.0  
302 PCL3: Characters/inch: 16.7  
303 PCL3: Font Stroke Weight : Bold  
304 PCL3: Font Stroke Weight : Normal  
305 PCL3: Form Feed  
306 PCL3: lines/inch: 1  
307 PCL3: lines/inch: 2  
308 PCL3: lines/inch: 3  
309 PCL3: lines/inch: 4  
310 PCL3: lines/inch: 6  
311 PCL3: lines/inch: 8  
312 PCL3: lines/inch:12  
313 PCL3: lines/inch:16  
314 PCL3: lines/inch:24  
315 PCL3: lines/inch:48  
316 PCL3: Orientation: Landscape  
317 PCL3: Orientation: Portrait  
318 PCL3: Paper Size: A4  
319 PCL3: Paper Size: Default  
320 PCL3: Paper Size: DL envelope (landscape)  
321 PCL3: Paper Size: Executive  
322 PCL3: Paper Size: Legal  
323 PCL3: Paper Size: Letter  
324 PCL3: Paper Size: No. 10 envelope (landscape)  
325 PCL3: Paper Source: Eject Page  
326 PCL3: Paper Source: Envelope Feed  
327 PCL3: Paper Source: Feed from tray  
328 PCL3: Points: 8  
329 PCL3: Points: 10  
330 PCL3: Points: 12  
331 PCL3: Points: 14  
332 PCL3: Print Mode (Text) Bidirectional  
333 PCL3: Print Mode (Text) Unidirectional left to right  
334 PCL3: Print Mode (Text) Unidirectional right to left  
335 PCL3: Print Quality - Draft

336 PCL3: Print Quality - Letter  
337 PCL3: Raster Graphics: 100 DPI resolution  
338 PCL3: Raster Graphics: 150 DPI resolution  
339 PCL3: Raster Graphics: 300 DPI resolution  
340 PCL3: Raster Graphics: 75 DPI resolution  
341 PCL3: Raster Graphics: End Graphics  
342 PCL3: Raster Graphics: Start at current position  
343 PCL3: Raster Graphics: Start at left most position  
344 PCL3: Reset Printer  
345 PCL3: Self test  
346 PCL3: Set Left Margin: 1 line  
347 PCL3: Set left margin: 2 Lines  
348 PCL3: Set Left Margin: 4 lines  
349 PCL3: Set Left Margin:10 lines  
350 PCL3: Set Page Length: 56  
351 PCL3: Set Page length: 60  
352 PCL3: Set Page Length: 65  
353 PCL3: Set Top Margin: 1 line  
354 PCL3: Set Top Margin: 2 Lines  
355 PCL3: Set Top Margin: 4 lines  
356 PCL3: Set Top Margin:10 lines  
357 PCL3: Spacing: Fixed  
358 PCL3: Spacing: Proportional  
359 PCL3: Style: Italic  
360 PCL3: Style: Upright (Solid)  
361 PCL3: Typeface: CG Times  
362 PCL3: Typeface: Courier  
363 PCL3: Typeface: Letter Gothic  
364 PCL3: Typeface: Univers  
365 PCL3: Underline: Disable  
366 PCL3: Underline: Enable Fixed  
367 PCL3: Underline: Enable Floating  
200 HP LaserJet 4/III Characters/inch: 10.0  
201 HP LaserJet 4/III Characters/inch: 12.0  
202 HP LaserJet 4/III Characters/inch: 16.7  
203 HP LaserJet 4/III Duplex, Long Edge binding  
204 HP LaserJet 4/III Duplex, Short Edge binding  
205 HP LaserJet 4/III Font Stroke Weight : Black  
206 HP LaserJet 4/III Font Stroke Weight : Bold  
207 HP LaserJet 4/III Font Stroke Weight : Demi Bold  
208 HP LaserJet 4/III Font Stroke Weight : Demi Light  
209 HP LaserJet 4/III Font Stroke Weight : Extra Black  
210 HP LaserJet 4/III Font Stroke Weight : Extra Bold  
211 HP LaserJet 4/III Font Stroke Weight : Extra Light  
212 HP LaserJet 4/III Font Stroke Weight : Extra Thin  
213 HP LaserJet 4/III Font Stroke Weight : Light  
214 HP LaserJet 4/III Font Stroke Weight : Medium (book or text)  
215 HP LaserJet 4/III Font Stroke Weight : Semi Bold  
216 HP LaserJet 4/III Font Stroke Weight : Semi Light

Sheet1

217 HP LaserJet 4/III Font Stroke Weight : Thin  
218 HP LaserJet 4/III Font Stroke Weight : Ultra Black  
219 HP LaserJet 4/III Font Stroke Weight : Ultra Thin  
220 HP LaserJet 4/III Form Feed  
221 HP LaserJet 4/III lines/inch: 1  
222 HP LaserJet 4/III lines/inch: 2  
223 HP LaserJet 4/III lines/inch: 3  
224 HP LaserJet 4/III lines/inch: 4  
225 HP LaserJet 4/III lines/inch: 6  
226 HP LaserJet 4/III lines/inch: 8  
227 HP LaserJet 4/III lines/inch:12  
228 HP LaserJet 4/III lines/inch:16  
229 HP LaserJet 4/III lines/inch:24  
230 HP LaserJet 4/III lines/inch:48  
231 HP LaserJet 4/III Orientation: Landscape  
232 HP LaserJet 4/III Orientation: Portrait  
233 HP LaserJet 4/III Orientation: Reverse Landscape  
234 HP LaserJet 4/III Orientation: Reverse Portrait  
235 HP LaserJet 4/III Paper Size: A4  
236 HP LaserJet 4/III Paper Size: C5  
237 HP LaserJet 4/III Paper Size: COM 10 [Envelope]  
238 HP LaserJet 4/III Paper Size: DL  
239 HP LaserJet 4/III Paper Size: Executive  
240 HP LaserJet 4/III Paper Size: Legal  
241 HP LaserJet 4/III Paper Size: Letter  
242 HP LaserJet 4/III Paper Size: Monarch  
243 HP LaserJet 4/III Paper Source: Eject Page  
244 HP LaserJet 4/III Paper Source: Manual Envelope Feed  
245 HP LaserJet 4/III Paper Source: Manual Feed  
246 HP LaserJet 4/III Paper Source: Paper Cassette  
247 HP LaserJet 4/III Points: 8  
248 HP LaserJet 4/III Points: 10  
249 HP LaserJet 4/III Points: 12  
250 HP LaserJet 4/III Points: 14  
251 HP LaserJet 4/III Reset Printer  
252 HP LaserJet 4/III Set Left Margin: 1 line  
253 HP LaserJet 4/III Set left margin: 2 Lines  
254 HP LaserJet 4/III Set Left Margin: 4 lines  
255 HP LaserJet 4/III Set Left Margin:10 lines  
256 HP LaserJet 4/III Set Page Length: 56  
257 HP LaserJet 4/III Set Page length: 60  
258 HP LaserJet 4/III Set Page Length: 65  
259 HP LaserJet 4/III Set Top Margin: 1 line  
260 HP LaserJet 4/III Set Top Margin: 2 Lines  
261 HP LaserJet 4/III Set Top Margin: 4 lines  
262 HP LaserJet 4/III Set Top Margin:10 lines  
263 HP LaserJet 4/III Simplex  
264 HP LaserJet 4/III Spacing: Fixed  
265 HP LaserJet 4/III Spacing: Proportional

Sheet1

266 HP LaserJet 4/III Style: Compressed (Extra Condensed)  
267 HP LaserJet 4/III Style: Condensed  
268 HP LaserJet 4/III Style: Condensed Italic  
269 HP LaserJet 4/III Style: Expanded  
270 HP LaserJet 4/III Style: Inline  
271 HP LaserJet 4/III Style: Italic  
272 HP LaserJet 4/III Style: Outline  
273 HP LaserJet 4/III Style: Outline Shadowed  
274 HP LaserJet 4/III Style: Shadowed  
275 HP LaserJet 4/III Style: Upright (Solid)  
276 HP LaserJet 4/III Typeface: Albertus  
277 HP LaserJet 4/III Typeface: Antique Olive  
278 HP LaserJet 4/III Typeface: CG Times  
279 HP LaserJet 4/III Typeface: Coronet  
280 HP LaserJet 4/III Typeface: Courier  
281 HP LaserJet 4/III Typeface: Letter Gothic  
282 HP LaserJet 4/III Typeface: Univers  
283 HP LaserJet 4/III Typeface: Wingdings  
284 HP LaserJet 4/III Underline: Disable  
285 HP LaserJet 4/III Underline: Enable Fixed  
286 HP LaserJet 4/III Underline: Enable Floating  
100 HP LaserJet II 10 Characters Per Inch  
101 HP LaserJet II 12 Characters Per Inch  
102 HP LaserJet II Carriage Return  
103 HP LaserJet II Courier Font: 10 CPI  
104 HP LaserJet II Courier Font: 12 CPI  
105 HP LaserJet II Double Strike On  
106 HP LaserJet II Double Strike Off  
107 HP LaserJet II Font Stroke Weight : Bold  
108 HP LaserJet II Font Stroke Weight : Normal  
109 HP LaserJet II Form Feed  
110 HP LaserJet II Italics Off  
111 HP LaserJet II Italics On  
112 HP LaserJet II Landscape  
113 HP LaserJet II Line Feed  
114 HP LaserJet II Line Printer Font: 16.6 CPI  
115 HP LaserJet II lines/inch: 1  
116 HP LaserJet II lines/inch: 2  
117 HP LaserJet II lines/inch: 3  
118 HP LaserJet II lines/inch: 4  
119 HP LaserJet II lines/inch: 6  
120 HP LaserJet II lines/inch: 8  
121 HP LaserJet II lines/inch:12  
122 HP LaserJet II lines/inch:16  
123 HP LaserJet II lines/inch:24  
124 HP LaserJet II lines/inch:48  
125 HP LaserJet II Master Reset  
126 HP LaserJet II Paper Size: A4  
127 HP LaserJet II Paper Size: C5

Sheet1

- 128 HP LaserJet II Paper Size: COM 10 [Envelope]
- 129 HP LaserJet II Paper Size: DL
- 130 HP LaserJet II Paper Size: Executive
- 131 HP LaserJet II Paper Size: Legal
- 132 HP LaserJet II Paper Size: Letter
- 133 HP LaserJet II Paper Size: Monarch
- 134 HP LaserJet II Paper Source: Manual Envelope Feed
- 135 HP LaserJet II Paper Source: Manual Feed
- 136 HP LaserJet II Paper Source: Paper Cassette
- 137 HP LaserJet II Points: 8
- 138 HP LaserJet II Points: 10
- 139 HP LaserJet II Points: 12
- 140 HP LaserJet II Points: 14
- 141 HP LaserJet II Portait
- 142 HP LaserJet II Raster Graphics: 100 DPI resolution
- 143 HP LaserJet II Raster Graphics: 150 DPI resolution
- 144 HP LaserJet II Raster Graphics: 300 DPI resolution
- 145 HP LaserJet II Raster Graphics: 75 DPI resolution
- 146 HP LaserJet II Raster Graphics: End Graphics
- 147 HP LaserJet II Raster Graphics: Start at current position
- 148 HP LaserJet II Raster Graphics: Start at left most position
- 149 HP LaserJet II Self test
- 150 HP LaserJet II Set Left Margin: 1 line
- 151 HP LaserJet II Set left margin: 2 Lines
- 152 HP LaserJet II Set Left Margin: 4 lines
- 153 HP LaserJet II Set Left Margin:10 lines
- 154 HP LaserJet II Set Page Length: 56
- 155 HP LaserJet II Set Page length: 60
- 156 HP LaserJet II Set Page Length: 65
- 157 HP LaserJet II Set Top Margin: 1 line
- 158 HP LaserJet II Set Top Margin: 2 Lines
- 159 HP LaserJet II Set Top Margin: 4 lines
- 160 HP LaserJet II Set Top Margin:10 lines
- 161 HP LaserJet II Spacing: Fixed
- 162 HP LaserJet II Spacing: Proportional
- 163 HP LaserJet II Underline Off
- 164 HP LaserJet II Underline On

88888888 Autostart codes:



CODES,C,88

27,80

18,27,87,27,77

27,65,6

15

27,50

27,48

27,74,251

27,85

27,70

27,69

18

27,72

27,71

27,87

27,87,1

18,27,87,27,120,27,80

27,70

27,69

27,64

27,53

27,52

27,33,251

27,120,1

27,112

27,112,1

27,82,251

27,108,251

27,81,251

27,68,251,251,251,251,251,251,251,251,251,251

27,79

27,78,251

27,84

27,83,1

27,84

27,83

27,45

27,45,1

27,85,1

27,65,251

27,31,13

27,31,11

27,30,5

27,31,9

27,30,9

27,30

27,38

27,79

27,38

27,79  
27,31  
27,31,25  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,80  
27,77  
27,51,15  
27,15  
27,50  
27,48  
27,51,251  
27,85  
27,70  
27,69  
18  
27,119  
27,119,1  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53,27,116,1  
27,116,27,52  
27,33,251  
27,36,251,251  
27,92,251,251  
27,120,1

27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,45  
27,45,1  
27,85,1  
27,84  
27,83  
27,65,251  
27,120,1  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,32,27,120,27,80  
27,70  
27,69  
27,64,32,32,32,32,32,32,32,32,32,32,32,32,93  
27,53  
27,52  
27,33,251  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251

27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
27,77  
27,51,15  
27,15  
27,50  
27,48  
27,51,251  
27,85  
27,70  
27,69  
18  
27,119  
27,119,1  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53,27,116,1  
27,116,27,52  
27,33,251  
27,36,251,251  
27,92,251,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45

Sheet1

27,45,1  
27,85,1  
27,65,251  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,32,27,120,32,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
27,77  
27,51,15  
27,15  
27,50  
27,48  
27,51,251

Sheet1

27,85  
27,70  
27,69  
18  
27,119  
27,119,1  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53,27,116,1  
27,116,32,27,52  
27,33,251  
27,36,251,251  
27,92,251,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,38  
27,79  
27,31  
27,31,25

27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,120,1,27,80  
18,27,87,27,120,27,77  
27,51,18  
27,80,15  
27,50  
27,48  
27,51,251  
27,85  
27,70  
27,69  
18  
27,119  
27,119,1  
27,72  
27,71  
27,87  
27,80,27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,32,251  
27,53,27,116,1  
27,116,27,52  
27,33,251  
27,36,251,251  
27,92,251,251  
27,120,1  
27,112  
27,112,1

27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,120,1,27,80  
18,27,87,27,120,27,77  
27,51,18  
27,80,15  
27,50  
27,48  
27,51,251  
27,85  
27,70  
27,69  
18  
27,119  
27,119,1  
27,72  
27,71  
27,87  
27,80,27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,32,251  
27,53,27,116,1  
27,116,27,52  
27,33,251  
27,36,251,251  
27,92,251,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251



Sheet1

27,68,251,251,251,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,85  
27,84  
27,72  
27,73  
31  
30  
27,81  
27,84  
27,72  
27,73  
27,113  
27,112  
27,117  
27,116  
27,57  
27,56  
18,27,72  
26  
27,72  
27,73  
31  
30  
18,27,72  
27,72  
27,73  
31  
30  
27,120,1,27,80  
18,27,87,27,120,27,77  
27,51,18  
27,80,15  
27,50  
27,48  
27,51,251  
27,85  
27,70  
27,69  
18

Sheet1

27,119  
27,119,1  
27,72  
27,71  
27,87  
27,80,27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,32,251  
27,53,27,116,1  
27,116,27,52  
27,33,251  
27,36,251,251  
27,92,251,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1

18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48

Sheet1

27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
18,27,72  
27,37,10  
27,50  
27,48  
27,72  
27,71  
27,40  
27,40  
27,45,48  
27,45,1  
27,120,1,27,80  
18,27,87,27,120,27,77  
27,51,18  
27,80,15  
27,50  
27,48  
27,51,251  
27,85  
27,70  
27,69  
18  
27,119  
27,119,1  
27,72  
27,71  
27,87  
27,80,27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,32,251  
27,53,27,116,1  
27,116,27,52  
27,33,251  
27,36,251,251  
27,92,251,251  
27,120,1  
27,112  
27,112,1  
27,107,251

27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
18,27,87,27,77  
27,65,6  
15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83

27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
18,27,87,27,77  
27,65,6  
15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,30,9  
27,30,7  
17  
17  
27,82  
27,69

27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,38  
27,79  
27,31  
27,31,25  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251

Sheet1

27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,80  
27,69  
27,54  
17  
17  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85



27,68  
27,82  
27,69  
27,80  
18,27,87,27,77  
27,65,6  
15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38

27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,78  
27,69  
27,65  
27,66  
27,34  
27,33  
17  
17  
27,89  
27,88  
27,120,1,27,80  
18,27,87,27,120,27,77  
27,65,6  
27,80,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71

27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,32,251  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,69,49,50  
27,69,49,48  
27,76,48,56  
27,76,48,54  
27,38  
27,79  
27,82  
27,95  
27,40,115,49,48,72  
27,40,115,49,50,72  
27,38,108,55,46,50,55,67  
27,38,108,53,46,52,53,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,48,83  
27,40,115,49,83  
40,79,93,32,83,69,77,32,54,59,32,69,88,73,84,59,27,69  
40,79,93,32,83,69,77,32,54,59,32,69,88,73,84,59,27,69  
27,38,100,64  
27,38,100,68  
27,31

Sheet1

27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70

Sheet1

27,69  
27,64  
27,251  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48

Sheet1

27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79

Sheet1

27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,38  
27,85  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76

27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,68  
27,82  
27,69  
27,31,13  
27,31,11  
27,30,9  
27,30,7  
27,38  
27,79  
27,58,27,13,80  
27,58,27,13,80  
27,82  
27,69  
155,48,32,75  
155,49,32,75  
155,48,32,66  
155,52,32,66  
155,50,50,109  
155,49,109  
155,50,50,109  
155,51,109  
27,99  
27,99  
155,50,52,109  
155,52,109  
27,80  
18,27,87,27,77  
27,65,6  
15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69



27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
18,27,87,27,77  
27,65,6  
15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251

Sheet1

27,68,251,251,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,91,49,119  
27,91,50,119  
27,91,49,122  
27,91,50,122  
27,91,48,109  
27,91,52,109  
27,80  
18,27,87,27,77  
27,65,6  
15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84

27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
18,27,87,32,27,77  
27,65,6  
15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
18,27,72  
27,77  
27,50

27,48  
27,72  
27,71  
27,53  
27,52  
27,64  
27,64  
27,45,48  
27,45,1  
27,120,1,27,80  
18,27,87,27,120,27,77  
27,65,6  
27,80,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,251  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1

27,65,251  
18  
15  
12  
27,70  
27,69  
27,87,0  
27,87,1  
27,120,1,27,80  
18,27,87,27,120,27,77  
27,51,18  
27,80,15  
27,50  
27,48  
27,51,251  
27,85  
27,70  
27,69  
18  
27,119  
27,72  
27,71  
27,87  
27,80,27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,251  
27,53,27,116,1  
27,116,27,52  
27,33,251  
27,36,251,251  
27,92,251,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45

Sheet1

27,45,1  
27,85,1  
27,65,251  
27,5  
27,4  
27,120,1  
27,120,1  
27,80  
27,77  
27,50  
27,48  
27,72  
27,71  
27,53  
27,52  
27,64  
27,64  
27,45,48  
27,45,1  
27,80  
27,77  
27,64  
27,45,48  
27,45,49  
27,80  
27,69  
27,54  
17  
17  
27,31,13  
27,31,11  
27,30,9  
27,30,7  
27,38  
27,70  
17,27,13,80  
17,27,13,80  
27,82  
27,69  
27,80  
27,69  
27,56,48,56  
27,56,48,54  
27,38  
27,79  
17,27,26,83  
17,27,26,83  
27,74  
27,73

29  
30  
27,66,44,56,44,36  
27,66,44,54,44,36  
27,101  
27,100  
17,24  
17,24  
27,102,44,48,44,36  
27,102,44,49,44,36  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,91,49,119  
27,91,50,119  
27,91,49,122  
27,91,50,122  
27,36,50  
27,36,49

27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,40,115,48,66  
27,40,115,51,66  
27,57  
27,38,108,48,72  
27,38,115,49,67  
27,38,115,48,67  
27,38,108,51,72  
12  
27,61  
27,40,115,48,83



27,40,115,49,83  
10  
27,38,108,49,68  
27,38,108,50,68  
27,38,108,51,68  
27,38,108,52,68  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,49,50,68  
27,38,108,49,54,68  
27,38,108,50,52,68  
27,38,108,52,56,68  
27,38,108,48,76  
27,38,108,49,76  
27,38,107,49,87  
27,38,107,48,87  
27,38,107,50,87  
27,40,115,48,80  
27,40,115,49,80  
27,69  
27,40,115,49,48,72  
27,40,115,49,50,86  
27,40,115,49,54,72  
27,40,115,50,48,72  
27,40,115,53,72  
27,40,115,54,86  
27,40,115,49,81  
27,40,115,50,81  
27,122  
27,38,108,49,79  
27,38,97,49,76  
27,38,97,50,76  
27,38,97,52,78  
27,38,97,49,48,76  
27,38,108,53,54,80  
27,38,108,54,48,80  
27,38,108,54,53,80  
27,38,108,26,65  
27,38,108,81,65  
27,38,108,3,65  
27,38,108,2,65  
27,38,108,48,79  
27,38,108,49,69  
27,38,108,50,69  
27,38,108,52,69  
27,38,108,49,48,69  
27,40,115,45,49,85  
27,40,115,43,49,85  
27,40,115,48,85

Sheet1

27,38,107,53,87  
27,38,107,54,87  
27,38,108,49,72  
27,38,100,64  
27,38,100,2,68  
27,38,100,4,68  
27,38,100,1,68  
27,38,100,3,68  
27,38,107,48,69  
27,38,107,49,69  
27,31,11  
27,31  
27,31,11,27,80  
27,79  
27,81  
27,31,25  
27,38  
27,79  
27  
27,31  
27,49  
27,30  
27,38  
27,87  
27,31,9  
27,31,11  
27,30,5  
27,30,9  
27,31  
27,11,251  
27,9,251  
27,57  
27,48  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,88,27,81  
27,31  
27,38  
27,63  
27,60  
8  
27,8  
27,10  
27,38  
27,79

13  
27,50  
27,88  
27,56  
27,67  
27,62  
27,33  
27,25,82  
12  
27,85  
9  
27,66  
27,65  
10  
27,61  
29  
27,90  
27,89  
27,68  
27,77  
15  
27,15  
27,23,1  
27,23,2  
27,23,3  
14  
27,76  
27,49  
27,57  
27,12,66  
27,48  
27,84  
27,45  
32  
27,32,54  
27,87  
27,52  
22,55  
27,9,1  
27,9,8  
27,82  
27,69  
11  
27,31,13  
27,31,11  
27,30,9  
27,30,7  
27,38  
27,87

Sheet1

27,13,80  
27,13,80  
27,82  
27,69  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48

Sheet1

27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,32,251  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,31,13  
27,31,11  
27,30,9  
27,30,7  
27,38  
27,70  
17,27,13,80  
17,27,13,80  
27,82  
27,69  
27,80,18,27,72  
27,77,18,27,72  
27,50  
27,48

Sheet1

27,72  
27,71  
27,53  
27,52  
27,64  
27,64  
27,45,48  
27,45,1  
24  
18  
15  
27,119,0,0  
27,119,1  
27,87,0,0  
27,87,1  
27,70  
27,69  
27,72  
27,71  
12  
27,40,1  
27,40,0,0  
27,53  
27,52  
10  
27,56  
27,57  
27,85,0,0  
27,107,0,0  
27,115,0,0  
27,115,1  
27,107,1  
17  
19  
27,85,1  
27,112,0,0  
27,112,1  
27,64  
27,80  
27,77  
27,120,1  
27,120,0,0  
27,67,0,0,11  
27,67,0,0,14  
27,67,56  
27,67,65  
27,97,1  
27,97,3  
27,97,0

27,97,2  
27,50  
27,48  
27,49  
27,84  
27,83,1  
27,84  
27,83,0,0  
27,45,0,0  
27,45,1  
27,80,18,27,72  
27,77,18,27,72  
27,50  
27,48  
27,72  
27,71  
27,53  
27,52  
27,64  
27,64  
27,45,48  
27,45,1  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80

27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76



Sheet1

27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,80,18,27,72  
27,77,18,27,72  
27,50  
27,48  
27,72  
27,71  
27,53  
27,52  
27,64  
27,64  
27,45,48  
27,45,1  
18,27,72  
27,50  
27,48  
27,72  
27,71  
27,45,48  
27,45,1  
18  
15  
27,72  
27,71  
12  
27,70  
27,69  
27,87,0  
27,87,1  
27,53  
27,52  
27,64  
27,45,0  
27,45,1  
27,80  
18,27,87,27,77  
27,65,6  
15  
27,50  
27,48  
27,74,251  
27,85

Sheet1

27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69

Sheet1

27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251

27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1

Sheet1

27,85,1  
27,65,251  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85

27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,31,13  
27,31,11  
27,30,5  
27,31,9,27,38  
27,30,9,27,85  
27,30  
27,38  
27,79  
27,38  
27,79  
27,31  
27,31,25  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81

Sheet1

27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,68  
27,82  
27,69  
27,88,27,81  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,38  
27,79  
27,31  
27,31,25  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38

27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,80,18,27,72  
27,77,18,27,72  
27,50  
27,48  
27,70  
27,69  
27,64  
27,64  
27,45,48  
27,45,49  
27,38,107,48,83  
27,38,108,54,68  
27,38,108,56,68  
27,40,115,48,66  
27,40,115,49,66  
27,69  
27,69  
27,38,100,64  
27,38,100,68  
27,40,115,49,48,72  
27,40,115,49,50,72  
27,38,108,54,68  
27,38,108,56,68



27,40,115,48,66  
27,40,115,51,66  
27,40,115,48,83  
27,40,115,49,83  
27,69  
27,69  
27,38,100,64  
27,38,100,68  
27,40,115,49,48,72  
27,40,115,49,50,72  
27,38,108,54,68  
27,38,108,56,68  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,48,83  
27,40,115,49,83  
27,69,27,38,108,54,101,53,52,70  
27,69,27,38,108,54,101,53,52,70  
27,38,100,64  
27,38,100,68  
27,40,115,49,48,72  
27,40,115,49,50,72  
27,38,108,54,68  
27,38,108,56,68  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,48,83  
27,40,115,49,83  
27,69,27,38,108,51,101,54,51,70  
27,69,27,38,108,51,101,54,51,70  
27,38,100,64  
27,38,100,68  
27,38,107,48,83  
27,38,107,52,83  
27,38,108,54,68  
27,38,108,56,68  
27,40,115,48,66  
27,40,115,49,66  
27,69  
27,69  
27,38,100,64  
27,38,100,68  
27,38,107,49,50,72  
27,38,107,49,48,72  
27,38,108,55,46,50,55,67  
27,38,108,53,46,52,53,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,48,83

Sheet1

27,40,115,49,83  
27,69  
27,69  
27,38,100,64  
27,38,100,68  
27,122  
18,27,72  
27,58  
27,50  
27,48  
27,72  
27,71  
27,54  
27,54  
27,45,48  
27,45,1  
18,27,72  
27,58  
27,50  
27,48  
27,72  
27,71  
18,27,72  
27,58  
27,50  
27,48  
27,72  
27,71  
27,63  
27,63  
27,45,48  
27,45,1  
27,58  
27,80,0  
27,80,1  
18  
27,72  
27,72  
27,70  
27,87,0  
27,79  
27,84  
27,48  
18  
18  
27,58  
15,27,87,1  
15  
27,85,0

15  
27,73,3  
27,71  
27,71  
27,69  
27,87,1  
27,55  
27,54  
27,73,1  
27,73,1  
27,73,1  
27,73,2  
27,73,4  
27,83,0  
27,85,1  
27,78,4  
27,65,12,27,50  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77

27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82

Sheet1

27,38,100,64  
27,38,100,68  
27,38,108,251,68  
18,27,72  
27,58  
27,50  
27,48  
27,112,27,53  
27,112,27,53  
27,45,48  
27,45,1  
18,27,72  
27,50  
27,48  
27,70  
27,69  
1  
1  
27,45,48  
27,45,1  
18,27,72  
27,58  
27,50  
27,48  
27,72  
27,71  
27,45,48  
27,45,1  
15,27,88,1,132  
27,88,1,158  
27,50  
27,48  
27,45,48  
27,45,1  
18,27,72  
27,58  
27,50  
27,48  
27,70  
27,69  
27,45,48  
27,45,1  
18,27,72  
27,58  
27,50  
27,48  
17  
17  
27,45,48

27,45,1  
29  
30  
27,66,44,56,44,36  
27,66,44,54,44,36  
17  
17  
29  
30  
27,66,44,56,44,36  
27,66,44,54,44,36  
17  
17  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,38,108,49,79  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,38,108,48,79  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76

Sheet1

27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,80  
18,27,87,27,77  
27,65,6  
15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
27,77

Sheet1

27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,31,13  
27,30,9  
27,30,7  
27,38  
27,79  
27,26,73,27,81  
27,26,73,27,81  
27,82  
27,69  
27,40,115,49,48,72  
27,40,115,49,50,72



Sheet1

33,82,33,32,83,84,77,32,49,48,50,59,32,83,76,80,80  
33,82,33,32,83,84,77,32,56,53,59,32,83,76,80,80,32  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,48,83  
27,40,115,49,83  
27,38,100,64  
27,38,100,68  
27,40,115,49,48,72  
27,40,115,49,50,72  
33,82,33,32,83,84,77,32,49,51,50,59,32,83,76,80,80  
33,82,33,32,83,84,77,32,49,49,48,59,32,83,76,80,80  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,48,83  
27,40,115,49,83  
27,38,100,64  
27,38,100,68  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68

27,82  
27,69  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,251  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,120,1,27,80  
18,27,87,27,120,27,77  
27,65,6  
27,80,15  
27,50  
27,48

27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,32,251  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,120,1,27,80  
18,27,87,27,120,27,77  
27,65,6  
27,80,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87

27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,32,251  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86

Sheet1

27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,91,52,119  
27,91,53,119  
27,91,51,122  
27,91,52,122  
27,91,62,122  
27,91,61,122  
27,91,54,126  
27,91,54,126  
27,91,48,109  
27,91,52,109  
18,27,72  
27,50  
27,48  
27,72  
27,71  
27,53  
27,52  
27,64  
27,64  
27,45,48  
27,45,1  
27,38  
27,85  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30

Sheet1

27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,68  
27,82  
27,69  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57

Sheet1

27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,31  
27,31  
27,31  
27,31,11  
27,31,11  
27,31,11  
27,30,5  
27,30,5  
27,30,5  
27,31,9  
27,31,9  
27,31,9  
27,30,9  
27,30,9  
27,30,9  
27,30  
27,30  
27,30  
27,38  
27,38  
27,38  
27,79  
27,79  
27,79  
27,31  
27,31  
27,31  
27,38  
27,38  
27,38  
27,79  
27,79  
27,79  
27,31  
27,31  
27,31  
27,31,25  
27,31,25  
27,31,25  
27,31

Sheet1

27,31  
27,31  
27,38  
27,38  
27,38  
27,87  
27,87  
27,87  
27,88,27,81  
27,88,27,81  
27,88,27,81  
27,9,251  
27,9,251  
27,9,251  
27,11,251  
27,11,251  
27,11,251  
27,11,251  
27,31,11  
27,31,11  
27,31,11  
27,81  
27,81  
27,81  
27,31,11,27,80  
27,31,11,27,80  
27,31,11,27,80  
27,76  
27,76  
27,76  
27,57  
27,57  
27,57  
27,48  
27,48  
27,48  
27,49  
27,49  
27,49  
27,84  
27,84  
27,84  
27,68  
27,68  
27,68  
27,85  
27,85  
27,85  
27,85  
27,85



27,85  
27,68  
27,68  
27,68  
27,82  
27,82  
27,82  
27,69  
27,69  
27,69  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82

Sheet1

27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,63,49  
27,63,51  
27,50  
27,48

27,72  
27,71  
27,45,48  
27,45,49  
27,80  
27,77  
27,50  
27,48  
27,70  
27,69  
27,53  
27,52  
27,64  
27,64  
27,45,48  
27,45,1  
27,80  
27,77  
27,50  
27,48  
27,72  
27,71  
27,53  
27,52  
27,64  
27,64  
27,45,48  
27,45,49  
27,83  
27,73  
27,50  
27,48  
27,70  
27,69  
27,35,65  
27,35,65  
27,39  
27,45  
27,40,115,49,48,72  
27,40,115,49,50,72  
27,38,108,55,46,50,55,67  
27,38,108,53,46,52,53,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,48,83  
27,40,115,49,83  
27,69  
27,69  
27,38,100,64

27,38,100,68  
27,83  
27,73  
27,50  
27,48  
27,70  
27,69  
27,61  
27,61  
27,39  
27,45  
27,93,76  
27,93,74  
27,93,87  
27,93,85  
27,93,76  
27,93,74  
27,93,87  
27,93,85  
27,44  
27,42  
27,35,66  
27,35,66  
27,39  
27,45  
27,93,76  
27,93,74  
27,93,87  
27,93,85  
27,38  
27,79  
27,26,82  
27,26,82  
27,82  
27,69  
27,93,76  
27,93,74  
27,93,87  
27,93,85  
27,80  
27,77  
27,51,15  
27,15  
27,50  
27,48  
27,51,251  
27,85  
27,70  
27,69

18  
27,119  
27,119,1  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,32,251  
27,53,27,116,1  
27,116,27,52  
27,33,251  
27,36,251,251  
27,92,251,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,38,108,48,79,27,40,48,85,27,40,115,49,112,49,48  
27,40,115,49,50,72,27,38,108,48,79,27,40,48,85,27,  
27,38,108,54,68  
27,38,108,56,68  
27,40,115,48,66  
27,40,115,49,66  
27,40,115,48,83  
27,40,115,49,83  
27,69  
27,69  
27,38,100,64  
27,38,100,68  
18,27,72  
27,58

Sheet1

27,51,36  
27,48  
27,72  
27,71  
27,45,48  
27,45,49  
30  
28  
27,54  
27,56  
27,73  
27,84  
27,33,42  
27,33,47  
24  
24  
27,68  
27,67  
30  
28  
27,54  
27,56  
27,73  
27,84  
27,33,47  
27,33,42  
24  
24  
27,68  
27,67  
30  
27,54  
27,56  
30  
28  
27,54  
27,56  
27,73  
27,72  
24  
24  
27,68  
27,67  
18,27,72  
27,58  
27,50  
27,65,12  
27,37,72  
27,37,71

Sheet1

27,45,48  
27,45,1  
27,54  
27,65  
27,52  
27,53  
27,86  
27,85  
27,54  
27,65  
24  
24  
18,27,72  
27,58  
27,50  
27,48  
27,72  
27,71  
27,45,48  
27,45,1  
18,27,72  
27,58  
27,50  
27,48  
27,72  
27,71  
27,37,72  
27,37,71  
24  
24  
27,45,48  
27,45,1  
18,27,72  
27,58  
27,50  
27,48  
18,27,72  
27,58  
27,50  
27,48  
27,72  
27,71  
24  
24  
27,45,48  
27,45,1  
18  
27,58  
15

27,70  
27,69  
12  
27,72  
27,71  
27,37,72  
27,37,71  
28  
30  
29  
27,54  
27,56  
24  
30  
27,49  
31  
27,73  
27,84  
27,73  
27,72  
30  
12  
27,48  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,38,108,49,79  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83



27,38,108,48,79  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,80  
27,77  
27,51,15  
27,15  
27,50  
27,48  
27,51,251  
27,85  
27,70  
27,69  
18  
27,119  
27,119,1  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,32,251  
27,53,27,116,1  
27,116,27,52  
27,33,251  
27,36,251,251  
27,92,251,251  
27,120,1  
27,112  
27,112,1  
27,107,251

Sheet1

27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,31  
27,31,11

Sheet1

27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,38  
27,79  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,38  
27,87  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,68  
27,85  
27,85  
27,85  
27,85  
27,68  
27,68  
27,82  
27,82  
27,69  
27,69  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79

Sheet1

27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57

27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64

Sheet1

27,38,100,68  
27,38,108,251,68  
27,80  
27,77  
27,50  
27,48  
27,72  
27,71  
27,53  
27,52  
27,54  
27,54  
27,45,48  
27,45,1  
27,80,1  
27,80  
27,50  
27,48  
27,72  
27,71  
27,53  
27,52  
17,27,64  
17,27,64  
27,45,48  
27,45,1  
27,80  
27,77  
27,50  
27,48  
27,72  
27,71  
27,53  
27,52  
17,27,64  
17,27,64  
27,45,48  
27,45,1  
27,31,13  
27,31,11  
27,30,9  
27,30,7  
27,38  
27,79  
27,26,73  
27,26,73  
27,82  
27,69  
27,40,115,112,49,48,72

Sheet1

27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66

27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66



27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,53,0,0  
27,53,1  
7  
24  
15  
27,91,64,4,0,0,0,0,0,0,1,0,0  
27,91,64,4,0,0,0,0,0,0,2,0,0  
27,91,64,4,0,0,0,0,0,0,32,0,0  
27,91,64,4,0,0,0,0,0,0,0,0,1  
27,91,64,4,0,0,0,0,0,0,0,0,2  
27,70  
27,69  
27,72  
27,71  
12  
27,37,72  
27,37,71  
10  
27,95,0,0  
27,95,1  
27,56  
27,57

Sheet1

27,85,0,0  
27,85,1  
27,80,0,0  
27,80,1  
27,93  
18  
27,58  
27,73,0  
27,73,4  
27,73,0  
27,73,5  
27,73,1  
27,73,3  
27,73,7  
27,73,2  
27,73,6  
27,67,0,0,11  
27,67,0,0,14  
27,67,56  
27,67,65  
27,48  
27,49  
27,52  
27,91,64,4,0,0,0,0,0,0,16,0,0  
27,84  
27,83,1  
27,84  
27,83,0,0  
27,45,0,0  
27,45,1  
27,31,13  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,38  
27,79  
27,31  
27,31,25  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81

27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,31,13  
27,31,11  
27,30,9  
27,30,7  
27,38  
27,79  
27,38  
27,87  
27,124,49,101,27,26,73,27,124,49,115,27,124,50,105  
27,124,49,101,27,26,73,27,124,49,115,27,124,50,105  
27,74  
27,73  
27,78  
27,70,6  
27,70,8  
17  
17  
27,30,8  
27,30,6  
27,26,73  
27,26,73  
27,74  
27,73  
27,31,12  
27,31,10  
27,30,56  
27,30,54  
27,77  
27,75,2  
27,26,73  
27,26,73  
27,74  
27,73  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72

27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66

Sheet1

27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,38,108,49,79  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,38,108,48,79  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,80  
27,77  
27,51,15  
27,15  
27,50  
27,48  
27,51,251  
27,85  
27,70  
27,69  
18  
27,119  
27,119,1  
27,72  
27,71  
27,87

Sheet1

27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,251  
27,53,27,116,1  
27,116,27,52  
27,33,251  
27,36,251,251  
27,92,251,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,31,12  
27,31,10  
27,30,8  
27,30,6  
27,13,80  
27,13,80  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87

27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,32,251  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,251  
27,53  
27,52

Sheet1

27,33,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79



Sheet1

27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,38  
27,79  
27,82  
27,69  
27,31,12  
27,31,10  
27,30,9  
27,30,7  
27,13,80  
27,13,80  
27,31,13  
27,31,11  
27,30,9  
27,30,7  
27,38  
27,79  
27,13,80  
27,13,80  
27,82  
27,69  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,53

Sheet1

27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,80  
27,77  
27,65,6  
27,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,32,251  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251

Sheet1

27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,66,1  
27,66,2  
27,50  
27,48  
27,72  
27,71  
27,53  
27,52  
27,64  
27,64  
27,45,48  
27,45,1  
27,120,1,27,80  
18,27,87,27,120,27,77  
27,65,6  
27,80,15  
27,50  
27,48  
27,74,251  
27,85  
27,70  
27,69  
18  
27,72  
27,71  
27,87  
27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,251  
27,53  
27,52  
27,33,251  
27,120,1  
27,112  
27,112,1

27,107,251  
27,82,251  
27,108,251  
27,81,251  
27,68,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,120,1,27,80  
18,27,87,27,120,27,77  
27,51,18  
27,80,15  
27,50  
27,48  
27,51,251  
27,85  
27,70  
27,69  
18  
27,119  
27,119,1  
27,72  
27,71  
27,87  
27,80,27,87,1  
18,27,87,27,120,27,80  
27,70  
27,69  
27,64  
27,251  
27,53,27,116,1  
27,116,27,52  
27,33,251  
27,36,251,251  
27,92,251,251  
27,120,1  
27,112  
27,112,1  
27,107,251  
27,82,251  
27,108,251  
27,81,251

Sheet1

27,68,251,251,251,251,251,251,251,251,251,251,251,251,251  
27,79  
27,78,251  
27,84  
27,83,1  
27,84  
27,83  
27,45  
27,45,1  
27,85,1  
27,65,251  
27,50  
27,48  
18  
27,15  
27,70  
27,69  
27,87,0  
27,87,1  
12  
17  
27,53  
27,52  
27,64  
27,12,00  
27,12,01  
27,112,48  
27,112,49  
27,67  
27,37,10  
27,37,00  
27,120,48  
27,53  
27,66,1  
27,66,2  
27,50  
27,48  
27,72  
27,71  
27,53  
27,52  
27,64  
27,64  
27,45,48  
27,45,1  
27,31  
27,31,11  
27,30,5  
27,31,9

Sheet1

27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11  
27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,31  
27,31,11  
27,30,5  
27,31,9  
27,30,9  
27,30  
27,38  
27,79  
27,31  
27,38  
27,79  
27,31  
27,31,25  
27,31  
27,38  
27,87  
27,88,27,81  
27,9,251  
27,11,251  
27,31,11

Sheet1

27,81  
27,31,11,27,80  
27,76  
27,57  
27,48  
27,49  
27,84  
27,68  
27,85  
27,85  
27,68  
27,82  
27,69  
27,32  
27,31  
27,19  
27,23  
27,19  
27,20  
27,15  
27,14  
27,66,0  
27,66,1  
27,19  
27,12  
27,121  
27,122  
27,30,9  
27,30,7  
27,82  
27,77  
27,75,4  
27,100  
27,113  
17  
27,102,1  
27,102,3  
27,102,2  
27,81  
17  
27,74  
27,73  
27,121  
27,122  
27,50  
27,48  
27,82  
27,72  
27,71

Sheet1

27,100  
27,113  
27,64  
27,102,1  
27,102,3  
27,102,2  
27,81  
27,64  
27,74  
27,73  
27,31,11  
27,30,9  
27,30,7  
27,82  
27,81  
27,20  
27,18,27,72  
27,26,73  
27,26,73  
27,74  
27,73  
27,30,9  
27,30,7  
27,26,73  
27,26,73  
27,74  
27,73  
27,31,11  
27,30,9  
27,30,7  
27,26,73  
27,26,73  
27,74  
27,73  
27,31,11  
27,30,9  
27,30,7  
27,26,73  
27,26,73  
27,74  
27,73  
27,52  
27,71  
27,52  
27,51  
27,90  
27,87  
27,89  
27,46



7  
27,77  
27,75,1  
27,75,2  
27,63  
27,61  
27,93  
27,91  
27,118,48  
27,118,49  
27,34  
27,33  
12  
27,85  
27,95,1  
27,20  
27,18  
10  
27,95,0  
27,68  
27,10  
27,95,2  
27,60  
27,62  
27,37  
27,36  
27,26,73  
27,89  
27,79  
27,47,0  
27,47,1  
27,42,0  
27,42,4  
27,42,2  
27,42,3  
27,42,1  
27,45  
27,57  
27,48  
27,43  
27,82  
27,81  
27,54  
27,53  
27,126,83,48,49,48  
27,126,83,48,49,50  
27,126,83,48,49,48  
27,126,83,48,49,49  
27,74

Sheet1

27,73  
27,52  
27,71  
27,52  
27,51  
27,90  
27,87  
27,46  
27,44  
7  
27,77  
27,75,1  
27,75,2  
27,63  
27,61  
27,93  
27,91  
27,34  
27,33  
12  
27,85  
27,20  
27,18  
27,42,3  
10  
27,68  
27,10  
27,60  
27,62  
27,37  
27,36  
27,26,73  
27,89  
27,79  
27,102  
27,47,0  
27,47,1  
27,95,1  
27,42,4  
27,42,1  
27,121  
27,109  
27,99  
27,98  
27,95,0,0  
27,45  
27,57  
27,48  
27,43

27,82  
27,81  
27,54  
27,53  
27,74  
27,73  
27,40,115,112,49,48,72  
27,40,115,112,49,50,72  
27,38,108,49,50,68  
27,40,115,112,49,54,46,54,54,72  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,251,67  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,112,49,48,72  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,49,112,49,52,46,52,86  
27,40,115,48,66  
27,40,115,51,66  
27,69  
27,38,107,251,72  
27,40,115,48,83  
27,40,115,49,83  
27,40,115,251,84  
27,38,97,251,72  
27,38,97,251,86  
27,38,97,251,251,72  
27,38,97,251,251,86  
27,38,102,49,83  
27,40,115,48,80  
27,40,115,49,80  
27,38,102,48,83  
27,40,115,251,84  
27,40,251,251  
27,38,97,251,76  
27,38,97,251,77  
27,38,108,251,69  
27,38,108,48,76  
27,38,108,49,76  
27,38,97,45,46,53,82  
27,61  
27,61  
27,38,97,45,46,53,82  
27,38,100,64  
27,38,100,68  
27,38,108,251,68  
27,112

27,98  
27,43,88,10  
27,43,88,10  
27,87  
27,85  
27,31,13  
27,31,11  
27,30,9  
27,30,7  
27,38  
27,87  
27,82  
27,69  
27,38,107,48,83  
27,38,107,52,83  
27,38,107,50,83  
27,40,115,51,66  
27,40,115,48,66  
12  
27,38,108,49,68  
27,38,108,50,68  
27,38,108,51,68  
27,38,108,52,68  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,49,50,68  
27,38,108,49,54,68  
27,38,108,50,52,68  
27,38,108,52,56,68  
27,38,108,49,79  
27,38,108,48,79  
27,38,108,50,54,65  
27,38,108,57,48,65  
27,38,108,45,57,48,65  
27,38,108,49,65  
27,38,108,51,65  
27,38,108,50,65  
27,38,108,45,56,49,65  
27,38,108,48,72  
27,38,108,51,72  
27,38,108,49,72  
27,40,115,56,86  
27,40,115,49,48,86  
27,40,115,49,50,86  
27,40,115,49,52,86  
27,38,107,49,87  
27,38,107,48,87  
27,38,107,50,87  
27,40,115,49,81

Sheet1

27,40,115,50,81  
27,42,116,49,48,48,82  
27,42,116,49,53,48,82  
27,42,116,51,48,48,82  
27,42,116,55,53,82  
27,42,114,98,65  
27,42,114,49,65  
27,42,114,48,65  
27,69  
27,122  
27,38,97,49,76  
27,38,97,50,76  
27,38,97,52,78  
27,38,97,49,48,76  
27,38,108,53,54,80  
27,38,108,54,48,80  
27,38,108,54,53,80  
27,38,108,49,69  
27,38,108,50,69  
27,38,108,52,69  
27,38,108,49,48,69  
27,40,115,48,80  
27,40,115,49,80  
27,40,115,49,83  
27,40,115,48,83  
27,40,115,52,49,48,49,84  
27,40,115,51,84  
27,40,115,54,84  
27,40,115,53,50,84  
27,38,100,64  
27,38,100,49,68  
27,38,100,51,68  
27,38,107,48,83  
27,38,107,52,83  
27,38,107,50,83  
27,38,108,49,83  
27,38,108,50,83  
27,40,115,53,66  
27,40,115,51,66  
27,40,115,50,66  
27,40,115,45,50,66  
27,40,115,54,66  
27,40,115,52,66  
27,40,115,45,52,66  
27,40,115,45,54,66  
27,40,115,45,51,66  
27,40,115,48,66  
27,40,115,49,66  
27,40,115,45,49,66

27,40,115,45,53,66  
27,40,115,55,66  
27,40,115,45,55,66  
12  
27,38,108,49,68  
27,38,108,50,68  
27,38,108,51,68  
27,38,108,52,68  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,49,50,68  
27,38,108,49,54,68  
27,38,108,50,52,68  
27,38,108,52,56,68  
27,38,108,49,79  
27,38,108,48,79  
27,38,108,51,79  
27,38,108,50,79  
27,38,108,50,54,65  
27,38,108,57,49,65  
27,38,108,56,49,65  
27,38,108,57,48,65  
27,38,108,49,65  
27,38,108,51,65  
27,38,108,50,65  
27,38,108,56,48,65  
27,38,108,48,72  
27,38,108,51,72  
27,38,108,50,72  
27,38,108,49,72  
27,40,115,56,86  
27,40,115,49,48,86  
27,40,115,49,50,86  
27,40,115,49,52,86  
27,69  
27,38,97,49,76  
27,38,97,50,76  
27,38,97,52,78  
27,38,97,49,48,76  
27,38,108,53,54,80  
27,38,108,54,48,80  
27,38,108,54,53,80  
27,38,108,49,69  
27,38,108,50,69  
27,38,108,52,69  
27,38,108,49,48,69  
27,38,108,48,83  
27,40,115,48,80  
27,40,115,49,80

Sheet1

27,40,115,56,83  
27,40,115,52,83  
27,40,115,53,83  
27,40,115,50,52,83  
27,40,115,54,52,83  
27,40,115,49,83  
27,40,115,51,50,83  
27,40,115,49,54,48,83  
27,40,115,49,50,56,83  
27,40,115,48,83  
27,40,115,52,51,54,50,84  
27,40,115,52,49,54,56,84  
27,40,115,52,49,48,49,84  
27,40,115,52,49,49,54,84  
27,40,115,52,48,57,57,84  
27,40,115,52,49,48,50,84  
27,40,115,52,49,52,56,84  
27,40,115,54,56,50,54,84  
27,38,100,64  
27,38,100,48,68  
27,38,100,51,68  
27,40,115,49,48,72  
27,40,115,49,50,72  
13  
27,69  
27,40,115,49,50,72  
27,40,115,51,66  
27,40,115,48,66  
27,40,115,51,66  
27,40,115,48,66  
12  
27,40,115,48,83  
27,40,115,49,83  
27,38,108,49,111  
10  
27,40,115,49,54,46,54,72  
27,38,108,49,68  
27,38,108,50,68  
27,38,108,51,68  
27,38,108,52,68  
27,38,108,54,68  
27,38,108,56,68  
27,38,108,49,50,68  
27,38,108,49,54,68  
27,38,108,50,52,68  
27,38,108,52,56,68  
27,69  
27,38,108,50,54,65  
27,38,108,57,49,65

Sheet1

27,38,108,56,49,65  
27,38,108,57,48,65  
27,38,108,49,65  
27,38,108,51,65  
27,38,108,50,65  
27,38,108,56,48,65  
27,38,108,51,72  
27,38,108,50,72  
27,38,108,49,72  
27,40,115,56,86  
27,40,115,49,48,86  
27,40,115,49,50,86  
27,40,115,49,52,86  
27,38,108,48,111  
27,42,116,49,48,48,82  
27,42,116,49,53,48,82  
27,42,116,51,48,48,82  
27,42,116,55,53,82  
27,42,114,98,65  
27,42,114,49,65  
27,42,114,48,65  
27,122  
27,38,97,49,76  
27,38,97,50,76  
27,38,97,52,78  
27,38,97,49,48,76  
27,38,108,53,54,80  
27,38,108,54,48,80  
27,38,108,54,53,80  
27,38,108,49,69  
27,38,108,50,69  
27,38,108,52,69  
27,38,108,49,48,69  
27,40,115,48,80  
27,40,115,49,80  
27,38,100,64  
27,38,100,68