

---

**SoftQuad Inc.**  
Suite 810  
56 Aberfoyle Crescent  
Toronto, Canada M8X 2W4  
Telephone (416) 239-4801  
FAX (416) 239-7105

Public Identifier: -//SQ//DTD WWW HOTMETAL 1.0+//EN

System Identifier: html.mtl

Version/Date: February 21, 1995

---

## A

Short Description: **Anchor - a hypertext link**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR, H1, H2, H3, H4, H5

### Attributes:

Name: HREF  
Content: cdata  
Default: #IMPLIED

Name: NAME  
Content: cdata  
Default: #IMPLIED

Name: REL  
Content: name  
Default: #IMPLIED

Name: REV  
Content: name  
Default: #IMPLIED

Name: URN  
Content: cdata  
Default: #IMPLIED

Name: TITLE  
Content: cdata  
Default: #IMPLIED

Name: METHODS  
Content: names  
Default: #IMPLIED

---

---

**ADDRESS**

Short Description: **Address (e.g. e-mail or postal)**

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR

---

**B**

Short Description: **Bold Text**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

**BASE**

Short Description: **The URL of this document (optional)**

Content Type: empty

Contained in: HEAD

Contains:

**Attributes:**

Name: HREF

Content: cdata

Default: #REQUIRED

---

**BLOCKQUOTE**

Short Description: **Block Quotation**

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR, H1, H2, H3, H4, H5, H6, P, HR, PRE, XMP, LISTING, DL, UL, OL, DIR, MENU, BLOCKQUOTE, FORM, ISINDEX, TABLE

---

**BODY**

Short Description: **Document Body; required**

Content Type: mixed

Contained in: HTML

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR, H1, H2, H3, H4, H5, H6, P, HR, PRE, XMP, LISTING, DL, UL, OL, DIR, MENU, BLOCKQUOTE, FORM, ISINDEX, TABLE

---

---

**BR****Short Description: Force Line Break**

Content Type: empty

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains:

---

**CAPTION****Short Description: Table Cell Braille Marker [experimental]**

Content Type: mixed

Contained in: TABLE

Contains: #PCDATA

---

**CITE****Short Description: Citation**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

**CODE****Short Description: Example of Code (compare with PRE)**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

**COLDEF****Short Description: do not insert [internal to tables]**

Content Type: empty

Contained in: COLDEFS

Contains:

**Attributes:**

Name: COLSEP

Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)

Default: #IMPLIED

Name: HALIGN

Content: (LEFT | BOTH | CENTER | RIGHT | CHAR)

Default: #IMPLIED

Name: ALIGNCHR

Content: cdata

CONTINUED

Default: #IMPLIED

Name: CHARPOS  
Content: cdata  
Default: #IMPLIED

Name: COLWD  
Content: cdata  
Default: #IMPLIED

Name: TBLUNITS  
Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)  
Default: #IMPLIED

Name: TOPSEP  
Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)  
Default: #IMPLIED

## COLDEFS

Short Description: **do not insert [internal to tables]**

Content Type: element

Contained in: THEAD, TBODY, TFOOT

Contains: COLDEF

### Attributes:

Name: COLSEP  
Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)  
Default: VSINGLE

Name: HALIGN  
Content: (LEFT | BOTH | CENTER | RIGHT | CHAR)  
Default: LEFT

Name: ALIGNCHR  
Content: cdata  
Default: #IMPLIED

Name: CHARPOS  
Content: cdata  
Default: #IMPLIED

Name: COLWD  
Content: cdata  
Default: #IMPLIED

Name: TBLUNITS  
Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)  
Default: #IMPLIED

Name: TOPSEP  
Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)  
Default: HSINGLE

CONTINUED

**DD**

Short Description: **Text of Definition**

Content Type: mixed

Contained in: DL

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR, P, PRE, XMP, LISTING, DL, UL, OL, DIR, MENU, BLOCKQUOTE, FORM, ISINDEX

---

**DIR**

Short Description: **Directory Listing, items each <= 24 characters**

Content Type: element

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, LI, DD

Contains: LI

**Attributes:**

Name: COMPACT

Content: (COMPACT)

Default: #IMPLIED

---

**DL**

Short Description: **List of Terms and Definitions**

Content Type: element

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

Contains: DT

**Attributes:**

Name: COMPACT

Content: (COMPACT)

Default: #IMPLIED

---

**DT**

Short Description: **Term to be Defined**

Content Type: mixed

Contained in: DL

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

**EM**

Short Description: **Emphasis**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

---

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

## FORM

Short Description: **On-line Form [level 2, HTML2]**

Inclusion Elements: INPUT, SELECT, TEXTAREA

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR, H1, H2, H3, H4, H5, H6, P, HR, PRE, XMP, LISTING, DL, UL, OL, DIR, MENU, BLOCKQUOTE, FORM, ISINDEX, TABLE

### Attributes:

Name: ACTION

Content: cdata

Default: #IMPLIED

Name: METHOD

Content: (GET | POST)

Default: GET

Name: ENCTYPE

Content: cdata

Default: application/x-www-form-urlencoded

---

## H1

Short Description: **Heading Level 1**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

## H2

Short Description: **Heading Level 2**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

## H3

Short Description: **Heading Level 3**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

CONTINUED

---

**H4****Short Description: Heading Level 4**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

**H5****Short Description: Heading Level 5**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

**H6****Short Description: Heading Level 6**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, A

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

**HDROW****Short Description: [internal to TABLE]**

Content Type: element

Contained in: HDROWS

Contains: TH, THSUB, TD

**Attributes:**

Name: ROWSEP

Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)

Default: #IMPLIED

Name: VALIGN

Content: (TOP | MIDDLE | BOTTOM)

Default: #IMPLIED

Name: ROWHT

Content: cdata

Default: #IMPLIED

Name: TBLUNITS

Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)

Default: #IMPLIED

Name: LEFTSEP

Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)

Default: #IMPLIED

---

---

**HDROWS**

Short Description: **[internal to TABLE]**

Content Type: element

Contained in: THEAD

Contains: HDROW

**Attributes:**

Name: ROWSEP

Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)

Default: HSINGLE

Name: VALIGN

Content: (TOP | MIDDLE | BOTTOM)

Default: TOP

Name: ROWHT

Content: cdata

Default: #IMPLIED

Name: TBLUNITS

Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)

Default: #IMPLIED

Name: LEFTSEP

Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)

Default: VSINGLE

---

**HEAD**

Short Description: **Document Header, required**

Content Type: element

Contained in: HTML

Contains: LINK, META, NEXTID, BASE, TITLE, ISINDEX

---

**HR**

Short Description: **Horizontal Rule**

Content Type: empty

Contained in: FORM, BLOCKQUOTE, BODY, PRE

Contains:

---

**HTML**

Short Description: **Top Level Document Element**

Content Type: element

Contained in:



---

Contains: HEAD, BODY, PLAINTEXT

**Attributes:**

Name: VERSION  
Content: cdata  
Default: %HTML.Version;

---

**I**

Short Description: **Italic Text**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

**IMG**

Short Description: **Image**

Content Type: empty

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains:

**Attributes:**

Name: SRC  
Content: cdata  
Default: #REQUIRED

Name: ALT  
Content: cdata  
Default: #IMPLIED

Name: ALIGN  
Content: (TOP | MIDDLE | BOTTOM)  
Default: #IMPLIED

Name: ISMAP  
Content: (ISMAP)  
Default: #IMPLIED

---

**INPUT**

Short Description: **Input to a Form [level 2, HTML2]**

Content Type: empty

Contained in:

Contains:

**Attributes:**

Name: TYPE  
Content: (TEXT | PASSWORD | CHECKBOX | RADIO | SUBMIT | RESET | IMAGE | HIDDEN)

CONTINUED

---

Default: TEXT

Name: NAME  
Content: cdata  
Default: #IMPLIED

Name: VALUE  
Content: cdata  
Default: #IMPLIED

Name: SRC  
Content: cdata  
Default: #IMPLIED

Name: CHECKED  
Content: (CHECKED)  
Default: #IMPLIED

Name: SIZE  
Content: cdata  
Default: #IMPLIED

Name: MAXLENGTH  
Content: number  
Default: #IMPLIED

Name: ALIGN  
Content: (TOP | MIDDLE | BOTTOM)  
Default: #IMPLIED

---

## ISINDEX

Short Description: **This document IS Indexed (searchable)**

Content Type: empty

Contained in: HEAD, FORM, BLOCKQUOTE, BODY, LI, DD

Contains:

---

## KBD

Short Description: **Something a User Would Type**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

## LI

Short Description: **List Item**

Content Type: mixed

Contained in: DIR, MENU, UL, OL

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG, BR, P, PRE, XMP, LISTING, DL, UL, OL, DIR, MENU, BLOCKQUOTE, FORM, ISINDEX

---

CONTINUED

---

**LINK**

Short Description: **The Relation To Another Document [level 1, HTML2]**

Content Type: empty

Contained in: HEAD

Contains:

**Attributes:**

Name: HREF

Content: cdata

Default: #REQUIRED

Name: REL

Content: name

Default: #IMPLIED

Name: REV

Content: name

Default: #IMPLIED

Name: URN

Content: cdata

Default: #IMPLIED

Name: TITLE

Content: cdata

Default: #IMPLIED

Name: METHODS

Content: names

Default: #IMPLIED

---

**LISTING**

Short Description: **Listing (obsolete, use PRE)**

Content Type: cdata

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

Contains:

---

**MENU**

Short Description: **Menu list, more compact than UL**

Content Type: element

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, LI, DD

Contains: LI

**Attributes:**

Name: COMPACT

Content: (COMPACT)

Default: #IMPLIED

---

CONTINUED

---

**META**

---

Short Description: **Generic Metainformation**

Content Type: empty

Contained in: HEAD

Contains:

**Attributes:**

Name: HTTP-EQUIV

Content: name

Default: #IMPLIED

Name: NAME

Content: name

Default: #IMPLIED

Name: CONTENT

Content: cdata

Default: #REQUIRED

---

**NEXTID**

---

Short Description: **Unique ID Counter [deprecated]**

Content Type: empty

Contained in: HEAD

Contains:

**Attributes:**

Name: N

Content: cdata

Default: #REQUIRED

---

**OL**

---

Short Description: **Ordered List (usually auto-numbered)**

Content Type: element

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, LI, DD

Contains: LI

**Attributes:**

Name: COMPACT

Content: (COMPACT)

Default: #IMPLIED

---

**OPTION**

---

Short Description: **Form Option within SELECT [level 2, HTML2]**

Content Type: mixed

Contained in: SELECT

CONTINUED

---

Contains: #PCDATA

**Attributes:**

Name: SELECTED  
 Content: (SELECTED)  
 Default: #IMPLIED

Name: VALUE  
 Content: cdata  
 Default: #IMPLIED

---

**P**

Short Description: **Paragraph, contains text**

Content Type: mixed

Contained in: TH, THSUB, TD, FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

**PLAINTEXT**

Short Description: **Plaintext Content (Obsolete Element)**

Content Type: cdata

Contained in: HTML

Contains:

---

**PRE**

Short Description: **Preformatted Fixed Pitch Text**

Content Type: mixed

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, BR

**Attributes:**

Name: WIDTH  
 Content: number  
 Default: #IMPLIED

---

**ROWS**

Short Description: **[internal to TABLE]**

Content Type: element

Contained in: TBODY, TFOOT

Contains: TR

**Attributes:**

Name: ROWSEP  
 Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)  
 Default: HSINGLE

CONTINUED

---

Name: VALIGN  
Content: (TOP | MIDDLE | BOTTOM)  
Default: TOP

Name: ROWHT  
Content: cdata  
Default: #IMPLIED

Name: TBLUNITS  
Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)  
Default: #IMPLIED

Name: LEFTSEP  
Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)  
Default: VSINGLE

---

## SAMP

Short Description: **Sequence of Literal Characters**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

## SELECT

Short Description: **Form Selection List [level 2, HTML2]**

Content Type: element

Contained in:

Contains: OPTION

### Attributes:

Name: NAME  
Content: cdata  
Default: #REQUIRED

Name: SIZE  
Content: number  
Default: #IMPLIED

Name: MULTIPLE  
Content: (MULTIPLE)  
Default: #IMPLIED

---

## STRONG

Short Description: **Strong Emphasis (preferred over BOLD)**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

CONTINUED

---

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

## TABLE

Short Description: **TABLE [use Insert Table command instead]**

Content Type: element

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

Contains: CAPTION, THEAD, TBODY, TFOOT

---

## TBODY

Short Description: **[internal to tables]**

Content Type: element

Contained in: TABLE

Contains: COLDEFS, ROWS

### Attributes:

Name: TBLWD

Content: cdata

Default: #IMPLIED

Name: TBLHT

Content: cdata

Default: #IMPLIED

Name: TBLUNITS

Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)

Default: #IMPLIED

---

## TD

Short Description: **Data Cell in a TABLE [TABLE is experimental!]**

Content Type: mixed

Contained in: TR, HDROW

Contains: #PCDATA, H1, H2, H3, H4, H5, H6, P, UL, OL, DIR

### Attributes:

Name: ROWSEP

Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)

Default: #IMPLIED

Name: VALIGN

Content: (TOP | MIDDLE | BOTTOM)

Default: #IMPLIED

Name: COLSEP

Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)

Default: #IMPLIED

Name: HALIGN

CONTINUED

---

Content: (LEFT | BOTH | CENTER | RIGHT | CHAR)  
 Default: #IMPLIED

Name: ALIGNCHR  
 Content: cdata  
 Default: #IMPLIED

Name: CHARPOS  
 Content: cdata  
 Default: #IMPLIED

Name: COLSTART  
 Content: number  
 Default: #IMPLIED

Name: COLSPAN  
 Content: number  
 Default: 1

Name: ROWSTART  
 Content: number  
 Default: #IMPLIED

Name: ROWSPAN  
 Content: number  
 Default: 1

Name: AXES  
 Content: cdata  
 Default: #IMPLIED

---

## TEXTAREA

Short Description: **Form Multi-line Text Input Field [level 2, HTML2]**

Content Type: mixed

Contained in:

Contains: #PCDATA

### Attributes:

Name: NAME  
 Content: cdata  
 Default: #REQUIRED

Name: ROWS  
 Content: number  
 Default: #REQUIRED

Name: COLS  
 Content: number  
 Default: #REQUIRED

---

## TFOOT

Short Description: **[internal to tables]**

Content Type: element

CONTINUED



---

Contained in: TABLE

Contains: COLDEFS, ROWS

**Attributes:**

Name: TBLWD  
Content: cdata  
Default: #IMPLIED

Name: TBLHT  
Content: cdata  
Default: #IMPLIED

Name: TBLUNITS  
Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)  
Default: #IMPLIED

---

## TH

Short Description: **Heading Cell [in a TABLE]**

Content Type: mixed

Contained in: TR, HDROW

Contains: #PCDATA, H1, H2, H3, H4, H5, H6, P, UL, OL, DIR

**Attributes:**

Name: ROWSEP  
Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)  
Default: #IMPLIED

Name: VALIGN  
Content: (TOP | MIDDLE | BOTTOM)  
Default: #IMPLIED

Name: COLSEP  
Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)  
Default: #IMPLIED

Name: HALIGN  
Content: (LEFT | BOTH | CENTER | RIGHT | CHAR)  
Default: #IMPLIED

Name: ALIGNCHR  
Content: cdata  
Default: #IMPLIED

Name: CHARPOS  
Content: cdata  
Default: #IMPLIED

Name: COLSTART  
Content: number  
Default: #IMPLIED

Name: COLSPAN  
Content: number

CONTINUED

Default: 1

Name: ROWSTART  
 Content: number  
 Default: #IMPLIED

Name: ROWSPAN  
 Content: number  
 Default: 1

Name: AXIS  
 Content: cdata  
 Default: #IMPLIED

## THEAD

Short Description: **[internal to tables]**

Content Type: element

Contained in: TABLE

Contains: COLDEFS, HDROWS

**Attributes:**

Name: TBLWD  
 Content: cdata  
 Default: #IMPLIED

Name: TBLHT  
 Content: cdata  
 Default: #IMPLIED

Name: TBLUNITS  
 Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)  
 Default: #IMPLIED

## THSUB

Short Description: **Row Sub-Head Cell [in a TABLE]**

Content Type: mixed

Contained in: TR, HDROW

Contains: #PCDATA, H1, H2, H3, H4, H5, H6, P, UL, OL, DIR

**Attributes:**

Name: ROWSEP  
 Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)  
 Default: #IMPLIED

Name: VALIGN  
 Content: (TOP | MIDDLE | BOTTOM)  
 Default: #IMPLIED

Name: COLSEP  
 Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)

CONTINUED

---

Default: #IMPLIED

Name: HALIGN  
 Content: (LEFT | BOTH | CENTER | RIGHT | CHAR)  
 Default: #IMPLIED

Name: ALIGNCHR  
 Content: cdata  
 Default: #IMPLIED

Name: CHARPOS  
 Content: cdata  
 Default: #IMPLIED

Name: COLSTART  
 Content: number  
 Default: #IMPLIED

Name: COLSPAN  
 Content: number  
 Default: 1

Name: ROWSTART  
 Content: number  
 Default: #IMPLIED

Name: ROWSPAN  
 Content: number  
 Default: 1

Name: AXIS  
 Content: cdata  
 Default: #IMPLIED

---

## TITLE

Short Description: **Document Title for browser; up to 64 chars**

Content Type: mixed

Contained in: HEAD

Contains: #PCDATA

---

## TR

Short Description: **[internal to tables]**

Content Type: element

Contained in: ROWS

Contains: TH, THSUB, TD

### Attributes:

Name: ROWSEP  
 Content: (HSINGLE | HDOUBLE | HTRIPLE | HDASH | HDOT | HBOLD | HBLANK | HNONE)  
 Default: #IMPLIED

Name: VALIGN

CONTINUED

---

Content: (TOP | MIDDLE | BOTTOM)  
Default: #IMPLIED

Name: ROWHT  
Content: cdata  
Default: #IMPLIED

Name: TBLUNITS  
Content: (PERCENT | PIXELS | POINTS | PICAS | MM | CM | INCHES)  
Default: #IMPLIED

Name: LEFTSEP  
Content: (VSINGLE | VDOUBLE | VTRIPLE | VDASH | VDOT | VBOLD | VBLANK | VNONE)  
Default: #IMPLIED

---

## TT

Short Description: **Teletype (fixed width) Font**

Content Type: mixed

Contained in:

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

## UL

Short Description: **Unordered List**

Content Type: element

Contained in: TH, THSUB, TD, FORM, BLOCKQUOTE, BODY, LI, DD

Contains: LI

**Attributes:**

Name: COMPACT  
Content: (COMPACT)  
Default: #IMPLIED

---

## VAR

Short Description: **The name of a Variable**

Content Type: mixed

Contained in: FORM, ADDRESS, BLOCKQUOTE, BODY, LI, DD, DT, PRE, H1, H2, H3, H4, H5, H6, P, A, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE

Contains: #PCDATA, TT, B, I, EM, STRONG, CODE, SAMP, KBD, VAR, CITE, A, IMG

---

## XMP

Short Description: **Example (obsolete, use PRE)**

Content Type: cdata

Contained in: FORM, BLOCKQUOTE, BODY, LI, DD

CONTINUED

---

Contains: