

Network Working Group  
Internet-Draft  
<draft-ietf-ip1394-ipv4-04.txt>  
Expires: April, 1998

P. Johansson  
Congruent Software, Inc.

## Ipv4 over IEEE 1394

### STATUS OF THIS DOCUMENT

This document is an Internet-Draft. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

To view the entire list of current Internet-Drafts, please check the "lid-abstracts.txt" listing contained in the Internet-Drafts Shadow Directories on ftp.is.co.za (Africa), ftp.nordu.net (Europe), munnari.oz.au (Pacific Rim), ds.internic.net (US East Coast), or ftp.isi.edu (US West Coast).

### ABSTRACT

This document specifies how to use IEEE Std 1394-1995, Standard for a High Performance Serial Bus (and its supplements), for the transport of Internet Protocol Version 4 (IPv4) datagrams. It defines the necessary methods, data structures and code for that purpose and additionally defines a standard method for Address Resolution Protocol (ARP).

TABLE OF CONTENTS

- 1. INTRODUCTION ..... 3
- 2. DEFINITIONS AND NOTATION ..... 4
  - 2.1 Conformance ..... 4
  - 2.2 Glossary ..... 4
  - 2.3 Abbreviations ..... 5
- 3. IP-CAPABLE NODES ..... 6
- 4. LINK ENCAPSULATION AND FRAGMENTATION ..... 6
- 5. ARP ..... 7
- 6. IP UNICAST ..... 10
  - 6.1 Asynchronous IP unicast ..... 11
  - 6.2 Isochronous IP unicast ..... 11
- 7. IP BROADCAST ..... 11
- 8. IP MULTICAST ..... 12
- 9. SECURITY CONSIDERATIONS ..... 12
- 10. ACKNOWLEDGEMENTS ..... 12
- 11. REFERENCES ..... 12
- 12. EDITOR'S ADDRESS ..... 13

## 1. INTRODUCTION

This document specifies how to use IEEE Std 1394-1995, Standard for a High Performance Serial Bus (and its supplements), for the transport of Internet Protocol Version 4 (IPv4) datagrams. It defines the necessary methods, data structures and codes for that purpose and additionally defines a standard method for Address Resolution Protocol (ARP).

The group of IEEE standards and supplements, draft or approved, related to IEEE Std 1394-1995 is hereafter referred to either as 1394 or as Serial Bus.

1394 is an interconnect (bus) that conforms to the CSR architecture, ISO/IEC 13213:1994. Serial Bus implements communications between nodes over shared physical media at speeds that range from 100 to 400 Mbps. Both consumer electronic applications (such as digital VCR's, stereo systems, televisions and camcorders) and traditional desktop computer applications (e.g., mass storage, printers and tapes), have adopted 1394. Serial Bus is unique in its relevance to both consumer electronic and computer domains and is expected to form the basis of a home or small office network that combines both types of devices.

The CSR architecture describes a memory-mapped address space that Serial Bus implements as a 64-bit fixed addressing scheme. Within the address space, ten bits are allocated for bus ID (up to a maximum of 1,023 buses), six are allocated for node physical ID (up to 63 per bus) while the remaining 48 bits (offset) describe a per node address space of 256 terabytes. The CSR architecture, by convention, splits a node's address space into two regions with different behavioral characteristics. The lower portion, up to but not including 0xFFFF F000 0000, is expected to behave as memory in response to read and write transactions. The upper portion is more like a traditional IO space: read and write transactions to the control and status registers (CSR's) in this area usually have side effects. Registers that have FIFO behavior customarily are implemented in this region.

Within the 64-bit address, the 16-bit node ID (bus ID and physical ID) is analogous to a network hardware address---but 1394 node ID's are variable and subject to reassignment each time one or more nodes are added or removed from the bus.

The 1394 link layer provides a datagram service with both confirmed (acknowledged) and unconfirmed datagrams. The confirmed datagram service is called "asynchronous" while the unconfirmed service is known as "isochronous." Other than the presence or absence of confirmation, the principal distinction between the two is quality of service: isochronous datagrams are guaranteed to be delivered with bounded latency. Datagram payloads vary with implementations and may range from one octet up to a maximum determined by the transmission speed (at 100 Mbps, named S100, the maximum asynchronous data payload is 512 octets while at S400 it is 2048 octets).

NOTE: Extensions underway in IEEE P1394b contemplate additional speeds of 800, 1600 and 3200 Mbps; engineering prototypes are planned for early 1998.

## 2. DEFINITIONS AND NOTATION

### 2.1 Conformance

Several keywords are used to differentiate levels of requirements and optionality, as follows:

**expected:** A keyword used to describe the behavior of the hardware or software in the design models assumed by this standard. Other hardware and software design models may also be implemented.

**ignored:** A keyword that describes bits, octets, quadlets, octlets or fields whose values are not checked by the recipient.

**may:** A keyword that indicates flexibility of choice with no implied preference.

**reserved:** A keyword used to describe objects-bits, octets, quadlets, octlets and fields-or the code values assigned to these objects in cases where either the object or the code value is set aside for future standardization. Usage and interpretation may be specified by future extensions to this or other standards. A reserved object shall be zeroed or, upon development of a future standard, set to a value specified by such a standard. The recipient of a reserved object shall not check its value. The recipient of a defined object shall check its value and reject reserved code values.

**shall:** A keyword that indicates a mandatory requirement. Designers are required to implement all such mandatory requirements to assure interoperability with other products conforming to this standard.

**should:** A keyword that denotes flexibility of choice with a strongly preferred alternative. Equivalent to the phrase "is recommended."

### 2.2 Glossary

The following terms are used in this standard:

**address resolution protocol:** A method for a requester to determine the hardware (1394) address of an IP node from the IP address of the node.

**bus ID:** A 10-bit number that uniquely identifies a particular bus within a group of bridged buses. The bus ID is the most significant portion of a node's 16-bit node ID.

**IP datagram:** An Internet message that conforms to the format specified by RFC 791. ~~It consists of the 20-octet IP header, options (if they are present) and the data that immediately follows.~~

link fragment: A portion of an IP datagram transmitted within a single 1394 packet. The data payload of the 1394 packet contains both a link fragment header and its associated link fragment. It is possible to transmit datagrams without fragmentation.

link fragment header: A [quadletstructure](#) that precedes all IP datagrams (or each fragment thereof) when they are transmitted over 1394. See also link fragment.

local bus ID: A bus ID with the value 0x3FF. A node shall respond to transaction requests addressed to its 6-bit physical ID if the bus ID in the request is either 0x3FF or a bus ID explicitly assigned to the node.

node ID: A 16-bit number that uniquely identifies a Serial Bus node ~~within a 1394 subnet~~. The most significant 10 bits are the bus ID and the least significant 6 bits are the physical ID.

node unique ID: A 64-bit number that uniquely identifies a node among all the Serial Bus nodes manufactured worldwide; also known as the EUI-64 (Extended Unique Identifier, 64-bits).

octet: Eight bits of data.

packet: Any of the 1394 primary packets; [these may be read, write or lock requests \(and their responses\) or stream data](#). The term "packet" is used consistently to differentiate 1394 packets from ARP or IP datagrams, which are also (generically) packets.

physical ID: On a particular bus, this 6-bit number is dynamically assigned during the self-identification process and uniquely identifies a node on that bus.

quadlet: Four octets, or 32 bits, of data.

stream packet: A 1394 primary packet with a transaction code of 0x0A that contains a block data payload. Stream packets may be either asynchronous or isochronous according to the type of 1394 arbitration employed.

~~subnet: Either a single 1394 bus or else two or more 1394 buses with uniquely enumerated bus ID's connected by bridges. When a subnet consists of only one bus, there is no requirement for the bus ID to be anything other than 0x3FF, the local bus ID.~~

## 2.3 Abbreviations

The following are abbreviations that are used in this standard:

ARP	Address resolution protocol
CSR	Control and status register
CRC	Cyclical redundancy checksum

EUI-64 Extended Unique Identifier, 64-bits (essentially equivalent to names used elsewhere, such as global unique ID or world-wide unique ID)  
 IP Internet protocol (within the context of this document, IPv4)

### 3. IP-CAPABLE NODES

Not all 1394 devices are **necessarily** capable of the reception and transmission of ARP or IP datagrams. An IP-capable node shall fulfill the following minimum 1394 requirements:

- the *max\_rec* field in its bus information block shall be at least 8; this indicates an ability to accept write requests with data payload of 512 octets. The same ability shall also apply to read requests; that is, the node shall be able to transmit a response packet with a data payload of 512 octets;

~~it shall be isochronous resource manager capable, as specified by 1394-1995;~~

~~it shall support both reception and transmission of asynchronous streams as specified by P1394a; and~~

~~it shall implement the BROADCAST\_IP\_CHANNEL register.~~

### 4. LINK ENCAPSULATION AND FRAGMENTATION

All IP datagrams (broadcast, unicast or multicast), as well as ARP requests and responses, that are transferred via 1394 block write requests or stream packets shall be encapsulated within the packet's data payload. The maximum size of data payload, in octets, is constrained by ~~varies with~~ the speed at which the packet is transmitted.

Table 1 - Maximum data payloads

Speed	Asynchronous	Isochronous
S100	512	1024
S200	1024	2048
S400	2048	4096
S800	4096	8192
S1600	8192	16384
S3200	16384	32768

The maximum data payload may also be restricted by the capabilities of the sending or receiving node; this is specified by *max\_rec* in the bus information block.

For either of these reasons, the minimum capabilities between any two IP-capable nodes may be less than the 2024 octet MTU specified by this document. This necessitates 1394 link level fragmentation of IP


datagrams, which provides for the ordering and reassembly of link fragments when necessary.

NOTE: The working group has arrived at rough consensus that link encapsulation and fragmentation shall be utilized for all IP datagrams. The details of the headers necessary have yet to be determined. As a consequence, the remainder of section 6 has been deleted from this revision of the working draft; the deleted text has not been marked by change bars.

5. ARP

~~Address Resolution Protocol (ARP) is accomplished on 1394 by means of asynchronous stream packets transmitted with the channel number specified by all of the IP-capable nodes' BROADCAST\_IP\_CHANNEL register. ARP datagrams shall be transmitted by the same means as broadcast IP datagrams.~~ The data payload of an Address Resolution Protocol (ARP) datagram is 4856 octets and shall conform to the format illustrated below.

NOTE: The contents of the ARP datagram are agreed but its exact format remains subject to change.






Figure 4 - ARP datagram format

~~The first quadlet shown above is the link fragment header already described in section 6.~~ Field usage in ~~the remainder of~~ an ARP datagram is as follows:

*hardware\_type*: This field indicates 1394 and shall have a value of 0x0018.

*protocol\_type*: This field shall have a value of 0x0800; this indicates that the protocol addresses in the ARP request or response conform to the format for IP addresses.

*hw\_addr\_len*: This field indicates the size, in octets, of the 1394-dependent hardware address associated with an IP address and shall have a value of ~~16~~20.

*IP\_addr\_len*: This field indicates the size, in octets, of an IP version 4 (IPv4) address and shall have a value of 4.

*opcode*: This field shall be one to indicate an ARP request and two to indicate an ARP response.

*sender\_unique\_ID*: This field shall contain the node\_unique\_ID of the sender and shall be equal to that specified in the sender's bus information block.

*sender\_node\_ID*: This field shall contain the most significant 16 bits of the sender's NODE\_IDS register.

*sender\_unicast\_FIFO\_hi* and *sender\_unicast\_FIFO\_lo*: These fields together shall specify the 48-bit offset of the sender's FIFO available for the receipt of IP datagrams in the format specified by section 6. The offset of a sender's unicast FIFO shall not change, either as a result of a bus reset, power reset or other circumstance,



unless the new FIFO offset is advertised by an unsolicited ARP response datagram.

*sender\_max\_rec*: This field shall be equal to the value of *max\_rec* in the sender's configuration ROM bus information block.

*sender\_IP\_address*: This field shall specify the IP address of the sender.

*target\_unique\_ID*: In an ARP request, this field shall be all ones. In an ARP response, it shall be set to the value of *sender\_unique\_ID* from the corresponding ARP request.

*target\_node\_ID*: In an ARP request, this field shall be all ones. In an ARP response, it shall be set to the value of *sender\_node\_ID* from the corresponding ARP request.

*target\_unicast\_FIFO\_hi* and *target\_unicast\_FIFO\_lo*: In an ARP request, these fields shall be all ones. In an ARP response, they shall be set to the value of *sender\_unicast\_FIFO\_hi* and *sender\_unicast\_FIFO\_lo* from the corresponding ARP request.

*target\_max\_rec*: In an ARP request, this field shall be zero. In an ARP response, it shall be equal to the value of *max\_rec* from the corresponding ARP request.

*target\_IP\_address*: In an ARP request, this field shall specify the IP address from which the responder desires a response. In an ARP response, it shall be set to the value of *sender\_IP\_address* from the corresponding ARP request.

~~Both ARP requests and responses shall be transmitted with the same channel number in their stream packet header. This permits nodes other than the requester to eavesdrop ARP responses and cache the information.~~

~~NOTE: The 16-bit node ID's of any IP-capable nodes are volatile and likely to change each time Serial Bus is reset. This could provoke a storm of ARP requests and responses subsequent to each bus reset---which is also a time when it is extremely desirable for all 1394 applications to hold their bus utilization to a minimum. Bus resets are also likely to occur in pairs. Because of this, implementers are strongly encouraged to make judicious use of ARP requests, both in their timing and frequency. Although some strategies may be self-evident, the possible impact upon 1394 bus utilization is important enough that they bear mention below:~~

~~--- Flush the ARP cache when a bus reset is observed but defer updates until a particular IP address is requested by an application;~~

~~--- Eavesdrop ARP responses; and~~

~~--- If OS support for 1394 permits, build the ARP cache for the IP service layer on the basis of node unique ID (EUI-64) and permit a~~

~~(presumably lower level) 1394 service layer to reestablish the correlation between EUI-64 and 16-bit node ID after each reset. Because all 1394 applications share the need to maintain a mapping between EUI-64 and node ID it is probable that operating systems will provide this facility.~~

## 6. IP UNICAST

IP unicast may be transmitted to a recipient within a 1394 primary packet that has one of the following transaction codes:

tcode	Description	Arbitration
0x01	Block write	Asynchronous
0x0A	Stream packet	Isochronous
0x0A	Stream packet	Asynchronous

Block write requests are suitable when 1394 link-level acknowledgement of the datagram is desired but there is no need for bounded latency in the delivery of the packet (quality of service).

Isochronous stream packets provide quality of service guarantees but not 1394 link-level acknowledgement.

The last method, asynchronous stream packets, is mentioned only for the sake of completeness. This method should not be used, since it provides for neither 1394 link-level acknowledgment nor quality of service---and consumes a valuable resource, a channel number.

NOTE: Regardless of the IP unicast method employed, asynchronous or isochronous, it is the responsibility of the sender of a unicast IP datagram to determine the maximum data payload that may be used in each packet. The necessary information may be obtained from:

- the SPEED\_MAP maintained by the 1394 bus manager and provides a maximum transmission speed between any two nodes on the local Serial Bus. [The speed in turn implies a maximum data payload \(see Table 1\).](#)

NOTE: [The SPEED\\_MAP](#) is derived from the self-ID packets transmitted by all 1394 nodes subsequent to a bus reset. [An IP-capable node may observe the self-ID packets directly themselves, in the case where no 1394 bus manager is present;](#)

- the [target\\_max\\_rec](#) field in [an ARP response](#)~~the target's bus information block~~. This document requires a minimum value of 8 (equivalent to a data payload of 512 octets). Nodes that operate at S200 and faster are encouraged but not required to implement correspondingly larger values for [target\\_max\\_rec](#); or
- other methods beyond the scope of this standard.

The maximum data payload shall be the minimum of the largest data payload implemented by the sender, the recipient and the PHYs of all intervening nodes.

### 6.1 Asynchronous IP unicast

Unicast IP datagrams that do not require any quality of service shall be contained within the data payload of 1394 block write transactions addressed to the *target\_node\_ID* and *target\_unicast\_FIFO* obtained from an ARP response packet. ~~The first quadlet of the data payload of the block write request shall be the link fragment header specified by section 6.~~

~~If the IP datagram cannot be encapsulated within a single 1394 packet, it shall be split into multiple link fragments for transmission in a separate 1394 packet, also specified in section 6.~~

If no acknowledgement is received in response to a unicast block write request, the state of the target is ambiguous. ~~The sender of the IP datagram or fragment should either abandon transmission of the datagram or retransmit from the first (or only) link fragment. If the datagram is retransmitted the sender shall use a different value for *dgl*.~~

NOTE: An acknowledgment may be absent because the target is no longer functional, may not have received the packet because of a header CRC error or may have received the packet successfully but the acknowledge sent in response was corrupted.

### 6.2 Isochronous IP unicast

Unicast IP datagrams that require quality of service shall be contained within the data payload of 1394 isochronous stream packets. ~~The first quadlet of the data payload of the stream packet shall be the link fragment header specified by section 6.~~

~~NOTE: Isochronous IP unicast is a degenerate case of IP multicast that requires quality of service: a multicast group in which only two nodes participate as talker and listener.~~

The details of coordination between ~~the two~~ nodes with respect to allocation of channel number(s) and bandwidth is beyond the scope of this standard. ~~The channel number used for isochronous IP unicast shall be different from the *channel* field in the BROADCAST\_IP\_CHANNEL register.~~

## 7. IP BROADCAST

The 1394 facilities, whether asynchronous stream packets or block write requests with a *destination ID* of 0xFFFF, have yet to be determined by the working group.

The use of asynchronous streams for IP broadcast requires some method for the allocation of a channel number and the communication of this

channel number to all IP-capable nodes. The method has yet to be agreed by the working group.

On the other hand, if block write requests with a destination ID of 0xFFFF are used, it will be necessary to propose a fixed 48-bit destination offset to IEEE P1394a.

~~Broadcast IP datagrams are encapsulated and fragmented according to the specifications of section 6 and are transported by asynchronous stream packets. There is no quality of service provision for IP broadcast over 1394. The channel number used for IP broadcast is specified by the BROADCAST\_IP\_CHANNEL register.~~

~~The channel number specified by BROADCAST\_IP\_CHANNEL is intended for datagrams that the sender wishes to transmit to all IP-capable nodes on the local bus or subnet. Broadcast addresses include all of the following:~~

~~—— TBD: Add list of IP addresses valid for broadcast~~

~~All IP datagrams addressed to one of the preceding addresses shall use asynchronous stream packets whose channel number is equal to the channel field from the BROADCAST\_IP\_CHANNEL number.~~

## 8. IP MULTICAST

Many of the details of multicast remain outside the scope of this draft in its present form (but are expected to be added by the working group as the draft is advanced).

IP multicast shall use stream packets, either asynchronous or isochronous, according to the quality of service required. ~~Unless the address of a multicast group is one specified in section 9, the channel number used to identify a multicast group shall be different from the channel field in the BROADCAST\_IP\_CHANNEL register.~~

~~The coordination of multicast groups, for example, "join" and "leave" requests and their affect on the channel number allocation, are unresolved.~~

## 9. SECURITY CONSIDERATIONS

This document raises no security issues.

## 10. ACKNOWLEDGEMENTS

This document represents work in progress by the IP / 1394 Working Group. The editor wishes to acknowledge the contributions made by all the active participants, either on the reflector or at face-to-face meetings, which have advanced the technical content.

## 11. REFERENCES

- [1] IEEE Std 1394-1995, Standard for a High Performance Serial Bus
- [2] ISO/IEC 13213:1994, Control and Status Register (CSR) Architecture for Microcomputer Buses
- [3] IEEE Project P1394a, Draft Standard for a High Performance Serial Bus (Supplement)
- [4] IEEE Project P1394b, Draft Standard for a High Performance Serial Bus (Supplement)

12. EDITOR'S ADDRESS

Peter Johansson  
Congruent Software, Inc.  
3998 Whittle Avenue  
Oakland, CA 94602

(510) 531-5472  
(510) 531-2942 FAX  
pjohansson@aol.com