

The text/enriched MIME Content-type

Status of this Memo

This document is an Internet Draft. Internet Drafts are working documents of the Internet Engineering Task Force (IETF), its Areas, and its Working Groups. Note that other groups may also distribute working documents as Internet Drafts.

Internet Drafts are draft documents valid for a maximum of six months. Internet Drafts may be updated, replaced, or obsoleted by other documents at any time. It is not appropriate to use Internet Drafts as reference material or to cite them other than as a "working draft" or "work in progress."

Please check the I-D abstract listing contained in each Internet Draft directory to learn the current status of this or any other Internet Draft.

Abstract

MIME [RFC-MIME] defines a format and general framework for the representation of a wide variety of data types in Internet mail. This document defines one particular type of MIME data, the text/enriched type, a refinement of the "text/richtext" type defined in RFC 1341. The text/enriched MIME type is intended to facilitate the wider interoperation of simple enriched text across a wide variety of hardware and software platforms.

The Text/enriched MIME type

In order to promote the wider interoperability of simple formatted text, this document defines an extremely simple subtype of the MIME content-type "text", the "text/enriched" subtype. This subtype was designed to meet the following criteria:

1. The syntax must be extremely simple to parse, so that even teletype-oriented mail systems can easily strip away the formatting information and leave only the readable text.
2. The syntax must be extensible to allow for new formatting commands that are deemed essential for some application.

3. The raw form of the data must be readable enough to be largely unobjectionable in the event that it is displayed on the screen of the use of a non-MIME-conformant mail reader.
4. The capabilities must be extremely limited, to ensure that it can represent no more than is likely to be representable by the user's primary word processor. While this limits what can be sent, it increases the likelihood that what is sent can be properly displayed.

The syntax of "text/enriched" is very simple. It represents text in a single character set -- US-ASCII by default, although a different character set can be specified by the use of a "charset" parameter, as with the "text/plain" type. (The semantics of text/enriched in non-ASCII character sets are discussed later in this document.) All characters represent themselves, with the exception of the "<" character (ASCII 60), which is used to mark the beginning of a formatting command. Formatting instructions consist of formatting commands surrounded by angle brackets ("<>", ASCII 60 and 62). Each formatting command may be no more than 40 characters in length, all in US-ASCII, restricted to the alphanumeric and hyphen ("-") characters. Formatting commands may be preceded by a forward slash or solidus ("/", ASCII 47), making them negations, and such negations must always exist to balance the initial opening commands. Thus, if the formatting command "<bold>" appears at some point, there must later be a "</bold>" to balance it. (NOTE: The 40 character limit on formatting commands does NOT include the "<", ">", or "/" characters that might be attached to such commands.)

Beyond tokens delimited by "<" and ">", there are two other special processing rules. First, a literal less-than sign ("<") can be represented by a sequence of two such characters, "<<". Second, line breaks (CRLF pairs in standard network representation) are handled specially. In particular, isolated CRLF pairs are translated into a single SPACE character. Sequences of N consecutive CRLF pairs, however, are translated into N-1 actual line breaks. This permits long lines of data to be represented in a natural-looking manner despite the frequency of line-wrapping in Internet mailers. Thus text/enriched data that looks like this:

```
This is  
a single  
line
```

```
This is the  
next line.
```

```
This is the  
next paragraph.
```

should be displayed by a text/enriched interpreter as follows:

```
This is a single line  
This is the next line.
```

```
This is the next paragraph.
```

The formatting commands, not all of which will be implemented by all implementations, are described in the following sections.

Formatting Commands

The text/enriched formatting commands all begin with <commandname> and end with </commandname>, affecting the formatting of the text between those two tokens. The commands are described here, grouped according to type.

Font-Changing Commands

The following formatting commands are intended to alter the font in which text is displayed, but not to alter the indentation or justification state of the text:

Bold -- causes the affected text to be in a bold font. Nested bold commands have the same effect as a single bold command.

Italic -- causes the affected text to be in an italic font. Nested italic commands have the same effect as a single italic command.

Fixed -- causes the affected text to be in a fixed width font. Nested fixed commands have the same effect as a single fixed command.

Smaller -- causes the affected text to be in a smaller font. It is recommended that the font size be changed by two points, but other amounts may be more appropriate in some environments. Nested smaller commands produce ever-smaller fonts, to the limits of the implementation's capacity to reasonably display them, after which further smaller commands have no incremental effect.

Bigger -- causes the affected text to be in a bigger font. It is recommended that the font size be changed by two points, but other amounts may be more appropriate in some environments. Nested bigger commands produce ever-bigger fonts, to the limits of the implementation's capacity to reasonably display them, after which further smaller commands have no incremental effect.

Underline -- causes the affected text to be underlined. Nested underline commands have the same effect as a single underline command.

Justification Commands

Initially, text/enriched text is filled and fully justified (to both margins, if the interpreter supports such justification). The following commands alter that state. Each of these commands force a line break before and after the environment if there is not otherwise a line break. For example, if one of these environments occurs anywhere other than the beginning of a line of text as presented, a new line is begun.

Center -- causes the affected text to be centered.

FlushLeft -- causes the affected text to be left-justified with a ragged right margin.

FlushRight -- causes the affected text to be right-justified with a ragged left margin.

The center, flushleft, and flushright commands are generally mutually exclusive, and, when nested, the inner command takes precedence.

Indentation Commands

Initially, text/enriched text is displayed using the maximum available margins. Two formatting commands may be used to affect the margins.

Indent -- causes the running left margin to be moved to the right. The recommended indentation change is the width of four characters, but this may differ among implementations.

IndentRight -- causes the running right margin to be moved to the left. The recommended indentation change is the width of four characters, but this may differ among implementations.

A line break is NOT forced by a change of the margin, to permit the description of "hanging" text. Thus for example the following text:

```
Now <indent> is the time for all good horses to come to the
aid of their stable, assuming that </indent> any stable is
really stable.
```

would be displayed in a 40-character-wide window as follows:

```
Now is the time for all good horses to
    come to the aid of their stable,
    assuming that any stable is
really stable.
```

Miscellaneous Commands

Excerpt -- causes the affected text to be interpreted as a textual excerpt from another source, probably a message being responded to. Typically this will be displayed using indentation and an alternate font, or by indenting lines and preceding them with "> ", but such decisions are up to the implementation. (Note that this is the only truly declarative markup construct in text/enriched, and as such doesn't fit very well with the other facilities, but it describes a type of markup that is very commonly used in email and has no procedural analogue.)

Verbatim -- causes the affected text to be displayed without filling, justification, any interpretation of embedded formatting commands, or the usual special rules for CRLF handling. Note, however, that the end token </verbatim> must still be recognized.

Comment -- causes the affected text to be interpreted as a comment, and hence not shown to the reader.

Note that as with the justification commands, the excerpt and verbatim commands implicitly begin and end with a line break if one is not already there.

Balancing and Nesting of Formatting Commands

Pairs of formatting commands must be properly balanced and nested. Thus, a proper way to describe text in *bold italics* is:

```
<bold><italic>the-text</italic></bold>
```

or, alternately,

```
<italic><bold>the-text</bold></italic>
```

but, in particular, the following is illegal text/enriched:

```
<bold><italic>the-text</bold></italic>
```

The nesting requirement for formatting commands imposes a slightly higher burden upon the composers of text/enriched bodies, but potentially simplifies text/enriched displays by allowing them to be stack-based. The main goal of text/enriched is to be simple enough to make multifont, formatted email widely readable, so that those with the capability of sending it will be able to do so with confidence. Thus slightly increased

complexity in the composing software was deemed a reasonable tradeoff for simplified reading software. Nonetheless, implementors of text/enriched readers are encouraged to follow the general Internet guidelines of being conservative in what you send and liberal in what you accept. Those implementations that can do so are encouraged to deal reasonably with improperly nested text/enriched data.

Unrecognized formatting commands

Implementations must regard any unrecognized formatting command as "no-op" commands, that is, as commands having no effect, thus facilitating future extensions to "text/enriched". Private extensions may be defined using formatting commands that begin with "X-", by analogy to Internet mail header field names.

A mechanism for formally defining sets of extension commands is given later in this document.

"White Space" in Text/enriched Data

No special behavior is required for the SPACE or TAB (HT) character. It is recommended, however, that, at least when fixed-width fonts are in use, the common semantics of the TAB (HT) character should be observed, namely that it moves to the next column position that is a multiple of 8. (In other words, if a TAB (HT) occurs in column n , where the leftmost column is column 0, then that TAB (HT) should be replaced by $8-(n \bmod 8)$ SPACE characters.) It should also be noted that some mail gateways are notorious for losing (or, less commonly, adding) white space at the end of lines, so reliance on SPACE or TAB characters at the end of a line is not recommended.

Initial State of a text/enriched interpreter

Text/enriched is assumed to begin with filled, fully justified text in a variable-width font in a normal typeface and a size that is average for the current display and user. The left and right margins are assumed to be maximal, that is, at the leftmost and rightmost acceptable positions.

Non-ASCII character sets

If the character set specified by the charset parameter on the Content-type line is anything other than US-ASCII, this means that the text being described by text/enriched formatting commands is non-ASCII. However, the commands themselves are still the same ASCII commands that are defined in this document. This creates an ambiguity only with reference to the "<" character, the octet with numeric value 60. In single byte character sets, such as the ISO-8859 family, this is not a problem; the octet 60 can be quoted by including it twice, just as for ASCII. The problem is more complicated, however, in the case of multi-byte character sets, where the octet 60 might appear at any point in the byte sequence for any of several characters. For such cases, it is specified

that the text/enriched parsing shall occur BEFORE the interpretation of the character data. Thus, if a character in a multibyte encoding appears as the four-byte sequence that, in ASCII, looks like "XY<Z", it shall be represented in text/enriched as "XY<<Z". The quoting of the "<" octet will be undone before the data is passed on to the processing element that actually displays multibyte textual data.

It is recognized that the ability to directly display text/enriched data on terminals that implement multibyte character sets is highly desirable, and that the mechanism described above for handling the "<" octet makes this impossible. Experimental implementation has convinced the author that the difficulties of handling multibyte character sets in text/enriched any other way are not worth the effort. This implies that multibyte character set text/enriched, unlike ASCII or ISO-8859-X text/enriched, MUST be preprocessed before it can be displayed on an appropriate terminal.

Minimal text/enriched conformance

A minimal text/enriched implementation is one that simply recognizes the beginning and ending of "verbatim" environments and, outside of them, converts "<<" to "<", removes everything between a <comment> command and the next balancing </comment> command, removes all other formatting commands (all text enclosed in angle brackets), converts any series of n CRLFs to n-1 CRLFs, and converts any lone CRLF pairs to SPACE.

Notes for Implementors

It is recognized that implementors of future mail systems will want rich text functionality far beyond that currently defined for text/enriched. The intent of text/enriched is to provide a common format for expressing that functionality in a form in which much of it, at least, will be understood by interoperating software. Thus, in particular, software with a richer notion of formatted text than text/enriched can still use text/enriched as its basic representation, but can extend it with new formatting commands and by hiding information specific to that software system in text/enriched comments. As such systems evolve, it is expected that the definition of text/enriched will be further refined by future published specifications, but text/enriched as defined here provides a platform on which evolutionary refinements can be based.

An expected common way that sophisticated mail programs will generate text/enriched data is as part of a multipart/alternative construct. For example, a mail agent that can generate enriched mail in ODA format can generate that mail in a more widely interoperable form by generating both text/enriched and ODA versions of the same data, e.g.:

```
Content-type: multipart/alternative; boundary=foo
```

```
--foo
Content-type: text/enriched

[text/enriched version of data]
--foo
Content-type: application/oda

[ODA version of data]
--foo--
```

If such a message is read using a MIME-conformant mail reader that understands ODA, the ODA version will be displayed; otherwise, the text/enriched version will be shown.

In some environments, it might be impossible to combine certain text/enriched formatting commands, whereas in others they might be combined easily. For example, the combination of <bold> and <italic> might produce ***bold italics*** on systems that support such fonts, but there exist systems that can make text bold or italicized, but not both. In such cases, the most recently issued (innermost) recognized formatting command should be preferred.

One of the major goals in the design of text/enriched was to make it so simple that even text-only mailers will implement enriched-to-plain-text translators, thus increasing the likelihood that multifont text will become "safe" to use very widely. To demonstrate this simplicity, an extremely simple C program that converts text/enriched input into plain text output is included in Appendix A.

Extensions to text/enriched

It is expected that various mail system authors will desire extensions to text/enriched. The simple syntax of text/enriched, and the specification that unrecognized formatting commands should simply be ignored, are intended to promote such extensions. To facilitate the evolution and interoperability of such extensions, this document also defines an "extensions" parameter by which the use of publicly-defined text/enriched extensions can be declared as a comma-separated list of extension names. For example, a text/enriched object that includes extensions from the Andrew and Slate extension sets might have a content-type field of

```
Content-type: text/enriched;
             extensions="Andrew,Slate"
```

Note, however, that the Andrew and Slate extensions are hypothetical as of the publication of this document.

An extension will typically define a whole set of extension commands for a particular purpose or application.

As a useful example of the mechanism, this document defines a single extension, "color". If the color extension is used, a new set of formatting commands are defined, of the form: "<color-colormame>" where colormame is a string that names a color using the same naming conventions as the X window system [X11]. Thus, mail that includes color might look like:

```
Subject: Blue moon, lady in red
Content-type: text/enriched, extensions="color"
```

```
I want to take my <color-red>lady</color-red> to the
<color-blue>moon</color-blue>.
```

Extension names beginning with "x-" may be used experimentally. Standardized extensions should be registered with IANA using the process defined in [RFC-MIME]. Extension names are case-insensitive, so "Color", "color", and "cOlOr" are equivalent in effect, if not in good taste.

An Example

Putting all this together, the following "text/enriched" body fragment:

```
From: Nathaniel Borenstein <nsb@bellcore.com>
To: Ned Freed <ned@innosoft.com>
Content-type: text/enriched; extensions=color

<bold>Now</bold> is the time for <italic>all</italic>
good men
  <smaller>(and <<women></smaller> to
<ignoreme>come</ignoreme>

to the aid of their

<red>beloved</red> country. <comment> Stupid
  quote! </comment>
<verbatim>
By the way, I think that <smaller>
should
REALLY be called
<tinier>
and that <comment> and </comment> are for weenies.
-- the end
</verbatim>
```

represents the following formatted text (which will, no doubt, look somewhat cryptic in the text-only version of this document):

Now is the time for *all* good men (and <women>) to come

to the aid of their

beloved country.

By the way, I think that <smaller>

should

REALLY be called

<tinier>

and that <comment> and </comment> are for weenies.

-- the end

where the word "beloved" would be in red on a color display.

Security Considerations

Security issues are not discussed in this memo, as the mechanism raises no security issues.

Author's Address

For more information, the author of this document may be contacted via Internet mail:

*Nathaniel S. Borenstein
MRE 2D-296, Bellcore
445 South St.
Morristown, NJ 07962-1910*

*Phone: +1 201 829 4270
Fax: +1 201 829 5963
Email: nsb@bellcore.com*

Acknowledgements

This document reflects the input of many contributors, readers, and implementors of the original MIME specification, RFC 1341. The current draft also reflects particular contributions and comments from Terry Crowley and Rhys Weatherly.

References

[RFC-1341] Borenstein, N., and N. Freed, "MIME (Multipurpose Internet Mail Extensions): Mechanisms for Specifying and Describing the Format of Internet Message Bodies", RFC 1341, June, 1992.

[RFC-MIME] Borenstein, N., and N. Freed, "MIME (Multipurpose Internet Mail Extensions) Part One: Mechanisms for Specifying and Describing the Format of Internet Message Bodies", RFC *****, *****, 1993.

[X11] *****WHAT IS THE RIGHT REFERENCE FOR X11 COLORS? *****

Appendix A -- A Simple enriched-to-plain Translator in C

One of the major goals in the design of the text/enriched subtype of the text Content-Type is to make formatted text so simple that even text-only mailers will implement enriched-to-plain-text translators, thus increasing the likelihood that multifont text will become "safe" to use very widely. To demonstrate this simplicity, what follows is a simple C program that converts text/enriched input into plain text output. Note that the UNIX newline convention (the single character represented by "\n") is assumed by this program.

```
#include <stdio.h>
#include <ctype.h>

main() {
    int c, i, commct=0, newlinect=0, verbatim=0;
    char token[42], *p;

    while ((c=getc(stdin)) != EOF) {
        if (c == '<') {
            if (verbatim != 0) {
                for (i=0, p=token; (*p++ = getc(stdin)) != EOF
                    && !lc2strncmp(token, "/verbatim>", i+1) && i<9; i++) {}
                if (i==9) {
                    verbatim = 0;
                } else {
                    *p = '\0';
                    putc('<', stdout);
                    fputs(token, stdout);
                }
                continue;
            } else {
                newlinect=0;
                c = getc(stdin);
                if (c == '<') {
                    putc(c, stdout);
                } else {
                    ungetc(c, stdin);
                    for (i=0, p=token; (c=getc(stdin)) != EOF && c != '>'; i++) {
                        if (i < 41) *p++ = isupper(c) ? tolower(c) : c;
                    }
                    *p = '\0';
                    if (c == EOF) break;
                    if (strcmp(token, "comment") == 0)
                        commct++;
                    else if (strcmp(token, "verbatim") == 0)
                        verbatim = 1;
                    else if (strcmp(token, "/comment") == 0)
                        commct--;
                }
            }
        } else {
            if (commct > 0)
                ; /* ignore comments */
            else if (c == '\n' && verbatim == 0)
                if (++newlinect > 1) {
```

```
        putc(c, stdout);
    } else {
        putc(' ', stdout);
    }
    else {
        newlinect = 0;
        putc(c, stdout);
    }
}
}
putc('\n', stdout);
exit(0);
}

lc2strncmp(s1, s2, len)
char *s1, *s2;
int len;
{
    if (!s1 || !s2) return (-1);
    while (*s1 && *s2 && len > 0) {
        if (*s1 != *s2 && (tolower(*s1) != *s2)) return(-1);
        ++s1; ++s2; --len;
    }
    if (len <= 0) return(0);
    return((*s1 == *s2) ? 0 : -1);
}
```

It should be noted that one can do considerably better than this in displaying text/enriched data on a dumb terminal. In particular, one can replace font information such as "bold" with textual emphasis (like **this** or *_T_H_I_S_*). One can also properly handle the text/enriched formatting commands regarding indentation, justification, and others. However, the above program is all that is *necessary* in order to present text/enriched on a dumb terminal without showing the user any formatting artifacts.

Appendix B -- Differences from RFC 1341 text/richtext

Text/enriched is a clarification, simplification, and refinement of the type defined as text/richtext in RFC 1341. For the benefit of those who are already familiar with text/richtext, or for those who want to exploit the similarities to be able to display text/richtext data with their text/enriched software, the differences between the two are summarized here. Note, however, that text/enriched is intended to make text/richtext obsolete, so it is not recommended that new software *generate* text/richtext.

0. The name "richtext" was changed to "enriched", both to differentiate the two versions and because "richtext" created widespread confusion with Microsoft's Rich Text Format (RTF).

1. Clarifications. Many things were ambiguous or unspecified in the text/richtext definition, particularly the initial state and the semantics of richtext with multibyte character sets. However, such differences are **OPERATIONALLY** irrelevant, since the clarifications offered in this document are at least reasonable interpretations of the text/richtext specification.

2. Newline semantics have changed. In text/richtext, all CRLFs were mapped to spaces, and line breaks were indicated by "<nl>". This has been replaced by the "n-1" rule for CRLFs.
3. The representation of a literal "<" character was "<lt>" in text/richtext, but is "<<" in text/enriched.
4. The "verbatim" command did not exist in text/richtext.
5. The extensions parameter did not exist in text/richtext.
6. The following commands from text/richtext have been REMOVED from text/enriched: <OUTDENT>, <OUTDENTRIGHT>, <SAMEPAGE>, <SUBSCRIPT>, <SUPERScript>, <HEADING>, <FOOTING>, <ISO-8859-[1-9]>, <US-ASCII>, <PARAGRAPH>, <SIGNATURE>, <NO-OP>, <LT>, <NL>, and <NP>.
7. All claims of SGML compatibility have been dropped. However, with the possible exceptions of the new semantics for CRLF and "<<" can be implemented, text/enriched should be no less SGML-friendly than text/richtext was.
8. In text/richtext, there were three commands (<NL>, <NP>, and <LT>) that did not use balanced closing delimiters. Since all of these have been eliminated, there are NO exceptions to the nesting/balancing rules in text/enriched.