

# ***Fido System For Windows Setup Help***

## **Commands**

Origin Line  
Reply Text  
Forward text  
Area Config  
Tosser  
Other

## **Origin Menu**

**Origin Lines** : You will get a dialog where you can set 8 alternative origin you can use.

## **Reply text**

**Reply text** : Here you can set the default reply text with parameters

## **Parameters**

### Parameters

## **Forward text**

**Forward text** : You will get 4 lines where you can set your default forward text with parameters.

## **Parameters**

Parameters

## Parameters

- @Aname** : This is the area name where it comes from
- @Astyl** : This is the area style (\*.msg, Hudson, Squish, Ezycom, Jam)
- @Fname** : Fromname (who sent the message originaly)
- @Tname** : Toname( to who was the message was send first)
- @Tdate** : The date the message was sent.
- @AEcho** : The Echomail type (Local, Echomail, Netmail)

## Area Config

### Buttons

<b>Prev</b>	:	You can go to the pervious record
<b>Next</b>	:	You can go to the Next record
<b>Save</b>	:	You can save the current record
<b>Erase</b>	:	You can Erase the current record, this will perform a packing after you close the dialog.
<b>Add</b>	:	You can Add a record
<b>List</b>	:	You can select a record that you want's to edit
<b>Cancel</b>	:	This will close the dialog

### MSG base styles

Here you select the msgbase style for this area.

### Mail type

Here you select the type of mail it is  
Local mail Net mail or Echo mail.

### Lines

<b>Line1</b>	:	<b>*.MSG style</b>	: This line you don't need by *.MSG style.
		<b>Hudson</b>	:By Hudson it will hold the board number . <u>Hudson Example</u>
		<b>Ezycom</b>	:By Ezycom it will hold the MSG base extension + a 0. <u>Ezycom Example</u>
		<b>Squish</b>	:By Squish it will hold the Real area name without extension. <u>Squish Example</u>
		<b>Jam</b>	:By Jam it will hold the Real area name without extension. <u>Jam Example</u>
<b>Areaname</b>	:		This is the name you will giving him.
<b>Description</b>	:		This is the description of this area.
<b>Path</b>	:		Path to de msgbase files.
<b>AKA</b>	:		AKA that you will use in this area.
<b>Origin Line</b>	:		Default origin line for this area.

Hudson

**Hudson Base Number** : **This is the msgbase nuber (1-200)**  
Example : 20 ( for area number 20)

Ezycom

Base Number : This is you msgbase numer

Example : 0001 (For msgbase.001)

Fido System for windows needs the extra 0 at the begining.



Squish

Real base name : This is the Real name of this area  
Example : MUFFIN (Without the path or extension)

Jam

Real base name : This is the Real name of this area  
Example : **JAMMING** (Without the path or extension)

## **Tosser**

**Tosser parameters** : Here you can define a tosser or other program that will be run immediate after you exit Fido System for windows.

## **Other Menu**

- Newmailscan** : You can turn on /off the Newmail scan with this.
- Sound** : You can turn on /off the sound with this.

