## **AmiCDFS**

Martin Berndt

AmiCDFS

COLLABORATORS			
	TITLE:		
	AmiCDFS		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY	Martin Berndt	January 17, 2023	

REVISION HISTORY				
E DESCRIPTION	NAME			
	E DESCRIPTION			

AmiCDFS

# **Contents**

l	Ami	CDFS
	1.1	AmiCDFS-Guide Main
	1.2	Introduction to AmiCDFS
	1.3	How to install AmiCDFS
	1.4	Disclaimer
	1.5	Details
	1.6	Important Changes
	1.7	The Mount File
	1.8	Audio Disks
	1.9	Hybrid Disks
	1.10	Benchmarks
	1.11	Technical Details
	1.12	Bugs & Quirks
	1.13	Legal
	1.14	Author
	1.15	History
	1 16	

AmiCDFS 1/12

## **Chapter 1**

## **AmiCDFS**

### 1.1 AmiCDFS-Guide Main

AmiCDFS (AmiCDROM) 2.4 (10.03.96)

by Martin Berndt

The ultimate Amiga CD-ROM Filing System

This old goodie by Frank Munkert has been reworked to be the fastest and most compatible CD-ROM Filesystem for the Amiga!

Just give it a try, and you will never want to be without it again!

Introduction

How to install AmiCDFS

Details

Bugs & Quirks

Legal Stuff

Who did it?

History

Credits

Read old Manual

!!! AmiCDFS 2.4 is SHAREWARE !!!

AmiCDFS 2/12

#### 1.2 Introduction to AmiCDFS

Introduction

AmiCDFS 2.4 is a CD-ROM disk filing system for the Amiga. It supports the ISO-9660 standard (single and multiple sessions), the Rock Ridge Interchange Protocol and the Macintosh HFS format.

The CD-ROM drive is mounted as a DOS device (e.g. CD0:). You can access files and directories on a CD-ROM disk by the usual syntax, e.g. "type cd0:foo/readme.txt".

AmiCDFS 2.4 has been developed with kind permission of Frank Munkert using his old AmiCDROM 1.15 source files, and would have never been possible without his great work. Nevertheless it was a lot of hard work, and so I think it's fair enough to ask you for a small amount of money for MY work. If you agree pay the share, otherwise just let it be, but don't expect any support from me.

AmiCDFS 2.4 is more compatible and faster than any other CD-ROM filing system for the Amiga including commercial ones, so I really think it's worth some bucks...

\_\_\_\_\_

The future of this product depends on YOU !!!

### 1.3 How to install AmiCDFS

\_\_\_\_\_

How to install AmiCDFS 2.4

Step 1: Copy the supplied Mount and SetPatch commands to C:.

Read the

Disclaimer notice!

Step 2: Copy AmiCDFS to L:. If you own a 68020 or better copy AmiCDFS.030 instead and rename it.

Step 3: Copy the CDO: mount entry file to DEVS:DOSDrivers/ and edit it as described in the next section.

Step 4: Copy def\_CDDAdisk.info to ENVARC:sys/ if you wish to use CDDA disks. Set the Default Tool as described in a later section of this manual.

Then copy WBStart-Handler to L:.

Step 5: Copy MCDPlayer wherever you want.

AmiCDFS 3 / 12

Step 6: Reboot your machine.
1.4 Disclaimer
Disclaimer
SetPatch 40.16 (c) Copyright 1990-1995, Escom AG. All Rights Reserved.  Mount 40.4 (c) Copyright 1990-1995, Escom AG. All Rights Reserved.  Escom AG makes no warranties or representations, either express, or implied, with respect to the information set forth herein, which
information is being supplied on an "AS IS" basis, expressly subject to change without notice. The entire risk as to the use of this information is assumed by the user.
IN NO EVENT WILL ESCOM AG BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY CLAIM ARISING OUT OF THE INFORMATION PRESENTED HEREIN, EVEN IF IT HAS BEEN ADVISED OF THE POSSIBILITIES OF SUCH DAMAGES. SOME STATES DO NOT ALLOW THE LIMITATION OF IMPLIED WARRANTIES OR DAMAGES, SO THE ABOVE LIMITATIONS MAY NOT APPLY.
1.5 Details
Details
Important Changes
The Mount File
Audio Disks (CDDA)
Hybrid Disks
Benchmarks
Some Technical Details

AmiCDFS 4/12

### 1.6 Important Changes

Important Changes

\_\_\_\_\_

- "cdrom-handler" has been renamed to "AmiCDFS"
- Many obsolete features and parameters have been removed.
- The "Startup" field has been replaced by "Control" (needs Mount v39+).

New template: LC=LOWERCASE/S,TD=TRACKDISK/S,MC=MOTORCONTROL/S, BL=BUFFERLINES/K/N,FB=FILEBUFFERS/K/N,DC=DISKCHANGE/K/N, TDP=TDPOLLING/S

- The mount files have changed significantly, so it's better to delete the old ones before installing AmiCDFS 2.4.
- The code is fully reentrant now, and will only be loaded once as long as the DosType is the same.
- AmiCDFS has a real LRU-Cache now!

The standard buffers ("Buffers" entry in mount file) are split into BufferLines. One BufferLine will always be read completely (Prefetch). If you do not specify BufferLines or set it to 1 the Buffers are handled as before.

Example: Buffers = 64 and BufferLines = 8 results in 8 Caches with 8 Blocks (8\*2048 Bytes) each.

- CDControl will no longer work.
- DosPacket handling routines have been completely rewritten and should be much more compatible now.
- "AddBuffers" now returns the number of StdBuffers + FileBuffers.
- FileBuffer routines rewritten, should be much faster now with very large files.
- Implemented motor control code for some bad device drivers.
- Diskchange polling is no longer needed with hostadapters which support diskchange interrupts (like A3000, Mastercard MC702 etc.). If your hardware does not support these you should set DC=3.
- Diskchange polling may optionally be done using trackdisk commands.
- The CDDA icon is loaded as "ENV:sys/def\_CDDAdisk.info" now. Its Default Tool is the command to be executed if the user doubleclicks the CDDA icon. If you put a "#" in front of the command it will be executed as a WB application (WBStart-Handler).
- Added a nice 256 color icon for CDDA, normal and NewIcon type.

AmiCDFS 5/12

Copy it to "ENVARC:sys/" and set your Default Tool.

- Improved handling of Audio/Data Hybrid CD's.
- Extension for HFS resource forks always is ".rs" now.
- Improved HFS character conversion.
- Holding the CONTROL key while inserting a medium replaces old HFSFIRST option.
- Fixed Lock/Unlock routines and structures.
- Removed obsolete vendor specific routines.
- Included a bugfixed version of MCDPlayer.
- Replaced some routines by fast assembler code.
- Created 68030 version.
- Recompiled with SAS/C 6.56.

\_\_\_\_\_\_

#### 1.7 The Mount File

The Mount File

Your CD-ROM Mount file (e.g. DEVS:DosDrivers/CD0) should look like this:

```
* CD-ROM filesystem mount entry
 */
Device
           = scsi.device
                                                     1)
              = 1
Unit
                                                     2)
FileSystem = L:AmiCDFS
Flags
              = 0
BlocksPerTrack = 32
              = 2048
BlockSize
              = 0
LowCyl
              = 11000
HighCyl
Surface
Buffers
              = 64
                                                     3)
              = 1
BufMemType
                                                     4)
```

5)

GlobVec = -1Priority = 10

Mask

DosType = 0x43444653

= 0x7fffffff

/\* \$VER: CD0 2.1 (01.03.96)

StackSize = 600

AmiCDFS 6/12

Mount = 1

Control = "BL=8 FB=32" 6)

/\* Control field template:

\*

- \* LC=LOWERCASE/S,TD=TRACKDISK/S,MC=MOTORCONTROL/S,
- \* BL=BUFFERLINES/K/N,FB=FILEBUFFERS/K/N,DC=DISKCHANGE/K/N,
- \* TDP=TDPOLLING/S

\*/

\_\_\_\_\_

- 1) Insert your Device name here, e.g. "MASOBOSHI.device".
- 2) Insert the Unit number of your CD-ROM drive here.
- 3) Number of Standard Buffers (LRU-Cache).
- 4) Memory type for SCSI Transfers:
  - 1 means all Public Memory
  - 3 means Public Chip Memory only
  - 5 means Public Fast Memory only

DO NOT USE ANY OTHER VALUES !!!

- 5) Set the Mask to "Oxfffffff" if your Device is only able to do transfers to 24Bit DMA Memory. You needn't care about alignment, because all buffers are always Quad Longword aligned.
- 6) The following options may be used:

LC Map ISO 9660 names to lower case.

LOWERCASE

TD Use trackdisk commands instead of SCSI-direct TRACKDISK calls. Only needed for VERY bad device drivers and most often AmiCDFS 2.4 will detect these automatically.

MC MOTORCONTROL

Some devices do not allow you to remove a CD as long as the motor hasn't been stopped manually by the filing system. Set this option only if you encounter such problems with your equipment!

BUFFERLINES

Sets the number of lines for the LRU-Cache. The Standard Buffers are split into BufferLines, and one line will always be read completely. This will speed up all operations significantly! If you don't specify a value or set it to 1 the Buffers are handled as before.

#### Example:

Buffers = 64 and BL = 8 results in 8 caches with 8 blocks (8\*2048 Bytes) each.

AmiCDFS 7/12

FB Sets the number of buffers for file operations

FILEBUFFERS using the AmigaDOS Read() call.

DC Enables old diskchange polling, set it to 3 or

DISKCHANGE any other useful value if your device does not

recognize diskchange interrupts.

TDP Use trackdisk instead of SCSI direct calls for TDPOLLING diskchange polling. Some devices may work better

using this option, but you should only try it if you have weird problems with diskchanges.

DO NOT TRY TO USE ANY OTHER OPTION !!!

\_\_\_\_\_\_

#### 1.8 Audio Disks

\_\_\_\_\_

Audio Disks (CDDA)

Whenever an audio disk is inserted in your CD-ROM drive, an AppIcon will be displayed on your Workbench screen. If it exists the iconfile

If the Default Tool of the icon contains a command name, then AmiCDFS will try to start that program (which should be a CDDA Player) when double-clicking the AppIcon. Otherwise the disk simply starts playing from track 1.

If the first character of the Default Tool entry is a # (Hash) symbol, the according program will be started as a Workbench application using L:WBStart-Handler.

A bugfixed version of MCDPlayer by Boris Jakubaschk is included in the  $\operatorname{AmiCDFS}\ 2.4$  distribution archive.

These features are not available if the  ${\tt TRACKDISK}$ 

ENV:sys/def\_CDDAdisk.info will be used.

option is selected or

the drive doesn't support the needed commands.

-----

1.9	Нι	/brid	<b>Disks</b>
-----	----	-------	--------------

Hybrid Disks

-----

AmiCDFS 8 / 12

Sometimes disks are dual-format (ISO-9660 and HFS). In this case the ISO-9660 part will always be preferred. If you wish to force mounting the HFS part of such a disk, simply hold the CONTROL key pressed while inserting the disk in your CD-ROM drive.

If a Sound & Data (ISO-9660 or HFS) hybrid disk is inserted, two icons will be placed on your Workbench. You can access the data part like usual while using the audio part with a CDDA Player program.

\_\_\_\_\_\_

#### 1.10 Benchmarks

Benchmarks

The following benchmark script has been used to evaluate several Amiga CD-ROM filing systems:

c:makedir ram:tools

c:date

c:copy AMINET9:Tools ram:tools all quiet

c:date

c:delete ram:tools all quiet

The benchmark system configuration:

Amiga 2000 ECS, 68030-50, 68882-50 2 MB ChipRAM, 20 MB 32Bit FastRAM Masoboshi MC702 with SANYO CRD-254SH QuadSpeed CD-ROM AmigaOS 3.1, Kickstart 40.70, Workbench 40.42

Results:

## 1.11 Technical Details

\_\_\_\_\_

Technical Details

-----

The whole code is fully reentrant now, so that it may be shared among multiple instances of the filing system as long as the

AmiCDFS 9/12

DosType is

identical.

AmiCDFS 2.4 is now able to read any type of physical device, so it may be used to read Macintosh HFS floppy disks as well.

The drivers task stack is handled by the filing system code itself now to make sure that it is always big enough. So AmiCDFS 2.4 could even be installed as part of a Rigid Disk Block (RDB).

All DOS packet handling code has been rewritten in order to eleminate problems with unknown packet types and to allow implementation of some extra functions. Packets like ACTION\_MORE\_CACHE now return valid results even if they do nothing.

\_\_\_\_\_\_

### 1.12 Bugs & Quirks

Durgo f Out pla

Bugs & Quirks

No real bugs are known, yet!

AmiCDFS 2.4 has been tested on many different hardware configurations, including IDE/ATAPI drives, PCMCIA adaptors and several SCSI drives.

If you encounter any difficulties, please check the following topics:

- Are you using a IDE/ATAPI CD-ROM drive?

Every device has to emulate a SCSI-2 drive, so everything depends on how good this emulation is. Try setting "TD" in Control field if nothing seems to work.

- Diskchanges are not recognized properly?

It is possible that your device driver does not support diskchange interrupts. Report it to the manufacturer and try setting "DC=3" and/or "TDP" in Control field.

- Drive does not stop or CD cannot be removed?

Simply set "MC" in Control field. Some devices need a MotorOff signal after reading data from the drive.

- Are you using any bad software?

If you're using very nasty hacks or programs like MCP, please don't report any bugs. It is useless to expect any program to work properly while trashing important functions of your Operating System!

AmiCDFS 10 / 12

- Anything else?

Send me a mail describing your problems and your configuration!

.-----

#### 1.13 Legal

\_\_\_\_\_

Legal Stuff

\_\_\_\_\_\_

AmiCDFS 2.4 is SHAREWARE !!!

If you use it permanently please send me a donation of US\$ 15 (DM 20). Please add \$5 when you send me a cheque to cover clearing charges.

Bank Account for money transfer (German users only):

R.Berndt Konto 393439-438 BLZ 36010043 Postbank Essen

THANK YOU FOR YOUR SUPPORT!

\_\_\_\_\_\_

#### Copyright

\_\_\_\_\_

AmiCDFS 2.4 is written and copyright © 1996 by Martin Berndt. No parts of this program may be altered by any means (this includes editing, reprogramming, crunching, resourceing etc.), except archiving.

#### Disclaimer

\_\_\_\_\_

The author is in no way liable for any changes made to any part of the program, or consequences thereof as he is in no way liable for damages or loss of data directly or indirectly caused by this software.

#### Distribution

-----

Neither fees may be charged nor profits may be made by distributing this piece of software. Only a nominal fee for costs of magnetic media may be accepted, the amount of US \$5 shouldn't be exceeded for a disk containing AmiCDFS. CD Manufactures are specifically granted the right to include this program on CD collections, as long as they are for the Public Domain. But the user still has to pay the Shareware fee!

------

AmiCDFS 11/12

#### 1.14 Author

\_\_\_\_\_

Author

Version 1.15 03-Nov-94 (C) 1993,1994 by Frank Munkert

(ln\_fmu@pki-nbg.philips.de)

\_\_\_\_\_

Version 2.4 10-Mar-96 (C) 1996 by Martin Berndt

Martin Berndt

Fr.-Alfred-Str. 115 47226 Duisburg

Germany

E-Mail Germany: m\_berndt@wanderer.dssd.sub.org

 $\hbox{$\tt E-Mail International: $\tt m\_berndt@wanderer.gun.de}\\$ 

Support BBS: WANDERER +49-211-9441293
Login: GAST Area: WANDERER/BIN/MB-SUPPORT

AmiCDFS 2.4 was developed using SAS/C 6.56 by SAS Institute

\_\_\_\_\_

Have you tried MultiCX already ?

\_\_\_\_\_

## 1.15 History

History

1.0 - 1.15 old AMICDROM versions by Frank Munkert

2.0 (14-Feb-96) first public release of new AmiCDFS

2.1 (01-Mar-96) - fixed serious bug in Prefetch code

- fixed problems with uncleared buffers

- fixed Control field template

- implemented

MOTORCONTROL

- implemented

TDPOLLING

- improved some routines

AmiCDFS 12 / 12

2.2 (04-Mar-96)	<ul><li>fixed some small bugs in Cache handling code</li><li>removed all old vendor specific routines</li><li>fixed bug in SCSI classification code</li></ul>
2.3 (05-Mar-96)	- fixed potential problem with illegal sector accesses
2.4 (10-Mar-96)	- fixed problems with CDDA AppIcon handling

## 1.16 Credits

\_\_\_\_\_

Credits

\_\_\_\_\_

The following persons deserve special thanks from me as they made a significant contribution to the development of AmiCDFS 2.4:

- Frank Munkert	for his wonderful AmiCDROM 1.15
- Nicola Salmoria	for some good ideas in AmiCDFS v37
- Boris Jakubaschk	for MCDPlayer 1.0
- Olaf "Olsen" Barthel	for his good advice in many cases
- Ralph Babel	for the Amiga Guru Book
- Stefan Becker	for WBStart-Handler
- all my Beta-Testers	for reports and constructive criticism
- the MCP authors	for the worst programming example ever
- Mike Oldfield	for the best music on this little planet
- the TNG crew	for the greatest adventures in universe
- my son Daryl	for moral support
- my coffee machine	for coffee support ;-)

\_\_\_\_\_\_