

BED

COLLABORATORS

	<i>TITLE :</i> BED		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		January 17, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	BED	1
1.1	BlacksEditor Guide	1
1.2	Introduction	3
1.3	The Author	4
1.4	Credits	4
1.5	Bug Reports	4
1.6	History	5
1.7	Future	5
1.8	Before you begin	6
1.9	Distribution	6
1.10	Disclaimer	7
1.11	Requirements	7
1.12	Installation	8
1.13	Quick Starting	8
1.14	Starting Blacks Editor	9
1.15	Starting from the Shell	9
1.16	Starting from the Workbench	9
1.17	FILENAME	10
1.18	DEFS/K	10
1.19	PREFS/K	10
1.20	MACRO/K	10
1.21	QUIT/S	11
1.22	The Standard Configuration	11
1.23	Standard Menus	11
1.24	Menu name: File	12
1.25	Menu name: Window	12
1.26	Menu name: Edit	13
1.27	Menu name: Find	14
1.28	Menu name: Format	16
1.29	Menu name: Extras	17

1.30	Menu name: Macro	18
1.31	Menu name: Tools	18
1.32	Menu name: ARexx	19
1.33	Menu name: Settings	20
1.34	Menu name: ?	21
1.35	File/New Doc	21
1.36	File/Clear File	21
1.37	File/Open File...	22
1.38	File/Open New Doc...	22
1.39	File/Insert File...	22
1.40	File/Save File	22
1.41	File/Save File As...	22
1.42	File/Save & Close	23
1.43	File/Print File...	23
1.44	File/Close Doc	23
1.45	File/Quit	23
1.46	Window/Select...	24
1.47	Window/Minimize	24
1.48	Window/Maximize	24
1.49	Window/Normalize	24
1.50	Window/Snapshot	24
1.51	Window/Iconify	25
1.52	Window/Iconify All	25
1.53	Window/Tile	25
1.54	Window/Stack	25
1.55	Window/Cascade	26
1.56	Window/Open Desktop...	26
1.57	Window/Save Desktop As...	26
1.58	Edit/Mark Block	26
1.59	Edit/Select Word	26
1.60	Edit/Select Line	27
1.61	Edit/Select All	27
1.62	Edit/Cut	27
1.63	Edit/Copy	27
1.64	Edit/Paste	28
1.65	Edit/Erase	28
1.66	Edit/Cut Append	28
1.67	Edit/Copy Append	28
1.68	Edit/Open Clip...	28

1.69 Edit/Save Clip As...	29
1.70 Edit/Print Clip...	29
1.71 Find/Find...	29
1.72 Find/Find Next	29
1.73 Find/Find & Replace...	30
1.74 Find/Replace Next	30
1.75 Find/Goto Line...	30
1.76 Find/Match Bracket	30
1.77 Find/Set Bookmark	30
1.78 Find/Set Bookmark/# 1	31
1.79 Find/Set Bookmark/# 2	31
1.80 Find/Set Bookmark/# 3	31
1.81 Find/Set Bookmark/# 4	31
1.82 Find/Set Bookmark/# 5	32
1.83 Find/Set Bookmark/# 6	32
1.84 Find/Set Bookmark/# 7	32
1.85 Find/Set Bookmark/# 8	32
1.86 Find/Set Bookmark/# 9	32
1.87 Find/Set Bookmark/# 10	33
1.88 Find/Goto Bookmark	33
1.89 Find/Goto Bookmark/# 1	33
1.90 Find/Goto Bookmark/# 2	33
1.91 Find/Goto Bookmark/# 3	34
1.92 Find/Goto Bookmark/# 4	34
1.93 Find/Goto Bookmark/# 5	34
1.94 Find/Goto Bookmark/# 6	34
1.95 Find/Goto Bookmark/# 7	34
1.96 Find/Goto Bookmark/# 8	35
1.97 Find/Goto Bookmark/# 9	35
1.98 Find/Goto Bookmark/# 10	35
1.99 Format/Format Paragraph	35
1.100Format/Goto Paragraph	36
1.101Format/Goto Paragraph/Previous	36
1.102Format/Goto Paragraph/Next	36
1.103Format/Documentize	36
1.104Format/Left Justify	36
1.105Format/Right Justify	37
1.106Format/L/R Justify	37
1.107Format/Center	37

1.108Format/Tabs -> Spaces	37
1.109Format/Spaces -> Tabs	38
1.110Format/Remove EOL Blanks	38
1.111Format/Indent Block	38
1.112Format/Unindent Block	38
1.113Format/Indent Line	38
1.114Format/Unindent Line	39
1.115Extras/Undo Line	39
1.116Extras/Undelete Line	39
1.117Extras/Insert Current Date	39
1.118Extras/Insert Current Time	40
1.119Extras/Insert ASCII Char	40
1.120Extras/Insert Version String	40
1.121Extras/Comment Block	40
1.122Extras/Number Lines	40
1.123Extras/Word -> Lower Case	41
1.124Extras/Word -> Upper Case	41
1.125Extras/Toggle Char Case	41
1.126Extras/Encrypt Block	41
1.127Macro/Start Recording	42
1.128Macro/Stop Recording	42
1.129Macro/Play Macro	42
1.130Macro/Play Many...	42
1.131Macro/Open Macro...	42
1.132Macro/Save Macro as...	43
1.133Tools/New Shell...	43
1.134Tools/New Console...	43
1.135Tools/Exec Tool...	43
1.136Tools/Run Tool...	44
1.137Tools/Exec DOS Script...	44
1.138Tools/Calculator	44
1.139Tools/Multiview	44
1.140Tools/...	44
1.141ARexx/Exec ARexx Macro...	45
1.142ARexx/Exec ARexx String...	45
1.143ARexx/AddChars	45
1.144ARexx/CountWords	45
1.145ARexx/ExecBlk	46
1.146ARexx/PrintBlk	46

1.147ARexx/RemoveBlankLines	46
1.148ARexx/SaveBlk	46
1.149ARexx/SaveChangedDocs	46
1.150ARexx/SetConfig	47
1.151ARexx/ShowAG	47
1.152ARexx/SortBlk	47
1.153ARexx/UnSetLocks	47
1.154ARexx/...	48
1.155Settings/Change Prefs	48
1.156Settings/Change Prefs/Auto-Save	48
1.157Settings/Change Prefs/Backup	48
1.158Settings/Change Prefs/Colors	48
1.159Settings/Change Prefs/Display	49
1.160Settings/Change Prefs/Edit	49
1.161Settings/Change Prefs/End Of Lines	49
1.162Settings/Change Prefs/Fonts	49
1.163Settings/Change Prefs/Icons	50
1.164Settings/Change Prefs/Miscellanea	50
1.165Settings/Change Prefs/Tabs	50
1.166Settings/Open Prefs...	50
1.167Settings/Save Prefs...	50
1.168Settings/Save Prefs As Defaults	51
1.169Settings/Open Definitions...	51
1.170?/About BED	51
1.171?/Quick Reference	51
1.172?/BED Menus	52
1.173?/BED Commands	52
1.174?/BED Main Help	52
1.175The Standard Keyboard Sequences	52
1.176The Standard Mouse Clicks	52
1.177Customize Blacks Editor	53
1.178Definitions Files	53
1.179Preferences Files	53
1.180Supplied Material	53
1.181Supplied Emulations	53
1.182Supplied Macros	53
1.183Quick Reference for Blacks Editor	54
1.184Commands Reference	57
1.185Alphabetical List of Commands	57

1.186	Functional Grouping of Commands	65
1.187	List of Global Commands	74
1.188	About	76
1.189	ActivateLastDoc	76
1.190	ActivateNextDoc	77
1.191	ActivatePrevDoc	77
1.192	ActivateWindow	78
1.193	BackSpace	78
1.194	BeepScreen	79
1.195	Center	79
1.196	CenterView	80
1.197	ClearBookMark	80
1.198	ClearFile	81
1.199	CloseDoc	81
1.200	Conv2Lower	82
1.201	Conv2Spaces	82
1.202	Conv2Tabs	83
1.203	Conv2Upper	83
1.204	CopyBlk	84
1.205	CutBlk	84
1.206	Delete	85
1.207	DeleteBlk	85
1.208	DeleteEOL	86
1.209	DeleteEOF	86
1.210	DeleteEOW	87
1.211	DeleteLine	87
1.212	DeleteSOL	88
1.213	DeleteSOF	88
1.214	DeleteSOW	89
1.215	DeleteWord	89
1.216	EncryptBlk	90
1.217	EndMacro	90
1.218	ExecARexxMacro	91
1.219	ExecARexxString	91
1.220	ExecDosScript	92
1.221	ExecTool	92
1.222	Exist	93
1.223	Find	93
1.224	FindChange	94

1.225FormatParagraph	94
1.226GetBlk	95
1.227GetBlkDims	95
1.228GetBlkInfo	96
1.229GetChar	96
1.230GetCurrentDir	97
1.231GetCursorPos	97
1.232GetDocuments	98
1.233GetErrorInfo	98
1.234GetFileInfo	99
1.235GetFilePath	99
1.236GetLine	100
1.237GetLockInfo	100
1.238GetMacroInfo	101
1.239GetPort	101
1.240GetPrefs	102
1.241GetPriority	102
1.242GetScreenInfo	103
1.243GetTemplate	103
1.244GetVersion	104
1.245GetViewInfo	104
1.246GetWindowInfo	105
1.247GetWindowSpec	105
1.248GetWord	106
1.249Help	106
1.250IconifyWindow	107
1.251Illegal	107
1.252Insert	108
1.253InsertTab	108
1.254InsertFile	109
1.255InsertLine	109
1.256Justify	110
1.257LeftJustify	110
1.258MarkBlk	111
1.259Move	111
1.260MoveBookMark	112
1.261MoveDown	112
1.262MoveDownScr	113
1.263MoveEOF	113

1.264MoveEOL	114
1.265MoveEOW	114
1.266MoveLeft	115
1.267MoveMatchBkt	115
1.268MoveNextTabStop	116
1.269MoveNextWord	116
1.270MovePrevTabStop	117
1.271MovePrevWord	117
1.272MoveRight	118
1.273MoveSizeWindow	118
1.274MoveSOF	119
1.275MoveSOL	119
1.276MoveSOW	120
1.277MoveUp	120
1.278MoveUpScr	121
1.279MoveWindow	121
1.280NewShell	122
1.281Nop	122
1.282OpenClip	123
1.283OpenDefinitions	123
1.284OpenDoc	124
1.285OpenFile	124
1.286OpenMacro	125
1.287OpenPrefs	125
1.288OpenRequester	126
1.289PasteClip	126
1.290PlayMacro	127
1.291PrintClip	127
1.292PrintFile	128
1.293Quit	128
1.294RecordMacro	129
1.295RemakeScreen	129
1.296RequestBool	130
1.297RequestChoice	130
1.298RequestFile	131
1.299RequestFont	131
1.300RequestNum	132
1.301RequestStr	132
1.302RightJustify	133

1.303RunTool	133
1.304SaveClip	134
1.305SaveDefPrefs	134
1.306SaveFile	135
1.307SaveFileAs	135
1.308SaveMacro	136
1.309SavePrefs	136
1.310Screen2Back	137
1.311Screen2Front	137
1.312ScrollVert	138
1.313ScrollView	138
1.314SelectLine	139
1.315SetBookMark	139
1.316SetChar	140
1.317SetCurrentDir	140
1.318SetDisplayLock	141
1.319SetFilePath	141
1.320SetInputLock	142
1.321SetPrefs	142
1.322SetPriority	143
1.323SetQuoteMode	143
1.324SetStatusBar	144
1.325SetWindowSpec	144
1.326ShiftLeft	145
1.327ShiftRight	145
1.328SizeWindow	146
1.329StripEOLBlanks	146
1.330SwapChars	147
1.331Text	147
1.332ToggleCharCase	148
1.333UndeleteLine	148
1.334UndoLine	149
1.335Window2Back	149
1.336Window2Front	150
1.337Preferences Reference	150
1.338Alphabetical List of Preferences	151
1.339Functional Grouping of Preferences	153
1.340AUTOSAVE	156
1.341AUTOSAVECONFIRM	156

1.342AUTOSAVEDELAY	156
1.343MAKEBACKUPS	157
1.344CANTBACKUPCONFIRM	157
1.345BACKUPTEMPLATE	157
1.346MAXBACKUPVERSION	158
1.347TEXTCOLOR	158
1.348BACKGROUNDCOLOR	159
1.349SELTEXTCOLOR	159
1.350SELBACKGROUNDCOLOR	159
1.351PALETTE	160
1.352SCREEN	160
1.353AUTOINDENT	160
1.354FREEFORM	161
1.355OVERSTRIKE	161
1.356WORDWRAP	162
1.357JUMPSCROLL	162
1.358RIGHTMARGINWBORDER	162
1.359LEFTMARGIN	163
1.360RIGHTMARGIN	163
1.361STRIPEOLBLANKS	163
1.362TRANSLATECRS	164
1.363SAVEEOLAS	164
1.364TEXTFONT	165
1.365MENUFONT	165
1.366SAVEICONS	165
1.367ICONDRAWER	166
1.368MOUSEBLANKER	166
1.369OVERWRITECONFIRM	166
1.370DOUBLELOADCONFIRM	167
1.371SELECTWHENDRAGGING	167
1.372AUTODETECTBINFILES	168
1.373PRINTDEVICE	168
1.374CONSOLE	168
1.375DEFAULTWINDOW	169
1.376TABWIDTH	169
1.377TABSGIVESPACES	169
1.378CONVERSIONONLOAD	170
1.379CONVERSIONONSAVE	170
1.380CONVERSIONONPRINT	171

1.381FINDSTRING	171
1.382CHANGESTRING	171
1.383FINDBACKWARD	172
1.384FINDIGNORECASE	172
1.385FINDWHOLEWORD	172
1.386FILEREQUESTER	173
1.387FONTREQUESTER	173
1.388SCREENMODEREQUESTER	174
1.389FILEPATTERN	174
1.390REXXDRAWER	174
1.391REXXPATTERN	175
1.392DOSDRAWER	175
1.393DOSPATTERN	175
1.394TOOLSDRAWER	176
1.395TOOLSPATTERN	176
1.396PREFSDRAWER	177
1.397PREFSPATTERN	177
1.398DEFSDRAWER	177
1.399DEFSPATTERN	178
1.400READONLY	178
1.401Errors Reference	178
1.402BED Errors	179
1.403Definitions Files Errors	181
1.404Preferences Files Errors	181
1.405Error #1	182
1.406Error #2	182
1.407Error #3	182
1.408Error #4	183
1.409Error #5	183
1.410Error #6	183
1.411Hit document boundary	183
1.412Not on {, [, (<, «, », >,),], }	184
1.413Not allowed in read-only mode	184
1.414User requested abort	184
1.415Bookmark not set	184
1.416No block marked	185
1.417Error #13	185
1.418Error #14	185
1.419Error #15	185

1.420	Not currently recording	186
1.421	Not found	186
1.422	Clipboard is empty	186
1.423	Clipboard does not contain text	186
1.424	Clipboard device not found	187
1.425	ARexx process or library not found	187
1.426	Command only allowed in ARexx macros	187
1.427	Bookmark not found	187
1.428	No macro to play	188
1.429	Error #25	188
1.430	Error #26	188
1.431	Error #27	188
1.432	Illegal while recording	189
1.433	Illegal command	189
1.434	Insufficient memory	189
1.435	Load error	189
1.436	Save error	190
1.437	Backup error - not saved	190
1.438	Print error	190
1.439	Clipboard I/O error	190
1.440	ARexx Error	191
1.441	Couldn't execute tool	191
1.442	AmigaGuide error	191
1.443	Couldn't open console	191
1.444	Error #40	192
1.445	AmigaGuide library not found	192
1.446	--- Illegal ---	192
1.447	Definitions file not loaded successfully	192
1.448	Preferences file not loaded successfully	193
1.449	Preferences file not saved successfully	193
1.450	Macro not loaded successfully	193
1.451	Macro not saved successfully	193
1.452	Unknown preference	194
1.453	Invalid template	194
1.454	Command not global	194
1.455	AmigaDOS error	194
1.456	Bad parameter	195
1.457	Parameter out of range	195
1.458	Cannot swap tabs	195

1.459	Cursor not on a word	195
1.460	No string to find	196
1.461	Window is iconified	196
1.462	Input is locked	196
1.463	Line too long	196
1.464	No line to undelete	197
1.465	Cannot undo	197
1.466	AmigaDOS error	197
1.467	Insufficient memory	197
1.468	Error creating menus	198
1.469	Unknown keyword	198
1.470	Unknown command	198
1.471	Unknown key	198
1.472	Key not mapped on this keyboard	199
1.473	Quoted argument expected	199
1.474	AmigaDOS error	199
1.475	Insufficient memory	199
1.476	Unknown preference	200
1.477	Wrong template for preference	200

Chapter 1

BED

1.1 BlacksEditor Guide

- Blacks Editor 1.0 -
By Marco Negri

Blacks Editor is
CardWare
, that is I ask you to send
me
a
postcard of your country or a message by E-Mail because I'd
like to see where my program is used.
Thanks. ;-)

Introduction

The Author

Credits

Bug Reports

History

Future

Before You Begin

Distribution

Disclaimer

Requirements

Installation

Quick Starting

(If you don't like reading long documentations)

Starting Blacks Editor

From the Shell

From Workbench

Beginners:

The Standard Configuration

The Standard Menus

The Standard Keyboard

The Standard Mouse Buttons

Advanced:

Customizing Blacks Editor

The definitions file

The preferences file

Using supplied material

Supplied emulations

Supplied ARexx Macros

Reference:

Quick Reference

The Command Reference

Alphabetical order

Functional groupings

Global commands

The Preferences Reference

Alphabetical order

Functional groupings

Error codes and messages

Blacks Editor errors

Definitions file errors

Preferences file errors

1.2 Introduction

Introduction

Blacks Editor is a powerful, user-friendly, very configurable text editor.

The main features are:

- * Multi-window. You can have how many opened windows as your memory lets.
 - * Configurability. You can define the layout of the menus, the function of every keystroke, the function of every kind of mouse click. Moreover, each window can have different definitions.
 - * A lot of preferences. They are too many to list here... give BED a try and see them.
 - * SAS C Support. You can easily arrange it for any other compiler or language.
 - * Backup. When you save a file, a number of backups can be maintained.
 - * Autosave. Your files can be automatically saved at the interval you select.
 - * Advanced Icon Saving. An icon can be saved, according to the filename extension of your file.
 - * End of Line Handling. You can easily load or save files with EOL different from LF, for example files saved on PCs.
 - * ARexx support. There are 149 commands, usable in ARexx Macros or in the definition of menus, keystrokes and mouse clicks. The main abilities are the following:
 - Edit and Move commands
 - Clipboard Function
 - Recorded Macros
 - Paragraph Formatting
 - Bookmarks
 - Find & Replace
 - Matching Brackets
 - Undo & Undelete line
 - Run external Tools, DOS Scripts, ARexx Macros
 - Encrypting
 - * And, above all, it's made by ME.
-

Give it a try... a look can explain better than thousands of words.

1.3 The Author

Author

Marco Negri
Via delle Alpi 19
20026 Novate Milanese (MILANO)
I T A L I A

e-mail: s592345@vm.uni-bocconi.it
www: <http://www.ing.unico.it/~mfontana/marco.html>

This is me...

1.4 Credits

Credits

These are all the people who have been very important for the realisation of Blacks Editor:

- * Mauro Fontana
- * Andrew Martin

For their suggestions, help and testing.

- * Commodore

For having invented the Amiga

- * Lara

My girlfriend, for having listened to me for months talking about window refreshing, IDCMP, ARexx, etc.

- * Pat Metheny & Mark Knopfler

For their wonderful guitars who comforted me in sleepless nights spent on my keyboard.

Well... maybe I'm a bit exaggerating with the credits...

Let's go to see this Blacks Editor, finally...

1.5 Bug Reports

Bug Reports

This is a beta release, and beta releases are for finding bugs and fixing them.

Even if I don't guarantee anything (read the disclaimer),

I think that BED at the moment doesn't contain major bugs (i.e. you don't have to worry to lose your data).

But if you found some bugs, even minor, or if you have some suggestions for this or another release of BED, please tell me.

Click
here
for my address.

1.6 History

History

--- 1.0B - 14-Jan-96 -----

First public release. Beta release. OS v39 required.

--- 1.0B - 28-Jan-96 -----

First v37 compatible release.

1.7 Future

Future

First of all I have to finish this documentation...

When a final 1.0 release will be ready, I want to check the success of this first version to decide whether investing a LOT of my time in developing BED.

The ideas for next version are:

<*> Full Undo.

<*> ToolManager-like Docks, or simple groups of gadgets (of course user-definable) for each window

<*> Standard Clipboard support

<*> Word colouring

<*> More and more ARexx Macros, for syntax checking, auto-indenting, etc.

<*> Custom Progress Indicator support

<*> Gadgets Shortcuts.

<*> Implementation of the #LINKS keyword in the definitions file, which includes another file, something like the #include directive in C

<*> ... and whatever you will suggest me

1.8 Before you begin

Before you begin it's better if you read something about...

Distribution

Disclaimer

Hardware requirements

Installation

1.9 Distribution

Distribution

Blacks Editor v1.0β - By Marco Negri - 28-Jan-1996

This entire package is designated Cardware, that is I ask you to send

me

a postcard of your country or a message by E-Mail, because I like to know where my program is used.

You may freely copy and distribute it as often as you like, with the following limitations:

- * The package must remain complete and unchanged
 - * The package can be included on CD-ROMs, BBS, magazines, but I ask
-

you to inform the Author.

* Donations are welcome.

* It is expressly forbidden to use this program, or any programs or data developed using this program to directly or indirectly benefit the military.

1.10 Disclaimer

Disclaimer

THIS PROGRAM IS PROVIDED ON AN "AS IS" BASIS, NO WARRANTIES ARE MADE, EITHER EXPRESSED OR IMPLIED. IN NO EVENT WILL I, MARCO NEGRI, BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING FROM ANY USE OR MISUSE OF THIS PROGRAM. THE ENTIRE RISK AS TO THE RESULTS AND PERFORMANCE OF THIS PROGRAM IS ASSUMED BY YOU.

1.11 Requirements

Requirements

- * An Amiga ;-)
- * OS 2.04+ (V37)
- * Reqtools.library v38+ (Copyright by Nico François)
- * Commodore Installer (needed only for the installation)

(Recommended for better use)

- * A Hard Disk
- * ARexx running

Also available:

- * Versions optimized for 68020, 68030, 68040

As Blacks Editor is written in C, these versions are obtained compiling the same source with the optimization for a specific processor.

These versions have not been included for space reasons, but you can ask

me
for them.

If you are on Internet I can send it to you for free, else you have

to send me the money for the shipping of the disk.

1.12 Installation

Installation

To install Blacks Editor simply open the Install drawer and double-click on the icon of your language.

A Standard Installer Script will guide you through the short installation process.

1.13 Quick Starting

Quick Starting

This section is for you who hate reading documentations and want to know only the most important things.

So here they are:

<*> You can start BED from the Shell or from the Workbench

<*> The layout of the menus, of the keyboard and the actions to take at each mouse click are called definitions, and are specified in a file with the ".dfn" extension in the "BED:Support" directory.

<*> A lot of preferences are specified in files with ".prf" extension in the "BED:Support" directory

<*> In the "Rexx" directory there are a lot of useful ARexx Macros. They can be executed using the ARexx menu.

<*> If not differently specified, BED load at startup the definitions from "BED:Support/Startup.dfn", the preferences from "BED:Support/Startup.prf", and executes the ARexx Macro "BED:Rexx/Startup.bed, if it exists.

<*> If not differently specified, BED executes at the opening of a new window the ARexx Macro "BED:Rexx/Doc_Startup.bed", if it exists. In the original configuration this macro does the same as SetConfig, i.e. it loads the preferences and the definitions according to the current filename extension. You can, of course, modify or delete this macro.

1.14 Starting Blacks Editor

Starting Blacks Editor

Blacks Editor can be started either from WB or from the Shell.

Starting from the Shell

Starting from Workbench

1.15 Starting from the Shell

From the Shell

If you want to run Blacks Editor from the Shell you just have to type:

```
BED
```

followed by these optional arguments

```
FILENAME  
,  
DEFS/K  
,  
PREFS/K  
,  
MACRO/K  
,  
QUIT/S
```

1.16 Starting from the Workbench

From the Workbench

If you want to run Blacks Editor from the Workbench you have to double click on the BED icon or on any Project Icon with BED as Default Tool.

The following Tooltypes are supported:

```
FILENAME  
- File to edit  
  
DEFS  
- Definitions file
```


PREFS
- Preferences file

MACRO
- Macro to execute at startup

QUIT
- Quit BED

1.17 FILENAME

FILENAME

FILENAME: If a filename is specified then this file is loaded in the first document window. If there is a copy of BED running, then it will open a new document window and load the specified file.

1.18 DEFS/K

DEFS

DEFS/K: If a defs file is specified then the definitions are loaded from it. It defaults to BED:Support/Startup.dfn.

1.19 PREFS/K

PREFS

PREFS/K: If a prefs file is specified then the preferences are loaded from it. It defaults to BED:Support/Startup.prf

1.20 MACRO/K

MACRO

MACRO/K: If this argument is specified then the ARexx Macro is executed. It defaults to BED:Support/Startup.bed

1.21 QUIT/S

QUIT

QUIT/S: When there is a copy of BED running, this switch force him to quit.

1.22 The Standard Configuration

Standard configuration

This is the standard configuration of Blacks Editor, and can be found in the definition file BED:Support/Standard.dfn.

This file define the menus, the keyboard sequences and the actions to take at each type of mouse click.

The Standard Menus

The Standard Keyboard

The Standard Mouse Buttons

1.23 Standard Menus

Standard menus:

File

Window

Edit

Find

Format

Extras

Macro

Tools

ARexx

Settings

?

1.24 Menu name: File

```

File:

New Doc
        OpenDoc

Clear File
        ClearFile
=====

Open File...
        OpenFile

Open New Doc...
        OpenDoc FILEREQ

Insert File...
        InsertFile
=====

Save File
        SaveFile

Save File As...
        SaveFileAs

Save & Close
        ExecARexxString SaveFile MODIFIED QUIET; CloseDoc;
=====

Print File...
        PrintFile
=====

Close Doc
        CloseDoc

Quit
        Quit

```

1.25 Menu name: Window

```

Window:

Select...
        ExecARexxMacro WINDOW=CON:////Select.../SCREEN BED: ←
        Rexx/SelectDoc.bed
=====

Minimize

```

```

                                SizeWindow 0 0

Maximize
                                SizeWindow 10000 10000

Normalize
                                SetWindowSpec
=====

Snapshot
                                ExecARexxString OPTIONS RESULTS; GetWindowSpec; ↔
                                SetPrefs DefaultWindow RESULT;

=====

Iconify
                                IconifyWindow TOGGLE

Iconify All
                                ExecARexxMacro BED:Rexx/OrganizeWindows.bed ICONIFY

Tile
                                ExecARexxMacro BED:Rexx/OrganizeWindows.bed ↔
                                TILE

Stack
                                ExecARexxMacro BED:Rexx/OrganizeWindows.bed ↔
                                STACK

Cascade
                                ExecARexxMacro BED:Rexx/OrganizeWindows.bed ↔
                                CASCADE
=====

Open Desktop...
                                ExecARexxMacro BED:Rexx/LoadDesktop.bed

Save Desktop As...
                                ExecARexxMacro BED:Rexx/SaveDesktop.bed

```

1.26 Menu name: Edit

```

Edit:

Mark Block
                                MarkBlk
=====

Select Word
                                MarkBlk WORD

Select Line
                                SelectLine

```

```

Select All
                                ExecARExxString MoveSOF; MarkBlk; MoveEOF;
=====

Cut
                                CutBlk

Copy
                                CopyBlk

Paste
                                PasteClip

Erase
                                DeleteBlk QUIET
=====

Cut Append
                                CutBlk APPEND

Copy Append
                                CopyBlk APPEND
=====

Open Clip...
                                OpenClip

Save Clip As...
                                SaveClip

Print Clip...
                                PrintClip

```

1.27 Menu name: Find

```

Find:

Find...
                                OpenRequester FIND

Find Next
                                Find

Find & Replace...
                                OpenRequester FINDCHANGE

Replace Next
                                FindChange
=====

Goto Line...
                                Move

```

Match Bracket
MoveMatchBkt

=====

Set Bookmark
Nop

1 SetBookmark 1

2 SetBookmark 2

3 SetBookmark 3

4 SetBookmark 4

5 SetBookmark 5

6 SetBookmark 6

7 SetBookmark 7

8 SetBookmark 8

9 SetBookmark 9

10 SetBookmark 10

Goto Bookmark
Nop

1 MoveBookmark 1

2 MoveBookmark 2

3 MoveBookmark 3

4 MoveBookmark 4

5 MoveBookmark 5

6 MoveBookmark 6

```

# 7
                                MoveBookmark 7

# 8
                                MoveBookmark 8

# 9
                                MoveBookmark 9

# 10
                               MoveBookmark 10

```

1.28 Menu name: Format

Format :

```

Format Paragraph
    FormatParagraph

Goto Paragraph
    Nop

Previous
                                ExecARexxMacro BED:Rexx/PrevParagraph

Next
                                ExecARexxMacro BED:Rexx/NextParagraph

Documentize
                                ExecARexxMacro BED:Rexx/Documentize.bed
=====

Left Justify
    LeftJustify

Right Justify
    RightJustify

L/R Justify
    Justify

Center
                                Center
=====

Tabs -> Spaces
    Conv2Spaces

Spaces -> Tabs
    Conv2Tabs

Remove EOL Blanks

```

```

                StripEOLBlanks
=====

                Indent Block
                    ExecARExxMacro BED:Rexx/IndentBlk.bed

                Unindent Block
                    ExecARExxMacro BED:Rexx/UnindentBlk.bed
=====

                Indent Line
                    ShiftRight TABS

                Unindent Line
                    ShiftLeft TABS

```

1.29 Menu name: Extras

```

                Extras:

                Undo Line
                    UndoLine

                Undelete Line
                    UndeleteLine
=====

                Insert Current Date
                    ExecARExxString Insert DATE();

                Insert Current Time
                    ExecARExxString Insert TIME();

                Insert ASCII Char
                    SetChar

                Insert Version String
                    ExecARExxMacro BED:Rexx/InsertVersion.bed
=====

                Comment Block
                    ExecARExxMacro BED:Rexx/CommentBlk.bed

                Number Lines
                    ExecARExxMacro BED:Rexx/NumberLines.bed
=====

                Word -> Lower Case
                    Conv2Lower

                Word -> Upper Case
                    Conv2Upper

```



```
Toggle Char Case
ToggleCharCase
```

```
=====
```

```
Encrypt Block
EncryptBlk
```

1.30 Menu name: Macro

```
Macro:
```

```
Start Recording
RecordMacro
```

```
Stop Recording
EndMacro
```

```
=====
```

```
Play Macro
PlayMacro 1
```

```
Play Many...
PlayMacro
```

```
=====
```

```
Open Macro...
OpenMacro
```

```
Save Macro as...
SaveMacro
```

1.31 Menu name: Tools

```
Tools:
```

```
New Shell...
NewShell
```

```
New Console...
ExecARexxMacro CONSOLE BED:Rexx/CmdShell.bed
```

```
=====
```

```
Exec Tool...
ExecTool
```

```
Run Tool...
RunTool
```

```

Exec DOS Script...
  ExecDOSScript CONSOLE
=====

Calculator
  RunTool Calculator PUBSCREEN=Blacks_Editor

Multiview
  RunTool Multiview
=====

...
  RunTool

```

1.32 Menu name: ARexx

```

ARexx:

Exec ARexx Macro...
  ExecARexxMacro

Exec ARexx String...
  ExecARexxString
=====

AddChars
  ExecARexxMacro BED:Rexx/AddChars.bed

CountWords
  ExecARexxMacro BED:Rexx/CountWords.bed

ExecBlk
  ExecARexxMacro CONSOLE BED:Rexx/ExecBlk.bed

PrintBlk
  ExecARexxMacro BED:Rexx/PrintBlk.bed

RemoveBlankLines
  ExecARexxMacro BED:Rexx/RemoveBlankLines.bed

SaveBlk
  ExecARexxMacro BED:Rexx/SaveBlk.bed

SaveChangedDocs
  ExecARexxMacro BED:Rexx/SaveChangedDocs.bed

SetConfig
  ExecARexxMacro BED:Rexx/SetConfig.bed

ShowAG
  ExecARexxMacro BED:Rexx/ShowAG.bed

SortBlk

```

```

                                ExecARexxMacro BED:Rexx/SortBlk.bed
UnSetLocks
                                ExecARexxMacro BED:Rexx/UnSetLocks.bed
=====

...
                                ExecARexxMacro

```

1.33 Menu name: Settings

```

Settings:

Change Prefs
    Nop

Auto-Save
    OpenRequester AUTOSAVEPREFS

Backup
    OpenRequester BACKUPPREFS

Colors
    OpenRequester COLORPREFS

Display
    OpenRequester DISPLAYPREFS

Edit
    OpenRequester EDITPREFS

End Of Lines
    OpenRequester ENDOFLINEPREFS

Fonts
    OpenRequester FONTPREFS

Icons
    OpenRequester ICONPREFS

Miscellanea
    OpenRequester MISCPREFS

Tabs
    OpenRequester TABPREFS
=====

Open Prefs...
    OpenPrefs

Save Prefs...
    SavePrefs

```

```

Save Prefs As Defaults
SaveDefPrefs
=====

```

```

Open Definitions...
OpenDefinitions

```

1.34 Menu name: ?

```

?:

```

```

About BED
About
=====

```

```

Quick Reference
Help QuickReference

```

```

BED Menus
Help Standard_Menus

```

```

BED Commands
ExecARexxMacro BED:Rexx/BedCmdHelp.bed
=====

```

```

BED Main Help
Help

```

1.35 File/New Doc

Menu name: File/New Doc

Shortcut: Amiga-W

Command: OpenDoc

Description:

1.36 File/Clear File

Menu name: File/Clear File

Shortcut: None

Command: ClearFile

Description:

1.37 File/Open File...

Menu name: File/Open File...

Shortcut: Amiga-O

Command: OpenFile

Description:

1.38 File/Open New Doc...

Menu name: File/Open New Doc...

Shortcut: Amiga-D

Command: OpenDoc FILEREQ

Description:

1.39 File/Insert File...

Menu name: File/Insert File...

Shortcut: None

Command: InsertFile

Description:

1.40 File/Save File

Menu name: File/Save File

Shortcut: Amiga-S

Command: SaveFile

Description:

1.41 File/Save File As...

Menu name: File/Save File As...

Shortcut: Amiga-A

Command: SaveFileAs

Description:

1.42 File/Save & Close

Menu name: File/Save & Close

Shortcut: None

Command: ExecARexxString SaveFile MODIFIED QUIET; CloseDoc;

Description:

1.43 File/Print File...

Menu name: File/Print File...

Shortcut: None

Command: PrintFile

Description:

1.44 File/Close Doc

Menu name: File/Close Doc

Shortcut: Amiga-Q

Command: CloseDoc

Description:

1.45 File/Quit

Menu name: File/Quit

Shortcut: None

Command: Quit

Description:

1.46 Window/Select...

Menu name: Window/Select...

Shortcut: None

Command: ExecARexxMacro WINDOW=CON:////Select.../SCREEN BED:Rexx/SelectDoc ↔
.bed

Description:

1.47 Window/Minimize

Menu name: Window/Minimize

Shortcut: None

Command: SizeWindow 0 0

Description:

1.48 Window/Maximize

Menu name: Window/Maximize

Shortcut: None

Command: SizeWindow 10000 10000

Description:

1.49 Window/Normalize

Menu name: Window/Normalize

Shortcut: None

Command: SetWindowSpec

Description:

1.50 Window/Snapshot

Menu name: Window/Snapshot

Shortcut: None

Command: ExecARExxString OPTIONS RESULTS; GetWindowSpec; SetPrefs ↔
DefaultWindow RESULT;

Description:

1.51 Window/Iconify

Menu name: Window/Iconify

Shortcut: None

Command: IconifyWindow TOGGLE

Description:

1.52 Window/Iconify All

Menu name: Window/Iconify All

Shortcut: None

Command: ExecARExxMacro BED:Rexx/OrganizeWindows.bed ICONIFY

Description:

1.53 Window/Tile

Menu name: Window/Tile

Shortcut: None

Command: ExecARExxMacro BED:Rexx/OrganizeWindows.bed TILE

Description:

1.54 Window/Stack

Menu name: Window/Stack

Shortcut: None

Command: ExecARExxMacro BED:Rexx/OrganizeWindows.bed STACK

Description:

1.55 Window/Cascade

Menu name: Window/Cascade
Shortcut: None
Command: ExecARexxMacro BED:Rexx/OrganizeWindows.bed CASCADE
Description:

1.56 Window/Open Desktop...

Menu name: Window/Open Desktop...
Shortcut: None
Command: ExecARexxMacro BED:Rexx/LoadDesktop.bed
Description:

1.57 Window/Save Desktop As...

Menu name: Window/Save Desktop As...
Shortcut: None
Command: ExecARexxMacro BED:Rexx/SaveDesktop.bed
Description:

1.58 Edit/Mark Block

Menu name: Edit/Mark Block
Shortcut: Amiga-B
Command: MarkBlk
Description:

1.59 Edit/Select Word

Menu name: Edit/Select Word
Shortcut: None
Command: MarkBlk WORD

Description:

1.60 Edit/Select Line

Menu name: Edit/Select Line

Shortcut: Amiga-E

Command: SelectLine

Description:

1.61 Edit/Select All

Menu name: Edit/Select All

Shortcut: Amiga-T

Command: ExecARexxString MoveSOF; MarkBlk; MoveEOF;

Description:

1.62 Edit/Cut

Menu name: Edit/Cut

Shortcut: Amiga-X

Command: CutBlk

Description:

1.63 Edit/Copy

Menu name: Edit/Copy

Shortcut: Amiga-C

Command: CopyBlk

Description:

1.64 Edit/Paste

Menu name: Edit/Paste

Shortcut: Amiga-V

Command: PasteClip

Description:

1.65 Edit/Erase

Menu name: Edit/Erase

Shortcut: None

Command: DeleteBlk QUIET

Description:

1.66 Edit/Cut Append

Menu name: Edit/Cut Append

Shortcut: None

Command: CutBlk APPEND

Description:

1.67 Edit/Copy Append

Menu name: Edit/Copy Append

Shortcut: Amiga-Z

Command: CopyBlk APPEND

Description:

1.68 Edit/Open Clip...

Menu name: Edit/Open Clip...

Shortcut: None

Command: OpenClip

Description:

1.69 Edit/Save Clip As...

Menu name: Edit/Save Clip As...

Shortcut: None

Command: SaveClip

Description:

1.70 Edit/Print Clip...

Menu name: Edit/Print Clip...

Shortcut: None

Command: PrintClip

Description:

1.71 Find/Find...

Menu name: Find/Find...

Shortcut: Amiga-F

Command: OpenRequester FIND

Description:

1.72 Find/Find Next

Menu name: Find/Find Next

Shortcut: Amiga-N

Command: Find

Description:

1.73 Find/Find & Replace...

Menu name: Find/Find & Replace...

Shortcut: Amiga-R

Command: OpenRequester FINDCHANGE

Description:

1.74 Find/Replace Next

Menu name: Find/Replace Next

Shortcut: Amiga-Y

Command: FindChange

Description:

1.75 Find/Goto Line...

Menu name: Find/Goto Line...

Shortcut: Amiga-L

Command: Move

Description:

1.76 Find/Match Bracket

Menu name: Find/Match Bracket

Shortcut: None

Command: MoveMatchBkt

Description:

1.77 Find/Set Bookmark

Menu name: Find/Set Bookmark

Shortcut: None

Command: Nop

Description:

1.78 Find/Set Bookmark/# 1

Menu name: Find/Set Bookmark/# 1

Shortcut: None

Command: SetBookmark 1

Description:

1.79 Find/Set Bookmark/# 2

Menu name: Find/Set Bookmark/# 2

Shortcut: None

Command: SetBookmark 2

Description:

1.80 Find/Set Bookmark/# 3

Menu name: Find/Set Bookmark/# 3

Shortcut: None

Command: SetBookmark 3

Description:

1.81 Find/Set Bookmark/# 4

Menu name: Find/Set Bookmark/# 4

Shortcut: None

Command: SetBookmark 4

Description:

1.82 Find/Set Bookmark/# 5

Menu name: Find/Set Bookmark/# 5

Shortcut: None

Command: SetBookmark 5

Description:

1.83 Find/Set Bookmark/# 6

Menu name: Find/Set Bookmark/# 6

Shortcut: None

Command: SetBookmark 6

Description:

1.84 Find/Set Bookmark/# 7

Menu name: Find/Set Bookmark/# 7

Shortcut: None

Command: SetBookmark 7

Description:

1.85 Find/Set Bookmark/# 8

Menu name: Find/Set Bookmark/# 8

Shortcut: None

Command: SetBookmark 8

Description:

1.86 Find/Set Bookmark/# 9

Menu name: Find/Set Bookmark/# 9

Shortcut: None

Command: SetBookmark 9

Description:

1.87 Find/Set Bookmark/# 10

Menu name: Find/Set Bookmark/# 10

Shortcut: None

Command: SetBookmark 10

Description:

1.88 Find/Goto Bookmark

Menu name: Find/Goto Bookmark

Shortcut: None

Command: Nop

Description:

1.89 Find/Goto Bookmark/# 1

Menu name: Find/Goto Bookmark/# 1

Shortcut: None

Command: MoveBookmark 1

Description:

1.90 Find/Goto Bookmark/# 2

Menu name: Find/Goto Bookmark/# 2

Shortcut: None

Command: MoveBookmark 2

Description:

1.91 Find/Goto Bookmark/# 3

Menu name: Find/Goto Bookmark/# 3

Shortcut: None

Command: MoveBookmark 3

Description:

1.92 Find/Goto Bookmark/# 4

Menu name: Find/Goto Bookmark/# 4

Shortcut: None

Command: MoveBookmark 4

Description:

1.93 Find/Goto Bookmark/# 5

Menu name: Find/Goto Bookmark/# 5

Shortcut: None

Command: MoveBookmark 5

Description:

1.94 Find/Goto Bookmark/# 6

Menu name: Find/Goto Bookmark/# 6

Shortcut: None

Command: MoveBookmark 6

Description:

1.95 Find/Goto Bookmark/# 7

Menu name: Find/Goto Bookmark/# 7

Shortcut: None

Command: MoveBookmark 7

Description:

1.96 Find/Goto Bookmark/# 8

Menu name: Find/Goto Bookmark/# 8

Shortcut: None

Command: MoveBookmark 8

Description:

1.97 Find/Goto Bookmark/# 9

Menu name: Find/Goto Bookmark/# 9

Shortcut: None

Command: MoveBookmark 9

Description:

1.98 Find/Goto Bookmark/# 10

Menu name: Find/Goto Bookmark/# 10

Shortcut: None

Command: MoveBookmark 10

Description:

1.99 Format/Format Paragraph

Menu name: Format/Format Paragraph

Shortcut: None

Command: FormatParagraph

Description:

1.100 Format/Goto Paragraph

Menu name: Format/Goto Paragraph

Shortcut: None

Command: Nop

Description:

1.101 Format/Goto Paragraph/Previous

Menu name: Format/Goto Paragraph/Previous

Shortcut: None

Command: ExecARExxMacro BED:Rexx/PrevParagraph

Description:

1.102 Format/Goto Paragraph/Next

Menu name: Format/Goto Paragraph/Next

Shortcut: None

Command: ExecARExxMacro BED:Rexx/NextParagraph

Description:

1.103 Format/Documentize

Menu name: Format/Documentize

Shortcut: None

Command: ExecARExxMacro BED:Rexx/Documentize.bed

Description:

1.104 Format/Left Justify

Menu name: Format/Left Justify

Shortcut: None

Command: LeftJustify

Description:

1.105 Format/Right Justify

Menu name: Format/Right Justify

Shortcut: None

Command: RightJustify

Description:

1.106 Format/L/R Justify

Menu name: Format/L/R Justify

Shortcut: None

Command: Justify

Description:

1.107 Format/Center

Menu name: Format/Center

Shortcut: None

Command: Center

Description:

1.108 Format/Tabs -> Spaces

Menu name: Format/Tabs -> Spaces

Shortcut: None

Command: Conv2Spaces

Description:

1.109 Format/Spaces -> Tabs

Menu name: Format/Spaces -> Tabs

Shortcut: None

Command: Conv2Tabs

Description:

1.110 Format/Remove EOL Blanks

Menu name: Format/Remove EOL Blanks

Shortcut: None

Command: StripEOLBlanks

Description:

1.111 Format/Indent Block

Menu name: Format/Indent Block

Shortcut: None

Command: ExecARexxMacro BED:Rexx/IndentBlk.bed

Description:

1.112 Format/Unindent Block

Menu name: Format/Unindent Block

Shortcut: None

Command: ExecARexxMacro BED:Rexx/UnindentBlk.bed

Description:

1.113 Format/Indent Line

Menu name: Format/Indent Line

Shortcut: None

Command: ShiftRight TABS

Description:

1.114 Format/Unindent Line

Menu name: Format/Unindent Line

Shortcut: None

Command: ShiftLeft TABS

Description:

1.115 Extras/Undo Line

Menu name: Extras/Undo Line

Shortcut: Amiga-U

Command: UndoLine

Description:

1.116 Extras/Undelete Line

Menu name: Extras/Undelete Line

Shortcut: None

Command: UndeleteLine

Description:

1.117 Extras/Insert Current Date

Menu name: Extras/Insert Current Date

Shortcut: None

Command: ExecARexxString Insert DATE();

Description:

1.118 Extras/Insert Current Time

Menu name: Extras/Insert Current Time
Shortcut: None
Command: ExecARexxString Insert TIME();
Description:

1.119 Extras/Insert ASCII Char

Menu name: Extras/Insert ASCII Char
Shortcut: None
Command: SetChar
Description:

1.120 Extras/Insert Version String

Menu name: Extras/Insert Version String
Shortcut: None
Command: ExecARexxMacro BED:Rexx/InsertVersion.bed
Description:

1.121 Extras/Comment Block

Menu name: Extras/Comment Block
Shortcut: None
Command: ExecARexxMacro BED:Rexx/CommentBlk.bed
Description:

1.122 Extras/Number Lines

Menu name: Extras/Number Lines
Shortcut: None
Command: ExecARexxMacro BED:Rexx/NumberLines.bed

Description:

1.123 Extras/Word -> Lower Case

Menu name: Extras/Word -> Lower Case

Shortcut: None

Command: Conv2Lower

Description:

1.124 Extras/Word -> Upper Case

Menu name: Extras/Word -> Upper Case

Shortcut: None

Command: Conv2Upper

Description:

1.125 Extras/Toggle Char Case

Menu name: Extras/Toggle Char Case

Shortcut: None

Command: ToggleCharCase

Description:

1.126 Extras/Encrypt Block

Menu name: Extras/Encrypt Block

Shortcut: None

Command: EncryptBlk

Description:

1.127 Macro/Start Recording

Menu name: Macro/Start Recording

Shortcut: Amiga-G

Command: RecordMacro

Description:

1.128 Macro/Stop Recording

Menu name: Macro/Stop Recording

Shortcut: Amiga-H

Command: EndMacro

Description:

1.129 Macro/Play Macro

Menu name: Macro/Play Macro

Shortcut: Amiga-M

Command: PlayMacro 1

Description:

1.130 Macro/Play Many...

Menu name: Macro/Play Many...

Shortcut: Amiga-I

Command: PlayMacro

Description:

1.131 Macro/Open Macro...

Menu name: Macro/Open Macro...

Shortcut: None

Command: OpenMacro

Description:

1.132 Macro/Save Macro as...

Menu name: Macro/Save Macro as...

Shortcut: None

Command: SaveMacro

Description:

1.133 Tools/New Shell...

Menu name: Tools/New Shell...

Shortcut: None

Command: NewShell

Description:

1.134 Tools/New Console...

Menu name: Tools/New Console...

Shortcut: None

Command: ExecARexxMacro CONSOLE BED:Rexx/CmdShell.bed

Description:

1.135 Tools/Exec Tool...

Menu name: Tools/Exec Tool...

Shortcut: None

Command: ExecTool

Description:

1.136 Tools/Run Tool...

Menu name: Tools/Run Tool...

Shortcut: None

Command: RunTool

Description:

1.137 Tools/Exec DOS Script...

Menu name: Tools/Exec DOS Script...

Shortcut: None

Command: ExecDOSScript CONSOLE

Description:

1.138 Tools/Calculator

Menu name: Tools/Calculator

Shortcut: None

Command: RunTool Calculator PUBSCREEN=Blacks_Editor

Description:

1.139 Tools/Multiview

Menu name: Tools/Multiview

Shortcut: None

Command: RunTool Multiview

Description:

1.140 Tools/...

Menu name: Tools/...

Shortcut: None

Command: RunTool

Description:

1.141 ARexx/Exec ARexx Macro...

Menu name: ARexx/Exec ARexx Macro...

Shortcut: None

Command: ExecARexxMacro

Description:

1.142 ARexx/Exec ARexx String...

Menu name: ARexx/Exec ARexx String...

Shortcut: Amiga-K

Command: ExecARexxString

Description:

1.143 ARexx/AddChars

Menu name: ARexx/AddChars

Shortcut: None

Command: ExecARexxMacro BED:Rexx/AddChars.bed

Description:

1.144 ARexx/CountWords

Menu name: ARexx/CountWords

Shortcut: None

Command: ExecARexxMacro BED:Rexx/CountWords.bed

Description:

1.145 ARexx/ExecBlk

Menu name: ARexx/ExecBlk
Shortcut: None
Command: ExecARexxMacro CONSOLE BED:Rexx/ExecBlk.bed
Description:

1.146 ARexx/PrintBlk

Menu name: ARexx/PrintBlk
Shortcut: None
Command: ExecARexxMacro BED:Rexx/PrintBlk.bed
Description:

1.147 ARexx/RemoveBlankLines

Menu name: ARexx/RemoveBlankLines
Shortcut: None
Command: ExecARexxMacro BED:Rexx/RemoveBlankLines.bed
Description:

1.148 ARexx/SaveBlk

Menu name: ARexx/SaveBlk
Shortcut: None
Command: ExecARexxMacro BED:Rexx/SaveBlk.bed
Description:

1.149 ARexx/SaveChangedDocs

Menu name: ARexx/SaveChangedDocs
Shortcut: None
Command: ExecARexxMacro BED:Rexx/SaveChangedDocs.bed

Description:

1.150 ARexx/SetConfig

Menu name: ARexx/SetConfig

Shortcut: None

Command: ExecARexxMacro BED:Rexx/SetConfig.bed

Description:

1.151 ARexx/ShowAG

Menu name: ARexx/ShowAG

Shortcut: None

Command: ExecARexxMacro BED:Rexx/ShowAG.bed

Description:

1.152 ARexx/SortBlk

Menu name: ARexx/SortBlk

Shortcut: None

Command: ExecARexxMacro BED:Rexx/SortBlk.bed

Description:

1.153 ARexx/UnSetLocks

Menu name: ARexx/UnSetLocks

Shortcut: None

Command: ExecARexxMacro BED:Rexx/UnSetLocks.bed

Description:

1.154 ARexx/...

Menu name: ARexx/...

Shortcut: None

Command: ExecARexxMacro

Description:

1.155 Settings/Change Prefs

Menu name: Settings/Change Prefs

Shortcut: None

Command: Nop

Description:

1.156 Settings/Change Prefs/Auto-Save

Menu name: Settings/Change Prefs/Auto-Save

Shortcut: Amiga-1

Command: OpenRequester AUTOSAVEPREFS

Description:

1.157 Settings/Change Prefs/Backup

Menu name: Settings/Change Prefs/Backup

Shortcut: Amiga-2

Command: OpenRequester BACKUPPREFS

Description:

1.158 Settings/Change Prefs/Colors

Menu name: Settings/Change Prefs/Colors

Shortcut: Amiga-3

Command: OpenRequester COLORPREFS

Description:

1.159 Settings/Change Prefs/Display

Menu name: Settings/Change Prefs/Display

Shortcut: Amiga-4

Command: OpenRequester DISPLAYPREFS

Description:

1.160 Settings/Change Prefs/Edit

Menu name: Settings/Change Prefs/Edit

Shortcut: Amiga-5

Command: OpenRequester EDITPREFS

Description:

1.161 Settings/Change Prefs/End Of Lines

Menu name: Settings/Change Prefs/End Of Lines

Shortcut: Amiga-6

Command: OpenRequester ENDOFLINEPREFS

Description:

1.162 Settings/Change Prefs/Fonts

Menu name: Settings/Change Prefs/Fonts

Shortcut: Amiga-7

Command: OpenRequester FONTPREFS

Description:

1.163 Settings/Change Prefs/Icons

Menu name: Settings/Change Prefs/Icons

Shortcut: Amiga-8

Command: OpenRequester ICONPREFS

Description:

1.164 Settings/Change Prefs/Miscellanea

Menu name: Settings/Change Prefs/Miscellanea

Shortcut: Amiga-9

Command: OpenRequester MISCPREFS

Description:

1.165 Settings/Change Prefs/Tabs

Menu name: Settings/Change Prefs/Tabs

Shortcut: Amiga-0

Command: OpenRequester TABPREFS

Description:

1.166 Settings/Open Prefs...

Menu name: Settings/Open Prefs...

Shortcut: None

Command: OpenPrefs

Description:

1.167 Settings/Save Prefs...

Menu name: Settings/Save Prefs...

Shortcut: None

Command: SavePrefs

Description:

1.168 Settings/Save Prefs As Defaults

Menu name: Settings/Save Prefs As Defaults

Shortcut: None

Command: SaveDefPrefs

Description:

1.169 Settings/Open Definitions...

Menu name: Settings/Open Definitions...

Shortcut: None

Command: OpenDefinitions

Description:

1.170 ?/About BED

Menu name: ?/About BED

Shortcut: None

Command: About

Description:

1.171 ?/Quick Reference

Menu name: ?/Quick Reference

Shortcut: None

Command: Help QuickReference

Description:

1.172 ?/BED Menus

Menu name: ?/BED Menus
Shortcut: None
Command: Help Standard_Menus
Description:

1.173 ?/BED Commands

Menu name: ?/BED Commands
Shortcut: None
Command: ExecARexxMacro BED:Rexx/BedCmdHelp.bed
Description:

1.174 ?/BED Main Help

Menu name: ?/BED Main Help
Shortcut: None
Command: Help
Description:

1.175 The Standard Keyboard Sequences

Still writing
Sorry :-(
I still have to write this page...

1.176 The Standard Mouse Clicks

Still writing
Sorry :-(
I still have to write this page...

1.177 Customize Blacks Editor

Still writing

Sorry :-(

I still have to write this page...

1.178 Definitions Files

Still writing

Sorry :-(

I still have to write this page...

1.179 Preferences Files

Still writing

Sorry :-(

I still have to write this page...

1.180 Supplied Material

Still writing

Sorry :-(

I still have to write this page...

1.181 Supplied Emulations

Still writing

Sorry :-(

I still have to write this page...

1.182 Supplied Macros

Still writing

Sorry :- (

I still have to write this page...

1.183 Quick Reference for Blacks Editor

Quick reference for Blacks Editor

IMPORTANT !!! These three keyboard sequences are always valid:

```
-----
[Ctrl]-[Shift]-[Alt]-F1   Restore the built-in default definitions (menus, keys, ←
                           etc...)
[Ctrl]-[Shift]-[Alt]-F2   Restore the built-in default preferences
[Ctrl]-[Shift]-[Alt]-F3   Remake the screen
```

Standard keyboard sequences:

```
-----

[Return]                Insert a line
[Enter]                 Insert a line with indent
[Backspace]             Delete the previous character
[Del]                   Delete the current character
[Tab]                   Insert a tab
[Esc]
[Help]                  This help

[CursorUp]              Move the cursor up by one line
[CursorDown]            Move the cursor down by one line
[CursorRight]           Move the cursor right by one character
[CursorLeft]            Move the cursor left by one character

[F1]                    Open a new document
[F2]                    Open a new file in the current document
[F3]                    Find matching bracket
[F4]                    Open the Command Shell
[F5]                    Open a DOS Shell
[F6]                    Move the cursor to the start of previous paragraph
[F7]                    Move the cursor to the start of next paragraph
[F8]                    Indent the selected block
[F9]                    Save the current file if modified
[F10]                   Activate the next document and bring it to front

[Shift]-[Return]        Insert a line without breaking the current line
[Shift]-[Enter]         Insert a line with indent without breaking the current ←
                           line
[Shift]-[BackSpace]     Delete to the start of the current word
[Shift]-[Del]           Delete to the end of the current word
[Shift]-[Tab]           Move to the previous tab stop on the current line
[Shift]-[Esc]
```

[Shift]-[Help]	Display the General Blacks Editor Help
[Shift]-[CursorUp]	Move the cursor up by one screenful
[Shift]-[CursorDown]	Move the cursor down by one screenful
[Shift]-[CursorRight]	Move to the start of the next word
[Shift]-[CursorLeft]	Move to the start of the previous word
[Shift]-[F1]	Display the General Blacks Editor Help
[Shift]-[F2]	Open a new file in a new document
[Shift]-[F3]	Undo the current line
[Shift]-[F4]	Restore the window default position
[Shift]-[F5]	Iconify / Deiconify the current document window
[Shift]-[F6]	Format the current paragraph
[Shift]-[F7]	Justify current paragraph
[Shift]-[F8]	Unindent the selected block
[Shift]-[F9]	Save the current file with a different name
[Shift]-[F10]	Activate the previous document and bring it to front
[Alt]-[Return] line	Insert a line with indent without breaking the current line ←
[Alt]-[Enter]	Insert a line without breaking the current line
[Alt]-[BackSpace]	Delete to the start of the current line
[Alt]-[Del]	Delete to the end of the current line
[Alt]-[Tab]	Move to the previous tab stop on the current line
[Alt]-[Esc]	Close the current document
[Alt]-[Help]	
[Alt]-[CursorUp]	Move the cursor to the start of the document
[Alt]-[CursorDown]	Move the cursor to the end of the document
[Alt]-[CursorRight]	Move the cursor to the end of the line
[Alt]-[CursorLeft]	Move the cursor to the start of the line
[Alt]-[F1]	Move to the position indicated by bookmark 1
[Alt]-[F2]	Move to the position indicated by bookmark 2
[Alt]-[F3]	Move to the position indicated by bookmark 3
[Alt]-[F4]	Move to the position indicated by bookmark 4
[Alt]-[F5]	Move to the position indicated by bookmark 5
[Alt]-[F6]	Move to the position indicated by bookmark 6
[Alt]-[F7]	Move to the position indicated by bookmark 7
[Alt]-[F8]	Move to the position indicated by bookmark 8
[Alt]-[F9]	Move to the position indicated by bookmark 9
[Alt]-[F10]	Move to the position indicated by bookmark 10
[Ctrl]-[Return]	Insert a line with indent
[Ctrl]-[Enter]	Insert a line
[Ctrl]-[Backspace]	Delete the current line
[Ctrl]-[Del]	Delete the current line
[Ctrl]-[Tab]	Move to the next tab stop on the current line
[Ctrl]-[Esc]	Quit BED
[Ctrl]-[Help]	
[Ctrl]-[CursorUp]	Scroll the current document up
[Ctrl]-[CursorDown]	Scroll the current document down
[Ctrl]-[CursorRight]	Shift the current line or block right
[Ctrl]-[CursorLeft]	Shift the current line or block left

[Ctrl]-[F1]	Set bookmark 1 to the current cursor position
[Ctrl]-[F2]	Set bookmark 2 to the current cursor position
[Ctrl]-[F3]	Set bookmark 3 to the current cursor position
[Ctrl]-[F4]	Set bookmark 4 to the current cursor position
[Ctrl]-[F5]	Set bookmark 5 to the current cursor position
[Ctrl]-[F6]	Set bookmark 6 to the current cursor position
[Ctrl]-[F7]	Set bookmark 7 to the current cursor position
[Ctrl]-[F8]	Set bookmark 8 to the current cursor position
[Ctrl]-[F9]	Set bookmark 9 to the current cursor position
[Ctrl]-[F10]	Set bookmark 10 to the current cursor position
[Ctrl]-F	Toggle free form mode
[Ctrl]-I	Toggle auto-indent mode
[Ctrl]-J	Toggle jump scroll mode
[Ctrl]-O	Toggle overstrike mode
[Ctrl]-R	Toggle read-only mode
[Ctrl]-T	Toggle expand tabs mode
[Ctrl]-W	Toggle word wrap mode
[Ctrl]-Q	Quote character, next character entered is taken as is
[Ctrl]-1	Change the text color
[Ctrl]-2	Change the background color
[Ctrl]-3	Change the text color of selected text
[Ctrl]-4	Change the background color of selected text
[Alt]-[Ctrl]-[CursorLeft]	Move the cursor to the start of the word
[Alt]-[Ctrl]-[CursorRight]	Move the cursor to the end of the word
[Alt]-[Ctrl]-[Del]	Delete to the start of the word
[Alt]-[Ctrl]-[Backspace]	Delete to the end of the word

Standard mouse sequences:

Holding down the left button and pushing the mouse off the bottom or top edges of the window scrolls the display.

Double-clicking the left button marks the start of a selection block.

Holding down the middle button and clicking the right button marks the start of a selection block

Status Area Information

The letters in the status area have the following meaning:

M/m Document modified since last save? (M=Yes, m=No)
R/r Read Only (R=On, r=Off)
T/t Expand Tabs (T=On, t=Off)
I/i Auto-Indent (I=On, i=Off)
F/f Free Form (F=On, f=Off)
O/o Overstrike (O=On, o=Off)

W/w Word Wrap (W=On, w=Off)
J/j Jump Scroll (J=On, j=Off)
B/b Create Backups (B=On, b=Off)

1.184 Commands Reference

Commands Reference

Blacks Editor 1.08 supports 149 ARexx commands.

You can use these commands to write your own definition file, to modify an existing one, or to write ARexx Macros.

The global commands are the only who can be sent to the general ARexx port called BED. The others can only be sent to the specific ARexx port of some document.

The commands are listed according different criteria:

Alphabetical order

Functional groupings

Global commands

1.185 Alphabetical List of Commands

Alphabetical List of Commands

About

- Bring up the About requester

ActivateLastDoc

- Activates and bring to front the last document

ActivateNextDoc

- Activates and bring to front the next document

ActivatePrevDoc

- Activates and grong to front the previous document

ActivateWindow

- Activates the window of the current document

BackSpace

- Delete the character before the cursor

BeepScreen

- Flashes the screen

Center
- Center the current paragraph

CenterView
- Center vertically the current line

ClearBookMark
- Clear the specified bookmark

ClearFile
- Clears the current file

CloseDoc
- Closes the current document

Conv2Lower
- Convert the character to lower case

Conv2Spaces
- Convert the tabs to spaces

Conv2Tabs
- Convert the spaces to tabs

Conv2Upper
- Convert the character to upper case

CopyBlk
- Copy the selected block to the clipboard

CutBlk
- Copy the selected block to the clipboard and erase it

Delete
- Delete the character under the cursor character

DeleteBlk
- Erase the selected block

DeleteEOL
- Delete from the cursor to the end of the line

DeleteEOF
- Delete from the cursor to the end of the file

DeleteEOW
- Delete from the cursor to the end of the word

DeleteLine
- Delete the current line

DeleteSOL
- Delete from the cursor to the start of the line

DeleteSOF
- Delete from the cursor to the start of the file

DeleteSOW
- Delete from the cursor to the start of the word

DeleteWord
- Delete the word under the cursor

EncryptBlk
- Encrypt the selected block

EndMacro
- Stops the recording of a macro

ExecARexxMacro
- Execute an ARexx script

ExecARexxString
- Execute an ARexx string

ExecDosScript
- Execute a DOS script

ExecTool
- Execute synchronously a Tool

Exist
- Check if a the specified command is supported by BED

Find
- Search in the current document for the specified string

FindChange
- Search in the current document for the specified string and ←
replace it with another

FormatParagraph
- Format the current paragraph

GetBlk
- Return the text in the selected block

GetBlkDims
- Return info about the selected block

GetBlkInfo
- Return info about the selected block

GetChar
- Return the current character

GetCurrentDir
- Return the name of the current dir

GetCursorPos
- Return info about the current position of the cursor

GetDocuments

- Return the names of the documents and their ARexx port name

GetErrorInfo

- Return the string of the specified error code

GetFileInfo

- Return info about the current document

GetFilePath

- Return the path and/or filename of the current document

GetLine

- Return the text of the current line

GetLockInfo

- Return info about the locks

GetMacroInfo

- Return info about the current macro recorded

GetPort

- Return the ARexx port name of a document

GetPrefs

- Return the value of the specified preference

GetPriority

- Return the task priority of BED

GetScreenInfo

- Return info about the screen

GetTemplate

- Return the template of the specified command

GetVersion

- Return the version string of BED

GetViewInfo

- Return info about the current view

GetWindowInfo

- Return info about the current document window

GetWindowSpec

- Return the specification of the current document window

GetWord

- Return the word under the cursor

Help

- Display an AmigaGuide document with an help about the specified ↔
topic

IconifyWindow

- Iconify/uniconify the current document window

Illegal

- Produces an error

Insert

- Insert the specified string in the document

InsertTab

- Insert a tab in the text

InsertFile

- Insert a file in the document

InsertLine

- Insert a new line in the document

Justify

- Justify the current paragraph

LeftJustify

- Left justify the current paragraph

MarkBlk

- Mark the start of the selection block

Move

- Move the cursor to the specified line and/or column

MoveBookMark

- Move the cursor to the specified bookmark

MoveDown

- Move the cursor down one or more lines line

MoveDownScr

- Move the cursor down one page

MoveEOF

- Move the cursor to the end of the document

MoveEOL

- Move the cursor to the end of the current line

MoveEOW

- Move the cursor to the end of the word

MoveLeft

- Move the cursor left one or more characters

MoveMatchBkt

- Move the cursor on the matching bracket

MoveNextTabStop

- Move the cursor to the next tab stop position

MoveNextWord

- Move the cursor to the start of the next word
-

MovePrevTabStop
- Move the cursor to the previous tab stop

MovePrevWord
- Move the cursor to the start of the previous word

MoveRight
- Move the cursor right one or more characters

MoveSizeWindow
- Change the dimensions and position of the current document window ↔

MoveSOF
- Move the cursor to the start of the file

MoveSOL
- Move the cursor to the start of the current line

MoveSOW
- Move the cursor to the start of the current word

MoveUp
- Move the cursor up one or more lines

MoveUpScr
- Move the cursor up one page

MoveWindow
- Change the position of the current document window

NewShell
- Opens a new shell

Nop
- Absolutely nothing

OpenClip
- Load the specified file in the clipboard

OpenDefinitions
- Load the specified definitions file for the current document

OpenDoc
- Open a new document

OpenFile
- Load the specified file in the current document

OpenMacro
- Load the specified macro

OpenPrefs
- Load the specified preference file for the current document

OpenRequester
- Open the specified requester

PasteClip
- Paste the clipboard in the current document

PlayMacro
- Play the recorded macro

PrintClip
- Print the contents of the clipboard

PrintFile
- Print the current document

Quit
- Close all the documents and exit

RecordMacro
- Start recording a macro

RemakeScreen
- Remake the screen

RequestBool
- Open a bool requester

RequestChoice
- Open a requester with multiple choices

RequestFile
- Open a file requester

RequestFont
- Open a font requester

RequestNum
- Open a number requester

RequestStr
- Open a string requester

RightJustify
- Right justify teh current paragraph

RunTool
- Run asynchronously the selected Tool

SaveClip
- Save the contents of the clipboard in a file

SaveDefPrefs
- Save the preferences on disk, as defaults

SaveFile
- Save the current document

SaveFileAs
- Save the current document with a different filename

SaveMacro
- Save the currently recorded macro

SavePrefs
- Save the preferences on disk

Screen2Back
- Move the screen to back

Screen2Front
- Move the screen to front

ScrollVert
- ...

ScrollView
- Scroll vertically the current view

SelectLine
- Select the current line

SetBookMark
- Set the specified bookmark

SetChar
- Set the char under the cursor

SetCurrentDir
- Set the current directory

SetDisplayLock
- Set the lock on the display of the current file

SetFilePath
- Set the path of the current document

SetInputLock
- Set the lock on the input in the current document

SetPrefs
- Set the specified preference

SetPriority
- Set the task priority of BED

SetQuoteMode
- Set the quote mode

SetStatusBar
- Display the specified string in the status bar

SetWindowSpec
- Dimension the current document window according to the ↔
specification

ShiftLeft

- Shift left the current line one or more characters or tabs

ShiftRight

- Shift right the current line one or more characters or tabs

SizeWindow

- Change the dimensions of the current document window

StripEOLBlanks

- Strip all the blanks at the end of the lines

SwapChars

- Swap the character under the cursor with the next

Text

- Insert the specified string in the current document

ToggleCharCase

- Toggle the upper/lower case of the character under the cursor

UndeleteLine

- Undelete the current line

UndoLine

- Undo all the changes on the current line

Window2Back

- Move the current document window to back

Window2Front

- Move the current document window to front

1.186 Functional Grouping of Commands

Functional Grouping of Commands

Commands dealing with load & save

GetFileInfo

- Return info about the current document

GetFilePath

- Return the path and/or filename of the current document

InsertFile

- Insert a file in the document

OpenFile

- Load the specified file in the current document

PrintFile

- Print the current document

SaveFile

- Save the current document

SaveFileAs

- Save the current document with a different filename

SetFilePath

- Set the path of the current document

Commands dealing with the editing

BackSpace

- Delete the character before the cursor

Delete

- Delete the character under the cursor character

DeleteEOL

- Delete from the cursor to the end of the line

DeleteEOF

- Delete from the cursor to the end of the file

DeleteEOW

- Delete from the cursor to the end of the word

DeleteLine

- Delete the current line

DeleteSOL

- Delete from the cursor to the start of the line

DeleteSOF

- Delete from the cursor to the start of the file

DeleteSOW

- Delete from the cursor to the start of the word

DeleteWord

- Delete the word under the cursor

Insert

- Insert the specified string in the document

InsertTab

- Insert a tab in the text

InsertLine

- Insert a new line in the document

ShiftLeft

- Shift left the current line one or more characters or tabs

ShiftRight

- Shift right the current line one or more characters or tabs
-

Text

- Insert the specified string in the current document

UndeleteLine

- Undelete the current line

UndoLine

- Undo all the changes on the current line

Commands dealing with cursor movements

GetCursorPos

- Return info about the current position of the cursor

Move

- Move the cursor to the specified line and/or column

MoveDown

- Move the cursor down one or more lines line

MoveDownScr

- Move the cursor down one page

MoveEOF

- Move the cursor to the end of the document

MoveEOL

- Move the cursor to the end of the current line

MoveEOW

- Move the cursor to the end of the word

MoveLeft

- Move the cursor left one or more characters

MoveMatchBkt

- Move the cursor on the matching bracket

MoveNextTabStop

- Move the cursor to the next tab stop position

MoveNextWord

- Move the cursor to the start of the next word

MovePrevTabStop

- Move the cursor to the previous tab stop

MovePrevWord

- Move the cursor to the start of the previous word

MoveRight

- Move the cursor right one or more characters

MoveSOF

- Move the cursor to the start of the file
-

- MoveSOL
 - Move the cursor to the start of the current line
- MoveSOW
 - Move the cursor to the start of the current word
- MoveUp
 - Move the cursor up one or more lines
- MoveUpScr
 - Move the cursor up one page
- ScrollVert
 - ...
- ScrollView
 - Scroll vertically the current view

Commands dealing with bookmarks

- ClearBookMark
 - Clear the specified bookmark
- MoveBookMark
 - Move the cursor to the specified bookmark
- SetBookMark
 - Set the specified bookmark

Commands dealing with special edit functions

- ClearFile
 - Clears the current file
 - Conv2Lower
 - Convert the character to lower case
 - Conv2Spaces
 - Convert the tabs to spaces
 - Conv2Tabs
 - Convert the spaces to tabs
 - Conv2Upper
 - Convert the character to upper case
 - EncryptBlk
 - Encrypt the selected block
 - SetChar
 - Set the char under the cursor
 - StripEOLBlanks
 - Strip all the blanks at the end of the lines
-

SwapChars

- Swap the character under the cursor with the next

ToggleCharCase

- Toggle the upper/lower case of the character under the cursor

Commands dealing with selection block and the clipboard

CopyBlk

- Copy the selected block to the clipboard

CutBlk

- Copy the selected block to the clipboard and erase it

DeleteBlk

- Erase the selected block

GetBlk

- Return the text in the selected block

GetBlkDims

- Return info about the selected block

GetBlkInfo

- Return info about the selected block

MarkBlk

- Mark the start of the selection block

OpenClip

- Load the specified file in the clipboard

PasteClip

- Paste the clipboard in the current document

PrintClip

- Print the contents of the clipboard

SaveClip

- Save the contents of the clipboard in a file

SelectLine

- Select the current line

Commands dealing with search & replace

Find

- Search in the current document for the specified string

FindChange

- Search in the current document for the specified string and ↔
replace it with another

Commands dealing with formatting of paragraph

- Center
 - Center the current paragraph
- FormatParagraph
 - Format the current paragraph
- Justify
 - Justify the current paragraph
- LeftJustify
 - Left justify the current paragraph
- RightJustify
 - Right justify teh current paragraph

Commands dealing with recorded macros

- EndMacro
 - Stops the recording of a macro
- GetMacroInfo
 - Return info about the current macro recorded
- OpenMacro
 - Load the specified macro
- PlayMacro
 - Play the recorded macro
- RecordMacro
 - Start recording a macro
- SaveMacro
 - Save the currently recorded macro

Commands dealing with external Tools or ARexx macros

- ExecARexxMacro
 - Execute am ARexx script
 - ExecARexxString
 - Execute an ARexx string
 - ExecDosScript
 - Execute a DOS script
 - ExecTool
 - Execute synchronously a Tool
 - NewShell
 - Opens a new shell
 - RunTool
 - Run asynchronously the selected Tool
-

Commands dealing with the configuration of the program

GetPrefs

- Return the value of the specified preference

OpenDefinitions

- Load the specified definitions file for the current document

OpenPrefs

- Load the specified preference file for the current document

SaveDefPrefs

- Save the preferences on disk, as defaults

SavePrefs

- Save the preferences on disk

SetPrefs

- Set the specified preference

Commands dealing with windows and screen

ActivateLastDoc

- Activates and bring to front the last document

ActivateNextDoc

- Activates and bring to front the next document

ActivatePrevDoc

- Activates and bring to front the previous document

ActivateWindow

- Activates the window of the current document

BeepScreen

- Flashes the screen

GetScreenInfo

- Return info about the screen

GetWindowInfo

- Return info about the current document window

GetWindowSpec

- Return the specification of the current document window

IconifyWindow

- Iconify/unicornify the current document window

MoveSizeWindow

- Change the dimensions and position of the current document window ↔

MoveWindow

- Change the position of the current document window

RemakeScreen

- Remake the screen

Screen2Back

- Move the screen to back

Screen2Front

- Move the screen to front

SetStatusBar

- Display the specified string in the status bar

SetWindowSpec

- Dimension the current document window according to the ←
specification

SizeWindow

- Change the dimensions of the current document window

Window2Back

- Move the current document window to back

Window2Front

- Move the current document window to front

Commands dealing with views

CenterView

- Center vertically the current line

GetViewInfo

- Return info about the current view

Commands dealing with documents

CloseDoc

- Closes the current document

GetDocuments

- Return the names of the documents and their ARexx port name

GetPort

- Return the ARexx port name of a document

OpenDoc

- Open a new document

Quit

- Close all the documents and exit

Command allowing input in ARexx Macros

RequestBool
- Open a bool requester

RequestChoice
- Open a requester with multiple choices

RequestFile
- Open a file requester

RequestFont
- Open a font requester

RequestNum
- Open a number requester

RequestStr
- Open a string requester

Commands dealing with text in ARexx macros

GetChar
- Return the current character

GetLine
- Return the text of the current line

GetWord
- Return the word under the cursor

Commands useful when developing ARexx Macros

Exist
- Check if a the specified command is supported by BED

GetErrorInfo
- Return the string of the specified error code

GetTemplate
- Return the template of the specified command

GetVersion
- Return the version string of BED

Help
- Display an AmigaGuide document with an help about the specified ↔
topic

Illegal
- Produces an error

Nop
- Absolutely nothing

Miscellanea commands

About
- Bring up the About requester

GetCurrentDir
- Return the name of the current dir

GetPriority
- Return the task priority of BED

OpenRequester
- Open the specified requester

SetCurrentDir
- Set the current directory

SetPriority
- Set the task priority of BED

SetQuoteMode
- Set the quote mode

1.187 List of Global Commands

List of Global Commands

ActivateLastDoc
- Activates and bring to front the last document

ActivateNextDoc
- Activates and bring to front the next document

ActivatePrevDoc
- Activates and bring to front the previous document

ActivateWindow
- Activates the window of the current document

BeepScreen
- Flashes the screen

ExecARexxMacro
- Execute an ARexx script

ExecARexxString
- Execute an ARexx string

ExecDosScript
- Execute a DOS script

ExecTool
- Execute synchronously a Tool

Exist
- Check if a the specified command is supported by BED

GetCurrentDir
- Return the name of the current dir

GetDocuments
- Return the names of the documents and their ARexx port name

GetErrorInfo
- Return the string of the specified error code

GetPort
- Return the ARexx port name of a document

GetPriority
- Return the task priority of BED

GetScreenInfo
- Return info about the screen

GetTemplate
- Return the template of the specified command

GetVersion
- Return the version string of BED

Help
- Display an AmigaGuide document with an help about the specified ↔
topic

Illegal
- Produces an error

Nop
- Absolutely nothing

OpenDoc
- Open a new document

Quit
- Close all the documents and exit

RemakeScreen
- Remake the screen

RunTool
- Run asynchronously the selected Tool

Screen2Back
- Move the screen to back

Screen2Front
- Move the screen to front

SetCurrentDir
- Set the current directory

SetPriority
- Set the task priority of BED

1.188 About

Command name: About
Format: About
Release: Version 1.00
Purpose: Bring up the About requester
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.189 ActivateLastDoc

Command name: ActivateLastDoc
Format: ActivateLastDoc FRONT/S
Release: Version 1.00
Purpose: Activates and bring to front the last document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.190 ActivateNextDoc

Command name: ActivateNextDoc

Format: ActivateNextDoc FRONT/S

Release: Version 1.00

Purpose: Activates and bring to front the next document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.191 ActivatePrevDoc

Command name: ActivatePrevDoc

Format: ActivatePrevDoc FRONT/S

Release: Version 1.00

Purpose: Activates and grong to front the previous document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.192 ActivateWindow

Command name: ActivateWindow

Format: ActivateWindow FRONT/S

Release: Version 1.00

Purpose: Activates the window of the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.193 BackSpace

Command name: BackSpace

Format: BackSpace CHARS/N

Release: Version 1.00

Purpose: Delete the character before the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.194 BeepScreen

Command name: BeepScreen

Format: BeepScreen

Release: Version 1.00

Purpose: Flashes the screen

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.195 Center

Command name: Center

Format: Center

Release: Version 1.00

Purpose: Center the current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.196 CenterView

Command name: CenterView

Format: CenterView

Release: Version 1.00

Purpose: Center vertically the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.197 ClearBookMark

Command name: ClearBookMark

Format: ClearBookMark BOOKMARK/N/A

Release: Version 1.00

Purpose: Clear the specified bookmark

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.198 ClearFile

Command name: ClearFile
Format: ClearFile QUIET/S
Release: Version 1.00
Purpose: Clears the current file
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.199 CloseDoc

Command name: CloseDoc
Format: CloseDoc QUIET/S
Release: Version 1.00
Purpose: Closes the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.200 Conv2Lower

Command name: Conv2Lower

Format: Conv2Lower

Release: Version 1.00

Purpose: Convert the character to lower case

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.201 Conv2Spaces

Command name: Conv2Spaces

Format: Conv2Spaces SOL/S

Release: Version 1.00

Purpose: Convert the tabs to spaces

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.202 Conv2Tabs

Command name: Conv2Tabs

Format: Conv2Tabs SOL/S

Release: Version 1.00

Purpose: Convert the spaces to tabs

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.203 Conv2Upper

Command name: Conv2Upper

Format: Conv2Upper

Release: Version 1.00

Purpose: Convert the character to upper case

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.204 CopyBlk

Command name: CopyBlk

Format: CopyBlk APPEND/S

Release: Version 1.00

Purpose: Copy the selected block to the clipboard

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.205 CutBlk

Command name: CutBlk

Format: CutBlk APPEND/S

Release: Version 1.00

Purpose: Copy the selected block to the clipboard and erase it

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.206 Delete

Command name: Delete

Format: Delete CHARS/N

Release: Version 1.00

Purpose: Delete the character under the cursor character

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.207 DeleteBlk

Command name: DeleteBlk

Format: DeleteBlk QUIET/S

Release: Version 1.00

Purpose: Erase the selected block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.208 DeleteEOL

Command name: DeleteEOL

Format: DeleteEOL

Release: Version 1.00

Purpose: Delete from the cursor to the end of the line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.209 DeleteEOF

Command name: DeleteEOF

Format: DeleteEOF

Release: Version 1.00

Purpose: Delete from the cursor to the end of the file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.210 DeleteEOW

Command name: DeleteEOW

Format: DeleteEOW

Release: Version 1.00

Purpose: Delete from the cursor to the end of the word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.211 DeleteLine

Command name: DeleteLine

Format: DeleteLine

Release: Version 1.00

Purpose: Delete the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.212 DeleteSOL

Command name: DeleteSOL

Format: DeleteSOL

Release: Version 1.00

Purpose: Delete from the cursor to the start of the line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.213 DeleteSOF

Command name: DeleteSOF

Format: DeleteSOF

Release: Version 1.00

Purpose: Delete from the cursor to the start of the file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.214 DeleteSOW

Command name: DeleteSOW

Format: DeleteSOW

Release: Version 1.00

Purpose: Delete from the cursor to the start of the word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.215 DeleteWord

Command name: DeleteWord

Format: DeleteWord

Release: Version 1.00

Purpose: Delete the word under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.216 EncryptBlk

Command name: EncryptBlk

Format: EncryptBlk

Release: Version 1.00

Purpose: Encrypt the selected block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.217 EndMacro

Command name: EndMacro

Format: EndMacro

Release: Version 1.00

Purpose: Stops the recording of a macro

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.218 ExecARexxMacro

Command name: ExecARexxMacro
Format: ExecARexxMacro CONSOLE/S,WINDOW/K,NAME/F
Release: Version 1.00
Purpose: Execute an ARexx script
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.219 ExecARexxString

Command name: ExecARexxString
Format: ExecARexxString CONSOLE/S,WINDOW/K,MACRO/F
Release: Version 1.00
Purpose: Execute an ARexx string
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.220 ExecDosScript

Command name: ExecDosScript

Format: ExecDosScript CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Execute a DOS script

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.221 ExecTool

Command name: ExecTool

Format: ExecTool CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Execute synchronously a Tool

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.222 Exist

Command name: Exist

Format: Exist COMMAND/A

Release: Version 1.00

Purpose: Check if a the specified command is supported by BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.223 Find

Command name: Find

Format: Find FIND/F

Release: Version 1.00

Purpose: Search in the current document for the specified string

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.224 FindChange

Command name: FindChange

Format: FindChange FIND/K,CHANGE,ALL/S

Release: Version 1.00

Purpose: Search in the current document for the specified string and ↔
replace it with another

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.225 FormatParagraph

Command name: FormatParagraph

Format: FormatParagraph

Release: Version 1.00

Purpose: Format the current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.226 GetBlk

Command name: GetBlk

Format: GetBlk STEM/A

Release: Version 1.00

Purpose: Return the text in the selected block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.227 GetBlkDims

Command name: GetBlkDims

Format: GetBlkDims

Release: Version 1.00

Purpose: Return info about the selected block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.228 GetBlkInfo

Command name: GetBlkInfo

Format: GetBlkInfo

Release: Version 1.00

Purpose: Return info about the selected block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.229 GetChar

Command name: GetChar

Format: GetChar

Release: Version 1.00

Purpose: Return the current character

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.230 GetCurrentDir

Command name: GetCurrentDir

Format: GetCurrentDir

Release: Version 1.00

Purpose: Return the name of the current dir

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.231 GetCursorPos

Command name: GetCursorPos

Format: GetCursorPos

Release: Version 1.00

Purpose: Return info about the current position of the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.232 GetDocuments

Command name: GetDocuments

Format: GetDocuments

Release: Version 1.00

Purpose: Return the names of the documents and their ARexx port name

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.233 GetErrorInfo

Command name: GetErrorInfo

Format: GetErrorInfo ERROR/N/A,SPECIAL/N

Release: Version 1.00

Purpose: Return the string of the specified error code

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.234 GetFileInfo

Command name: GetFileInfo

Format: GetFileInfo

Release: Version 1.00

Purpose: Return info about the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.235 GetFilePath

Command name: GetFilePath

Format: GetFilePath PATH/S,FILE/S

Release: Version 1.00

Purpose: Return the path and/or filename of the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.236 GetLine

Command name: GetLine

Format: GetLine STARTCOL/N,ENDCOL/N

Release: Version 1.00

Purpose: Return the text of the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.237 GetLockInfo

Command name: GetLockInfo

Format: GetLockInfo

Release: Version 1.00

Purpose: Return info about the locks

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.238 GetMacroInfo

Command name: GetMacroInfo

Format: GetMacroInfo

Release: Version 1.00

Purpose: Return info about the current macro recorded

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.239 GetPort

Command name: GetPort

Format: GetPort NAME/F

Release: Version 1.00

Purpose: Return the ARexx port name of a document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.240 GetPrefs

Command name: GetPrefs

Format: GetPrefs Prefs/A

Release: Version 1.00

Purpose: Return the value of the specified preference

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.241 GetPriority

Command name: GetPriority

Format: GetPriority

Release: Version 1.00

Purpose: Return the task priority of BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.242 GetScreenInfo

Command name: GetScreenInfo

Format: GetScreenInfo

Release: Version 1.00

Purpose: Return info about the screen

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.243 GetTemplate

Command name: GetTemplate

Format: GetTemplate COMMAND/A

Release: Version 1.00

Purpose: Return the template of the specified command

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.244 GetVersion

Command name: GetVersion

Format: GetVersion

Release: Version 1.00

Purpose: Return the version string of BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.245 GetViewInfo

Command name: GetViewInfo

Format: GetViewInfo

Release: Version 1.00

Purpose: Return info about the current view

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.246 GetWindowInfo

Command name: GetWindowInfo

Format: GetWindowInfo

Release: Version 1.00

Purpose: Return info about the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.247 GetWindowSpec

Command name: GetWindowSpec

Format: GetWindowSpec

Release: Version 1.00

Purpose: Return the specification of the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.248 GetWord

Command name: GetWord

Format: GetWord

Release: Version 1.00

Purpose: Return the word under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.249 Help

Command name: Help

Format: Help FILE/K, TOPIC

Release: Version 1.00

Purpose: Display an AmigaGuide document with an help about the specified topic ↔

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.250 IconifyWindow

Command name: IconifyWindow

Format: IconifyWindow ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Iconify/uniconify the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.251 Illegal

Command name: Illegal

Format: Illegal

Release: Version 1.00

Purpose: Produces an error

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.252 Insert

Command name: Insert

Format: Insert TEXT/F

Release: Version 1.00

Purpose: Insert the specified string in the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.253 InsertTab

Command name: InsertTab

Format: InsertTab NUM/N, EXPAND/S

Release: Version 1.00

Purpose: Insert a tab in the text

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.254 InsertFile

Command name: InsertFile

Format: InsertFile NAME/F

Release: Version 1.00

Purpose: Insert a file in the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.255 InsertLine

Command name: InsertLine

Format: InsertLine NOBREAK/S, INDENT/S

Release: Version 1.00

Purpose: Insert a new line in the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.256 Justify

Command name: Justify

Format: Justify

Release: Version 1.00

Purpose: Justify the current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.257 LeftJustify

Command name: LeftJustify

Format: LeftJustify

Release: Version 1.00

Purpose: Left justify the current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.258 MarkBlk

Command name: MarkBlk

Format: MarkBlk WORD/S

Release: Version 1.00

Purpose: Mark the start of the selection block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.259 Move

Command name: Move

Format: Move LINE/N,COLUMN/N,CENTER/S

Release: Version 1.00

Purpose: Move the cursor to the specified line and/or column

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.260 MoveBookMark

Command name: MoveBookMark

Format: MoveBookMark BOOKMARK/N/A

Release: Version 1.00

Purpose: Move the cursor to the specified bookmark

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.261 MoveDown

Command name: MoveDown

Format: MoveDown LINES/N

Release: Version 1.00

Purpose: Move the cursor down one or more lines line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.262 MoveDownScr

Command name: MoveDownScr

Format: MoveDownScr

Release: Version 1.00

Purpose: Move the cursor down one page

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.263 MoveEOF

Command name: MoveEOF

Format: MoveEOF

Release: Version 1.00

Purpose: Move the cursor to the end of the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.264 MoveEOL

Command name: MoveEOL

Format: MoveEOL NONBLANK/S

Release: Version 1.00

Purpose: Move the cursor to the end of the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.265 MoveEOW

Command name: MoveEOW

Format: MoveEOW

Release: Version 1.00

Purpose: Move the cursor to the end of the word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.266 MoveLeft

Command name: MoveLeft

Format: MoveLeft CHARS/N

Release: Version 1.00

Purpose: Move the cursor left one or more characters

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.267 MoveMatchBkt

Command name: MoveMatchBkt

Format: MoveMatchBkt

Release: Version 1.00

Purpose: Move the cursor on the matching bracket

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.268 MoveNextTabStop

Command name: MoveNextTabStop

Format: MoveNextTabStop NUM/N

Release: Version 1.00

Purpose: Move the cursor to the next tab stop position

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.269 MoveNextWord

Command name: MoveNextWord

Format: MoveNextWord

Release: Version 1.00

Purpose: Move the cursor to the start of the next word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.270 MovePrevTabStop

Command name: MovePrevTabStop

Format: MovePrevTabStop NUM/N

Release: Version 1.00

Purpose: Move the cursor to the previous tab stop

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.271 MovePrevWord

Command name: MovePrevWord

Format: MovePrevWord

Release: Version 1.00

Purpose: Move the cursor to the start of the previous word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.272 MoveRight

Command name: MoveRight

Format: MoveRight CHARS/N

Release: Version 1.00

Purpose: Move the cursor right one or more characters

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.273 MoveSizeWindow

Command name: MoveSizeWindow

Format: MoveSizeWindow LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose: Change the dimensions and position of the current document window ←→

Parameters: None

Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.274 MoveSOF

Command name: MoveSOF
Format: MoveSOF
Release: Version 1.00
Purpose: Move the cursor to the start of the file
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.275 MoveSOL

Command name: MoveSOL
Format: MoveSOL NONBLANK/S
Release: Version 1.00
Purpose: Move the cursor to the start of the current line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.276 MoveSOW

Command name: MoveSOW
Format: MoveSOW
Release: Version 1.00
Purpose: Move the cursor to the start of the current word
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.277 MoveUp

Command name: MoveUp
Format: MoveUp LINES/N
Release: Version 1.00
Purpose: Move the cursor up one or more lines
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.278 MoveUpScr

Command name: MoveUpScr
Format: MoveUpScr
Release: Version 1.00
Purpose: Move the cursor up one page
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.279 MoveWindow

Command name: MoveWindow
Format: MoveWindow LEFT/N/A, TOP/N/A
Release: Version 1.00
Purpose: Change the position of the current document window
Parameters: None
Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.280 NewShell

Command name: NewShell

Format: NewShell WINDOW/K, FROM/K

Release: Version 1.00

Purpose: Opens a new shell

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.281 Nop

Command name: Nop

Format: Nop

Release: Version 1.00

Purpose: Absolutely nothing

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.282 OpenClip

Command name: OpenClip

Format: OpenClip APPEND/S,NAME/F

Release: Version 1.00

Purpose: Load the specified file in the clipboard

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.283 OpenDefinitions

Command name: OpenDefinitions

Format: OpenDefinitions USEDEFAULT/S,MAKEDEFAULT/S,NAME/F

Release: Version 1.00

Purpose: Load the specified definitions file for the current document

Parameters: None

Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.284 OpenDoc

Command name: OpenDoc
Format: OpenDoc FILEREQ/S,MACRO/K,WINDOW/K,DEFINITIONS/K,SETTINGS/K,NAME ↵
/F
Release: Version 1.00
Purpose: Open a new document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.285 OpenFile

Command name: OpenFile
Format: OpenFile QUIET/S,NAME/F
Release: Version 1.00
Purpose: Load the specified file in the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.286 OpenMacro

Command name: OpenMacro
Format: OpenMacro NAME/F
Release: Version 1.00
Purpose: Load the specified macro
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.287 OpenPrefs

Command name: OpenPrefs
Format: OpenPrefs USEDEFAULT/S,MAKEDEFAULT/S,NAME/F
Release: Version 1.00
Purpose: Load the specified preference file for the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.288 OpenRequester

Command name: OpenRequester
Format: OpenRequester REQUESTER/A
Release: Version 1.00
Purpose: Open the specified requester
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.289 PasteClip

Command name: PasteClip
Format: PasteClip
Release: Version 1.00
Purpose: Paste the clipboard in the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.290 PlayMacro

Command name: PlayMacro
Format: PlayMacro COUNT/N
Release: Version 1.00
Purpose: Play the recorded macro
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.291 PrintClip

Command name: PrintClip
Format: PrintClip QUIET/S
Release: Version 1.00
Purpose: Print the contents of the clipboard
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.292 PrintFile

Command name: PrintFile
Format: PrintFile QUIET/S
Release: Version 1.00
Purpose: Print the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.293 Quit

Command name: Quit
Format: Quit QUIET/S
Release: Version 1.00
Purpose: Close all the documents and exit
Parameters: None
Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.294 RecordMacro

Command name: RecordMacro

Format: RecordMacro QUIET/S

Release: Version 1.00

Purpose: Start recording a macro

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.295 RemakeScreen

Command name: RemakeScreen

Format: RemakeScreen

Release: Version 1.00

Purpose: Remake the screen

Parameters: None

Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.296 RequestBool

Command name: RequestBool
Format: RequestBool TITLE/K,PROMPT/A/F
Release: Version 1.00
Purpose: Open a bool requester
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.297 RequestChoice

Command name: RequestChoice
Format: RequestChoice TITLE/K,PROMPT/A,CHOICE/A
Release: Version 1.00
Purpose: Open a requester with multiple choices
Parameters: None
Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.298 RequestFile

Command name: RequestFile

Format: RequestFile TITLE/K,PATTERN/K,OKGADGET/K,SAVEMODE/S,DRAWERSONLY/ ←
S,PATH/F

Release: Version 1.00

Purpose: Open a file requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.299 RequestFont

Command name: RequestFont

Format: RequestFont TITLE/K, FONTNAME, FONTSIZE/N, FIXEDWIDTH/S

Release: Version 1.00

Purpose: Open a font requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.300 RequestNum

Command name: RequestNum

Format: RequestNum POSITIVE/S, TITLE/K, DEFAULT/N/K, PROMPT/F

Release: Version 1.00

Purpose: Open a number requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.301 RequestStr

Command name: RequestStr

Format: RequestStr TITLE/K, PROMPT/K, DEFAULT/F

Release: Version 1.00

Purpose: Open a string requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.302 RightJustify

Command name: RightJustify

Format: RightJustify

Release: Version 1.00

Purpose: Right justify teh current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.303 RunTool

Command name: RunTool

Format: RunTool CONSOLE/S, WINDOW/K, WB2FRONT/S, SCREEN/S, NAME/F

Release: Version 1.00

Purpose: Run asynchronously the selected Tool

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.304 SaveClip

Command name: SaveClip

Format: SaveClip QUIET/S,NOBACKUP/S,NOICON/S,APPEND/S,NAME/F

Release: Version 1.00

Purpose: Save the contents of the clipboard in a file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.305 SaveDefPrefs

Command name: SaveDefPrefs

Format: SaveDefPrefs

Release: Version 1.00

Purpose: Save the preferences on disk, as defaults

Parameters: None

Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.306 SaveFile

Command name: SaveFile
Format: SaveFile QUIET/S,NOBACKUP/S,NOICON/S,MODIFIED/S
Release: Version 1.00
Purpose: Save the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.307 SaveFileAs

Command name: SaveFileAs
Format: SaveFileAs QUIET/S,NOBACKUP/S,NOICON/S,APPEND/S,NAME/F
Release: Version 1.00
Purpose: Save the current document with a different filename
Parameters: None
Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.308 SaveMacro

Command name: SaveMacro

Format: SaveMacro QUIET/S,NAME/F

Release: Version 1.00

Purpose: Save the currently recorded macro

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.309 SavePrefs

Command name: SavePrefs

Format: SavePrefs QUIET/S,NAME/F

Release: Version 1.00

Purpose: Save the preferences on disk

Parameters: None

Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.310 Screen2Back

Command name: Screen2Back
Format: Screen2Back
Release: Version 1.00
Purpose: Move the screen to back
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.311 Screen2Front

Command name: Screen2Front
Format: Screen2Front
Release: Version 1.00
Purpose: Move the screen to front
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.312 ScrollVert

Command name: ScrollVert
Format: ScrollVert LINE/N/A,RELATIVE/S
Release: Version 1.00
Purpose: ...
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.313 ScrollView

Command name: ScrollView
Format: ScrollView LINE/N/A,RELATIVE/S
Release: Version 1.00
Purpose: Scroll vertically the current view
Parameters: None
Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.314 SelectLine

Command name: SelectLine

Format: SelectLine

Release: Version 1.00

Purpose: Select the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.315 SetBookMark

Command name: SetBookMark

Format: SetBookMark BOOKMARK/N/A

Release: Version 1.00

Purpose: Set the specified bookmark

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.316 SetChar

Command name: SetChar

Format: SetChar CHAR

Release: Version 1.00

Purpose: Set the char under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.317 SetCurrentDir

Command name: SetCurrentDir

Format: SetCurrentDir NAME/F/A

Release: Version 1.00

Purpose: Set the current directory

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.318 SetDisplayLock

Command name: SetDisplayLock

Format: SetDisplayLock ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Set the lock on the display of the current file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.319 SetFilePath

Command name: SetFilePath

Format: SetFilePath NAME/F/A

Release: Version 1.00

Purpose: Set the path of the curret document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.320 SetInputLock

Command name: SetInputLock

Format: SetInputLock ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Set the lock on the input in the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.321 SetPrefs

Command name: SetPrefs

Format: SetPrefs PREFS/A,SETTING/F

Release: Version 1.00

Purpose: Set the specified preference

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.322 SetPriority

Command name: SetPriority

Format: SetPriority PRIORITY/N/A

Release: Version 1.00

Purpose: Set the task priority of BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.323 SetQuoteMode

Command name: SetQuoteMode

Format: SetQuoteMode ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Set the quote mode

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.324 SetStatusBar

Command name: SetStatusBar

Format: SetStatusBar TEXT/F

Release: Version 1.00

Purpose: Display the specified string in the status bar

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.325 SetWindowSpec

Command name: SetWindowSpec

Format: SetWindowSpec WINDOWSPEC

Release: Version 1.00

Purpose: Dimension the current document window according to the ↔
specification

Parameters: None

Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.326 ShiftLeft

Command name: ShiftLeft
Format: ShiftLeft COUNT/N,TABS/S
Release: Version 1.00
Purpose: Shift left the current line one or more characters or tabs
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.327 ShiftRight

Command name: ShiftRight
Format: ShiftRight COUNT/N,TABS/S
Release: Version 1.00
Purpose: Shift right the current line one or more characters or tabs
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.328 SizeWindow

Command name: SizeWindow
Format: SizeWindow WIDTH/N/A,HEIGHT/N/A
Release: Version 1.00
Purpose: Change the dimensions of the current document window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.329 StripEOLBlanks

Command name: StripEOLBlanks
Format: StripEOLBlanks
Release: Version 1.00
Purpose: Strip all the blanks at the end of the lines
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.330 SwapChars

Command name: SwapChars
Format: SwapChars
Release: Version 1.00
Purpose: Swap the character under the cursor with the next
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.331 Text

Command name: Text
Format: Text TEXT/F
Release: Version 1.00
Purpose: Insert the specified string in the current document
Parameters: None
Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.332 ToggleCharCase

Command name: ToggleCharCase

Format: ToggleCharCase FORCEUPPER/S,FORCELOWER/S

Release: Version 1.00

Purpose: Toggle the upper/lower case of the character under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.333 UndeleteLine

Command name: UndeleteLine

Format: UndeleteLine

Release: Version 1.00

Purpose: Undelete the current line

Parameters: None

Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.334 UndoLine

Command name: UndoLine
Format: UndoLine
Release: Version 1.00
Purpose: Undo all the changes on the current line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.335 Window2Back

Command name: Window2Back
Format: Window2Back
Release: Version 1.00
Purpose: Move the current document window to back
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.336 Window2Front

Command name: Window2Front
Format: Window2Front
Release: Version 1.00
Purpose: Move the current document window to front
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:
Page still not complete...

1.337 Preferences Reference

Preferences Reference

This is the list of the preferences supported by Blacks Editor 1.0B which can be used in any preference file, and can be modified with the command `SetPrefs <pref_name> <value>`.

Alphabetical order

Functional groupings

1.338 Alphabetical List of Preferences

Alphabetical List of Preferences

AUTODETECTBINFILES

AUTOINDENT

AUTOSAVE

AUTOSAVECONFIRM

AUTOSAVEDELAY

BACKGROUNDCOLOR

BACKUPTEMPLATE

CANTBACKUPCONFIRM

CHANGESTRING

CONSOLE

CONVERSIONONLOAD

CONVERSIONONPRINT

CONVERSIONONSAVE

DEFAULTWINDOW

DEFSDRAWER

DEFSPATTERN

DOSDRAWER

DOSPATTERN

DOUBLELOADCONFIRM

FILEPATTERN

FILEREQUESTER

FINDBACKWARD

FINDIGNORECASE

FINDSTRING

FINDWHOLEWORD

FONTREQUESTER

FREEFORM
ICONDRAWER
JUMPSROLL
LEFTMARGIN
MAKEBACKUPS
MAXBACKUPVERSION
MENUFONT
MOUSEBLANKER
OVERSTRIKE
OVERWRITECONFIRM
PALETTE
PREFSDRAWER
PREFSPATTERN
PRINTDEVICE
READONLY
REXXDRAWER
REXXPATTERN
RIGHTMARGIN
RIGHTMARGINWBORDER
SAVEEOLAS
SAVEICONS
SCREEN
SCREENMODEREQUESTER
SELBACKGROUNDCOLOR
SELECTWHENDRAGGING
SELTEXTCOLOR
STRIPEOLBLANKS
TABSGIVESPACES

TABWIDTH
TEXTCOLOR
TEXTFONT
TOOLSDRAWER
TOOLSPATTERN
TRANSLATECRS
WORDWRAP

1.339 Functional Grouping of Preferences

Functional Grouping of Preferences

Autosave Preferences:

AUTOSAVE
AUTOSAVECONFIRM
AUTOSAVEDELAY
Backup Preferences:

MAKEBACKUPS
CANTBACKUPCONFIRM
BACKUPTEMPLATE
MAXBACKUPVERSION
Colors Preferences:

TEXTCOLOR
BACKGROUNDCOLOR
SELTEXTCOLOR
SELBACKGROUNDCOLOR
PALETTE
Display Preferences:

SCREEN
Edit Preferences:

AUTOINDENT

FREEFORM

OVERSTRIKE

WORDWRAP

JUMPSROLL

RIGHTMARGINWBORDER

LEFTMARGIN

RIGHTMARGIN

EOL Preferences:

STRIPEOLBLANKS

TRANSLATECRS

SAVEEOLAS

Font Preferences:

TEXTFONT

MENUFONT

Icon Preferences:

SAVEICONS

ICONDRAWER

Miscellanea Preferences:

MOUSEBLANKER

OVERWRITECONFIRM

DOUBLELOADCONFIRM

SELECTWHENDRAGGING

AUTODETECTBINFILES

PRINTDEVICE

CONSOLE

DEFAULTWINDOW

Tabs Preferences:

TABWIDTH

TABSGIVESPACES

CONVERSIONONLOAD

CONVERSIONONSAVE

CONVERSIONONPRINT
Find Preferences:

FINDSTRING

CHANGESTRING

FINDBACKWARD

FINDIGNORECASE

FINDWHOLEWORD
Others Preferences:

FILEREQUESTER

FONTPREQUESTER

SCREENMODEREQUESTER

FILEPATTERN

REXXDRAWER

REXXPATTERN

DOSDRAWER

DOSPATTERN

TOOLSDRAWER

TOOLSPATTERN

PREFSDRAWER

PREFSPATTERN

DEFSDRAWER

DEFSPATTERN

READONLY

1.340 AUTOSAVE

Preference name: AUTOSAVE

Format: AUTOSAVE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.341 AUTOSAVECONFIRM

Preference name: AUTOSAVECONFIRM

Format: AUTOSAVECONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.342 AUTOSAVEDELAY

Preference name: AUTOSAVEDELAY

Format: AUTOSAVEDELAY DELAY/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.343 MAKEBACKUPS

Preference name: MAKEBACKUPS

Format: MAKEBACKUPS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.344 CANTBACKUPCONFIRM

Preference name: CANTBACKUPCONFIRM

Format: CANTBACKUPCONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.345 BACKUPTEMPLATE

Preference name: BACKUPTEMPLATE

Format: BACKUPTEMPLATE TEMPLATE

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.346 MAXBACKUPVERSION

Preference name: MAXBACKUPVERSION

Format: MAXBACKUPVERSION MAX/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.347 TEXTCOLOR

Preference name: TEXTCOLOR

Format: TEXTCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.348 BACKGROUNDCOLOR

Preference name: BACKGROUNDCOLOR

Format: BACKGROUNDCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.349 SELTEXTCOLOR

Preference name: SELTEXTCOLOR

Format: SELTEXTCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.350 SELBACKGROUNDCOLOR

Preference name: SELBACKGROUNDCOLOR

Format: SELBACKGROUNDCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.351 PALETTE

Preference name: PALETTE

Format: PALETTE RGB/M

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.352 SCREEN

Preference name: SCREEN

Format: SCREEN MODE,DATA/F

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.353 AUTOINDENT

Preference name: AUTOINDENT

Format: AUTOINDENT ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.354 FREEFORM

Preference name: FREEFORM

Format: FREEFORM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.355 OVERSTRIKE

Preference name: OVERSTRIKE

Format: OVERSTRIKE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.356 WORDWRAP

Preference name: WORDWRAP

Format: WORDWRAP ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.357 JUMPSCROLL

Preference name: JUMPSCROLL

Format: JUMPSCROLL ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.358 RIGHTMARGINWBORDER

Preference name: RIGHTMARGINWBORDER

Format: RIGHTMARGINWBORDER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.359 LEFTMARGIN

Preference name: LEFTMARGIN

Format: LEFTMARGIN COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.360 RIGHTMARGIN

Preference name: RIGHTMARGIN

Format: RIGHTMARGIN COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.361 STRIPEOLBLANKS

Preference name: STRIPEOLBLANKS

Format: STRIPEOLBLANKS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.362 TRANSLATECRS

Preference name: TRANSLATECRS

Format: TRANSLATECRS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.363 SAVEEOLAS

Preference name: SAVEEOLAS

Format: SAVEEOLAS MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.364 TEXTFONT

Preference name: TEXTFONT

Format: TEXTFONT FONTNAME, SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.365 MENUFONT

Preference name: MENUFONT

Format: MENUFONT FONTNAME, SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.366 SAVEICONS

Preference name: SAVEICONS

Format: SAVEICONS ON/S, OFF/S, TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.367 ICONDRAWER

Preference name: ICONDRAWER

Format: ICONDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.368 MOUSEBLANKER

Preference name: MOUSEBLANKER

Format: MOUSEBLANKER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.369 OVERWRITECONFIRM

Preference name: OVERWRITECONFIRM

Format: OVERWRITECONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.370 DOUBLELOADCONFIRM

Preference name: DOUBLELOADCONFIRM

Format: DOUBLELOADCONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.371 SELECTWHENDRAGGING

Preference name: SELECTWHENDRAGGING

Format: SELECTWHENDRAGGING ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.372 AUTODETECTBINFILES

Preference name: AUTODETECTBINFILES

Format: AUTODETECTBINFILES ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.373 PRINTDEVICE

Preference name: PRINTDEVICE

Format: PRINTDEVICE DEVICE

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.374 CONSOLE

Preference name: CONSOLE

Format: CONSOLE CONSOLE/F

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.375 DEFAULTWINDOW

Preference name: DEFAULTWINDOW

Format: DEFAULTWINDOW WINDOW

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.376 TABWIDTH

Preference name: TABWIDTH

Format: TABWIDTH WIDTH/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.377 TABSGIVESPACES

Preference name: TABSGIVESPACES

Format: TABSGIVESPACES ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.378 CONVERSIONONLOAD

Preference name: CONVERSIONONLOAD

Format: CONVERSIONONLOAD MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.379 CONVERSIONONSAVE

Preference name: CONVERSIONONSAVE

Format: CONVERSIONONSAVE MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.380 CONVERSIONONPRINT

Preference name: CONVERSIONONPRINT

Format: CONVERSIONONPRINT MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.381 FINDSTRING

Preference name: FINDSTRING

Format: FINDSTRING STRING

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.382 CHANGESTRING

Preference name: CHANGESTRING

Format: CHANGESTRING STRING

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.383 FINDBACKWARD

Preference name: FINDBACKWARD

Format: FINDBACKWARD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.384 FINDIGNORECASE

Preference name: FINDIGNORECASE

Format: FINDIGNORECASE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.385 FINDWHOLEWORD

Preference name: FINDWHOLEWORD

Format: FINDWHOLEWORD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.386 FILEREQUESTER

Preference name: FILEREQUESTER

Format: FILEREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.387 FONTREQUESTER

Preference name: FONTREQUESTER

Format: FONTREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.388 SCREENMODEREQUESTER

Preference name: SCREENMODEREQUESTER

Format: SCREENMODEREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.389 FILEPATTERN

Preference name: FILEPATTERN

Format: FILEPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.390 REXXDRAWER

Preference name: REXXDRAWER

Format: REXXDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.391 REXXPATTERN

Preference name: REXXPATTERN

Format: REXXPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.392 DOSDRAWER

Preference name: DOSDRAWER

Format: DOSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.393 DOSPATTERN

Preference name: DOSPATTERN

Format: DOSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.394 TOOLSDRAWER

Preference name: TOOLSDRAWER

Format: TOOLSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.395 TOOLSPATTERN

Preference name: TOOLSPATTERN

Format: TOOLSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.396 PREFSDRAWER

Preference name: PREFSDRAWER

Format: PREFSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.397 PREFSPATTERN

Preference name: PREFSPATTERN

Format: PREFSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.398 DEFSDRAWER

Preference name: DEFSDRAWER

Format: DEFSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.399 DEFSPATTERN

Preference name: DEFSPATTERN

Format: DEFSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.400 READONLY

Preference name: READONLY

Format: READONLY ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.401 Errors Reference

Errors Reference

This is the reference for error codes and messages.

The first list contains the errors caused during the normal use of

the program, the second and the third contain errors occurred while parsing, respectively, definitions and preferences files.

Blacks Editor errors

Definitions file errors

Preferences file errors

1.402 BED Errors

BED Errors

1

Error #1

2

Error #2

3

Error #3

4

Error #4

5

Error #5

6

Error #6

7

Hit document boundary

8

Not on {, [, (, <, «, », >,),], }

9

Not allowed in read-only mode

10

User requested abort

11

Bookmark not set

12

No block marked

13

Error #13

14

Error #14

15

Error #15

16

Not currently recording

17

Not found

18

Clipboard is empty

19

Clipboard does not contain text

20

Clipboard device not found

21
ARexx process or library not found
22
Command only allowed in ARexx macros
23
Bookmark not found
24
No macro to play
25
Error #25
26
Error #26
27
Error #27
28
Illegal while recording
29
Illegal command
30
Insufficient memory
31
Load error
32
Save error
33
Backup error - not saved
34
Print error
35
Clipboard I/O error
36
ARexx Error
37
Couldn't execute tool
38
AmigaGuide error
39
Couldn't open console
40
Error #40
41
AmigaGuide library not found
42
--- Illegal ---
43
Definitions file not loaded successfully
44
Preferences file not loaded successfully
45
Preferences file not saved successfully
46
Macro not loaded successfully
47
Macro not saved successfully
48
Unknown preference
49

Invalid template
50
Command not global
51
AmigaDOS error
52
Bad parameter
53
Parameter out of range
54
Cannot swap tabs
55
Cursor not on a word
56
No string to find
57
Window is iconified
58
Input is locked
59
Line too long
60
No line to undelete
61
Cannot undo

1.403 Definitions Files Errors

Definitions Files Errors

1

AmigaDOS error
2
Insufficient memory
3
Error creating menus
4
Unknown keyword
5
Unknown command
6
Unknown key
7
Key not mapped on this keyboard
8
Quoted argument expected

1.404 Preferences Files Errors

Preferences Files Errors

1

AmigaDOS error

2

Insufficient memory

3

Unknown preference

4

Wrong template for preference

1.405 Error #1

Message: Error #1

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.406 Error #2

Message: Error #2

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.407 Error #3

Message: Error #3

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.408 Error #4

Message: Error #4
Fault Level: 1
Probable cause:
Recovery:
Page still not complete...

1.409 Error #5

Message: Error #5
Fault Level: 1
Probable cause:
Recovery:
Page still not complete...

1.410 Error #6

Message: Error #6
Fault Level: 1
Probable cause:
Recovery:
Page still not complete...

1.411 Hit document boundary

Message: Hit document boundary
Fault Level: 5
Probable cause:
Recovery:
Page still not complete...

1.412 Not on {, [, (, <, «, », >,),], }

Message: Not on {, [, (, <, «, », >,),], }

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.413 Not allowed in read-only mode

Message: Not allowed in read-only mode

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.414 User requested abort

Message: User requested abort

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.415 Bookmark not set

Message: Bookmark not set

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.416 No block marked

Message: No block marked

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.417 Error #13

Message: Error #13

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.418 Error #14

Message: Error #14

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.419 Error #15

Message: Error #15

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.420 Not currently recording

Message: Not currently recording

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.421 Not found

Message: Not found

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.422 Clipboard is empty

Message: Clipboard is empty

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.423 Clipboard does not contain text

Message: Clipboard does not contain text

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.424 Clipboard device not found

Message: Clipboard device not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.425 ARexx process or library not found

Message: ARexx process or library not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.426 Command only allowed in ARexx macros

Message: Command only allowed in ARexx macros

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.427 Bookmark not found

Message: Bookmark not found

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.428 No macro to play

Message: No macro to play

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.429 Error #25

Message: Error #25

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.430 Error #26

Message: Error #26

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.431 Error #27

Message: Error #27

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.432 Illegal while recording

Message: Illegal while recording
Fault Level: 10
Probable cause:
Recovery:
Page still not complete...

1.433 Illegal command

Message: Illegal command
Fault Level: 10
Probable cause:
Recovery:
Page still not complete...

1.434 Insufficient memory

Message: Insufficient memory
Fault Level: memory
Probable cause:
Recovery:
Page still not complete...

1.435 Load error

Message: Load error
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.436 Save error

Message: Save error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.437 Backup error - not saved

Message: Backup error - not saved

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.438 Print error

Message: Print error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.439 Clipboard I/O error

Message: Clipboard I/O error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.440 ARexx Error

Message: ARexx Error

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.441 Couldn't execute tool

Message: Couldn't execute tool

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.442 AmigaGuide error

Message: AmigaGuide error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.443 Couldn't open console

Message: Couldn't open console

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.444 Error #40

Message: Error #40
Fault Level: 1
Probable cause:
Recovery:
Page still not complete...

1.445 AmigaGuide library not found

Message: AmigaGuide library not found
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.446 --- Illegal ---

Message: --- Illegal ---
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.447 Definitions file not loaded successfully

Message: Definitions file not loaded successfully
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.448 Preferences file not loaded successfully

Message: Preferences file not loaded successfully
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.449 Preferences file not saved successfully

Message: Preferences file not saved successfully
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.450 Macro not loaded successfully

Message: Macro not loaded successfully
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.451 Macro not saved successfully

Message: Macro not saved successfully
Fault Level: 20
Probable cause:
Recovery:
Page still not complete...

1.452 Unknown preference

Message: Unknown preference

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.453 Invalid template

Message: Invalid template

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.454 Command not global

Message: Command not global

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.455 AmigaDOS error

Message: AmigaDOS error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.456 Bad parameter

Message: Bad parameter

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.457 Parameter out of range

Message: Parameter out of range

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.458 Cannot swap tabs

Message: Cannot swap tabs

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.459 Cursor not on a word

Message: Cursor not on a word

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.460 No string to find

Message: No string to find

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.461 Window is iconified

Message: Window is iconified

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.462 Input is locked

Message: Input is locked

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.463 Line too long

Message: Line too long

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.464 No line to undelete

Message: No line to undelete

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.465 Cannot undo

Message: Cannot undo

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.466 AmigaDOS error

Message: AmigaDOS error

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.467 Insufficient memory

Message: Insufficient memory

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.468 Error creating menus

Message: Error creating menus

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.469 Unknown keyword

Message: Unknown keyword

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.470 Unknown command

Message: Unknown command

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.471 Unknown key

Message: Unknown key

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.472 Key not mapped on this keyboard

Message: Key not mapped on this keyboard

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.473 Quoted argument expected

Message: Quoted argument expected

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.474 AmigaDOS error

Message: AmigaDOS error

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.475 Insufficient memory

Message: Insufficient memory

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.476 Unknown preference

Message: Unknown preference

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.477 Wrong template for preference

Message: Wrong template for preference

Fault Level:

Probable cause:

Recovery:

Page still not complete...
