

Table of Contents

To jump to a topic, select its title & choose "Next Case" (⌘N)

To find a term in Glossary, select it & choose "Glossary" (⌘G)

ViewIt™ 2.24 On-Line Help

Copyrights

Distribution

Trademarks

Warranties

1. Getting Started

What Is ViewIt?

About On-Line Help

- The Help Control
- Getting Around
- Why On-Line Help?
- Editing Help

Debugging Aids

- Program State
- Command Display
- Message Display
- Interrupt Button

Read Startup Topics

Recompiling Demos

Shareware Limits

2. What is FaceWare?

3. What is a module?

4. Where do they live?

5. How do I meet one?

6. Minimum Code

- Pascal
- C
- C++
- FORTRAN

7. Include Files

FaceStorXY File

FaceProcXY File

Other Include Files

8. Resource Files

SIZE Resource

Shared vs. Program-Specific

Temporary Res Files

More About LoadIt

The FaceWare File

Resource Numbering

9. Initializations

FaceWare Initialization

More About Stack Space

Record Initialization

10. Event Handling

11. Summary

New Programs

Existing Programs

12. Tutorial

The Objective

1. FaceWare File

2. Resource File

3. Project Files

4. Compile & Run

5. Main Menus
6. Menu Handling
7. Modal Window
8. Buttons
9. Modal Events
10. Check Box
11. Editable Text
12. Scrollable List
13. Pop-Up Menu
14. Data Links
15. Editable Controls
16. Advanced Controls
17. Attached Controls
18. Program Output

F1. Facelt 2.2 Guide

Program Resources

Mixing Event Loops

F2. Initializations

Menu Initialization

- Auto-Loaded Menus
- Hierarchical Menus
- Pop-Up Menus

Window Initialization

- Main Help Window
- Splash Screen

Palette Initialization

F3. The Main Loop

Message Types

Module Messages

Apple Events

Foreign Windows

Greater Control

- Overrides
- WaitNextEvent

F4. Menu Handling

Menu Item Types

- Unlabeled Program Items
- Labeled Program Items
- Program-Wide Standard Items
- Shared Standard Items
- Module-Specific Standard Items

Font/Size/Style/Color Items

Managing Menu Items

Custom Standard Items (Advanced)

- Negative Label IDs
- Changing Label IDs
- New Standard Items

Balloon Help (System 7)

F5. Background Processing (Advanced)

Event-Oriented

Task-Oriented

- Getting Events
- Update & Switch
- Other Events
- WaitNextEvent?

Combinations

F6. Finder Resources

Adding File Icons

Opening From Finder

- Automatic Help

- Technical Details
- Size and Behavior
- Program File Help
- F7. Hybrid Programs (Advanced)
- What Is FaceSt?
- When To Use FaceSt
- When NOT To Use It
- What You GAIN
- What You LOSE
- Initializations Done
- Installing FaceStub
- Using FaceStub
- Main Menus
- Menu Events
- Raw Event Loop
- Switching
- Window Kind
- Cursor Management
- Program Termination
- Custom Procedures
- FSSC Menus

V1. ViewIt 2.2 Guide

- V2. Editing
- Windows/Views/Controls
- Editing Resources
- Selecting Controls
- The Controls Bar
- The Icon Menu Bar
- File Menu
- Edit Menu
- Import Menu
- Info Menu
- Style Menu
- Align Menu
- Grid Icon
- Outline Mode
- Saving Changes
- Getting Into Trouble
- V3. Windows
- Modal vs. Modeless
- Adding Windows
- MODAL WINDOWS
- Item Events
- Editable Items
- Menu Events
- Special Keys
- Module Messages
- Program Messages
- Other Modal Events
- Event Summary
- Loop Options
- MODAL ALERTS
- MODELESS WINDOWS
- Modeless Events
- Modeless<->Modal
- FLOATING WINDOWS
- MENU WINDOWS
- Switching Content
- Closing Windows
- V4. Views

About Control Drivers

The View Driver

- Operation
- Scrolling
- Content
- Instructions
- View Types
- Attached Views
- Paged Views
- Colored Views
- Limitations

V5. Controls

Getting Info

Toolbox Calls

Rectangles

Scrolling

Growing

Floating

Dragging

Styles

Colors

Best Colors

FSSC Support

ID/RefCon

V6. Data Links

The Old Way

The New Way

- Data Types
- Choosing Controls
- Linking A Record
- Linking A Variable
- Using Links
- Handle-To-Handle
- Custom Links

V7. Balloons (System 7)

Help Command Format

Example Commands

V8. Override (Advanced)

CONTENT DRAWING

PROGRAM CONTROLS

Example Projects

Procedure Format

Procedure Installation

SELECTIVE OVERRIDES

Override Format

Override Installation

Override Execution

- Posting Events
- Stealing Messages
- Tweaking Messages
- Major Action Before
- Major Action After

Limitations

V9. Resources

Shared FaceWare File

Custom Resources

Stand-Alone Programs

Missing Resources

V10. 2.05 -> 2.24

C1. Facelt & ViewIt Commands

Command Format
Command Types
Clobbered Variables
C2. fRec Record
C3. Facelt Program Commands
 DoInit,DoLoop,DoEvt,DoMenu,GetMsg
C4. ViewIt Window Commands
 NewWnd,EndWnd,MdlWnd,SizWnd,MovWnd,ShoWnd,
 HidWnd,SavWnd,HlpWnd,DoUpdt
C5. ViewIt Control Commands
 GetWnd,GetCtl,GetWVC,ShoCtl,ActCtl,SelCtl,
 HitCtl,SavCtl,DspCtl,GetVal,SetVal,AddVew,
 AddCtl,LnkCtl,OvrCtl,DrwCtl,SizCtl,MovCtl,
 ScrCtl,StlCtl,ClrCtl,SetInfo
U1. Menu Utilities
 Labeled Items
 FSSC Menus
 PopMen,SetItm,GetItm,FixFSC,SelfFSC
U2. File Utilities
 StdOpn,StdSav,GetRef,SetRef,SetTyp
U3. Window Utilities
 SetFSS,SndBhd,GetNam,SetNam,
 MovRec,MovAlt,MovDlg,MovWin,
 DrgWnd,GetStd,SetStd,SavDlg,SavWin
U4. Color Utilities
 GetFgC,GetBkC,SetFgC,SetBkC,SetPal
U5. Alert Utilities
 ShoAlt,StpAlt,NotAlt,CtnAlt,
 ShoStr,StpStr,NotStr,CtnStr
U6. String Utilities
 SetSub,TrmStr,SetPrm,CnvStr,FndTxt,
 NumToS,SToNum
U7. String List Utilities
 GetStr,SetStr,SrtLst,DupLst
U8. Memory Utilities
 ChkMem,NewBlk,PrgCmd,DoUnld
U9. Other Utilities
 ChgCur,PstEvt,PstNot,SetIdl,EndIdl