

## **QuickTime for Windows, release 1.1**

Read Me

6/18/93

### **COPYRIGHT NOTICES**

QuickTime for Windows 1.1 is copyright 1993 Apple Computer, Inc. All rights reserved.

The following files used by the QuickTime installer are copyright Microsoft Corporation:

SETUP.EXE, \_MSTEST.EXE, MSCOMSTF.DLL,  
MSDETSTF.DLL, MSINSSTF.DLL, MSUILSTF.DLL, MSSHLSTF.DLL,  
SETUPAPI.INC, MSDETECT.INC, MSSHARED.INC.

### **NOTE:**

QuickTime for Windows 1.1 must be licensed for distribution. If you have received QuickTime for Windows as part of an Apple or QuickTime licensed 3rd party product, you are licensed to install and use QuickTime for Windows on your computer. You MAY NOT redistribute QuickTime for Windows in any form without a distribution license from Apple Computer. See **TO LICENSE FOR DISTRIBUTION** in this document for more information.

### **IMPORTANT INFORMATION**

To play on Windows, a QuickTime Movie created on a Macintosh must be saved as Self-contained and Playable on non-Apple platforms. See **MAKING MOVIES PLAYABLE ON BOTH MACINTOSH AND WINDOWS** for more information.

Sound and video card compatibility is listed under **PC VIDEO CARD COMPATIBILITY** and **PC AUDIO CARD COMPATIBILITY**

Not all OLE client applications are supported by QuickTime for Windows 1.1. See **OLE 1.0 SUPPORT** for more information.

Intel Indeo decompressor is bundled. Support for the Indeo codec is provided by Intel Customer Support at 1-800-468-3548. See **INTEL INDEO DECOMPRESSOR IS BUNDLED** for more information.

### **WHATS IN THIS DOCUMENT**

New features in 1.1  
Making movies playable on both Macintosh and Windows  
Product submissions encouraged  
OLE 1.0 support  
Intel Indeo decompressor is bundled  
Macintosh features that are not currently supported  
Minimum PC configuration  
Components of QuickTime for Windows 1.1  
To license for distribution  
Where to get QuickTime for Windows today  
Recommended for development  
PC Audio card compatibility  
PC Video card compatibility  
Modifying QTW.INI for compatibility

### **NEW FEATURES IN 1.1**

## Compact Video playback

OLE 1.0 (Object Linking & Embedding). The Movie Player is an OLE server, enabling QuickTime movies to be placed and played with QuickTimes human interface in Microsoft Excel 4.0, Word for Windows 2.0, Write, and Word Perfect 5.2.

MCI (Media Control Interface) provides media integration in applications like Windows Media Player, AimTech Icon Author, and Asymetrix Multimedia Toolbox.

Visual Basic 2.0 is supported with a .VBX file for integration of QuickTime Movies into multimedia applications created with Visual Basic 2.0.

QuickTime for Windows 1.1 supports custom add-ins decompressors, such as Intel Indeo.

Support for more audio and video card configurations. See **PC VIDEO CARD COMPATIBILITY** and **PC AUDIO CARD COMPATIBILITY** for a listing of the audio and video cards which have been tested with QuickTime for Window 1.1.

## **MAKING MOVIES PLAYABLE ON BOTH MACINTOSH AND WINDOWS**

To make a movie playable on a PC, open it with the Movie Converter utility (part of the QuickTime Starter Kit 1.0) and choose Save As (File menu). In the resulting dialog box, click the radio button labeled Make movie self-contained which tells the utility to sever any links to other movies after incorporating the relevant video into this movie. Also select the checkbox labeled Playable on non-Apple computers. This causes the movie to be saved in a cross-platform file format.

Once you save the movie, it will be playable on both Macs and PCs without further translation or file conversion. Before you transfer the movie to a PC, remember to give it a filename thats not longer than 8 characters, plus the extension .MOVfor example, MYMOVIE.MOV.

## **PRODUCT SUBMISSIONS ENCOURAGED**

Apple Computer would like to be sent copies of current and intended commercial products which use QuickTime for Windows. This is for evaluation for possible co-marketing and bundling opportunities. Products which support QuickTime for Windows such as CD-ROM titles, Movie clip libraries, applications and utilities. Two copies are requested, one for marketing evaluation and one for technical evaluation. Please send appropriate product and company information to AppleLink address:  
QUICKTIME.DV

## **OLE 1.0 SUPPORT**

The QuickTime for Windows 1.1 Movie Player is an OLE 1.0 Server. Due to a lack of standards in OLE 1.0 implementation, it is difficult to guarantee support of QuickTime for Windows with all OLE - supporting Client applications. The following products have been tested and compatibility verified. Support for other OLE Client applications cannot be guaranteed.

Microsoft Windows 3.1 Write  
WordPerfect 5.2

Microsoft Word for Windows 2.0  
Microsoft Excel 4.0

Microsoft Multimedia Works for Windows

## **INTEL INDEO DECOMPRESSOR IS BUNDLED**

Intel's first release of its Indeo decompressor is bundled with this product. The quality and performance of this first release of the Indeo decompressor is significantly less than what is possible with QuickTime for Windows. Please contact Intel for support and an updated release which increases quality and

performance. Intel Customer Support is at 1-800-468-3548.

### **MACINTOSH FEATURES THAT ARE NOT CURRENTLY SUPPORTED**

Capture  
Compression  
Cut, copy & paste editing  
PhotoCD  
Matting & Transparency  
Clipping  
Data referencing in other QuickTime movies  
Multiple tracks

Tracks  
- Music  
- Text  
- Generic tracks (3rd party add-ins)

Image formats  
- Photo CD  
- YUV  
- some PICT objects (bitmaps are supported)

Note: When producing QuickTime Movies, you are encouraged to use advanced features on the Macintosh release of QuickTime such as a text track. It is likely that features currently unique to the Macintosh will be supported in subsequent releases of QuickTime for Windows.

### **MINIMUM PC CONFIGURATION**

386SX at 20 Mhz  
4 Mb RAM  
80 Mb hard disk  
VGA or better display card  
QuickTime provides best quality and performance on cards displaying 32,768 color or more. See the end of this document for a list of tested compatible audio and video cards.  
Sound card for playback of Movies with sound  
Windows 3.1 or later  
DOS 5.0. DOS 6.0 is supported.

### **COMPONENTS OF QUICKTIME FOR WINDOWS 1.1**

DLLs  
Movie Player application and OLE 1.0 server  
Picture Viewer application  
On-line help

### **TO LICENSE FOR DISTRIBUTION**

Contact:  
Apple Software Licensing  
20525 Mariani  
MS: 38-I  
Cupertino, CA 95014  
408-974-4667  
fax: 408-862-5106  
AppleLink: SW.LICENSE

Please provide the following information to receive a license agreement:

contact person  
mailing address  
phone number  
fax

Provide a simple proposal that includes a complete description of the product, how QuickTime for Windows is used in the product, and the distribution plans for the product.

You will receive a QuickTime for Windows License Kit containing the Apple License Agreement and license information.

### **WHERE TO GET QUICKTIME FOR WINDOWS TODAY**

QuickTime for Windows is bundled with various 3rd party products that support QuickTime for Windows such as applications, Movie clip libraries and CD-ROM titles. Look for the QuickTime for Windows logo on the front packaging of products such as these:

Macromedia Action 2.5 for Windows  
Macromedia Authorware Pro 2.0 for Windows

The QuickTime for Windows Development Kit (APDA, #R0453LL/B), provides you with an ISO format CD-ROM with DLLs, sample applications and source, movie files, on-line documentation, help and the QuickTime for Windows programmers manual. Six (6) DOS-based disks containing a subset of CD-ROM contents are also available for use without a CD-ROM drive.

QuickTime for Windows will appear in other retail products in summer 93.

### **RECOMMENDED FOR DEVELOPMENT**

In addition to the QuickTime for Windows Development Kit, the following is useful in development of cross-platform QuickTime support.

QuickTime for Macintosh Development Kit (APDA)

QuickTime Movie Exchange Toolkit (APDA #R0190LL/A)  
Convert multimedia data created on other workstation platforms to QuickTime Movies playable on a Macintosh.

For development kits contact:

APDA  
Apple Computer, Inc.  
P.O. Box 319  
Buffalo, NY 14207-0319  
USA (800) 282-2732  
Canada (800) 637-0029  
Intl (716) 871-6555  
AppleLink: APDA  
CompuServe: 76666,2405  
America OnLine: APDA  
Internet: APDA@applelink.apple.com

### **PC AUDIO CARD COMPATIBILITY**

The following chart summarizes the audio hardware products that were tested with QuickTime for Windows 1.1. Most compatibility issues are based on driver versions. With some boards, more than 1

driver was tested. In most cases, the latest available driver was tested. THE DRIVER TESTED MAY NOT BE THE SAME VERSION AS THAT WHICH CAME WITH THE AUDIO CARD. Contact the vendor for the latest driver version. Known bugs are included.

The information is provided in the following format and is delimited by tabs:

Manufacturer	Model	Bit Depth	Stereo	Driver	Version	Problems
--------------	-------	-----------	--------	--------	---------	----------

Creative Labs	SoundBlaster Pro 8		yes	SBPSND.DRV	5/15/92 11:12	This driver has a known problem that affects both QuickTime for Windows and Microsoft Video for Windows. When sound samples less than 2k are played, the card may play 1/4 second of sound repeatedly for about 5 seconds. This can be triggered by any QuickTime movie, or simulated by clicking to and from two playing Movies in the Movie Player.
---------------	--------------------	--	-----	------------	---------------	---

Creative Labs	SoundBlaster Pro 8		yes	SBPSND.DRV	2/5/93	Audio sticks because of a driver problem.
---------------	--------------------	--	-----	------------	--------	---

Creative Labs	SoundBlaster Pro/16	16	yes	SB16SND.DRV	12/11/92 11:08	
---------------	---------------------	----	-----	-------------	----------------	--

Creative Labs	Sound Blaster 2.0				2/16/93	Audio sticks because of a driver problem. Problems with sound in loop appears only in the driver which currently ships with the board. Previous and subsequent driver releases do not exhibit the problem.
---------------	-------------------	--	--	--	---------	--

Creative Labs	ThunderBoard	8	no	SNDBLST2.DRV	3/10/92 3.1	
Creative Labs	ThunderBoard	8	no	SNDBLST2.DRV	5/13/92	

MediaVision	ProAudio Spectrum	8	yes	MVPROAUD.DRV	2/3/93 1.3	Earlier versions of this driver cause sound to be repeated at random.
-------------	-------------------	---	-----	--------------	------------	---

MediaVision	ProAudio Spectrum Plus	16	yes	MVPROAUD.DRV	2/3/93 1.3	Make the following modifications to the QTW.INI file. See the end of this document for instructions:
-------------	------------------------	----	-----	--------------	------------	--

```
[Sound]
RequestedRate=22095
ActualRate=22536
```

MediaVision	ProAudio Spectrum Plus	16	yes	MVPROAUD.DRV	5/15/92	
-------------	------------------------	----	-----	--------------	---------	--

MediaVision	ProAudio Spectrum	16	yes	MVPROAUD.DRV	2/3/93 1.3	
-------------	-------------------	----	-----	--------------	------------	--

MediaVision	Thunder and Lightning	8	Stereo 22 Mono 44	TLWAVE.DRV	8/25/92	Make the following modifications to the QTW.INI file. See the end of this document for instructions:
-------------	-----------------------	---	-------------------	------------	---------	--

```
[Sound]
RequestedRate=22222
```

MediaVision	AudioPort	8	no	MVAPORT	4/14/92 15:10	
-------------	-----------	---	----	---------	---------------	--

Does not support sound sampled a t above 11Kz.  
Make the following modifications to the QTW.INI file. See the end of this document for instructions:

```
[Sound}
RequestedRate = 11025
ActualRate=11025
```

MediaVision	CDPC					
-------------	------	--	--	--	--	--

Microsoft	Microsoft Sound System	16	yes	SNDSYS.DRV	9/21/92 1.0	
-----------	------------------------	----	-----	------------	-------------	--

Cardinal Technologies 12/28/92	Sound Studio, Sound Vision	16	yes	TAPIGSS1.DRV	
Orchid	Sound Producer Pro	8	yes	PRODUCER.DRV	1/13/93
Orchid	Sound Producer Pro	8	yes	PRODUCER.DRV	10/1/92
Turtle Beach.	MultiSound	16	yes	MULTISND.DRV	8/27/92 1.1
ATI	Stereo F/X.	8	yes	SFX.DRV	5/4/92
IBM	M/Audio	16	yes	ACPA.DRV	10/29/92 11:38
Adjusting the volume from the Movie Controller may cause the volume to be muted. To restore the volume, stop and restart the movie."					
Sound may skip when resizing window.					
Sound is played at 44khz by doubling the samples.					
IBM	M/Audio	16	yes	ACPA.DRV	8/28/92
Limited volume control from keyboard.					

**NOTE:**

The AdLib Gold Card audio system is not supported in QuickTime for Windows 1.1.

**PC VIDEO CARD COMPATIBILITY**

The following chart summarizes the video display cards that were tested with QuickTime for Windows 1.1. Most compatibility issues are based on driver versions. With some boards, more than 1 driver was tested. In most cases the latest available driver was tested. THE DRIVER TESTED OR SUPPORTED MAY NOT BE THE SAME VERSION AS THAT WHICH CAME WITH THE VIDEO CARD. Contact the vendor for the latest driver version. Known bugs are included. For Pixel Depth : 8 bits = 256 colors, 15 bits = 32,768, 16 bits = 65, 536 and 24 bits is 16 million colors.

If your video card is not listed below and you are having SEVERE compatibility problems, you may consider modifying the QTW.INI file. Change the [Video] setting to Optimize = Driver. This may resolve severe compatibility problems with a specific video card but will also reduce the performance of Movie playback. See **MODIFYING QTW.INI FOR COMPATIBILITY**.

The information is provided in the following format and is delimited by tabs:

Adapter Video Chip Problems	Driver	Driver Version	Pixel Depth	Resolution	Optimized?
Standard VGA	Windows EGA	Win 3.1 4	640 x 350	No	
Compatability tests only have been performed. That is, we ensure we dont GP fault. Otherwise, EGA playback is not supported, primarily because its pixels are not square, and QuickTime for Windows does not compensate for this.					
Standard VGA	Windows VGA	Win 3.1 4	640 x 480	No	
IBM 8514a	Windows	3/10/92 3.1	8	1024 x 768	No
We do not optimize any devices that use an 8514 co-processor. They do NOT allow direct pixel writes.					
IBM XGA	OEM	7/27/92 2.01	8	640x480	Yes
Only XGA20 supports 16-bit color. Do NOT use the drivers supplied with Windows 3.1. Instead, use the drivers supplied by IBM.					
IBM XGA (see above)	OEM	7/27/92 2.01	16	1024x768	Yes

IBM XGA2	OEM	7/27/92	8	640x480		
IBM XGA2	OEM	7/27/92	16	640x480		
IBM XGA2	OEM	7/27/92	8	800x600		
IBM XGA2	OEM	7/27/92	16	800x600		
ATI VGA XL	68800	Windows	4/9/92	4	800 x 600	Yes
ATI VGA XL	68800	OEM	4/10/92	8	1024 x 768	Yes
ATI VGA XL	68800	OEM	4/20/92	16	800 x 600	Yes
(see above)						
ATI VGA XL	68800	OEM	8/14/92	1.42	16	640x480 No
ATI Graphics/Pro	68800	OEM	11/27/92	8	1024x768	No
We do not optimize any devices that use an 8514 co-processor. They do NOT allow direct pixel writes.						
ATI Graphics/Pro	68800	OEM	11/27/92	16	640x480	No
(see above)						
ATI Mach 32	68800	OEM	1/5/93 (BLD #59)		8	640x480 Yes
ATI Mach 32	68800	OEM	1/5/93 (BLD #59)		16	1024x768 Yes
(see above)						
Orchid IIs	Western Digital	OEM	3/1/92	3.1	8	800 x 600 Yes
This card (and other ET4000-based cards) has consistently proved very reliable.						
Orchid IIs	Western Digital	OEM	3/1/92	3.1	16	800 x 600 Yes
(see above)						
Orchid Fahrenheit VA	S3	OEM	2/19/93	10:00	8	640x480 Yes
Orchid Fahrenheit VA	S3	OEM	2/19/93	10:00	16	1024x768 Yes
Earlier versions of this driver will lock the system when a copy to the clipboard is attempted from the Movie Player or Picture Viewer in 800x600x16 mode.						
Orchid Fahrenheit VA	S3	OEM	2/19/93	10:00	24	640x480 Yes
Orchird VLB (Local Bus)		OEM	2/19/93	8	640x480	
Orchird VLB (Local Bus)		OEM	2/19/93	15	640x480	
Orchird VLB (Local Bus)		OEM	2/19/93	16	640x480	
Orchird VLB (Local Bus)		OEM	2/19/93	24	640x480	
Movies shifted to the left.						
Orchird VLB (Local Bus)		OEM	2/19/93	8	800x600	
Orchird VLB (Local Bus)		OEM	2/19/93	15	800x600	
Orchird VLB (Local Bus)		OEM	2/19/93	16	800x600	
Orchid Fahrenheit 1280		OEM	8/10/92	10:00	8	640x480 Yes
Color changes when running movies.						
Orchid Fahrenheit 1280		OEM	8/10/92	10:00	16	800x600 Yes
Orchid Fahrenheit 1280		OEM	8/10/92	10:00	15	640x480
Orchid Fahrenheit 1280		OEM	8/10/92	10:00	16	640x480
Orchid Fahrenheit 1280		OEM	8/10/92	10:00	8	800x600
Orchid Fahrenheit 1280		OEM	8/10/92	10:00	15	800x600
Orchid Pro designer IIs/D 1.1			4/7/92	8	640x480	
Orchid Pro designer IIs/D 1.1			4/7/92	8	800x600	
Orchid Pro designer IIs/D 1.1			4/7/92	15	800x600	
Orchid Pro II	OEM	3/1/92	8	640x480		
Orchid Pro II	OEM	3/1/92	15	640x480		
Orchid Pro II	OEM	3/1/92	8	800x600		

Video 7	OEM	3/10/92	3.1	8	800 x 600	Yes		
Diamond Stealth S3	OEM	9/25/92		8	640x480	Yes		
Diamond Stealth S3	OEM	9/25/92		16	640x480	Yes		
Diamond SpeedStar 24	OEM	4/14/92		24	640x480	Yes		
This card, and other ET4000-based cards have consistently proved very reliable.								
Diamond SpeedStar 24	S3	OEM	4/14/92	8	640x480??			
Diamond SpeedStar 24	S3	OEM	4/14/92	15	640x480			
Diamond SpeedStar 24	S3	OEM	4/14/92	8	800x600			
Diamond SpeedStar 24	S3	OEM	4/14/92	15	800x600			
Diamond SpeedStar 24x	Western Digital	OEM	4/28/92	12:08	8	1024x768	Yes	
Diamond SpeedStar 24x	Western Digital	OEM	4/28/92	12:08	16	800x600	Yes	
Diamond SpeedStar 24x	Western Digital	OEM	4/28/92	12:08	24	640x480	Yes	
S3 Linear Address	S3	OEM	n/a	8	1024x768	Yes		
No Windows drivers are available as of April 93 that used the S3 805 in linear address mode. We do optimize, however, for the current drivers that use banked mode.								
S3 Linear Address	S3	OEM	n/a	16	800x600	Yes		
(see above)								
S3 Linear Address	S3	OEM	n/a	24	640x480	Yes		
(see above)								
Matrox 1024	OEM	8/21/92	2.07	24	1024 x 768	No		

Due to various problems, the following video card configurations are not currently supported by QuickTime for Windows.  
Compaq Q-Vision

Paradise VGA 1024 in 640 x 480 at 256 colors using MMWD480.DRV (dated 9/10/91)  
QuickTime locks up before the movie starts.  
Contact Western Digital/Paradise at 1-800-832-4778 for support

### MODIFYING QTW.INI FOR COMPATIBILITY

NOTE: Modification of the QTW.INI file should be done at your own risk. Typically one does not need to make any modifications to this file. For some compatibility issues, modifying the file will make video or audio cards work properly, but with reduced performance. Be sure to make a backup of the QTW.INI file before modifying it.

The most common modification to the QTW.INI is to change the [Video] setting to Optimize = Driver. This may resolve severe compatibility problems with a specific video card but will also reduce the performance of Movie playback.

Once, again modify at your own risk.

[Video] (in order of priority)  
Optimize = Hardware (default)  
Driver  
BMP  
RAW  
DIB

[Video Optimize]



This is not used

[Override] // group

DREF = no or yes {NO forces QTW to use the file as self referencing, useful for QT 1.0 files}

[Data Handler]

CDROM Xfer Rate\* = [integer] ranges from 100 to 600, where number is in K, default is 328.

CDROM Seek Time\* [integer from 0 to X] where x is 100 to 350 in ms for average seek, default is 200.

CDROM Block Size = [integer, expressed in K] default is 8, range is 1 to 64.

Max Open Files = [integer] default is 64.

Max Consumers = [integer] usually same as Max Open Files. You can have multiple consumers per file.

Max Cache Size = [integer] expressed in K, default is 128, ranges from 64 to 512.

Disk Xfer Rate = [integer] same as CDROM Xfer Rate, default is 300.

Disk Seek Time [integer] expressed in milliseconds per average seek, default is 35.

Disk Block Size = [integer, expressed in K] default is 16, range is 1 to 64.

Network Xfer Rate = [integer] same as CDROM Xfer Rate, default is 250

Network Seek Time [integer] expressed in milliseconds per average seek, default is 40.

Network Block Size = [integer, expressed in K] default is 16, range is 1 to 64.

Floppy Xfer Rate = [integer] same as CDROM Xfer Rate, default is 18.

Floppy Seek Time [integer] expressed in milliseconds per average seek, default is 100.

Floppy Block Size = [integer, expressed in K] default is 2, range is 1 to 64.

[Sound]

Requested Rate = [integer] ranging from 5000 to 44000 (has to be exact rate for MPC cards)

Actual Rate = same possible rates as requested

\* Set dynamically by QuickTime for Windows, based on what it senses as the CD-ROM speed.

*END OF QUICKTIME FOR WINDOWS 1.1 READ ME*