

Sheet1

| NAME,C,15  | NAMEPURPOSE,C,80  |
|------------|---|
| ABS        | Returns absolute value of specified number  |
| ACCESS     | Returns the access level of the current user, as assigned with PROTECT comma      |
| ACOPY      | Copies elements from one array to another; returns number copied                  |
| ACOPY      | . ACOPY + specifies start position  |
| ACOPY      | .. ACOPY + specifies start position and number of elements to copy                |
| ACOPY      | ... ACOPY + specifies start position, number of elements, and target position     |
| ACOS       | Returns arccosine in radians  |
| ADEL       | Deletes array element or, if two-dimensional, elements from row or column         |
| ADEL       | . Deletes row or column from two-dimensional array                                |
| ADIR       | Stores file characteristics (name/size/date/time/DOS attr) in array               |
| ADIR       | . ADIR + specifies file-name skeleton   |
| ADIR       | .. ADIR + specifies file-name skeleton and DOS attributes (Dir/Hidden/Sys/Vol)    |
| AELEMENT   | Returns number of specified element in one-dimensional array                      |
| AELEMENT   | . Returns number of specified element in two-dimensional array                    |
| AFIELDS    | Stores table structure in array and returns number of fields                      |
| AFILL      | Inserts value into array; returns number of elements inserted                     |
| AFILL      | . Inserts value into array, starting at specified element                         |
| AFILL      | .. Inserts value into number of array elements starting at specified element      |
| AGROW      | Adds element, row, or column to array; returns number of added elements           |
| AINS       | Inserts .F. value into 1-D array or row of .F. values into 2-D array              |
| AINS       | . Inserts column of .F. values into 2-D array                                     |
| ALEN       | Returns number of elements in array   |
| ALEN       | . Returns number of elements, rows, or columns in array                           |
| ALIAS      | Returns alias name of current work area   |
| ALIAS      | . Returns alias name of specified work area                                       |
| ANSI       | Returns ANSI value of OEM character expression                                    |
| ARESIZE    | Changes number of rows in array; returns number of elements in new array          |
| ARESIZE    | . ARESIZE + specifies number of columns in new array                              |
| ARESIZE    | .. ARESIZE + specifies number of columns & whether elements retain original value |
| ASC        | Returns ASCII value of specified character  |
| ASCAN      | Searches array for expression; returns number of first matching element           |
| ASCAN      | . ASCAN + specifies start point for search  |
| ASCAN      | .. ASCAN + specifies start point and extent of search                             |
| ASIN       | Returns arcsine of number in radians  |
| ASORT      | Sorts elements in 1-D array or rows in 2-D array                                  |
| ASORT      | . Sorts array from starting point   |
| ASORT      | .. Sorts specified number of elements/rows from start point in array              |
| ASORT      | ... Sorts array in ascending/descending order                                     |
| ASUBSCRIPT | Returns row/column number of specified element in array                           |
| AT         | Returns position of first string within another string or memo field              |
| AT         | . Returns position of nth string within another string or memo field              |
| ATAN       | Returns arctangent of number in radians   |
| ATN2       | Returns arctangent of point in radians  |
| BAR        | Returns number of most recently selected bar in dBASE IV menu                     |
| BARCOUNT   | Returns number of bars in current dBASE IV menu                                   |
| BARCOUNT   | . Returns number of bars in specified dBASE IV menu                               |
| BARPROMPT  | Returns prompt string from active dBASE IV pop-up                                 |
| BARPROMPT  | . Returns prompt string from specified dBASE IV pop-up                            |

Sheet1

|               |     |  |
|---------------|-----|--|
| BEGINTRANS    |     | Starts a transaction; returns .T. if successful                                  |
| BEGINTRANS    | .   | Starts a transaction in the specified SQL database; returns .T. if successful    |
| BINTYPE       |     | Returns predefined type number of a specified binary field                       |
| BITAND        |     | Compares bits and returns 1 if both are 1; otherwise, returns 0                  |
| BITLSHIFT     |     | Returns number generated by shifting bits to left                                |
| BITOR         |     | Compares bits and returns 1 if either is 1; otherwise, returns 0                 |
| BITRSHIFT     |     | Returns number generated by shifting bits to right                               |
| BITSET        |     | Tells if specified bit in binary number is ON                                    |
| BITXOR        |     | Returns 1 if one (not both) of two compared bits is 1: bitwise exclusive OR      |
| BOF           |     | Tests if record pointer is at beginning of file                                  |
| BOF           | .   | Tests if record pointer is at beginning of specified work area                   |
| BOOKMARK      |     | Returns bookmark value for current record  |
| CATALOG       |     | Returns name of active catalog   |
| CDOW          |     | Returns day of the week for given date expression                                |
| CEILING       |     | Returns first integer greater than or equal to specified number                  |
| CENTER        |     | Centers character string or memo field in 80-character line                      |
| CENTER        | .   | Centers string or memo field in line of specified length                         |
| CENTER        | ..  | Pads centered string or memo field with specified character in given line length |
| CERROR        |     | Returns number of last compiler error  |
| CHANGE        |     | Tests if another user has changed record   |
| CHANGE        | .   | Tests if another user has changed record in specified table                      |
| CHARSET       |     | Returns name of character set used by system or by current table                 |
| CHARSET       | .   | Returns name of character set used by specified table                            |
| CHOOSEPRINTER |     | Opens Printer Setup dialog box, to choose printer or set print options           |
| CHR           |     | Returns character equivalent of specified ASCII value                            |
| CMONTH        |     | Returns month containing specified date  |
| COL           |     | Returns current column position in current window                                |
| COMMIT        |     | Ends a transaction initiated by BEGINTRANS; writes changes to the open files     |
| COMMIT        | .   | Ends specified transaction initiated by BEGINTRANS; writes changes to open file  |
| COS           |     | Returns cosine of angle  |
| CTOD          |     | Converts character expression to date expression                                 |
| DATABASE      |     | Returns name of current database   |
| DATE          |     | Returns the system date  |
| DAY           |     | Returns numeric value of day of month for specified date expression              |
| DBERROR       |     | Returns the number of the last IDAPI error                                       |
| DBF           |     | Returns name of table open in current work area                                  |
| DBF           | .   | Returns name of table open in specified work area                                |
| DBMESSAGE     |     | Returns error message of last IDAPI error  |
| DELETED       |     | Indicates if current record in current table is marked for deletion              |
| DELETED       | .   | Indicates if record in specified work area is marked for deletion                |
| DESCENDING    |     | Tests if specified index was created with DESCENDING keyword                     |
| DESCENDING    | .   | DESCENDING + specifies multiple index (.MDX) file                                |
| DESCENDING    | ..  | DESCENDING + specifies work area   |
| DESCENDING    | ... | DESCENDING + specifies multiple index (.MDX) file and work area                  |
| DIFFERENCE    |     | Returns number for phonetic (SOUNDEX) difference between strings or memo fie     |
| DISKSPACE     |     | Returns number of bytes available on current drive                               |
| DISKSPACE     | .   | Returns number of bytes available on specified drive                             |
| DMY           |     | Returns date in DD MONTH YY or DD MONTH YYYY format                              |
| DOW           |     | Returns day of week as a number  |

Sheet1

|          |      |   |
|----------|------|---|
| DTOC     |      | Converts date expression to character expression                          |
| DTOR     |      | Converts degrees to radians   |
| DTOS     |      | Converts date to a YYYYMMDD format character string                       |
| ELAPSED  |      | Returns the number of seconds between two specified times                 |
| EMPTY    |      | Tests if specified expression or field is blank                           |
| EOF      |      | Tests if record pointer is at end of current file                         |
| EOF      | .    | Tests if record pointer is at end of file in specified work area          |
| ERROR    |      | Returns the number of the most recent dBASE error                         |
| EXP      |      | Returns the base of the natural logarithm raised to specified power       |
| FCLOSE   |      | Closes file opened with FCREATE() or FOPEN(); returns .T. if successful   |
| FCREATE  |      | Creates and opens file and returns file ID number                         |
| FCREATE  | .    | Creates and opens file with specified access; returns file ID number      |
| FDATE    |      | Returns most recent modification date for specified file                  |
| FDECIMAL |      | Returns number of decimal places in specified field                       |
| FDECIMAL | .    | Returns number of decimal places in field in specified work area          |
| FEOF     |      | Tests if file pointer is at end of file opened with FCREATE() or FOPEN()  |
| FERROR   |      | Returns error number of most recent low-level I/O error (0 if no error)   |
| FFLUSH   |      | Writes specified file to disc, flushes file buffer, and leaves file open  |
| FGETS    |      | Returns character string from file pointer position to EOL character      |
| FGETS    | .    | Returns specified number of characters from file pointer position         |
| FGETS    | ..   | Returns character string from file pointer to specified EOL character     |
| FGETS    | ...  | Returns specified number of characters to specified EOL character         |
| FIELD    |      | Returns name of field in specified position                               |
| FIELD    | .    | Returns name of field in specified work area                              |
| FILE     |      | Tests if file exists  |
| FKLABEL  |      | Returns the name of a programmable function key                           |
| FKMAX    |      | Returns the number of programmable function keys in the system            |
| FLDCOUNT |      | Returns the number of fields in table                                     |
| FLDCOUNT | .    | Returns the number of fields in specified work area                       |
| FLDLIST  |      | Returns fields and calculated field expressions of SET FIELDS TO list     |
| FLDLIST  | .    | FLDLIST + specifies position of field or expression whose name to return  |
| FLENGTH  |      | Returns length of field in current table                                  |
| FLENGTH  | .    | Returns length of field in specified work area                            |
| FLOAT    |      | Returns number as a float number  |
| FLOCK    |      | Locks current table   |
| FLOCK    | .    | Locks specified table   |
| FLOOR    |      | Returns nearest integer less than or equal to specified number            |
| FOPEN    |      | Opens file and returns file handle number                                 |
| FOPEN    | .    | Opens file, returns file handle number, and sets access rights            |
| FOR      |      | Returns FOR clause used to create conditional index                       |
| FOR      | .    | Returns FOR clause used to create conditional index at specified position |
| FOR      | ..   | FOR + specifies index position and .MDX file name                         |
| FOR      | ...  | FOR + specifies index position and work area                              |
| FOR      | .... | FOR + specifies index position, .MDX filename, and work area              |
| FOUND    |      | Tests if last FIND, LOCATE, CONTINUE, SEEK, LOOKUP(), or SEEK() succeeded |
| FOUND    | .    | FOUND + specifies table   |
| FPUTS    |      | Writes character expression and end-of-line character to specified file   |
| FPUTS    | .    | FPUTS + specifies number of characters to write                           |
| FPUTS    | ..   | FPUTS + specifies end-of-line character                                   |

Sheet1

|              |      |   |
|--------------|------|---|
| FPUTS        | ...  | FPUTS + specifies number of characters to write and end-of-line character       |
| FREAD        |      | Reads specified number of characters; moves file pointer after last character   |
| FSEEK        |      | Moves file pointer specified number of bytes; returns file pointer position     |
| FSEEK        | .    | FSEEK + specifies starting position for file pointer move                       |
| FSIZE        |      | Returns size of specified file in bytes   |
| FTIME        |      | Returns time stamp of specified file (last time modified)                       |
| FUNIQUE      |      | Creates an 8-character file name of random numbers, with no extension           |
| FUNIQUE      | .    | Creates a unique file name based on the skeleton of wildcards and characters    |
| FV           |      | Returns a float that is the future value of an investment                       |
| FWRITE       |      | Writes characters to file, moves file pointer, returns number of bytes written  |
| FWRITE       | .    | FWRITE + specifies number of characters to write                                |
| GETCOLOR     |      | Displays the Choose Color dialog box  |
| GETCOLOR     | .    | Displays color dialog box with specified title                                  |
| GETDIRECTORY |      | Displays Choose Directory dialog box; defaults to current directory             |
| GETDIRECTORY | .    | Displays Choose Directory dialog box; defaults to specified directory           |
| GETENV       |      | Returns the value of a DOS environmental variable                               |
| GETEXPR      |      | Displays Expression Builder (Create); returns expression                        |
| GETEXPR      | .    | Displays Expression Builder (Edit); returns expression                          |
| GETEXPR      | ..   | GETEXPR. + specifies dialog box title   |
| GETEXPR      | ...  | GETEXPR. + specifies dialog box title and data type of resulting expression     |
| GETFILE      |      | Displays Open File dialog box; returns file name                                |
| GETFILE      | .    | GETFILE + file-name skeleton (accepts wildcards)                                |
| GETFILE      | ..   | GETFILE + file-name skeleton and window title                                   |
| GETFILE      | ...  | GETFILE.. + determines whether dialog box opens files or tables                 |
| GETFILE      | .... | GETFILE... + determines whether user can toggle between files and tables        |
| GETFONT      |      | Displays font dialog box so user can select a character font                    |
| GETFONT      | .    | Displays font dialog box with specified title (78-character maximum)            |
| HOME         |      | Returns path to directory containing DBASEWIN.EXE                               |
| HTOI         |      | Converts hexadecimal string to decimal number                                   |
| ID           |      | Returns name of current user on LAN or other multiuser system                   |
| IIF          |      | Returns one of two expressions, depending on .T./F. state of logical expression |
| INKEY        |      | Returns decimal value of first key in buffer; clears value from buffer          |
| INKEY        | .    | INKEY + specifies how long INKEY waits for a keystroke                          |
| INKEY        | ..   | INKEY + determines whether mouse click causes INKEY to return a value           |
| INKEY        | ...  | INKEY + wait time and mouse return value options                                |
| INSPECT      |      | Displays object properties dialog box and current values                        |
| INT          |      | Returns integer portion of specified number                                     |
| ISALPHA      |      | Tests if first character in string or memo field is alphabetic                  |
| ISBLANK      |      | Tests if specified field or expression is blank                                 |
| ISCOLOR      |      | Tests if system monitor is color  |
| ISLOWER      |      | Tests if first character of string or memo field is alphabetic and lowercase    |
| ISMOUSE      |      | Tests for presence of mouse driver  |
| ISTABLE      |      | Tests for existence of table in current database                                |
| ISUPPER      |      | Tests if first character of string or memo field is alphabetic and uppercase    |
| ITOH         |      | Converts number to hexadecimal character string                                 |
| ITOH         | .    | Converts number to hexadecimal string of specified length                       |
| KEY          |      | Returns key expression used to create index in current .MDX file                |
| KEY          | .    | Returns key expression used to create index in specified .MDX file              |
| KEY          | ..   | Returns key expression used to create index in specified table                  |

Sheet1

|              |       |  |
|--------------|-------|--|
| KEY          | ...   | Returns key expression used to create index in specified .MDX file and table   |
| KEYMATCH     | .     | Tests if specified expression is found in current index tag of current table   |
| KEYMATCH     | .     | Tests if specified expression is found in specified index tag of current table |
| KEYMATCH     | ..    | Tests if specified expression is found in specified .NDX file                  |
| KEYMATCH     | ...   | Tests if specified expression is found in specified index tag and .MDX file    |
| KEYMATCH     | ....  | KEYMATCH... + specified table  |
| KEYMATCH     | ..... | Tests if specified expression is found in specified index tag and table        |
| KEYMATCH     | ..... | Tests if specified expression is found in specified .NDX file and table        |
| LASTKEY      |       | Returns value of key or key combination used to exit editing session           |
| LDRIVER      |       | Returns name of language driver current table is using                         |
| LDRIVER      | .     | Returns name of language driver alias table is using                           |
| LEFT         |       | Returns specified number of characters from beginning of string or memo field  |
| LEN          |       | Returns number of characters in string or memo field                           |
| LENNUM       |       | Returns display length of number, including leading blanks                     |
| LIKE         |       | Tests if string matches specified skeleton string                              |
| LINENO       |       | Returns current line number in program, procedure, or user-defined function    |
| LISTCOUNT    |       | Returns number of prompts in list box  |
| LISTSELECTED |       | Returns first selected prompt string from a list box or combo box              |
| LISTSELECTED | .     | Returns specified prompt string from a list box or combo box                   |
| LKSYS        |       | Returns time, date, or user name for locked record or file                     |
| LOCK         |       | Locks current record in current table  |
| LOCK         | .     | Locks specified records in current dBASE table                                 |
| LOCK         | ..    | Locks specified records in dBASE or non-dBASE table in specified work area     |
| LOCK         | ...   | Locks current record in table in specified work area                           |
| LOG          |       | Returns log to base e (natural logarithm) of specified number                  |
| LOG10        |       | Returns log to base 10 (common logarithm) of specified number                  |
| LOOKUP       |       | Searches field for expression; returns value of another field in same record   |
| LOWER        |       | Converts uppercase letters in string or memo field to lowercase                |
| LTRIM        |       | Removes leading spaces from string or memo field                               |
| LUPDATE      |       | Returns date of last change to current table                                   |
| LUPDATE      | .     | Returns date of last change to specified work area                             |
| MAX          |       | Compares two expressions of same type; returns greater value                   |
| MCOL         |       | Returns current column position of mouse pointer                               |
| MDOWN        |       | Tests if mouse button is pressed   |
| MDX          |       | Returns name of open .MDX (multiple index) file containing specified index tag |
| MDX          | .     | Returns name of open .MDX file in specified work area                          |
| MDY          |       | Converts date expression to MONTH DD, YY character string                      |
| MEMLINES     |       | Returns number of lines in memo field  |
| MEMLINES     | .     | Returns number of lines of specified length in memo field                      |
| MEMORY       |       | Returns available RAM in bytes   |
| MEMORY       | .     | Returns available RAM in bytes (<expN> ignored)                                |
| MENU         |       | Returns name of current dBASE IV bar menu as uppercase character string        |
| MESSAGE      |       | Returns message text for most recent dBASE error condition                     |
| MIN          |       | Compares two expressions of same type; returns lesser value                    |
| MLINE        |       | Returns first line of text from memo field                                     |
| MLINE        | .     | Returns specified line of text from memo field                                 |
| MLINE        | ..    | Returns specified line of text from memo field; specifies line length          |
| MOD          |       | Returns the modulus (remainder) of first number divided by second              |
| MONTH        |       | Returns number of the month for specified date expression                      |

Sheet1

|               |  |
|---------------|--|
| MROW          | Returns current row position of mouse pointer                                    |
| MSGBOX        | Opens dialog box that displays message and default pushbuttons                   |
| MSGBOX .      | Opens dialog box that displays message, default pushbuttons, and title           |
| MSGBOX ..     | Opens dialog box that displays message, title, and specified set of pushbuttons  |
| NDX           | Returns name of current master .NDX file   |
| NDX .         | Returns name of specified .NDX file in current table                             |
| NDX ..        | Returns name of specified .NDX file in specified work area                       |
| NETWORK       | Tests if dBASE is running on a network   |
| NEXTKEY       | Returns decimal value of key/key combo in typeahead buffer; doesn't empty buffer |
| OEM           | Returns OEM character string value of ANSI character expression                  |
| ORDER         | Returns name of master .NDX index file/.MDX index tag in current work area       |
| ORDER .       | Returns name of master .NDX index file/.MDX index tag in specified work area     |
| OS            | Returns operating system name and version  |
| PAD           | Returns name of current or most recently chosen pad in a dBASE IV menu           |
| PADPROMPT     | Returns prompt of current or most recently chosen pad in a dBASE IV menu         |
| PADPROMPT .   | Returns prompt of current or most recently chosen pad in specified menu bar      |
| PAYMENT       | Returns periodic amount needed to repay a debt                                   |
| PCOL          | Returns current column position of printer head; column numbers start at 0       |
| PCOUNT        | Returns number of parameters passed to program, procedure, or UDF                |
| PI            | Returns approximate value of pi (circle's circumference/diameter)                |
| POPUP         | Returns name of current dBASE IV pop-up menu                                     |
| PRINTSTATUS   | Tests if default printer port has been set with SET PRINTER TO                   |
| PRINTSTATUS . | Tests if specified printer port has been set with SET PRINTER TO                 |
| PROGRAM       | Returns name of current program, procedure, or UDF                               |
| PROMPT        | Returns prompt of current or most recently chosen menu item                      |
| PROPER        | Capitalizes first letter of each word of character expression or memo field      |
| PROW          | Returns current row position of printer head; row numbers start at 0             |
| PUTFILE       | Displays dialog box in which user can create file name                           |
| PUTFILE .     | PUTFILE + specifies dialog box title   |
| PUTFILE ..    | PUTFILE + specifies dialog box title and default file name                       |
| PUTFILE ...   | PUTFILE + specifies dialog box title, default file name and extension            |
| PUTFILE ....  | PUTFILE... + specifies if dialog box displays list of all file types or tables   |
| PUTFILE ..... | PUTFILE.... + specifies if user can toggle between table and non-table files     |
| PV            | Returns a float that is the present value of an investment                       |
| RANDOM        | Returns a random decimal value between 0 and 1                                   |
| RANDOM .      | Returns random decimal based on seed (positive expN) or clock (negative expN)    |
| RAT           | Returns position of string in another string or memo field, counted from end     |
| RAT .         | Returns position of nth occurrence of string in another string or memo field     |
| READKEY       | Returns integer for key/key combo that ended full-screen editing command         |
| READMODAL     | Displays/enables form as modal window; gives focus to specified object           |
| READMODAL .   | READMODAL + specifies if Esc key closes form                                     |
| READVAL       | Returns value of memory variable specified in current @...GET during a READ      |
| RECCOUNT      | Returns number of records in current table                                       |
| RECCOUNT .    | Returns number of records in specified work area                                 |
| RECNO         | Returns current record number of current table                                   |
| RECNO .       | Returns current record number in specified table                                 |
| RECSIZE       | Returns number of bytes in record of current table                               |
| RECSIZE .     | Returns number of bytes in record of specified table                             |
| RELATION      | Returns key expression defined with SET RELATION for current work area           |

Sheet1

|            |     |  |
|------------|-----|--|
| RELATION   | .   | Returns key expression defined with SET RELATION for specified work area         |
| REPLICATE  |     | Returns a string or memo field repeated a specified number of times              |
| RESOURCE   |     | Returns Windows resource in specified .DLL file                                  |
| RIGHT      |     | Returns specified number of characters from end of string or memo field          |
| RLOCK      |     | Locks current record in current table  |
| RLOCK      | .   | Locks specified records in current dBASE table                                   |
| RLOCK      | ..  | Locks specified records in dBASE or non-dBASE table in specified work area       |
| RLOCK      | ... | Locks current record in table in specified work area                             |
| ROLLBACK   |     | Tests if last ROLLBACK command to undo an SQL transaction was successful         |
| ROUND      |     | Returns specified number rounded to specified decimal place                      |
| ROW        |     | Returns number of current row position in current window                         |
| RTOD       |     | Converts radians to degrees  |
| RTRIM      |     | Removes trailing spaces from string or memo field                                |
| RUN        |     | Executes a single DOS command  |
| RUN        | .   | Runs a Windows application (.T.) or DOS application (.F.)                        |
| RUN        | ..  | Executes a single DOS command (expL2 is ignored)                                 |
| RUN        | ... | Runs a Windows application (.T.) or DOS application (.F.) (expL2 is ignored)     |
| SECONDS    |     | Returns number of seconds elapsed on system clock since midnight                 |
| SEEK       |     | Searches for first record in current indexed table with matching key field       |
| SEEK       | .   | Searches for first record with matching key field in indexed table in work area  |
| SELECT     |     | Returns number of next available work area                                       |
| SELECT     | .   | Tests whether specified table is in use  |
| SET        |     | Returns the current value of a SET command or function key                       |
| SETTO      |     | Returns the current value of a SET...TO command or function key                  |
| SHELL      |     | Returns the current state of the dBASE interactive environment                   |
| SHELL      | .   | Hides (.F.) or restores (.T.) the dBASE interactive environment                  |
| SIGN       |     | Indicates sign (positive, 0, or negative) of number or float                     |
| SIN        |     | Returns sine of angle of specified size in radians                               |
| SOUNDEX    |     | Returns 4-character string representing sound-alike code of string or memo field |
| SPACE      |     | Returns specified number of space characters                                     |
| SQLERROR   |     | Returns the number of the last server error                                      |
| SQLEXEC    |     | Executes an SQL statement in the current database                                |
| SQLEXEC    | .   | Executes an SQL statement in the specified dBASE or Paradox tables               |
| SQLMESSAGE |     | Returns the most recent server error message                                     |
| SQRT       |     | Returns the square root of a specified number                                    |
| STR        |     | Converts number to string  |
| STR        | .   | Converts number to string; sets length of character string                       |
| STR        | ..  | Converts number to string; sets length of string and number of decimal places    |
| STR        | ... | Converts number to string; sets length of string, decimal places, pad character  |
| STUFF      |     | Removes and replaces characters in a string                                      |
| SUBSTR     |     | Extracts characters from string or memo field; specifies starting point          |
| SUBSTR     | .   | Extracts characters from string/memo field; specifies start point and length     |
| TAG        |     | Returns name of .NDX index file or .MDX tag in current master index              |
| TAG        | .   | Returns name of tag in specified .MDX file                                       |
| TAG        | ..  | Returns name of .NDX index file or .MDX tag in specified work area               |
| TAG        | ... | Returns name of tag in specified .MDX file in specified work area                |
| TAGCOUNT   |     | Returns total number of open indexes and index tags (includes .NDX files)        |
| TAGCOUNT   | .   | Returns number of active indexes in specified .MDX file                          |
| TAGCOUNT   | ..  | Returns number of active indexes in specified .MDX file and work area            |

Sheet1

|             |      |   |
|-------------|------|---|
| TAGNO       |      | Returns number of master index  |
| TAGNO       | .    | Returns position of specified index tag   |
| TAGNO       | ..   | Returns position of specified tag in specified .MDX file                        |
| TAGNO       | ...  | Returns position of specified tag in specified .MDX file in specified work area |
| TAN         |      | Returns tangent of angle of specified size in radians                           |
| TARGET      |      | Returns name of table linked to current work area                               |
| TARGET      | .    | Returns name of table linked to specified work area                             |
| TIME        |      | Returns system time as HH:MM:SS character string                                |
| TIME        | .    | Returns system time as HH:MM:SS:hh character string (to hundredths of second)   |
| TRANSFORM   |      | Returns string in specified PICTURE or FUNCTION format                          |
| TRIM        |      | Removes trailing spaces from string or memo field                               |
| TYPE        |      | Identifies data type of specified expression                                    |
| UNIQUE      |      | Tests if current master index was created with UNIQUE keyword                   |
| UNIQUE      | .    | Tests if specified index was created with UNIQUE keyword                        |
| UNIQUE      | ..   | Tests if specified index in specified .MDX file was created with UNIQUE keyword |
| UNIQUE      | ...  | Tests if specified index in specified work area was created with UNIQUE keyword |
| UNIQUE      | .... | Tests if index in .MDX file in work area was created with UNIQUE keyword        |
| UPDATED     |      | Tests for changes to @...GET fields or memory variables in current window       |
| UPPER       |      | Converts lowercase characters in string or memo field to uppercase              |
| USER        |      | Returns the login name of the user currently logged in to a protected system    |
| VAL         |      | Converts character string to numeric or float value                             |
| VALIDDRIVE  |      | Tests if specified drive exists and can be read (colon [:] is optional)         |
| VARREAD     |      | Returns name of current memory variable or field in @...GET or current window   |
| VERSION     |      | Returns dBASE name and version as character string                              |
| WINDOW      |      | Returns name of active window   |
| WORKAREA    |      | Returns number of currently selected work area                                  |
| YEAR        |      | Returns the year of a specified date expression as a 4-digit number             |
| FACCESSDATE |      | Returns the last date a file was opened under Windows 95                        |
| FCREATETIME |      | Returns the time a file was created under Windows 95                            |
| FCREATEDATE |      | Returns the date a file was created under Windows 95                            |
| FNAMEMAX    |      | Returns the maximum allowable file-name length on the current drive or volume   |
| FNAMEMAX    | .    | Returns the maximum allowable file-name length on a specified drive or volume   |
| FSHORTNAME  |      | Returns the short name (DOS compatible) of a file created under Windows 95      |



Sheet1

ARGUMENTS,C,80

expN  
nd  
source array, target array  
source array, target array, start expN  
source array, target array, start expN, elements expN  
source array, target array, start expN, elements expN, target expN  
cosine expN  
array name, position expN  
array name, position expN, row/column expN  
array name  
array name, filename skeleton expC  
array name, filename skeleton expC, file attr expC  
array name, subscript1 expN  
array name, subscript1 expN, subscript2 expN  
array name  
array name, exp  
array name, exp, start expN  
array name, exp, start expN, count expN  
array name, expN  
array name, position expN  
array name, position expN, 2  
array name  
array name, expN

alias  
expC  
array name, new rows expN  
array name, new rows expN, new cols expN  
array name, new rows expN, new cols expN, retain values expN  
expC  
array name, exp  
array name, exp, start expN  
array name, exp, start expN, expN  
expN  
array name  
array name, start expN  
array name, start expN, expN  
array name, start expN, expN, expN  
array name, expN, expN  
search expC, target expC | target memo field  
search expC, target expC | target memo field, occurrence expN  
expN  
sine expN, cosine expN

popup name  
bar expN  
bar expN, popup name

CATEGORIES,C,40

Numeric data  
Security  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
Numeric data  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
Table basics  
Table basics  
String data  
Memory variables  
Memory variables  
Memory variables  
Data type conversion  
Memory variables  
Memory variables  
Memory variables  
Numeric data  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
Memory variables  
String data  
String data  
Numeric data  
Numeric data  
dBASE IV menus  
dBASE IV menus  
dBASE IV menus  
dBASE IV menus  
dBASE IV menus

database name expC

field name

expN1, expN2

expN1, expN2

expN1, expN2

expN1, expN2

expN1, expN2

expN1, expN2

alias

expD

expN

expC | Memo field

expC | Memo field, expN

expC | Memo field, expN, pad expC

alias

alias

expN

expD

database name expC

expN

expC

expD

alias

alias

index expN

.MDX filename expC, index expN

index expN, alias

.MDX filename expC, index expN, alias

expC1 | memo field1, expC2 | memo field2

drive expN

expD

expD

Shared data

Shared data

Fields/records

Windows programming

Windows programming

Windows programming

Windows programming

Windows programming

Windows programming

Fields/records

Fields/records

Fields/records

Table basics

Date/time data

Numeric data

String data

String data

String data

Error handling

Shared data

Shared data

Environment

Environment

Printing

Data type conversion

Date/time data

Input/output

Shared data

Shared data

Numeric data

Data type conversion

Table basics

Date/time data

Date/time data

Error handling

Table basics

Table basics

Error handling

Fields/records

Fields/records

Table organization

Table organization

Table organization

Table organization

String data

Disk/file utilities

Disk/file utilities

Date/time data

Date/time data

|   |                      |
|---|----------------------|
| expD                                      | Data type conversion |
| expN                                      | Numeric data         |
| expD                                      | Data type conversion |
| time expC1, time expC2                    | Date/time data       |
| exp                                       | Expressions          |
|   | Fields/records       |
| alias                                     | Fields/records       |
|   | Error handling       |
| expN                                      | Numeric data         |
| file handle expN                          | Low-level access     |
| expC1                                     | Low-level access     |
| expC1, expC2                              | Low-level access     |
| filename                                  | Disk/file utilities  |
| field expN                                | Fields/records       |
| field expN, alias                         | Fields/records       |
| expN                                      | Low-level access     |
|   | Low-level access     |
| expN                                      | Low-level access     |
| file handle expN                          | Low-level access     |
| file handle expN, chars expN              | Low-level access     |
| file handle expN, EOL exp                 | Low-level access     |
| file handle expN, chars expN, EOL exp     | Low-level access     |
| field expN                                | Fields/records       |
| field expN, alias                         | Fields/records       |
| filename                                  | Disk/file utilities  |
| expN                                      | Keyboard/mouse       |
|   | Keyboard/mouse       |
|   | Fields/records       |
| alias                                     | Fields/records       |
|   | Fields/records       |
| field expN                                | Fields/records       |
| field expN                                | Fields/records       |
| field expN, alias                         | Fields/records       |
| expN                                      | Data type conversion |
|   | Shared data          |
| alias                                     | Shared data          |
| expN                                      | Numeric data         |
| filename expC                             | Low-level access     |
| filename expC, access expC                | Low-level access     |
|   | Table organization   |
| index expN                                | Table organization   |
| .MDX filename expC, index expN            | Table organization   |
| index expN, alias                         | Table organization   |
| .MDX filename, index expN, alias          | Table organization   |
| ed  | Table organization   |
| alias                                     | Table organization   |
| file handle expN, string expC             | Low-level access     |
| file handle expN, string expC, chars expN | Low-level access     |
| file handle expN, string expC, EOL exp    | Low-level access     |

Sheet1

|   |                      |
|---|----------------------|
| file handle expN, string expC, chars expN, EOL exp                      | Low-level access     |
| file handle expN, chars expN  | Low-level access     |
| file handle expN, bytes expN  | Low-level access     |
| file handle expN, bytes expN, position expN                             | Low-level access     |
| filename expC   | Disk/file utilities  |
| filename expC   | Disk/file utilities  |
| filename skeleton expC  | Disk/file utilities  |
| payment expN, interest expN, term expN                                  | Numeric data         |
| file handle expN, string expC   | Low-level access     |
| file handle expN, string expC, chars expN                               | Low-level access     |
| title expC  | Colors/fonts         |
| title expC  | Colors/fonts         |
| directory expC  | Disk/file utilities  |
| expC  | Disk/file utilities  |
| expression expC   | Expressions          |
| expression expC, title expC   | Expressions          |
| expression expC, title expC, data type expC                             | Expressions          |
| expression expC, title expC, data type expC                             | Expressions          |
| filename skeleton expC  | Disk/file utilities  |
| filename skeleton expC, title expC                                      | Disk/file utilities  |
| filename skeleton expC, title expC, filetype expL                       | Disk/file utilities  |
| filename skeleton expC, title expC, filetype expL, change filetype expL | Disk/file utilities  |
| title expC  | Colors/fonts         |
| title expC  | Colors/fonts         |
| expC  | Disk/file utilities  |
| expC  | Data type conversion |
| expL, exp1, exp2  | Shared data          |
| seconds expN  | Programs             |
| mouse expC  | Keyboard/mouse       |
| seconds expN, mouse expC  | Keyboard/mouse       |
| object reference  | Keyboard/mouse       |
| expN  | Objects              |
| expC   memo field   | Numeric data         |
| exp   | String data          |
| expC   memo field   | Fields/records       |
| expC   memo field   | Colors/fonts         |
| expC   memo field   | String data          |
| table name  | Keyboard/mouse       |
| expC   memo field   | Table basics         |
| expN1   | String data          |
| expN1, expN2  | Data type conversion |
| index expN  | Data type conversion |
| .MDX filename expC, index expN  | Table organization   |
| index expN, alias   | Table organization   |
|   | Table organization   |

|  |                    |
|--|--------------------|
| .MDX filename expC, index expN, alias          | Table organization |
| exp  | Table organization |
| exp, tag expN                                  | Table organization |
| exp, index position expN                       | Table organization |
| exp, .MDX filename expC, tag expN              | Table organization |
| exp, .MDX filename expC, tag expN, alias       | Table organization |
| exp, tag expN, alias                           | Table organization |
| exp, index position expN, alias                | Table organization |
|  | Keyboard/mouse     |
|  | Environment        |
| alias  | Environment        |
| expC   memo field, length expN                 | String data        |
| expC   memo field                              | String data        |
| expN   | Numeric data       |
| skeleton expC, expC   memo field               | String data        |
|  | Error handling     |
| form name, list box name                       | Objects            |
| form name, list box name                       | Objects            |
| form name, list box name, expN                 | Objects            |
| expN   | Shared data        |
|  | Shared data        |
| record list expC                               | Shared data        |
| record list expC   bookmark list expC, alias   | Shared data        |
| alias  | Shared data        |
| expN   | Numeric data       |
| expN   | Numeric data       |
| return field 1, exp, lookup field 2            | Table organization |
| expC   memo field                              | String data        |
| expC   memo field                              | String data        |
|  | Fields/records     |
| alias  | Fields/records     |
| exp1, exp2                                     | Expressions        |
|  | Keyboard/mouse     |
|  | Keyboard/mouse     |
| index tag expN                                 | Table organization |
| index tag expN, alias                          | Table organization |
| expD   | Date/time data     |
| memo field                                     | Fields/records     |
| memo field, line length expN                   | Fields/records     |
|  | Environment        |
| expN   | Environment        |
|  | dBASE IV menus     |
|  | Error handling     |
| exp1, exp2                                     | Expressions        |
| memo field                                     | Fields/records     |
| memo field, line number expN                   | Fields/records     |
| memo field, line number expN, line length expN | Fields/records     |
| dividend expN, divisor expN                    | Numeric data       |
| expD   | Date/time data     |

message expC  
 message expC, title expC  
 message expC, title expC, box type expN

index position expN  
 index expN, alias

expN  
 expC

alias

pad name  
 pad name, menu name  
 principal expN, interest expN, term expN

printer port expC

expC | memo field

title expC  
 title expC, filename expC  
 title expC, filename expC, extension expC  
 title expC, filename expC, extension expC, filetype expL  
 title expC, filename expC, extension expC, filetype expL, change filetype expL  
 payment expN, interest expN, term expN

expN  
 search expC, target expC | target memo field  
 search expC, target expC | target memo field, nth occurrence expN

object reference  
 object reference, expL

alias

alias

alias  
 expN

Keyboard/mouse  
 Forms  
 Forms  
 Forms  
 Table organization  
 Table organization  
 Table organization  
 Shared data  
 Keyboard/mouse  
 String data  
 Table organization  
 Table organization  
 Disk/file utilities  
 dBASE IV menus  
 dBASE IV menus  
 dBASE IV menus  
 Numeric data  
 Printing  
 Programs  
 Numeric data  
 dBASE IV menus  
 Printing  
 Printing  
 Error handling  
 dBASE IV menus  
 String data  
 Printing  
 Disk/file utilities  
 Disk/file utilities  
 Disk/file utilities  
 Disk/file utilities  
 Disk/file utilities  
 Disk/file utilities  
 Numeric data  
 Numeric data  
 Numeric data  
 String data  
 String data  
 Keyboard/mouse  
 Forms  
 Forms  
 Programs  
 Fields/records  
 Fields/records  
 Fields/records  
 Fields/records  
 Fields/records  
 Fields/records  
 Table organization

|  |                      |
|--|----------------------|
| expN, alias  | Table organization   |
| expC   memo field, expN  | String data          |
| resource id, DLL filename expC   | Windows programming  |
| expC   memo field, expN  | String data          |
|  | Shared data          |
| record list expC   | Shared data          |
| record list expC   bookmark list expC, alias                                 | Shared data          |
| alias  | Shared data          |
|  | Shared data          |
| expN1, expN2   | Numeric data         |
|  | Input/output         |
| expN   | Numeric data         |
| expC   memo field  | String data          |
| DOS command expC   | Disk/file utilities  |
| expl1, DOS command expC  | Disk/file utilities  |
| DOS command expC, expl2  | Disk/file utilities  |
| expl1, DOS command expC, expl2   | Disk/file utilities  |
|  | Date/time data       |
| expC   expN  | Table organization   |
| expC   expN, alias   | Table organization   |
|  | Table basics         |
| alias  | Table basics         |
| expC   | Environment          |
| expC   | Environment          |
|  | Environment          |
| expl   | Environment          |
| expN   | Numeric data         |
| expN   | Numeric data         |
| expC   memo field  | String data          |
| expN   | String data          |
|  | Error handling       |
| SQL statement expC   | Table basics         |
| SQL statement expC, answer table expC  | Table basics         |
|  | Error handling       |
| expN   | Numeric data         |
| expN1  | Data type conversion |
| expN1, expN2   | Data type conversion |
| expN1, expN2, expN3  | Data type conversion |
| expN1, expN2, expN3, expC  | Data type conversion |
| target expC   target memo field, start expN, quantity expN, replacement expC | String data          |
| expC   memo field, start expN  | String data          |
| expC   memo field, start expN, length expN                                   | String data          |
| index number expN  | Table organization   |
| .MDX filename expC, index number expN  | Table organization   |
| index number expN, alias   | Table organization   |
| .MDX filename expC, index number expN, alias                                 | Table organization   |
|  | Table organization   |
| .MDX filename expC   | Table organization   |
| .MDX filename expC, alias  | Table organization   |

tag name expC  
tag name expC, .MDX filename expC  
tag name expC, .MDX filename expC, alias  
expN  
expN  
expN, alias  
  
exp  
exp, picture expC  
expC | memo field  
exp  
  
index position expN  
.MDX filename expC, index position expN  
index position expN, alias  
.MDX filename expC, index position expN, alias  
  
expC | memo field  
  
expC  
drive expC  
  
expD  
filename expC  
filename expC  
filename expC  
  
expC  
filename expC

Table organization  
Table organization  
Table organization  
Table organization  
Numeric data  
Table organization  
Table organization  
Date/time data  
Date/time data  
String data  
String data  
Expressions  
Table organization  
Table organization  
Table organization  
Table organization  
Table organization  
Input/output  
String data  
Security  
Data type conversion  
Disk/file utilities  
Input/output  
Environment  
dBASE IV windows  
Table basics  
Date/time data  
Windows 95  
Windows 95  
Windows 95  
Windows 95  
Windows 95  
Windows 95





