WORD,C,30

patch

leak

repair

fix

build

tear

paste

paint

glue

destroy

lower

raise

enlarge

remodel

modify

develop

plan

construct

involve

combine

pay

work

hire

employ

fire

purchase

burn

solder

sample

match

tint

color

cover

rebuild

plaster

clamp

complete

finish

start

arrive

regulate

flow

pump

reveal

replace

remove

mount

hold

assemble join

unscrew

hammer

screw

drill

shave

sand

smooth

prime

coat

reassemble

align

drip

get

strain

plug

shut

open

close

follow

guide

find

connect

inspect

unplug

install

trip

blow

go

step

look

call

reset

controll

compute

solve

switch

flip

require

disconnect

pull

push

handle

print

inform

instruct

inquire

estimate

allow

consider

recommend

advise

issue

permit

enter

serve

deliver

funnel

adjust

set

light

purge

cause

.

clog

splice

limit

anticipate

fan

loosen

tighten

calibrate

check

locate

break

rate

operate

approve

test

accumulate

proceed

simplify

complicate

outline

mark

draw

write improvise

compromise

straighten

lay

cut

bind

vacuum

dust

filter

assume

pass

prevent wash rinse wipe scrub force clean design include surprise sense expand contract reduce move tamper maintain serve scrape stabilize render drive risk file polish perfect shield measure etch answer fold unfold come alternate cope slant hack bend rip peel soak moisten

> press use fit adapt infiltrate need dispose

sweat shoot staple pound fasten