ID,N,6 NAME,C,80

- 1 ASTM C 413 Water Absorption
- 2 13165 aquatic park facilities
- 3 06170 prefabricated structural wood (general)
- 5 ASTM F 510 Abrasion Resistance
- 6 13820 combined security/fire management systems
- 7 06600 plastic fabrications
- 8 13030 special purpose rooms (general)
- 9 07555 roof ballast materials
- 10 ASTM D 624 Tear Resistance
- 11 polychloroprene
- 12 hydraulic
- 13 liquid
- 14 09630 unit masonry flooring (general)
- 15 residential grade
- 16 02844 vehicle security barriers
- 17 15160 pumps
- 18 16545 underwater lighting
- 19 time
- 20 15442 hospital/medical plumbing fixtures
- 21 11660 observatory equipment
- 22 ASTM D 1042 Linear Dimension
- 23 13149 swimming pool enclosures
- 24 12600 furniture and accessories (general)
- 25 08390 screen and storm doors
- 26 15572 combustion controls
- 27 14580 pneumatic tube systems
- 28 08470 revolving entrance doors
- 29 wall
- 30 maximum elevator car speed
- 31 ASTM E 96 Vapor Transmission
- 32 15915 dampers
- 33 snap-on
- 35 16510 interior luminaires (general)
- 36 02001 design information
- 37 partially adhered
- 38 09200 lath and plaster
- 39 01920 reference books and publications
- 40 09400 terrazzo poured, precast
- 41 11530 industrial safety equipment
- 42 08400 entrances and storefronts (general)
- 43 04460 limestone
- 44 06182 glued laminated decking
- 45 10155 toilet compartments
- 46 04150 masonry reinforcing and accessories (general)
- 47 plywood substrate
- 48 material, coir
- 50 14840 powered scaffolding
- 51 12610 open office systems

- 52 01139 office
- 53 15525 steam specialties
- 54 13400 industrial and process control systems
- 56 snow load
- 57 material, polyolefin
- 58 13260 sludge conditioning systems
- 59 14230 high speed and multi-platform elevators
- 60 02080 hazardous material abatement
- 61 15620 fuel-fired heaters (general)
- 62 16521 solar powered lighting
- 63 15847 passive make-up air heating systems
- 64 01850 design office equipment and materials
- 65 bronze material
- 66 01960 computer systems
- 67 NFPA 80 Fire Doors & Windows
- 68 inorganic coating
- 69 08310 sliding doors and grilles
- 71 finish, wood veneer
- 72 wood material, cherry
- 75 in-swinging
- 76 z-axial dimension
- 77 material, silk
- 78 03010 concrete materials
- 79 11015 spray cleaning systems
- 80 02505 granular paving
- 81 ASTM D 225 Asphalt Shingles
- 82 ASTM D 2824 Asphalt Roof Coating
- 83 brownstone
- 84 15877 fume exhaust equipment
- 85 11070 musical equipment
- 86 08742 electrical locking systems
- 87 03100 concrete formwork
- 89 07410 roof and wall panels
- 90 16789 studio equipment
- 92 15448 combined plumbing fixture units
- 93 organic coating
- 94 13645 heat storage/transfer equipment
- 95 15550 heat generation
- 96 ethylene interpolymer alloy
- 97 09650 resilient flooring (general)
- 98 09545 special ceiling surfaces
- 99 02700 sewage and drainage (general)
- 100 15179 driveshaft/flexible couplings
- 102 13750 total energy systems
- 103 02350 piles and caissons (general)
- 104 15492 gas/LPG handling equipment
- 105 06190 prefabricated wood joists and trusses
- 106 06122 structural plywood
- 107 02800 site improvements (general)

- Sheet1 108 11410 - food preparation appliances 109 expanded polystyrene material 110 01930 - project development services 111 division 8 - doors and windows 112 07310 - shingles 113 10290 - pest control 114 11170 - solid-waste handling equipment (general) 115 hoistway door clear opening width 117 03500 - cementitious decks (general) 118 specular gloss at 60 degrees 119 ASTM C 406 - Roofing Slate 120 12525 - solar control film 121 06170 - prefabricated structural wood 122 11300 - fluid waste treatment and disposal equipment 123 material, coal tar 124 07200 - insulation 125 material, chlorinated polyethylene elastomer 126 03500 - cementitious decks 127 15950 - mechanical controls and instrumentation 128 13200 - liquid and gas storage tanks and basins (general) 129 11500 - industrial and process equipment 130 ASTM C 121 - Absorption 131 11300 - fluid waste treatment and disposal equipment (general) 134 04200 - unit masonry (general) 135 08650 - special windows (general) 136 09350 - glass mosaics 137 07001 - design information 138 15479 - spray pond systems 139 cementitious core 140 ASTM C 665 - Mineral, Blanket 141 galvanized 142 mechanically fastened 143 13039 - wine storage rooms 144 13132 - dome structures 145 13500 - recording instrumentation (general) 146 12627 - classroom/library furniture 147 10670 - storage shelving 148 outdoor 149 15515 - hydronic specialties 150 13040 - hyperbaric rooms 151 02480 - marine work 152 02725 - precast trench drain system 153 thermal conductance
- 157 15613 gas-fired furnaces 158 02525 - curbing

155 ASTM D 638 - Tensile Strength 156 10450 - pedestrian control devices

- 159 11830 police and fire station equipment
- 160 masonry

- 161 05140 structural aluminum shapes
- 162 04100 mortar and masonry grout
- 163 molded
- 164 10512 tenant storage compartments
- 165 16745 telecommunications wiring components
- 166 ASTM D 897 Bond Strength
- 167 15494 special fuel handling systems
- 168 09270 gypsum board accessories
- 169 material, polyurethane
- 170 15491 fuel oil handling equipment
- 171 ANSI/BHMA A156.4 Door Controls
- 172 11010 maintenance equipment
- 173 ASTM C 501 Abrasion Resistance
- 174 02580 pavement marking
- 175 13630 solar collector components
- 176 02782 utility tunnels and troughs
- 177 attachment method
- 178 09680 carpet
- 180 09220 portland-cement plaster/stucco
- 181 02605 manholes, cleanouts, and accessories
- 182 ASTM D 4434 PVC Roofing
- 183 11160 loading dock equipment
- 184 05100 structural metal framing (general)
- 187 06482 wood veneers and flitches
- 188 16740 voice data systems
- 189 power-assisted
- 190 06260 board paneling
- 191 water absorption
- 192 01106 surface transportation terminal
- 193 ASTM D 905 Bond Strength
- 194 09500 acoustical treatment (general)
- 195 09500 acoustical treatment
- 196 aluminum material
- 197 14600 hoists and cranes (general)
- 198 11470 photo and graphic arts equipment
- 199 16520 exterior luminaires
- 200 irregular
- 201 13300 utility control systems
- 202 15750 heat transfer
- 204 12600 furniture and accessories
- 205 08305 access doors
- 206 09985 prefinished panels--interior
- 207 10400 identifying devices
- 208 08760 window hardware and specialties
- 209 02845 highway safety equipment
- 210 16710 computer utilities
- 211 11140 vehicle service equipment (general)
- 212 15840 radiant heating systems
- 213 13146 equipment/storage enclosures

- 214 16760 intercommunication systems (general)
- 215 ASTM D 2047 Coefficient of Friction
- 216 08810 glass
- 217 structural muntin
- 218 02164 soil and rock anchors
- 219 11002 coffee area planning
- 220 casement sash
- 221 material, flax
- 222 11520 industrial production equipment
- 224 09530 acoustical insulation and barriers
- 225 01050 field engineering
- 226 05810 expansion-joint cover assemblies
- 227 epoxy-polyurethane blend
- 229 wear layer
- 230 05152 seismic wire-rope bracing
- 231 01166 outdoor recreation
- 232 thermoplastic
- 233 05725 ornamental metal castings
- 234 solid panel
- 235 ASTM D 3462 Asphalt Shingles
- 236 11600 laboratory equipment
- 237 solvent-fused
- 238 wood material, mahogany
- 239 sheet
- 240 fibrous
- 241 02840 walk, road, and parking appurtenances
- 242 16130 boxes and fittings
- 243 13044 computer rooms
- 244 02610 utility pipe and fittings
- 245 11030 bank equipment
- 246 12100 artwork (general)
- 247 05760 ornamental metal extrusions
- 248 08316 airtight and watertight doors
- 249 02246 geotextiles/geomatrixes
- 250 02450 railroad work
- 251 solid
- 252 03400 precast concrete (general)
- 253 04214 clay tile trim
- 255 07820 skylight structures
- 256 health care
- 258 14730 movable building components
- 259 material, vegetable fiber
- 260 16180 motors
- 262 15170 motors
- 263 ASTM C 533 Calcium Silicate
- 264 05525 pipe and tube rails
- 267 15650 refrigeration equipment
- 268 material
- 269 13120 pre-engineered structures (general)

271 16850 - electric resistance heating 272 10530 - protective covers 273 02290 - earth dams 274 01182 - earthquake 275 board foot 276 15580 - feedwater equipment 277 08800 - glazing 278 16200 - power generation (general) 280 force 281 seismic application 282 03370 - concrete curing 283 16532 - navigation lighting 284 wood material, pine 285 ASTM D 746 - Temperature Stability 286 01156 - storage facilities 287 08462 - automatic sliding flat panel entrance doors 288 11260 - water disinfectant/detoxification equipment 289 16185 - motor controls 290 09550 - wood flooring (general) 291 07270 - firestopping 292 fire rated 293 05150 - steel wire rope 294 polyester fiber 295 15140 - mechanical supporting devices 296 16912 - low voltage systems controls 297 13715 - electric-energy storage/transfer systems 298 16730 - clock and program systems 300 nylon material 301 02670 - water wells 302 division 5 - metals 303 coefficient of friction 305 ASTM D 471 - Effect of Liquids 306 12700 - multiple seating 307 10825 - residential bath accessories 308 08330 - coiling doors and grilles 309 ASTM F 1303 - Sheet Vinyl 310 06610 - glass fiber and resin fabrications 311 09590 - resilient wood flooring systems 313 07215 - spray/foam-in-place insulation 314 01080 - metrication standards 315 material, vermiculite 316 11102 - barber/beauty shop equipment 317 finish, chrome plating 318 roof 319 10300 - fireplaces and stoves 320 CODE CONFORMANCE 321 16670 - lightning protection 322 10916 - closet specialties

323 ASTM E 152 - Fire Test

- 324 09940 lead paint encapsulant 325 11280 - hydraulic gates and valves 326 09300 - tile (general) 327 03200 - concrete reinforcement (general) 328 12505 - blinds, shades, and shutters 329 07460 - siding 330 13152 - swimming pools and equipment 331 01950 computer applications (general) 332 coir material 333 unit mass 336 05330 - aluminum deck 337 material, expanded perlite 338 coated 339 02740 - septic systems 340 area 341 04555 - flue liners 342 linear length 343 12755 - multiple-use loose seating 344 ASTM C 424 - Crazing Resistance 345 material, synthetic rubber 346 12380 - specialty casework (general) 347 15001 - design information 348 ASTM E 547 - Water Penetration 351 10620 - industrial partitions 352 16940 - control instrumentation 353 14320 - moving walks 354 rectangular 355 application 356 14940 - aerial tramways 357 AAMA 101V - PVC Prime Windows 358 factory seamed 359 12655 - floor and table lamps 360 12620 - furniture (general) 361 07250 - fireproofing 362 15250 - mechanical insulation 363 08325 - cold storage doors 364 08455 - fire-rated glazed wall/door assemblies 365 09840 - fire-resistant/intumescent paints 366 11030 - bank equipment (general) 368 16734 - scoreboards 369 16700 - communications 370 material, cast iron 371 08200 - wood and plastic doors and frames
- 372 thickness 373 material, galvanized steel
- 374 16524 stair and walkway lighting
- 376 roofing tile, molded, turret
- 377 exterior face
- 378 08825 laminated glass

379 court games 380 02050 - demolition 381 01100 - special project services and information (general) 382 07195 - air infiltration barriers 383 poured 384 ASTM D 2822 - Asphalt Roof Cement 385 ASTM C 547 - Mineral, Preformed 387 09682 - carpet cushion and accessories 388 commercial grade 389 11435 - ice machines 390 finishing material 392 02700 - sewage and drainage 393 configuration 394 wood material, beech 395 05700 - ornamental metal 396 01124 - restaurant/food service 397 15710 - cooling towers 398 10150 - compartments and cubicles 399 ASTM C 764 - Mineral, Fill 400 06400 - architectural woodwork 401 ASTM C 648 - Breaking Strength 402 08382 - darkroom doors 403 storm window 404 06412 - cabinet and drawer hardware 405 16120 - wires and cables (general) 406 conductive epoxy material 407 01104 - land development/PUD procedures 408 11150 - parking control equipment 409 material, phenolic 411 ASTM E 331 - Water Penetration 412 16850 - electric resistance heating (general) 414 15670 - condensing units 415 13550 - transportation control instrumentation 417 05584 - enclosures and pockets 418 material, elastomer 419 01172 - zoo facilities 420 ASTM D 395 - Compression 421 elevator interior car width 422 05400 - cold-formed metal framing 423 04400 - stone 424 01800 - maintenance services and information 425 15555 - boilers and water heaters 426 16425 - switchboards 427 11100 - mercantile equipment 428 01100 - special project services and information 429 16400 - service and distribution 430 face weight

431 11080 - registration equipment

432 08360 - upward-acting sectional doors

- 433 division 7 thermal and moisture protection 434 cement 435 11700 - medical and hospital equipment 436 ASTM C 335 - Thermal Conductivity 437 09520 - acoustical wall treatment 438 noise reduction coefficient 439 07248 - insulation fastening accessories 440 07560 - roof maintenance/repair 441 03300 - cast-in-place concrete 442 04710 - simulated/manufactured stone 443 ANSI/BHMA A156.3 - Exit Devices 444 15780 - packaged air conditioning units (general) 445 ASTM C 99 - Modulus of Rupture 446 chlorosulfonated polyethylene 447 division 16 - electrical 449 01933 - photography 451 15444 - safety showers 452 heat-and-solvent fused 453 roll 454 ANSI/AATCC 109 - Ozone Resistance 455 15465 - water conditioning equipment 456 07620 - sheet metal flashing and trim 457 fire resistant 458 02770 - ponds and reservoirs 459 07540 - fluid-applied roofing 460 02260 - radon control 461 tensile strength 463 13175 - ice rinks 464 11302 - separators 465 12170 - art glass work 466 08870 - glazing film 467 spray-applied 468 coefficient of linear expansion 470 U. L. 790 - Fire Resistance 471 12544 - curtains 472 11095 - commercial equipment 473 11870 - agricultural equipment 474 shape 475 08315 - blast resistant doors 476 12384 - display casework 478 07800 - skylights 479 material, urethane 481 material, vinyl toluene 482 specular gloss
- 488 13138 pre-engineered parking structures

483 10610 - folding gates

484 09290 - gypsum fabrications 485 07180 - water repellents 486 material, quartzite

- 489 15880 air distribution equipment (general)
- 490 15750 heat transfer (general)
- 493 13050 prefabricated special purpose rooms
- 494 11010 maintenance equipment (general)
- 495 01188 radiation protection
- 496 12626 mailroom furniture
- 497 wood material, ash
- 498 heat-welded
- 499 01196 intelligent buildings
- 500 02780 power and communications
- 501 09450 stone facing
- 502 concrete material
- 503 mass density
- 504 13027 integrated floor assemblies
- 505 05380 bridge flooring
- 506 material, paper
- 507 02785 electric power transmission (general)
- 508 11450 residential equipment (general)
- 509 15430 plumbing specialties (general)
- 510 hoistway depth
- 512 form
- 513 02685 gas distribution systems
- 514 copolymer alloy
- 515 10750 telephone specialties
- 517 12941 chinaware
- 518 15480 special piping systems (general)
- 519 14460 material handling lifts
- 520 02710 subsurface drainage materials (general)
- 521 window screen
- 522 02781 power and communication conduit
- 523 temperature
- 524 steel material
- 525 single-glazed
- 526 11036 automatic banking systems
- 527 hoistway door clear opening height
- 528 polystyrene material
- 529 13900 fire suppression/supervisory systems
- 530 16420 service entrance equipment
- 531 ASTM D 575 Compression Deflection
- 532 09540 special wall surfaces
- 533 02300 tunneling
- 534 ASTM C 499 Dimension
- 535 11395 package wastewater recycling systems
- 536 05735 perforated metals
- 537 16528 arena, stadium, sports lighting
- 538 04230 reinforced unit masonry
- 539 ANSI/NWWDA I.S.2 Wood Window Units
- 541 15942 registers, grilles, and diffusers
- 542 11450 residential equipment

543 fixed installation

544 ASTM C 267 - Chemical Resistance

545 11038 - teller equipment systems

546 15300 - fire protection (general)

547 08710 - finish hardware

548 ASTM C 120 - Modulus of Rupture

549 04200 - unit masonry

550 05535 - floor plates

551 10666 - retractable grilles and closures

552 impact load

553 03275 - tool-driven concrete fasteners

555 05001 - design information

556 out-swinging

557 02365 - sheet piles

558 16536 - theater and entertainment lighting

559 American Society for Testing and Materials

560 muntin

562 13150 - aquatic facilities

563 09445 - terrazzo accessories

565 11190 - detention equipment

566 ANSI/AATCC 16E - Light Resistance

567 10900 - wardrobe and closet specialties (general)

568 05715 - spiral and circular stairs

569 combination storm-screen

570 acoustically insulated

571 ANSI A108.1 - Installation of Ceramic Tile

572 material, plastic

573 08500 - metal windows

574 11082 - transportation terminal equipment

575 ASTM D 570 - Water Absorption

576 15475 - pool and fountain equipment

577 08700 - hardware

578 01934 - reprographic

581 travertine material

582 01905 - professional consulting firms

583 15837 - induction units

584 06250 - prefinished wood paneling

585 06105 - treated-wood foundations

586 02712 - subsurface drainage pipe

587 radiation shielding application

588 10536 - awnings

590 11400 - food service equipment (general)

591 11200 - water supply and treatment

592 installation

593 09645 - pressed concrete/asphaltic units

594 07500 - membrane roofing

595 01514 - field offices

596 16500 - lighting

597 10500 - lockers (general)

Sheet1 598 16502 - luminaire accessories 599 11510 - industrial plant maintenance equipment 600 15450 - plumbing equipment 601 limestone 602 03125 - form liners 603 05540 - castings 604 01527 - construction scaffolding and platforms 605 duct 606 07715 - fascias, soffit panels, and penthouse enclosures 608 14560 - chutes 609 elevator interior car height 610 02875 - site and street shelters 611 15060 - pipes and pipe fittings 612 office 613 09310 - ceramic tile 616 indoor 617 15555 - boilers and water heaters (general) 618 14920 - monorail systems 619 flat 620 01190 - environmental pollution 621 15830 - terminal heat transfer units 622 01176 - veterinary 623 15820 - dehumidifiers 624 10240 - grilles and screens 626 11400 - food service equipment 627 11406 - walk-in coolers and freezers 628 ASTM C 580 - Flexural Strength 629 06600 - plastic fabrications (general) 630 brush applied or roller applied 631 ASTM D 3936 - Delamination 633 03250 - concrete accessories (general) 634 11431 - serving line units 635 10501 - locker accessories and locks 636 01526 - construction cranes, elevators, and hoists 637 01529 - construction tools 639 finish 640 01148 - laboratory 641 pneumatic 642 11330 - screening and grinding equipment 643 11132 - projection screens 644 ASTM E 162 - Surface Flammability 645 10900 - wardrobe and closet specialties 646 hydrostatic resistance 647 ASTM F 355 - Shock Absorption 648 ANSI/NAGDM 102 - Sectional Overhead Doors 649 specular gloss at 20 degrees 650 07510 - built-up bituminous roofing

651 04170 - stonework anchors and accessories

652 01126 - hostelry

653 16505 - lenses, louvers, reflectors, and accessories

654 12623 - hotel and motel furniture

655 freestanding

656 15836 - fan coil units

657 concrete

658 02864 - amusement park equipment

660 15870 - power ventilators

661 ANSI A137.1 - Ceramic Tile

662 15890 - ductwork

663 13670 - passive solar energy components

664 09510 - acoustical ceilings

665 12920 - bath accessories

666 acoustical

667 02524 - porous paving

668 08500 - metal windows (general)

669 02200 - earthwork (general)

671 12500 - window treatment

672 14240 - hydraulic elevators

673 UL 9 - Fire Test

674 03250 - concrete accessories

675 fiber cement material

676 14550 - conveyors

677 16110 - raceways, conduits, and trenches (general)

678 ASTM D 257 - Surface Resistivity

679 12670 - rugs and mats

680 mineral material

681 07280 - smoke containment barriers

682 15920 - ductwork sound attenuators

683 07810 - unit skylights

684 12710 - auditorium, arena, and theater seating

686 13028 - coordinated interior assemblies

687 12622 - dormitory furniture

688 slate

689 11528 - paint spray booths

690 AAMA GS 001 - Aluminum Windows

691 11456 - countertops

692 02710 - subsurface drainage materials

693 13034 - sound-conditioned rooms

694 15655 - refrigeration compressors

695 03265 - waterstops

696 13032 - athletic rooms

697 ASTM D 1149 - Ozone Exposure

698 wood material, birch

699 15375 - standpipe and hose systems

701 11458 - disappearing stairs

702 ASTM C 1028 - Coefficient of Friction

703 08375 - hangar doors

704 04210 - clay unit masonry

705 11304 - sewage ejectors

706 02673 - well-head purification/filtering systems

709 15835 - convectors and radiators

710 mirrored glass material

711 ASTM C 170 - Compressive Strength

712 12935 - bedding

713 12624 - restaurant/bar furniture

714 polyacrylate

715 15535 - refrigerant specialties

717 11730 - patient care equipment

718 09250 - gypsum board

719 13074 - pressure-relief panel assemblies

720 face material

721 09400 - terrazzo (general)

722 05020 - non-ferrous metals and alloys

723 sound transmission class

724 ASTM D 1324 - Modified Wood

725 material, plaster

726 11170 - solid waste handling equipment

727 heat flow

728 08640 - glazed patio doors

729 15940 - air outlets and inlets

730 floor

731 12900 - special use/decorative furnishings (general)

732 material, plywood

733 16118 - power & communication column

734 division 11 - equipment

736 spacial volume

737 02820 - fountains and pools

738 wet

739 11390 - package sewage treatment plants

740 other

742 material, polypropylene

743 mass

744 02272 - gabions

745 13030 - special purpose rooms

746 combination

747 07320 - roofing tiles

748 13072 - blast-resistant construction

749 ASTM E 119 - Fire Tests

752 16650 - electromagnetic shielding systems

753 laminate

754 multi layer

755 05300 - metal decking (general)

756 11459 - emergency escapes and protective equipment

757 12630 - outdoor furniture

758 16760 - intercommunication systems

759 ASTM C 616 - Sandstone

760 08300 - special doors (general)

761 division 1 - general data

762 hoistway width 763 ASTM D 2794 - Impact Resistance 764 15855 - air handling units with coils 765 15910 - ductwork accessories 766 04210 - clay unit masonry (general) 767 12825 - interior landscape accessories 768 ASTM C 217 - Weather Resistance 769 09300 - tile 772 wiring 773 11460 - unit kitchens 774 02795 - microwave transmission and reception equipment 776 16145 - communications connector and terminal blocks 777 01520 - construction equipment 778 specular gloss at 85 degrees 779 16840 - electronic equipment components 780 11100 - mercantile equipment (general) 782 13085 - seismic control specialties 783 05580 - sheet metal fabrications (general) 784 15150 - flow instrumentation/meters 785 13080 - sound and vibration control 786 15960 - energy management and conservation systems 787 11496 - shooting range equipment 788 02500 - paving and surfacing 789 STANDARD SPECIFICATION 790 ASTM D 412 - Tensile Strength 791 thermal conductivity 792 15600 - solid fuel handling equipment 793 06009 - wood species information 794 10615 - demountable partitions 795 linear acceleration 796 ASTM C 177 - Thermal Conductivity 797 03650 - cementitious underlayment 798 16794 - audio-visual communications components 799 action 800 08460 - automatic entrance doors 801 13092 - high-energy radiation shielding 802 06180 - glued laminated timber 803 10800 - toilet and bath accessories 804 perforated panel 805 14900 - transportation systems 807 wood material, larch 808 15446 - medical/laboratory fittings 809 13600 - solar energy systems 810 wool material 811 permeance

812 ASTM F 142 - Indentation

814 08380 - traffic/impact doors

813 12605 - room dividers and screens

815 08720 - operators 816 16800 - data communication systems 817 13240 - oxygenation systems 818 16400 - service and distribution (general) 819 material, urea formaldehyde 821 material, vinyl acetate 822 13775 - waste energy conversion systems 823 electric 825 01528 - construction debris chutes 826 13136 - pre-engineered wood component systems 827 01420 - inspection services 828 16310 - substations 829 16300 - medium voltage distribution equipment 830 15577 - chimney/flue specialties 831 ASTM D 3019 - Lap Cement 832 02790 - communication transmission (general) 833 interior 834 fluid volume 835 08600 - wood and plastic windows 836 13185 - kennels and animal shelters 837 wood material, maple 838 angular acceleration 839 material, marble 840 09650 - resilient flooring 842 radius 843 wood material, redwood 845 urethane material 846 anodized 847 15832 - unit heaters 848 y-axial dimension 2 849 15537 - refrigerant recycle and recovery systems 850 15620 - fuel-fired heaters 851 ASTM D 2240 - Hardness 852 NWWDA 1.S.3 - Patio Doors 853 core 854 09860 - graffiti-resistant coatings 855 12628 - computer/communications furniture and accessories 856 15865 - axial fans 857 13217 - tank lining systems 858 15400 - plumbing (general) 859 02270 - slope protection and erosion control (general) 860 composite 861 15130 - gauges 862 15190 - mechanical identification accessories 863 bush-hammered 864 14425 - stair lifts 865 14540 - baggage conveyors and dispensers 866 granite

867 09370 - metal tile

869 ASTM C 109 - Compressive Strength 870 15615 - oil-fired furnaces 871 coating finish 872 ASTM C 203 - Flexural Strength 873 self-seaming 874 10650 - operable partitions (general) 875 04700 - simulated masonry 876 02482 - dredging 877 11455 - kitchen and bath cabinets 878 accessories 879 03001 - design information 880 07300 - shingles and roofing tiles 884 performance 885 14410 - people lifts 886 10420 - letters and plaques 887 16470 - panelboards 888 10190 - hospital cubicles 889 10001 - design information 890 14900 - transportation systems (general) 891 concealed 893 15140 - mechanical supporting devices (general) 894 13640 - packaged solar systems 895 05200 - metal joists (general) 896 15770 - heat pumps 897 maintenance 898 07400 - manufactured roofing and siding 900 15248 - machinery installation devices 901 minimum 902 wood species 903 02695 - steam distribution systems 904 07515 - cold applied bituminous roofing 905 16390 - grounding devices 907 11457 - television units & accessories 908 ASTM C 241 - Abrasion Resistance 909 09001 - design information 912 asphalt 913 thermal resistance 914 01060 - regulatory requirements 915 16898 - electric protective heating cables 916 01958 - service bureaus and time share systems 917 02520 - concrete paving 918 ASTM C 485 - Warpage 919 16610 - uninterruptible power supply systems 920 10520 - fire protection specialties 921 angular velocity 922 acrylic fiber

923 10500 - lockers 924 perforated

925 ASTM D 790 - Flexural Modulus of Elasticity

926 12540 - draperies and curtains (general) 927 sliding sash 929 09990 - finish adhesives 930 06125 - wood decking 931 12922 - kitchen accessories 932 09700 - special flooring (general) 934 acrylonitrile butadiene polymer 935 15624 - gas-fired unit heaters 936 16945 - control switches 938 other application 940 polypropylene 941 trowel-applied 942 12662 - chairs 943 polyurethane 944 ASTM E 330 - Wind Pressure 945 13123 - glazed structures 946 16720 - alarm and detection systems (general) 947 ASTM G 21 - Fungi Resistance 948 atypical application 949 12535 - motorized hardware--blinds, shades, draperies 950 13650 - photovoltaic collectors 951 15860 - air handling fans 952 15354 - fire extinguishing systems 954 05830 - bridge expansion-joint assemblies 955 02780 - power and communications (general) 956 02900 - landscaping (general) 957 11134 - multi-media theater systems 958 15445 - fittings, trim, and accessories 960 material, phenolic foam 961 16526 - signal lighting 962 07200 - insulation (general) 963 ASTM D 648 - Heat Distortion 965 07645 - preformed flashing 966 16330 - power factor correction equipment 967 ASTM D 1668 - Glass Fiber 968 ASTM F 137 - Flexibility 969 brick material 972 09550 - wood flooring 973 15781 - room air conditioners 974 other environment 975 cellular 976 07570 - traffic topping 977 ASTM E 84 - Surface Burning 978 15875 - air curtain units 979 glazing

980 06500 - structural plastics

982 05250 - aluminum joists 983 ASTM D 1335 - Tuft Bind

981 live load

Page 18

- 984 02010 subsurface investigation 985 15440 - plumbing fixtures (general) 986 ASTM D 224 - Asphalt Roofing 987 pattern 988 07600 - flashing and sheet metal
- 989 polyvinyl chloride
- 990 16490 switches
- 991 03490 closures and setting accessories
- 992 ASTM C 1027 Wear Resistance
- 993 07500 membrane roofing (general)
- 994 12620 furniture
- 996 material, calcium silicate
- 997 16500 lighting (general)
- 999 16380 converters
- 1000 clay material
- 1002 unit weight
- 1003 ASTM C 307 Tensile Strength
- 1004 butyl rubber
- 1005 asphalt substrate
- 1006 12625 health care furniture
- 1007 material, calcite
- 1008 04600 corrosion resistant masonry
- 1009 11139 holographic projection equipment
- 1010 12660 upholstered loose seating
- 1011 exterior application
- 1012 12300 manufactured casework
- 1013 metal material
- 1014 13028 interior framing assemblies
- 1015 16517 decorative chandeliers and luminaires
- 1016 01970 computer software
- 1017 09212 fiber reinforced gypsum plaster
- 1018 09780 floor treatments and finishes
- 1019 12345 laboratory casework
- 1020 replacement
- 1021 11136 computerized teaching/reference equipment
- 1023 01936 cost estimating
- 1024 plastic laminate
- 1025 material, pig iron
- 1026 02980 landscape accessories
- 1027 05005 metal forming
- 1029 02150 shoring and underpinning
- 1030 UL 10B Fire Test
- 1031 16250 generator controls
- 1032 16507 lighting maintenance equipment
- 1033 04150 masonry reinforcing and accessories
- 1034 corrugated
- 1035 15558 gas-fired boilers
- 1036 08650 special windows
- 1037 11172 waste compactors and destructors

1038 mil thickness 1039 x-axial dimension 2 1040 ASTM C 629 - Slate 1042 10668 - concealment partitions/assemblies 1043 12664 - tables and credenzas 1044 uniform load 1045 ASTM F 1304 - Deflection 1046 05740 - ornamental ironwork 1047 silicone 1048 08355 - chain closures 1049 15443 - wash fountains 1050 16538 - medical/surgical lighting 1051 material, rayon 1052 ASTM C 503 - Marble 1053 12350 - medical casework 1054 10800 - toilet and bath accessories (general) 1055 13121 - pre-engineered buildings 1056 slope 1058 07240 - exterior insulation and finish systems 1059 01932 - model making 1060 15435 - floor and roof drains 1061 edge form 1063 04720 - cast stone 1064 03200 - concrete reinforcement 1065 13015 - cable-supported and fabric structures 1066 09630 - unit masonry flooring 1067 elevator travel 1068 09795 - flooring underlayment 1071 16890 - electric fan/heater units 1072 05800 - expansion control 1073 material, polyurethane foam 1074 15626 - oil-fired unit heaters 1075 10600 - partitions 1076 09360 - plastic tile 1077 13700 - wind energy systems (general) 1078 activity 1079 06420 - wood panelwork 1081 material, jute 1082 fastened 1083 14595 - equipment rollers and casters 1084 01430 - mock-ups 1085 static-controlled 1086 16720 - building security equipment - alarm, detection, access control 1087 ASTM C 549 - Perlite, Fill 1088 latex 1089 06050 - adhesives 1090 ASTM C 1026 - Freeze-Thaw Resistance 1091 12675 - rugs 1092 ASTM D 4060 - Abrasion Resistance

- 1094 seam closure 1095 14520 - hospital transport 1096 12640 - furniture systems 1097 surfacing 1098 02370 - bored/augered piles 1099 10235 - brick and block vents 1100 16930 - building systems control 1101 sandstone 1102 10830 - bathroom mirrors 1103 14500 - material handling systems 1104 12639 - folding wall furniture 1105 12304 - plastic/plastic-laminate-faced casework 1106 single layer 1107 linear velocity 1108 ASTM C 67 - Sampling 1109 material, polyacrylate 1110 type 1111 die-cast aluminum 1112 07520 - prepared roll roofing 1113 10426 - signage and graphics 1114 16140 - wiring devices 1115 09985 - prefinished panels--interior (general) 1116 16504 - ballasts 1117 16110 - raceways, conduits, and trenches 1118 05515 - ladders and rungs 1119 05900 - hydraulic structures 1120 13036 - precision-controlled environments 1121 aerobics/dance 1122 16300 - medium voltage distribution equipment (general) 1123 16722 - building security management systems 1124 01132 - education 1125 ASTM C 423 - Sound Absorption 1126 15120 - piping specialties 1127 options 1128 15565 - steam boilers 1129 15745 - ice-making systems 1130 08220 - plastic/plastic laminate faced doors 1131 09600 - stone flooring 1132 ASTM C 728 - Perlite, Board 1133 material, die-cast aluminum 1134 y-axial dimension 1135 ASTM D 1204 - Dimensional Stability 1136 15202 - filtration equipment 1137 11448 - food service water treatment 1138 15787 - indoor packaged units
- 1141 14200 elevators (general) 1142 03600 - grout
- 1143 02522 pavement coatings and treatments

1139 16855 - electric heating cables and mats

- 1144 06124 fiberboard sheets and decking
- 1145 ASTM D 279 Pigment Bleeding
- 1146 02842 bicycle racks/lockers
- 1147 12948 decorative telephones
- 1148 material, tar
- 1150 16910 electrical/electronic systems control
- 1152 fire escape
- 1153 11159 parking storage
- 1154 15850 air handling (general)
- 1155 08668 exterior folding, sliding shutters
- 1156 ASTM C 518 Thermal Transmission
- 1157 ASTM E 283 Air Leakage
- 1159 river rock
- 1160 dry mil thickness
- 1161 05015 ferrous metals and alloys
- 1162 exposed
- 1163 ANSI/BHMA A156.19 Power Assisted Doors
- 1164 12105 architectural antiques
- 1165 05820 slide bearings
- 1166 planar
- 1167 16320 transformers
- 1168 05010 metal materials (general)
- 1169 wood material, ebony
- 1170 08820 decorative glazing
- 1171 application method
- 1172 15810 humidifiers
- 1173 gypsum board substrate
- 1174 11480 athletic, recreational, and therapeutic equipment
- 1175 floor mat, surface-mounted or recessed, rail-and-insert
- 1176 16770 public address and music systems
- 1177 15562 electric boilers
- 1178 02082 asbestos abatement
- 1179 16792 audio-visual systems
- 1180 04260 acoustical control unit masonry
- 1181 12300 manufactured casework (general)
- 1182 12943 flatware
- 1183 02240 soil stabilization
- 1185 05602 metal moldings
- 1186 13020 integrated assemblies (general)
- 1187 01122 merchandising
- 1188 01158 hazardous material processing
- 1189 14420 wheelchair lifts
- 1190 American Association of Textile Chemists and Colorists
- 1191 10530 protective covers (general)
- 1192 cast
- 1193 extra wide
- 1194 10199 partition and cubicle hardware
- 1195 manual
- 1196 16792 audio-visual systems (general)

- 1197 stainless steel material
- 1198 04550 refractories (general)
- 1199 ASTM C 222 Asbestos Shingle
- 1200 grain
- 1202 ANSI/BHMA A156.10 Power Operated Doors
- 1204 13825 security management systems
- 1205 09440 plastic matrix terrazzo
- 1206 02380 caissons
- 1207 16440 disconnect switches
- 1208 07650 flexible flashing
- 1209 08730 weatherstripping and thresholds
- 1210 American Architectural Manufacturers Association
- 1211 material, natural fiber
- 1212 07820 skylight structures (general)
- 1213 ASTM D 2859 Flammability
- 1214 wood material, cedar
- 1215 12654 desk accessories
- 1216 other installation
- 1218 02920 soil preparation & materials
- 1219 15790 air coils
- 1220 03510 gypsum concrete
- 1221 10170 plastic/plastic-laminate-faced toilet compartments
- 1222 wood material, teak
- 1223 mineral fiber
- 1224 substrate
- 1225 09846 fire-retardant coatings
- 1226 12900 special use/decorative furnishings
- 1227 05160 structural framing systems
- 1228 12629 ecclesiastical furniture
- 1229 clean room
- 1230 ASTM B 117 Salt Spray
- 1231 07230 cold storage insulation
- 1232 09950 wall coverings
- 1233 16200 power generation
- 1234 02860 recreational facility and playground equipment
- 1235 15482 vacuum waste systems
- 1236 12382 bank fixtures and casework
- 1237 material, wool
- 1238 04235 preassembled masonry panels
- 1239 15610 furnaces (general)
- 1240 applied muntin
- 1241 15050 basic mechanical materials
- 1244 institutional
- 1245 08722 automatic door sensors
- 1246 02276 earth retainage
- 1247 tear strength
- 1248 service classification
- 1249 11780 mortuary equipment
- 1250 08001 design information

- 1251 08300 special doors
- 1252 01134 library
- 1254 14950 aircraft passenger loading bridges
- 1255 01930 project development services (general)
- 1256 16480 motor control centers
- 1257 elevator pit depth
- 1259 05300 metal decking
- 1260 14205 passenger cabs
- 1261 07190 vapor retarders
- 1262 02550 highway/runway paving and reinforcing
- 1263 05723 treads and nosings
- 1267 11705 electronic record keeping/monitoring equipment
- 1268 ASTM D 543 Chemical Resistance
- 1269 01810 maintenance equipment
- 1270 16001 design information
- 1272 09700 special flooring
- 1273 08667 exterior roll-up window shutters
- 1274 material, vinyl
- 1276 American National Standards Institute
- 1277 15493 gasoline fuel handling equipment
- 1278 ASTM C 578 Polystyrene, Cellular
- 1279 concentrated load
- 1280 14750 emergency evacuation systems
- 1281 pressure tight
- 1282 12095 fabric treatments
- 1283 02540 synthetic surfacing
- 1284 industrial
- 1285 13046 shelters and booths
- 1286 12945 fireplace accessories
- 1287 elevator platform depth
- 1288 11250 water softening equipment
- 1289 01150 industrial
- 1290 16522 roadway and parking area luminaires
- 1292 material, chlorinated rubber
- 1294 01174 domestic animal housing
- 1295 modulus of rupture
- 1296 13052 saunas and equipment
- 1297 plane angle
- 1299 11133 motorized projection screen cover & carriers
- 1300 13295 sludge disposal equipment
- 1301 15861 centrifugal fans
- 1302 15480 special piping systems
- 1303 material, cloth
- 1304 coverage
- 1305 breaking force
- 1306 roll formed
- 1307 08850 glazing accessories
- 1308 grating panel
- 1310 02720 storm drainage (general)

1311 16700 - communications (general) 1312 02900 - landscaping 1313 ratio 1314 05500 - metal fabrications 1315 12100 - artwork 1316 02660 - water distribution 1317 compressive strength 1318 02830 - fences and gates 1319 12540 - draperies and curtains 1320 elevator interior car depth 1321 11720 - examination and treatment equipment 1323 02500 - paving and surfacing (general) 1324 finish, gold plating 1325 01900 - design office services and information (general) 1326 14600 - hoists and cranes 1328 11171 - incinerators 1329 11650 - planetarium equipment 1330 08100 - metal doors and frames (general) 1331 12051 - fabric fibers 1333 14960 - motorized service vehicles 1334 15780 - packaged air conditioning units 1335 13144 - prefabricated residential structures 1336 06300 - wood treatment 1337 16535 - emergency lighting 1338 11040 - ecclesiastical equipment 1339 ASTM C 531 - Coefficient of Thermal Expansion 1340 12390 - furniture drawers 1341 01950 - computer applications 1342 06100 - rough carpentry 1343 16600 - special systems 1344 01118 - museum 1345 14630 - bridge cranes 1346 05320 - raceway deck systems 1347 ASTM D 635 - Flammability 1348 single face 1349 07610 - metal roofing 1350 14930 - funiculars 1351 13500 - recording instrumentation 1352 15930 - air terminal units 1353 12650 - furnishing accessories (general) 1354 01101 - preservation, restoration, and rehabilitation 1355 ASTM D 2632 - Rebound Resilience 1356 03360 - specially placed concrete 1357 mineral wool 1358 15447 - utility fixtures, trim, and accessories 1359 13610 - solar collectors 1360 05720 - railings and handrails 1361 02722 - drains and inlets

1362 13095 - radio-frequency shielded enclosures

- 1363 16122 fiber optic cable
- 1364 air tight
- 1365 vinyl-coated
- 1366 non-insulated
- 1367 15380 smoke suppression/relief systems
- 1368 06220 millwork
- 1369 DESIGN STANDARD
- 1370 01070 office standards
- 1371 z-axial dimension 2
- 1372 polyisobutylene
- 1373 02140 dewatering
- 1374 03240 fiber-reinforced concrete
- 1375 NFPA 1 Fire Prevention Code
- 1376 08670 storm sash and screens
- 1377 02535 athletic surfacing
- 1378 material, iron
- 1379 03030 concrete finishing materials
- 1380 01110 airport
- 1381 01900 design office services and information
- 1383 09330 quarry tile
- 1384 06255 prefinished hardboard paneling
- 1385 material, dimension stone
- 1386 01116 theater
- 1387 ASTM D 968 Abrasion Resistance
- 1388 02488 docks and boat facilities
- 1389 11060 theater and stage equipment
- 1390 10408 time capsules
- 1391 13410 inventory control systems
- 1392 13172 therapeutic pools
- 1394 15449 toilets--sewerless/incinerating
- 1395 01522 heavy construction equipment
- 1396 16405 distribution corrective equipment
- 1397 12302 wood casework
- 1398 monolithic
- 1399 13600 solar energy systems (general)
- 1400 cast cementitious material
- 1401 09678 resilient base and accessories
- 1402 09420 precast terrazzo
- 1403 05200 metal joists
- 1404 04220 concrete unit masonry
- 1405 insulated
- 1406 count
- 1407 09120 ceiling suspension systems
- 1408 exterior
- 1409 15885 indoor air-quality control equipment/air cleaning
- 1410 14310 escalators
- 1411 09206 metal furring and accessories
- 1413 fruitwood
- 1414 15440 plumbing fixtures

- 1415 04550 refractories
- 1416 profile
- 1417 ASTM E 413 STC rating
- 1418 15240 mechanical sound, vibration, and seismic control
- 1419 warranty
- 1420 13200 liquid and gas storage tanks and basins
- 1421 11090 checkroom equipment
- 1422 material, kraft paper
- 1424 08510 steel windows
- 1425 15880 air distribution equipment
- 1426 15610 furnaces
- 1427 material, cotton
- 1428 12750 multiple-use fixed seating
- 1429 interior face
- 1430 15622 duct furnaces
- 1431 ASTM C 615 Granite
- 1432 reinforced plastic material
- 1433 magnetic resonance imaging room
- 1434 02680 fuel and steam distribution (general)
- 1435 thermal resistance per inch
- 1436 texture
- 1437 volume
- 1438 multiple section
- 1439 06060 connectors and supports
- 1440 15838 unit ventilators
- 1441 portland cement
- 1442 10914 hat and coat racks and accessories
- 1443 sound attenuating
- 1444 02680 fuel and steam distribution
- 1445 elevator overhead
- 1446 finish, silver plating
- 1447 curvilinear length
- 1448 15470 unit storage tanks
- 1450 16590 hazardous location fixtures
- 1451 food handling
- 1452 tile
- 1453 14200 elevators
- 1454 05310 steel deck
- 1455 15320 fire protection sprinkler systems
- 1457 square
- 1458 15466 water filtration devices
- 1459 15830 terminal heat transfer units (general)
- 1460 16925 electrical energy management systems
- 1462 15250 mechanical insulation (general)
- 1463 13062 kitchen modules
- 1465 05025 special metal alloys
- 1466 09995 finish fasteners
- 1467 Underwriters Laboratories
- 1468 11492 fitness training equipment

- 1470 ASTM D 3161 Wind Resistance
- 1471 shear strength
- 1472 05010 metal materials
- 1473 01512 temporary controls
- 1474 11110 laundry and dry cleaning equipment
- 1475 12050 fabrics (general)
- 1476 08200 wood and plastic doors and frames (general)
- 1477 15460 residential water heaters and enclosures
- 1478 11140 vehicle service equipment
- 1479 06132 mill-framed structures
- 1480 01108 underground transportation terminal
- 1481 03400 precast concrete
- 1482 15463 outlet-mounted water heaters
- 1483 16124 non-metallic conductors
- 1484 07420 wall panels
- 1485 10350 flagpoles
- 1486 division 3 concrete
- 1489 12530 drapery and curtain hardware
- 1490 wood material, hemlock
- 1491 division 4 masonry
- 1492 13170 whirlpool spas and hot tubs
- 1493 10410 directories and bulletin boards
- 1494 marble
- 1495 NFPA 75
- 1497 performance grade
- 1498 16920 environmental systems control
- 1499 plastic
- 1500 15165 compressors
- 1501 08352 folding fire barriers
- 1502 ballast material
- 1503 13122 metal building systems
- 1504 ASTM C 373 Water Absorption
- 1505 12690 floor mats and frames
- 1506 11425 kitchen hood and ventilation systems
- 1507 01931 rendering
- 1508 08900 glazed curtain walls (general)
- 1509 ASTM D 2394 Abrasion Resistance
- 1510 06430 wood stairs and handrails
- 1511 low temperature flexibility
- 1512 10630 portable partitions, screens, and panels
- 1513 08665 pass and observation windows
- 1514 flat face
- 1516 material, protein fiber
- 1518 08100 metal doors and frames
- 1519 02600 utility piping materials (general)
- 1520 ethylene propylene diene monomer
- 1521 acrylic impregnated
- 1522 joint
- 1523 01530 construction site barriers and enclosures

- 1524 16865 electric radiators and convectors
- 1525 03260 cast-in-place anchors and inserts
- 1526 15390 fire protection activation controls
- 1527 AAMA 1503 U-Value/CRF
- 1528 ANSI A117.1 Handicapped Access
- 1529 elevator, hydraulic
- 1530 cellular concrete
- 1531 consistency
- 1532 12542 draperies
- 1533 movable
- 1534 02278 wire slope-protection mats
- 1535 01400 quality control
- 1536 14210 electric traction elevators
- 1537 02160 excavation support systems
- 1538 12760 telescoping stands
- 1539 15740 condensers
- 1540 ramp
- 1541 09930 transparent finishes
- 1543 11306 packaged pump stations
- 1544 16128 under-carpet cabling systems
- 1545 13010 air-supported structures
- 1546 08370 industrial and hangar doors
- 1547 security application
- 1548 12800 interior plants and planters
- 1549 07720 roof accessories
- 1550 14500 material handling systems (general)
- 1551 08840 plastic glazing
- 1552 15500 heating, ventilating, and air conditioning
- 1553 polyurethane foam
- 1555 16186 adjustable speed controllers
- 1556 03315 concrete placement systems and equipment
- 1557 ASTM D 695 Compressive Strength
- 1558 NWWDA I.S.1-A Architectural Wood Flush Doors
- 1560 10200 louvers and vents
- 1561 09200 lath and plaster (general)
- 1562 volatile organic compound
- 1563 stress
- 1564 03010 concrete materials (general)
- 1565 05532 gratings, trench covers
- 1566 division 9 finishes
- 1567 08716 exit devices
- 1568 02800 site improvements
- 1569 rough opening y-axial dimension
- 1570 15300 fire protection
- 1571 15650 refrigeration equipment (general)
- 1572 recessed
- 1573 09685 sheet carpet
- 1574 glass fiber
- 1575 02160 excavation support systems (general)

- 1576 bacterially exposed 1579 integrated air distribution panel 1580 14100 - dumbwaiters 1581 05600 - architectural metalwork (general) 1582 11130 - audio-visual equipment 1583 11785 - mausoleum equipment 1584 11138 - conference room equipment 1585 09250 - gypsum board (general) 1586 05800 - expansion control (general) 1587 11700 - medical and hospital equipment (general) 1588 12050 - fabrics 1589 10550 - postal specialties 1590 01186 - security 1591 03020 - concrete admixtures 1592 15845 - energy recovery units 1593 permeability
- 1594 14300 escalators and moving walks
- 1596 16195 electrical identification accessories
- 1597 ferrous metal substrate
- 1599 concrete substrate
- 1600 11444 commercial dishwashing equipment
- 1601 05030 metal coatings
- 1602 16430 meters
- 1604 11540 industrial plant furniture
- 1605 other finish
- 1606 02350 piles and caissons
- 1607 11142 vehicle washing equipment
- 1609 material, butyl rubber
- 1610 dry volume
- 1611 13220 filter underdrains and media
- 1612 08215 panel wood doors
- 1613 ASTM E 662 Smoke Generation
- 1614 01181 wind hazard
- 1616 10270 access floors
- 1617 16724 signaling devices
- 1618 10416 computerized directories and message boards
- 1619 16895 electric process heating equipment
- 1620 inserted
- 1621 15755 heat exchangers
- 1622 above grade
- 1623 other material
- 1624 15257 high temperature insulation
- 1625 16630 battery power systems
- 1627 16120 wires and cables
- 1628 01956 systems consultants
- 1630 08480 balanced door assemblies
- 1631 16540 lighting graphics
- 1632 14510 automated transport systems
- 1633 15850 air handling

- 1634 01112 heliport
- 1635 11200 water supply and treatment (general)
- 1636 division 2 sitework
- 1637 04455 marble
- 1639 08110 steel doors and frames
- 1640 transparent
- 1641 13120 pre-engineered structures
- 1642 13124 portable and mobile buildings
- 1643 division 14 conveying systems
- 1644 04270 glass unit masonry
- 1645 coefficient
- 1646 11175 waste chutes and collectors
- 1647 ANSI/AAMA 101 Aluminum Prime Windows
- 1648 adjustable
- 1649 12621 office furniture
- 1650 x-axial dimension
- 1651 08400 entrances and storefronts
- 1652 08653 sound control windows
- 1653 15258 low temperature insulation
- 1654 01142 extended care facilities
- 1655 material, dolomite
- 1656 16160 electrical equipment cabinets and enclosures
- 1657 09535 free-standing acoustical control units
- 1658 12815 artificial plants
- 1659 wood material, spruce
- 1660 sun control accessories
- 1661 16784 radio systems
- 1662 04001 design information
- 1663 09204 metal grid system
- 1664 polyethylene
- 1665 02240 soil stabilization (general)
- 1666 01410 testing laboratory services
- 1667 ASTM C 739 Cellulosic, Fill
- 1668 06650 solid polymer fabrications
- 1669 13061 bathroom modules
- 1670 15500 heating, ventilating, and air conditioning (general)
- 1671 13096 hazardous material containment
- 1672 structural
- 1674 painted
- 1675 opaque
- 1676 handicap application
- 1677 07220 roof and deck insulation
- 1678 ASTM E 136 Fire Test
- 1679 wood material, hardwood
- 1681 11001 design information
- 1682 02671 water well pumps
- 1683 interior application
- 1684 modified acrylic material
- 1685 01114 stadium

- 1686 12001 design information
- 1687 02658 utility line accessories
- 1688 12120 wall decorations
- 1689 07100 waterproofing
- 1690 01520 construction equipment (general)
- 1691 16475 over-current protective devices
- 1692 16190 electrical supporting devices
- 1693 12940 table linen
- 1694 06412 cabinet & drawer hardware
- 1695 11130 audio-visual equipment (general)
- 1696 09770 athletic surfacing--indoor
- 1697 12635 residential furniture
- 1698 grate
- 1699 operation
- 1700 torch-applied
- 1701 14450 vehicle lifts
- 1702 06150 composite wood-metal framing
- 1703 01130 detention
- 1704 material, cellulose
- 1705 06240 laminates
- 1706 16050 basic electrical materials
- 1707 03346 concrete crack control equipment
- 1708 rubber
- 1709 08950 translucent wall systems
- 1710 custom
- 1712 04242 masonry wall systems
- 1713 07150 dampproofing
- 1715 UL 263 Fire Test
- 1716 02200 earthwork
- 1718 primed
- 1719 soffit
- 1720 basement
- 1722 reinforced concrete
- 1723 ribbed
- 1725 ASTM C 552 Glass, Cellular Block
- 1728 04700 simulated masonry (general)
- 1729 12800 interior plants and planters (general)
- 1730 fully adhered
- 1731 01136 ecclesiastical
- 1732 acrylic material
- 1733 rough opening z-axial dimension
- 1734 02226 structural earthwork fill
- 1736 ASTM D 3468 Liquid-Applied
- 1737 09390 tile setting materials and accessories
- 1738 solids by volume
- 1739 ASTM C 568 Limestone
- 1740 extruded
- 1741 16126 communications cable
- 1742 15430 plumbing specialties

- 1743 05600 architectural metalwork
- 1744 02270 slope protection and erosion control
- 1745 03100 concrete formwork (general)
- 1746 ASTM C 612 Mineral, Block and Board
- 1747 12650 decorative accessories
- 1748 mechanical
- 1749 02890 bridges pedestrian, vehicular
- 1750 01169 swimming facilities
- 1751 06405 simulated architectural woodwork
- 1752 15575 prefabricated breechings, chimneys and stacks
- 1753 13054 steam baths and equipment
- 1754 15540 HVAC pumps
- 1756 13134 pre-engineered concrete systems
- 1757 15455 water coolers and drinking fountains
- 1758 flash point
- 1759 10700 exterior sun control devices
- 1760 extruded polystyrene material
- 1761 ASTM C 591 Urethane, Cellular
- 1762 01184 fire safety
- 1763 07530 single-ply membrane roofing
- 1764 04400 stone (general)
- 1765 02872 street, mall clocks, bells, and carillons
- 1767 material, vinyl chloride
- 1768 01154 food processing
- 1769 12160 ecclesiastical artwork
- 1770 wood material, oak
- 1771 10605 wire-mesh partitions
- 1772 02600 utility piping materials
- 1773 cavity use
- 1774 ASTM E 492 Impact Sound
- 1775 division 10 specialties
- 1776 material, gypsum
- 1777 16915 lighting control equipment
- 1778 stucco substrate
- 1779 03350 concrete finishes
- 1780 division 6 wood and plastics
- 1781 material, hemp
- 1783 04470 sandstone
- 1784 13126 fire training structures
- 1785 other metal material
- 1786 13100 nuclear reactors
- 1787 AAMA 1303 Forced Entry
- 1788 09900 painting materials (general)
- 1789 blast-resistant
- 1790 wood material, walnut
- 1791 12915 restaurant/bar accessories
- 1792 08464 automatic sliding circular entrance doors
- 1793 hung sash
- 1794 02880 outdoor sculpture and ornamental work

- 1795 06118 laminated and processed sheets
- 1796 02840 walk, road, and parking appurtenances (general)
- 1797 09800 special coatings
- 1798 wind load
- 1799 08385 sound control doors
- 1800 08350 folding doors and grilles
- 1801 13230 prefabricated tank covers
- 1802 12669 custom fabricated furniture
- 1803 08970 structural glass curtain-walls
- 1804 09900 painting materials
- 1805 02660 water distribution (general)
- 1806 elevator, electric traction
- 1808 08520 aluminum windows
- 1809 07325 roofing tile fastening accessories
- 1810 10405 banners and flags
- 1811 material, polyethylene foam
- 1812 AAMA 1302 Forced Entry
- 1813 12700 multiple seating (general)
- 1814 04477 greenstone
- 1815 10250 service wall units
- 1816 08660 detention/security windows and screens
- 1817 diameter
- 1818 06001 design information
- 1819 15680 water chillers
- 1821 06432 ladders
- 1822 08250 door opening assemblies
- 1823 insulating glazing unit
- 1824 15280 equipment insulation
- 1825 15400 plumbing
- 1826 polyester material
- 1827 ASTM E 648 Radiant Flux
- 1828 12301 metal casework
- 1829 aerosol spray
- 1830 15481 compressed air systems
- 1831 01910 associations and professional organizations
- 1832 glass
- 1833 02360 driven piles
- 1835 03800 mass concrete placement
- 1836 04465 granite
- 1837 05126 tubular steel shapes
- 1838 wood material
- 1839 02721 culverts
- 1840 15483 medical gas systems
- 1842 TEST METHOD STANDARD
- 1843 15560 oil-fired boilers
- 1844 04245 veneer masonry systems
- 1845 particleboard core
- 1847 ASTM C 579 Compressive Strength
- 1848 11050 library equipment

Sheet1 1849 11345 - chemical/microbiological treatment equipment 1850 15570 - boiler accessories 1851 16518 - luminous ceilings 1852 08790 - openers--waste bin doors 1853 08900 - glazed curtain walls 1854 09681 - carpet fibers 1855 09690 - carpet tile 1856 12930 - pillows and bolsters 1857 01500 - construction facilities and temporary controls (general) 1858 pressure 1859 synthetic material 1860 division 12 - furnishings 1861 ANSI/AATCC 8 - Crocking 1862 16911 - electric heating controls 1863 solid angle 1864 15475 - pool and fountain equipment (general) 1865 division 15 - mechanical 1866 volume flow rate 1867 09698 - indoor/outdoor carpet 1868 new-construction 1869 base sheet 1870 10340 - prefabricated exterior specialties 1871 16530 - aviation lighting 1872 cork material 1873 02798 - laser-based transmission equipment 1875 10110 - chalkboards and tackboards 1876 16880 - electric radiant heaters 1877 NFPA 101 - Life Safety Code 1878 13070 - bullet-resistant protection 1879 15550 - heat generation (general) 1880 chlorinated polyethylene 1881 NFPA 70 - National Electric Code 1882 03700 - concrete restoration and cleaning 1883 thermoset 1885 16900 - controls 1886 copper 1887 01194 - interior pollution 1888 dry 1889 05050 - metal fastening 1891 12668 - antique furniture 1892 01090 - reference standards 1893 10720 - daylighting panels 1894 actuation 1895 02280 - soil treatment

1896 ASTM C 97 - Water Absorption 1897 02810 - irrigation systems 1899 13020 - integrated assemblies

1901 vinyl material

1900 ASTM C 484 - Thermal Shock Resistance

- 1902 13001 design information 1903 13090 - radiation protection 1904 zinc/copper/titanium combination 1905 03450 - architectural precast concrete 1906 13520 - atmospheric monitoring instrumentation 1907 16503 - poles, posts, and standards 1908 05580 - sheet metal fabrications 1909 material, cement 1910 02960 - simulated plants and rocks 1911 surface mounted 1912 09986 - sanitary wall and ceiling panels 1913 internal muntin 1914 04500 - masonry restoration and cleaning 1915 08630 - vinyl windows 1916 09782 - detectable/tactile warning surfaces 1917 16780 - television systems 1918 03365 - post-tensioning systems 1919 ASTM D 3018 - Class-A Shingle 1920 06408 - ornamental columns 1922 15260 - piping insulation 1923 commercial 1924 16510 - interior luminaires 1925 11442 - food waste handling equipment 1926 14700 - turntables 1927 01892 - construction management and contracting 1928 02847 - highway noise barriers 1929 16118 - power and communication column 1931 steel faced solid core 1934 13025 - integrated ceilings 1935 02730 - sanitary sewerage 1936 08610 - wood windows 1937 11670 - educational equipment 1938 12140 - carved or cast sculpture/relief artwork 1939 08320 - detention/security doors 1940 05210 - steel joists 1941 screen material 1942 14800 - scaffolding 1943 14235 - residential elevators 1944 green stone 1946 15439 - flashing and safing 1947 10260 - wall and corner guards 1948 16501 - lamps
- 1949 02950 landscaping plant materials
- 1950 10160 metal toilet compartments
- 1951 15617 electric furnaces
- 1952 11014 window washing and building facade maintenance equipment
- 1953 weight density
- 1955 01164 indoor recreation
- 1956 11480 athletic, recreational, and therapeutic equipment (general)

- 1957 chemically exposed
- 1958 02720 storm drainage
- 1959 02790 communication transmission
- 1960 ASTM D 1044 Abrasion Resistance
- 1962 02785 electric power transmission
- 1963 wood material, softwood
- 1964 15100 valves
- 1966 02786 overhead electric power transmission equipment
- 1967 14910 people mover systems
- 1968 13800 building automation systems
- 1969 11775 veterinary equipment
- 1970 stone material
- 1971 02645 hydrants and fire water fittings
- 1972 bolted
- 1973 weight
- 1974 08275 door louvers and vision lights
- 1975 aggregate
- 1977 11500 industrial and process equipment (general)
- 1978 06400 architectural woodwork (general)
- 1980 04475 slate
- 1981 07835 motorized operable skylights
- 1982 elevator platform width
- 1983 12942 crystal/glassware
- 1984 14400 lifts
- 1985 08810 glass (general)
- 1987 02170 cofferdams
- 1988 location
- 1989 01935 drafting
- 1990 08652 replacement windows
- 1991 ASTM E 90 Sound Transmission
- 1992 07700 roof specialties and accessories
- 1993 ASTM C 944 Abrasion Resistance
- 1994 15148 mechanical actuators
- 1995 matrix
- 1996 weight flow rate
- 1997 15290 ductwork insulation
- 1998 ASTM D 1308 Chemical Resistance
- 1999 09100 metal support systems
- 2001 method
- 2002 ultimate load
- 2003 bullet resistant
- 2004 02515 unit pavers and accessories
- 2006 OBSOLETErailing
- 2007 ASTM D 2823 Asphalt Roof Coating
- 2008 base
- 2009 ASTM D 149 Dielectric Strength
- 2010 10820 tub and shower doors/enclosures
- 2011 16640 cathodic protection
- 2012 11012 central vacuum cleaning systems

- 2013 02835 gate operators 2014 11120 - vending equipment 2016 06010 - lumber 2017 05712 - straight run stairs 2018 power 2019 environment 2020 13160 - aquariums
- 2021 elevator car capacity 2022 03410 - structural precast concrete
- 2023 ASTM C 482 Bonding Strength
- 2024 13038 cold storage rooms and buildings
- 2025 15885 indoor air quality control equipment/air cleaning
- 2026 12380 specialty casework
- 2027 15198 mechanical equipment cabinets and enclosures
- 2028 bas-relief
- 2029 quartz
- 2031 16520 exterior luminaires (general)
- 2033 15784 packaged rooftop air conditioning units
- 2034 01510 temporary utilities
- 2035 02870 site, street and mall furnishings
- 2036 16502 luminaire accessories (general)
- 2037 11850 navigation equipment
- 2039 ultimate elongation
- 2040 ASTM D 2299 Stain Resistance
- 2041 04280 gypsum unit masonry
- 2042 oxychloride cement
- 2043 09800 special coatings (general)
- 2044 06425 wood moldings & ornament
- 2045 material, ceramic
- 2046 curved
- 2047 01500 construction facilities and temporary controls
- 2048 08960 sloped glazing systems
- 2049 01415 testing equipment
- 2050 epichlorohydrine polymer
- 2052 02480 marine work (general)
- 2053 15450 plumbing equipment (general)
- 2054 16705 computer managed building systems
- 2055 marine application
- 2056 04485 decorative stone aggregates
- 2057 10880 scales
- 2058 14001 design information
- 2059 modulus of elasticity
- 2060 08732 fire-retardant & intumescent door seals
- 2061 striated
- 2062 special application
- 2063 01800 maintenance services and information (general)
- 2064 rolling load
- 2065 10150 compartments and cubicles (general)
- 2066 05100 structural metal framing

- 2068 02690 oil distribution systems
- 2069 cellulose material
- 2070 07710 prefabricated roof specialties
- 2071 16775 white sound generation systems
- 2073 12745 built-in table/seating
- 2074 electromagnetic/radio frequency interference shielding
- 2075 ASTM C 516 Vermiculite, Fill
- 2076 16348 medium voltage distribution protective equipment
- 2077 13145 mezzanine systems
- 2078 15940 air outlets and inlets (general)
- 2079 particleboard
- 2080 fiber-cement board substrate
- 2081 ASTM C 483 Electrical Resistance
- 2082 08718 sliding- and folding-door hardware
- 2083 ASTM C 553 Mineral, Blanket
- 2084 02920 soil preparation and materials
- 2085 ANSI/NWWDA I.S.6 Wood Stile and Rail Doors
- 2086 16148 non-metallic conductor connections and terminals
- 2087 11106 merchandising/display equipment
- 2088 10650 operable partitions
- 2089 adhesive bonded
- 2091 13700 wind energy systems
- 2092 12657 clocks
- 2093 material, polyethylene
- 2094 13125 grandstands and bleachers
- 2095 ANSI/NWWDA I.S.1 Wood Flush Doors
- 2096 material, perlite
- 2097 11020 security and vault equipment
- 2098 07920 sealants, caulking, and seals
- 2099 13029 integrated perimeter assemblies
- 2100 06200 finish carpentry
- 2101 11452 residential appliances
- 2103 division 13 special construction
- 2104 ASTM D 4637 Rubber Roofing
- 2105 15576 appliance flues and vents
- 2107 thermal insulation, material: mineral-based, vermiculite
- 2108 roofing, membrane, elastomeric, sheet
- 2109 bituminous membrane roofing, natural bitumen
- 2110 roof drainage products, downspout components, shoe
- 2111 roofing accessories, tile fastener
- 2112 acoustic control products, sound control type: reflection
- 2113 shingle, asphalt, interlocking
- 2114 roofing sheet metal, preformed, standing seam
- 2115 exterior insulation finish system, site-assembled
- 2116 acoustic control products, material: fibrous, mineral, ceramic
- 2119 thermal insulation, blanket
- 2120 acoustic control products, application: mechanical
- 2121 acoustic control products, sound control type:
- 2122 thermal insulation, material: mineral-based, fiber, fiberized rock

- 2123 thermal insulation, attachment method: mechanically fastened
- 2124 acoustic control products, application: mechanical, pipe
- 2125 flashing, preshaped
- 2126 vapor retarder, material: kraft paper and plastic and foil
- 2128 weatherstrip / door seal, door seal
- 2129 air-infiltration barrier, perforated plastic
- 2130 acoustic control products
- 2131 thermal insulation, material: plant-based
- 2132 acoustic control products, application: wall
- 2133 thermal insulation, material: foamed plastic, expanded polystyrene
- 2134 vapor retarder, application: dust partition
- 2135 rigid roofing panel, single-skin
- 2136 rigid roofing panel, double-skin
- 2137 thermal insulation, blanket, faced
- 2138 thermal insulation, attachment method: ballasted
- 2139 weatherstrip / door seal, weatherstrip, compression
- 2140 vapor retarder, material: plastic, polyvinyl chloride
- 2141 rigid roofing panel
- 2142 thermal insulation, application: building, wall
- 2144 waterproofing/dampproofing, dampproofing
- 2145 thermal insulation, facing material: plastic
- 2147 acoustic control products, material: foam, petrochemical
- 2148 membrane roofing system
- 2149 acoustic control products, application: airport/highway barrier
- 2150 vapor retarder, application: refrigerated space
- 2151 bituminized sheet
- 2152 undiluted asphalt
- 2153 vapor retarder, other sheet
- 2154 thermal insulation, board, faced, two sides
- 2155 coal tar
- 2156 expansion control, application: roof
- 2157 roofing tile, molded, flat tile
- 2158 roofing sheet metal, coil stock
- 2159 elastomeric membrane roofing components
- 2160 acoustic control products, application: mechanical, duct liner
- 2161 thermal insulation, attachment method: friction fit
- 2163 cladding panel, masonry, thin veneer, adhered, assembled
- 2164 thermal insulation, material: mineral-based, calcium silicate
- 2165 hot-mopped
- 2166 thermal insulation, application: building, roof, above deck, non-vented
- 2167 rigid roofing panel, single-skin, pan
- 2168 thermal insulation, application: building, ceiling
- 2169 cladding panel, masonry, thin veneer
- 2170 shingle, wood, split
- 2172 acoustic control products, attachment method: suspended
- 2173 thermal insulation, application: mechanical, pipe
- 2175 weatherstrip / door seal, door seal, automatic door bottom
- 2176 weatherstrip / door seal, weatherstrip, interlocking
- 2177 roofing tile

- 2179 air-infiltration barrier
- 2180 acoustic control products, material: fibrous, wood
- 2181 vapor retarder, accessories, repair tape
- 2182 roofing sheet metal, preformed, flat seam
- 2183 roof drainage products, downspout components, downspout
- 2184 siding, board
- 2185 acoustic control products, application: floor
- 2187 thermal insulation, material: mineral-based, cellular glass
- 2188 door seal, air and gas
- 2189 acoustic control products, application: mechanical, HVAC unit
- 2190 vapor retarder, fibrous sheet
- 2191 thermal insulation, material: foamed plastic, extruded polystyrene
- 2192 door seal, fire-rated
- 2193 waterproofing/dampproofing, waterproofing
- 2195 vapor retarder, material: foil
- 2196 modified bitumen
- 2197 acoustic control products, exposure: interior
- 2198 weatherstrip / door seal, door seal, inflatable
- 2199 thermal insulation, application: building, wall, masonry, unit core
- 2200 insulation
- 2201 acoustic control products, exposure:
- 2202 thermal insulation, facing material: single facing
- 2203 weatherstrip / door seal, weatherstrip, spring-strip
- 2204 thermal insulation, facing material: kraft paper
- 2205 acoustic control products, material: foam
- 2207 thermal insulation, board, tapered
- 2208 curtain wall mullion
- 2209 thermal insulation, facing material: mineral-based, fiberglass fabric
- 2210 bitumen
- 2211 acoustic control products, material: plastic
- 2212 roof condition
- 2213 acoustic control products, application: roof
- 2214 acoustic control products, attachment method: surface mount, mechanical fastener
- 2215 thermal insulation, application: building, roadway
- 2216 thermal insulation, attachment method: loose-laid/poured
- 2217 acoustic control products, application:
- 2218 diluted asphalt
- 2219 thermal insulation, material: mineral-based
- 2220 roofing sheet metal
- 2221 thermal insulation, attachment method: adhered, spray-on
- 2222 thermal insulation, facing material: metal, sheet
- 2223 thermal insulation, facing material: mineral-based, concrete
- 2224 elastomeric membrane roofing, sheet
- 2225 cladding system, mullion-and-panel
- 2226 roof drainage products, roof drain
- 2227 acoustic control products, material: metal
- 2228 roofing tile, pressed panel
- 2229 thermal insulation
- 2230 new roof application

- 2231 acoustic control products, attachment method: lay-on
- 2234 elastomeric membrane roofing, liquid
- 2235 roofing tile, molded, s-tile
- 2237 modified bitumen sheet
- 2238 acoustic control products, material: concrete
- 2240 vapor retarder, application: slab, under
- 2241 stabilizing panel
- 2242 vapor retarder, application: slab, cure cover
- 2244 acoustic control products, application: mechanical, machinery
- 2245 door seal, smoke
- 2246 thermal insulation, board, flat
- 2248 thermal insulation, preformed
- 2249 thermal insulation, blanket, unfaced
- 2250 thermal insulation, facing material: multiple facings
- 2251 thermal insulation, application: building, wall, EIFS
- 2252 thermal insulation, application: mechanical, duct
- 2253 thermal insulation, material: foamed plastic, polyethylene
- 2254 shingle, wood
- 2255 thermal insulation, facing material: mineral-based
- 2256 acoustic control products, application: roof, underside
- 2257 vapor retarder, application: exterior wall
- 2258 thermal insulation, board
- 2259 vapor retarder, material: plastic, other
- 2260 door seal, sound
- 2261 vapor retarder, material: plastic, polyethylene
- 2262 thermal insulation, board, faced
- 2263 cladding panel, masonry
- 2264 bituminous membrane roofing components
- 2265 acoustic control products, attachment method: freestanding
- 2266 shingle, asphalt
- 2268 exterior insulation finish system
- 2269 siding, panel
- 2270 weatherstrip / door seal, weatherstrip, flexible-strip
- 2271 roofing tile, molded
- 2272 thermal insulation, facing material: wood
- 2273 thermal insulation, facing material: composite, FSK
- 2275 acoustic control products, single material
- 2276 thermal insulation, material: plant-based, other
- 2277 thermal insulation, preformed, jacketed
- 2278 thermal insulation, facing material: mineral-based, perlite
- 2279 thermal insulation, material: plant-based, wood fiber
- 2280 thermal insulation, attachment method: adhered, applied adhesive
- 2281 waterproofing/dampproofing
- 2282 thermal insulation, attachment method: adhered
- 2283 roof drainage products, downspout components, head
- 2284 roof drainage products, diverter
- 2285 door seal, light
- 2286 acoustic control products, batt
- 2287 shingle, cementitious

- 2288 thermal insulation, facing material: composite, ASJ
- 2290 weatherstrip / door seal, door seal, magnetic
- 2291 vapor retarder, material: plastic and foil
- 2293 roofing sheet metal, flat stock
- 2294 thermal insulation, facing material: plastic, polyethylene
- 2295 shingle, slate
- 2296 thermal insulation, facing material: metal
- 2297 thermal insulation, material: foamed plastic
- 2298 acoustic control products, other
- 2300 loose-laid and ballasted
- 2301 air-infiltration barrier, spun-bonded
- 2303 thermal insulation, application: building, roof
- 2304 capped-joint panel
- 2305 thermal insulation, application: mechanical, equipment
- 2306 acoustic control products, material: fibrous, mineral, fiberized rock
- 2307 acoustic insulation
- 2308 thermal insulation, facing material: plastic, fiber-reinforced plastic
- 2310 thermal insulation, material: mineral-based, fiber, glass
- 2311 thermal insulation, facing material: plastic, other
- 2312 vapor retarder, material: scrim and plastic
- 2313 thermal insulation, application: mechanical
- 2314 undiluted coal tar
- 2316 roof shape
- 2317 vibration isolation
- 2318 cladding system
- 2319 vapor retarder, application: slab
- 2320 acoustic control products, sound control type: absorption
- 2321 roof slope
- 2322 diluted coal tar
- 2323 roof drainage products, gutter
- 2324 roof drainage products
- 2325 cladding panel, masonry, thin veneer, adhered
- 2326 natural bitumen roofing product
- 2327 cold-applied
- 2330 weatherstrip / door seal, weatherstrip
- 2331 roofing tile, molded, pan tile
- 2332 thermal insulation, facing material: other
- 2333 roofing, membrane
- 2334 thermal insulation, spray-on
- 2336 capped seam
- 2337 acoustic control products, batt, encased
- 2338 roofing tile, molded, barrel tile
- 2339 acoustic control products, material: fibrous, mineral, glass
- 2340 shingle, metal
- 2341 roof drainage products, scupper
- 2342 vapor retarder, material: plastic
- 2343 door seal, lead-shielded
- 2344 roof deck
- 2346 vapor retarder, application: roof systems

- 2347 thermal insulation, material: foamed plastic, phenolic
- 2348 acoustic control products, exposure: exterior
- 2349 cladding panel, masonry, full withe
- 2350 thermal insulation, facing material: metal, sheet, aluminum
- 2351 vapor retarder, monolithic sheet
- 2352 firestopping
- 2353 thermal insulation, facing material: metal, aluminum foil
- 2354 acoustic control products, spray
- 2356 vapor retarder, material: saturated felt
- 2357 vapor retarder, accessories
- 2358 thermal insulation, material: plant-based, cork
- 2359 air-infiltration barrier, other
- 2360 smoke containment barrier
- 2363 acoustic control products, attachment method: surface mount, adhesive
- 2364 membrane roofing system, elastomeric
- 2365 roofing, membrane, elastomeric, fluid-applied
- 2366 thermal insulation, facing material: metal, sheet, galvanized steel
- 2367 thermal insulation, material: foamed plastic, polyisocyanurate
- 2369 cladding panel
- 2370 fireproofing
- 2371 vapor retarder
- 2373 weatherstrip / door seal
- 2374 cladding system, panel
- 2375 thermal insulation, preformed, non-jacketed
- 2376 thermal insulation, loose-fill
- 2378 exterior insulation finish system, preassembled
- 2379 thermal insulation, material: mineral-based, fiber, ceramic
- 2380 thermal insulation, facing material: composite
- 2382 thermal insulation, application: building, roof, below deck
- 2384 shingle
- 2385 thermal insulation, material:
- 2386 vapor retarder, material: kraft paper
- 2387 thermal insulation, application: building, roof, above deck, vented
- 2388 roofing accessories
- 2389 bituminous membrane roofing, modified bitumen sheet
- 2391 natural bitumen sheet
- 2392 vapor retarder, application: pipe covering
- 2393 thermal insulation, board, faced, one side
- 2394 thermal insulation, application: building, other building area
- 2395 thermal insulation, application: building
- 2396 acoustic control products, material: foam, mineral
- 2397 thermal insulation, material: foamed plastic, urea formaldehyde
- 2398 thermal insulation, application: building, roof, above deck
- 2399 cladding panel, masonry, thin veneer, adhered, substrate panel
- 2400 thermal insulation, facing material:
- 2401 rigid roofing panel, single-skin, corrugated
- 2402 shingle, wood, sawn
- 2403 rigid roofing panel, single-skin, ribbed
- 2407 thermal insulation, material: mineral-based, perlite

- 2408 acoustic control products, loose-fill
- 2409 vapor retarder, accessories, joint tape
- 2410 thermal insulation, application: building, wall, foundation below grade
- 2411 metal pan
- 2412 thermal insulation, material: mineral-based, fiber
- 2413 translucent
- 2415 thermal insulation, application: building, floor/slab
- 2416 acoustic control products, application: roof, deck infill
- 2419 thermal insulation, jacket
- 2420 thermal insulation, material: plant-based, cellulose
- 2422 thermal insulation, board, unfaced
- 2423 vapor retarder, material: plastic, polyester
- 2424 cladding system, panel-and-window
- 2425 shingle, asphalt, multi-layer strip
- 2426 vapor retarder, laminated sheet
- 2427 acoustic control products, panel
- 2428 acoustic control products, material: fibrous, mineral
- 2429 reinforcing fabric
- 2430 siding
- 2431 acoustic control products, application: ceiling
- 2432 acoustic control products, attachment method: surface mount
- 2433 expansion-control products
- 2434 membrane
- 2435 thermal insulation, facing material: plastic, polyvinyl chloride
- 2436 thermal insulation, application: building, wall, curtain wall
- 2437 acoustic control products, attachment method: other
- 2438 interlocking-edge panel
- 2439 membrane roofing system, bituminous
- 2440 thermal insulation, material: foamed plastic, polyurethane
- 2441 thermal insulation, application: building, wall, stud wall cavity
- 2443 existing roof application
- 2444 flashing
- 2445 acoustic control products, combined materials
- 2446 thermal insulation, facing material: composite, other
- 2447 acoustic control products, batt, without casing
- 2448 roofing sheet metal, preformed, batten seam
- 2450 vapor retarder, accessories, adhesive
- 2453 thermal insulation, blanket, wrapped
- 2454 cladding panel, masonry, thin veneer, integrally cast
- 2455 thermal insulation, application: building, wall, sheathing
- 2457 roofing sheet metal, preformed
- 2459 thermal insulation, material: mineral-based, cellular concrete
- 2460 membrane waterproofing
- 2461 acoustic control products, material: fibrous
- 2462 weatherstrip / door seal, weatherstrip, pile
- 2463 thermal insulation, attachment method: other
- 2464 paving and topping compounds
- 2465 framing tie, strap
- 2467 ceiling products, suspended panel, lay-in, solid

- 2468 paint, application method: squeegee
- 2469 trim, standing, applique, round
- 2470 trim, running, corner, outside
- 2471 ceiling products, suspended panel, lay-in, other
- 2472 tufted
- 2473 ceiling products, grid, semiconcealed
- 2474 framing hanger, member application: panelized construction
- 2475 armored sheet, finished surface
- 2477 framing tie, column cap, two-way
- 2479 simulated masonry, stone
- 2480 framing hanger, member application: other
- 2481 paint, substrate: glazed surface
- 2482 paint, substrate: canvas
- 2483 paint, substrate: cementitious, concrete
- 2484 paint, substrate: cementitious, stucco
- 2485 ceiling products, panel/baffle material: single material, other
- 2486 shutter, material: plastic, other
- 2487 ceiling products, suspended panel, lay-in, perforated
- 2489 ceiling, panel/slat material: composite, core/backing material: other
- 2490 glazing block, panel
- 2491 fastener, substrate: standard concrete
- 2492 framing brace, wall, strap
- 2493 framing brace, fastening method:
- 2495 other flooring, material: composite
- 2496 fabric, felted
- 2497 fabric, application; other
- 2498 wood flooring, block
- 2499 flooring/tile accessories, other
- 2500 curtain, window
- 2501 curtain, cubicle
- 2502 embedded anchor, fastener:
- 2504 paint, application method: spray, air, high-volume low-pressure
- 2506 paneling, single material, wood
- 2507 handle, plate
- 2508 trim, running, straight casing
- 2509 latching device, latch
- 2513 trim, standing
- 2514 paint, finish, textured
- 2515 framing brace, attachment type:
- 2517 glazing block, accessories
- 2518 paneling, decorative, sheet
- 2519 ceiling products, grid material: other
- 2521 fastener, material: zinc
- 2522 framing tie, loading:
- 2523 ceiling, linear
- 2524 ceiling, grid
- 2525 paneling, composite, backing/core material: mineral fiber
- 2526 concrete form
- 2528 fastener, substrate: metal

- 2529 grillwork, open-cell, polygonal
- 2531 fastener, substrate: metal, structural steel
- 2532 other flooring, application: athletic/recreational
- 2533 timber connector, spike-grid
- 2534 hinge, application: cabinet
- 2535 fastener, impact, pin
- 2536 track hardware, operable partition
- 2537 embedded anchor, material connection: poured concrete
- 2538 trim, standing, finial
- 2539 timber connector, plate, lipped
- 2540 cement/mortar/grout
- 2541 fastener, substrate: metal, steel deck
- 2542 ceiling, grid, domed
- 2543 ceiling products, panel/baffle material: composite, surface material: fabric
- 2544 other concrete and masonry accessories, mortar screen
- 2545 surface protection products, wall protection device, bed locator/bumper
- 2546 concrete-form liner
- 2547 gypsum board system, application: column
- 2548 embedded anchor, member connection:
- 2549 framing hanger, skewed
- 2551 stone, broken
- 2553 stone flooring, tile
- 2554 paneling, composite, surface material: mirror
- 2555 paint, substrate: cementitious
- 2556 glazing block, hollow, shape: other
- 2557 dimension lumber, wood preservative
- 2558 fastener, impact, staple
- 2559 framing brace, attachment type: let-in
- 2561 trim, standing, head trim, arched pediment
- 2562 other flooring, material: concrete/asphalt
- 2566 shutter, application: decorative
- 2567 ceiling, panel/slat material: composite, surface material: wood
- 2568 glazing block, hollow, visibility:
- 2569 fastener, installation method: power tool, pneumatic
- 2571 floor maintenance product, stripper
- 2572 hydraulic cement, special-purpose portland-based
- 2573 trim, running, rail, picture
- 2574 framing hanger, member application:
- 2575 carpet, broadloom
- 2576 shutter, application: security
- 2577 other concrete and masonry accessories, weep hole
- 2578 laminate/solid surfacing, laminate
- 2579 surface protection products, wall protection device, wall guard
- 2580 ceiling products, panel/baffle material: composite, surface material: metal
- 2581 ceramic surfacing, application: tub/shower surround
- 2583 ceiling, grid, other
- 2584 handle
- 2585 access flooring products, panel covering
- 2587 glass sheet

2589 fastener, use: steel deck

2590 handle, bar 2591 unit paver

2593 paneling, application: location, fascia/soffit

2594 access flooring products, understructure, stringered 2598 floor mat, surface-mounted or recessed, rod-and-link

2599 timber connector, ring, split

2600 ceiling, panel/slat material: single material, plastic

2602 gypsum/plaster accessories, plaster or gypsum board trim, edge

2603 embedded anchor, two-strap

2604 wood panel, plywood, treated, preservative 2605 blind/shade, application: room darkening

2607 paint, special use: traffic marker

2608 fastener

2609 blind/shade, roller shade

2611 paint, application method: roller 2614 embedded anchor, pour: single

2615 lock, bored

2616 stone, flagstone 2617 stain

2620 carpet, module, loop-pile

2623 framing tie, hinge connector

2624 ceiling products, grid material: aluminum

2625 surface protection products, door guard, knob/handle

2626 fastener, anchor, mechanical, sleeve anchor, sleeve only

2627 lock, key and combination

2628 blind/shade, installation: between double-glazing

2629 framing tie

2633 paint, substrate: recycled gypsum board

2634 fastener, material: brass 2635 flooring/tile accessories

2637 framing tie, strap, flat, straight, notched edge

2638 flooring underlayment, liquid-applied

2639 trim, running, rail

2640 glazing block, application: exterior, wall

2641 fastener, impact, nail

2642 timber connector, plate, lipped, one-sided

2643 dimension lumber

2644 cementitious panel

2645 glazing block, accessories, spacer

2646 ceiling products, panel/baffle material: single material, wood

2647 track hardware, motorized assembly

2648 blind/shade, draw shade, horizontal folding

2651 paint, substrate: metal, non-ferrous

2652 framing hanger, 90-degree

2653 trim, standing, head trim, crosshead

2654 shutter, material: wood

2655 ceiling products, suspended panel, concealed grid

2657 paneling, application: location, door facing

- 2658 ceiling products
- 2659 trim, running, base
- 2660 shutter, installation: above ceiling
- 2662 concrete formwork accessories, release agent
- 2663 ceiling, panel/slat material: composite, core/backing material:
- 2664 ceiling, grid, coffered
- 2665 trim, running, panel molding
- 2666 other flooring, application: commercial
- 2667 paneling, composite, backing/core material: other
- 2668 blind/shade, application: insulating
- 2669 fastener, impact, nail, annular ring shank
- 2670 wood panel, plywood
- 2671 unit paver, curbing
- 2672 ceiling, panel/slat material: composite
- 2673 blind/shade, installation: outside mounted
- 2674 framing hanger, material application:
- 2675 flooring/tile accessories, reducer
- 2676 glazing block, special performance:
- 2677 blind/shade, manual
- 2678 fastener, use:
- 2679 glazing block, accessories, perimeter frame
- 2680 fastener, anchor, mechanical, sleeve anchor
- 2681 paneling, single material, other material
- 2683 paneling, composite, surface material: HDPE
- 2684 framing tie, strap, flat
- 2685 carpet
- 2686 paneling, application: location, wall
- 2687 ceramic surfacing, application: exterior cladding
- 2688 fabric
- 2689 trim, standing, niche
- 2690 wood panel, plywood, treated, fire retardant
- 2691 fastener, anchor, mechanical, toggle bolt
- 2692 trim, running, rail, chair
- 2693 wallcovering, sheet
- 2694 blind/shade, material: plastic
- 2695 fabric, application: awning
- 2696 ceiling products, panel/baffle material: composite, core material: mineral fiber
- 2698 flooring/tile accessories, joiner
- 2700 trim, running, other
- 2701 stone, bluestone
- 2702 paint, primer
- 2703 block
- 2704 trim, material: plaster
- 2705 fastener, anchor
- 2706 ceramic surfacing, mosaic
- 2707 wood flooring, strip
- 2708 formed-in-place flooring, terrazzo
- 2709 glazing block, application: exterior, window
- 2712 ceiling, grid, vaulted

- 2713 framing tie, installation method: prongs
- 2714 trim, standing, applique
- 2715 hinge, application: passage door
- 2716 other flooring
- 2718 shutter, material: metal, steel 2719 blind/shade, application: skylight
- 2720 flooring and tile accessories, application: terrazzo 2721 blind/shade, application: sunroom/greenhouse
- 2722 glazed brick substrate
- 2724 ceiling panel
- 2726 fabric, exposure: exterior
- 2727 hydraulic cement, non-portland
- 2728 unit paver, roof ballast
- 2729 fabric, laminated
- 2730 fastener, installation method: power tool, electric
- 2731 track hardware, steel
- 2733 framing tie, strap, flat, L
- 2734 gypsum board, sheathing
- 2735 gypsum board, veneer plaster base
- 2737 fastener, substrate: lightweight concrete deck
- 2738 ceiling, grid material:
- 2739 wallcovering, roll
- 2740 paint, substrate: plastic
- 2741 framing tie, column cap
- 2743 glazing block, accessories, panel reinforcing
- 2744 paint, clean-up: water/detergent
- 2746 shutter, environment: interior
- 2748 embedded anchor, base, post
- 2749 other flooring, location:
- 2750 framing brace
- 2751 carpet, module, cut-pile
- 2752 surface protection products, door guard, door frame
- 2753 paneling, decorative, plank
- 2754 blind/shade, stationary
- 2756 framing tie, column cap, one-way
- 2757 concrete formwork accessories, joint former
- 2758 ceiling, panel/slat material: single material, metal
- 2759 framing hanger
- 2760 track hardware, aluminum
- 2762 paint, clean-up:
- 2763 lock, lock cylinder
- 2765 trim, standing, dome
- 2766 track hardware, cubicle curtain
- 2767 ceiling, grid material: combination
- 2768 framing brace, fastening method: integral prongs
- 2769 ceiling, panel/slat material: single material
- 2770 fastener, substrate: cementitious wood fiber deck
- 2771 framing hanger, material application: wood to steel
- 2772 gypsum/plaster accessories, plaster or gypsum board trim, expansion joint

- 2774 ceiling products, suspended panel
- 2775 special purpose
- 2776 glazing block, application: interior
- 2777 glazing block, application: exterior
- 2778 framing brace, fastening method: screws
- 2779 ceiling, grid material: other
- 2781 wood panel, plywood, interior
- 2782 resilient flooring, sheet
- 2783 paneling, composite, backing/core material: cork
- 2784 ceiling products, panel/baffle material: single material, mineral fiber
- 2785 embedded anchor, base, beam seat
- 2786 fastener, substrate: cementitious
- 2787 door communication hardware
- 2788 glazing block, accessories, panel anchor
- 2789 trim, material: polystyrene
- 2790 other flooring, material: bronze
- 2791 handle, lever
- 2792 glazing block, application:
- 2793 shutter, material: plastic, polycarbonate
- 2795 fastener, use: insulation
- 2796 underlayment, application: ceramic/quarry tile
- 2797 fabric, material: natural
- 2798 gypsum board system, application: wall
- 2799 paint, special use: other
- 2800 blind/shade, material: fabric
- 2801 paint, special use: ultraviolet-resistant
- 2802 timber connector, ring
- 2804 blind/shade, material: metal
- 2806 embedded anchor, member connection: sill to wall
- 2807 rose
- 2809 stone, dimensioned
- 2810 fabric, material: synthetic
- 2812 stone, custom products
- 2813 glazing block, frame/accessory material: concrete
- 2814 lock, rim
- 2815 grillwork, crossed-bar
- 2816 armored sheet, substrate
- 2818 insulating glazing panel
- 2819 stone, sandstone
- 2821 formed-in-place flooring, coating
- 2822 track hardware, manual assembly
- 2823 framing brace, wall, T
- 2824 fastener, substrate: metal, light metal framing
- 2825 ceiling products, grid material: steel
- 2826 other flooring, material: other
- 2827 embedded anchor, material connection:
- 2828 plaster, portland cement
- 2829 flooring maintenance products
- 2830 trim, material: metal

- 2831 fastener, material: aluminum
- 2833 shutter, application: visual privacy
- 2834 ceramic surfacing, application: countertop
- 2835 lock, electromechanical
- 2836 embedded anchor, strap
- 2837 lock, mortise
- 2839 stone flooring, paver
- 2840 framing hanger, member application: beam, purlin
- 2843 fastener, substrate: other
- 2845 wood flooring, plank
- 2846 porous paving products, modular unit, non-interlocking
- 2847 ceiling products, panel/baffle material: composite, surface material:
- 2848 gypsum board, core board
- 2849 shutter, operable
- 2850 area separation wall
- 2851 paint, substrate: previously painted
- 2852 gypsum board system, wood framing
- 2853 framing tie, special purpose: ornamental
- 2854 glazing block, frame/accessory material: plastic
- 2855 ceiling, application: acoustic
- 2857 lockset
- 2858 fastener, material: epoxy
- 2859 paint, application method: spray, airless
- 2861 fastener, rivet, upset
- 2862 shutter, installation: over opening
- 2863 lock, padlock
- 2864 framing hanger, member application: truss
- 2865 glazing block, hollow, shape: rectangular
- 2866 surface protection products, wall protection device
- 2867 framing tie, material: steel
- 2868 concrete formwork accessories, keyway former
- 2870 trim, running, corner, inside
- 2871 ceiling products, grid material:
- 2872 other flooring, material: metal
- 2874 laminated glazing panel
- 2875 formed-in-place flooring, terrazzo, resinous
- 2876 paint, location: exterior
- 2878 ceiling, application: security
- 2881 glazing block, solid
- 2882 shutter, material: metal, aluminum
- 2883 wood panel, waferboard
- 2885 veneer plaster system
- 2886 access flooring components
- 2887 strip, filler, joint
- 2888 paneling, composite, backing/core material: foam rubber
- 2890 framing hanger, fastening method: nails
- 2894 lockset, handle type: lever
- 2895 timber connector, plate, toothed
- 2896 paneling, single material

- 2898 gypsum/plaster accessories
- 2899 embedded anchor, material: aluminum
- 2900 ceiling products, grid material: aluminum-capped steel
- 2901 ceiling products, panel/baffle material: single material, plastic
- 2903 paint, vehicle: epoxy resin
- 2905 ceiling products, panel/baffle material: composite, surface material: other
- 2906 shutter, application: sun control
- 2907 paint, finish, fire retardant
- 2910 framing brace, fastening method: nails
- 2911 stone, application: exterior, stairs
- 2912 timber connector
- 2913 flooring/tile accessories, cove cap
- 2914 timber
- 2915 porous paving products, modular unit
- 2916 surface protection products, wall protection device, column guard
- 2917 paint, vehicle: chlorinated rubber
- 2918 surface protection products, loading dock bumper
- 2919 trim, material: fiber-reinforced plastic
- 2921 other flooring, location: interior
- 2923 paneling, composite, surface material: wood
- 2926 ceiling, panel/slat material:
- 2927 floor maintenance product, sealer
- 2928 trim, running, curved casing
- 2930 trim, running, corner
- 2931 glazing block, hollow, shape: square
- 2934 ceiling products, suspended panel, lay-in, grille
- 2935 ceiling, panel/slat material: single material, wood
- 2936 glazing block, frame/accessory material: metal, steel
- 2937 gypsum/plaster accessories, gypsum board trim, expansion joint
- 2938 framing hanger, material application: wood to concrete or masonry
- 2939 gypsum board system
- 2940 embedded anchor, member connection; post/stud to slab
- 2941 gypsum/plaster accessories, gypsum board trim, edge
- 2943 fastener, accessory
- 2944 framing hanger, member application: beam, girder
- 2945 track hardware, curtain
- 2946 gypsum/plaster accessories, plaster/stucco trim, corner
- 2947 shutter, operable, swinging
- 2948 fastener, impact, nail, spiral shank
- 2949 embedded anchor, fastener: nails
- 2950 ceramic surfacing, tile
- 2951 carpet, broadloom, cut-pile
- 2953 plaster, stucco
- 2954 cement/mortar/grout, cement
- 2956 formed-in-place flooring, terrazzo, cementitious
- 2957 ceiling, grid material: metal
- 2959 paneling, decorative
- 2960 ceramic surfacing, application: wall
- 2962 gypsum board system, application: wall, area separation

- 2963 concrete formwork accessories, form clamp
- 2965 concrete formwork accessories, form hanger
- 2966 paint, vehicle: alkyd
- 2967 paint, substrate: plaster
- 2968 timber connector, spike-grid, square, flat
- 2970 embedded anchor, bolt
- 2973 timber connector, plate
- 2974 fastener, impact, nail, smooth shank
- 2975 framing hanger, fastening method: welded
- 2976 fastener, material: other
- 2979 masonry anchor/tie
- 2981 trim, material: acrylic
- 2982 ceiling, application: simulated skylight
- 2983 framing hanger, fastening method: screws
- 2984 stone, slate
- 2985 latching device, strike
- 2989 embedded anchor, other
- 2990 track hardware, passage door, bifolding
- 2991 paneling, composite, surface material: other
- 2992 laminate/solid surfacing
- 2993 blind/shade, horizontal blind
- 2994 sealant, joint, viscous
- 2995 shutter, material: plastic, polyvinyl chloride
- 2996 flooring underlayment, roll/mat
- 2997 paneling, environment: exterior
- 2998 framing tie, strap, twist
- 3000 trim, running, frieze
- 3001 wood panel, fiberboard
- 3002 trim, standing, light block
- 3003 architectural metalwork
- 3004 concrete formwork accessories
- 3005 other flooring, location: exterior
- 3006 architectural metalwork, fabrication
- 3007 gypsum board system, steel framing
- 3008 stone, lava
- 3009 gypsum board
- 3010 wood panel, hardboard
- 3011 paint, application method: brush
- 3012 framing tie, angle, single-bend, adjustable angle
- 3013 paneling, composite, backing/core material:
- 3014 lock, electromagnetic
- 3015 timber connector, plate, lipped, two-sided
- 3016 glazing block, application: exterior, other
- 3018 other flooring, material: steel
- 3019 ceiling products, panel/baffle material: composite, core material: gypsum board
- 3020 carpet, broadloom, cut-and-loop pile
- 3021 framing brace, wall, angle
- 3026 ceiling, application: luminous ceiling
- 3027 surface protection products

- 3029 lock, application: cabinet
- 3030 flooring underlayment
- 3031 shutter, material: plastic
- 3032 framing hanger, steel
- 3034 trim
- 3037 fastener, substrate: masonry
- 3038 glazing block, material: plastic
- 3039 grillwork
- 3040 embedded anchor, live loading application: seismic
- 3041 glazing block, hollow, visibility: privacy
- 3042 porous paving products
- 3043 blind/shade, draw shade
- 3044 glazing block, hollow, shape: finishing
- 3045 paneling, other
- 3046 glazing block, special performance: security
- 3047 laminate/solid surfacing, solid surfacing
- 3048 access flooring products, panel
- 3049 wood panel, particleboard
- 3050 glazing block, frame/accessory material: metal, aluminum
- 3051 shutter, material: metal
- 3052 door communication hardware, mail slot
- 3053 floor maintenance product, cleaner
- 3055 track hardware, shutter
- 3056 stone
- 3057 glazing block, accessories, grid mounting frame
- 3058 carpet, module
- 3059 other flooring, material: polypropylene
- 3062 trim, standing, head trim, broken pediment
- 3063 access flooring products, pedestal
- 3064 framing brace, aluminum
- 3065 fastener, use: masonry veneer anchor
- 3067 fastener, use: flooring
- 3068 ceiling products, suspended panel, lay-in, solid, reveal edge
- 3069 gypsum/plaster accessories, joint tape
- 3070 paneling, composite, surface material: fabric
- 3071 trim, standing, mantel, full
- 3073 track hardware, surface-mounted
- 3074 high-volume-low-pressure air-spray applied
- 3075 paint, application method: spray, aerosol
- 3076 concrete reinforcement
- 3078 framing hanger, mounting: top flange
- 3079 fastener, material: steel
- 3081 architectural metalwork, casting
- 3082 wood flooring
- 3083 ceiling products, grid, concealed
- 3084 ceiling products, panel/baffle material:
- 3085 paint, substrate:
- 3086 formed-in-place flooring, application: athletic
- 3088 floor mat, frame

- 3089 gypsum/plaster accessories, plaster/stucco trim
- 3090 ceramic surfacing
- 3091 fusion-bonded
- 3092 track hardware, other material
- 3094 precast terrazzo flooring
- 3096 glazing block, hollow, visibility: vision
- 3098 concrete formwork accessories, other
- 3099 other flooring, tile/panel
- 3100 fastener, use: roofing
- 3101 gypsum board system, one-hour fire-resistance rated
- 3103 stone, application: exterior, veneer
- 3104 paneling, composite, surface material:
- 3105 wood panel, plywood, treated
- 3106 lock, keyed
- 3107 structural tile
- 3108 panel lifter
- 3110 framing hanger, mounting: face mount
- 3111 gypsum/plaster accessories, plaster or gypsum board trim
- 3113 fastener, anchor, chemical, injectable compound
- 3114 glazing block, application: interior, floor
- 3115 ceiling products, panel/baffle material: composite, surface material: wood
- 3117 access flooring products
- 3118 stone, dimensioned, cut slab
- 3119 ceiling, other
- 3120 glazing block, material: plastic, polycarbonate
- 3121 porous paving products, material: plastic
- 3125 gypsum/plaster accessories, joint compound, topping
- 3126 track hardware, plastic
- 3127 glazing block, hollow
- 3128 glazing block, material: glass
- 3129 framing brace, steel
- 3130 trim, running, cornice
- 3131 timber, solid-wood
- 3132 paint, location:
- 3133 glazing block, frame/accessory material:
- 3135 carpet, module, cut-and-loop pile
- 3136 fabric, woven
- 3139 framing tie, angle, multiple-bend, Z
- 3140 blind/shade, material: wood
- 3141 ceiling products, grid material: plastic
- 3142 formed-in-place flooring, cushioned
- 3144 ceiling products, grid, drywall suspension
- 3145 fabric, film
- 3146 simulated masonry
- 3147 framing tie, strap, flat, straight, smooth edge
- 3148 trim, running
- 3149 track hardware, suspended
- 3150 resilient flooring, tile
- 3151 woven

- 3152 paint, finish, multi-color
- 3153 paint, application method: spray, air
- 3155 OBSOLETEother flooring, detectable warning tile
- 3156 dimension lumber, application: foundation
- 3157 fastener, installation method: manual
- 3159 framing hanger, material application: wood to wood
- 3160 shutter, application: storm protection
- 3161 framing hanger, fastening method: nails, without placement prongs
- 3162 fastener, anchor, mechanical, sleeve anchor, sleeve and other
- 3163 embedded anchor, pour:
- 3164 embedded anchor, pour: double
- 3165 trim, material: rubber
- 3166 other coatings
- 3167 track hardware, stage equipment
- 3168 flooring/tile accessories, welding bead
- 3169 paint, finish, smooth
- 3170 trim, standing, mantel, shelf
- 3171 paint, vehicle: latex emulsion
- 3172 track hardware, passage door, sliding
- 3173 blind/shade
- 3174 wood panel
- 3175 wood panel, plywood, exterior
- 3176 framing brace, bridging
- 3177 gypsum board system, one-and-one-half hour fire-resistance rated
- 3178 gypsum/plaster accessories, gypsum board trim, corner
- 3179 gypsum/plaster accessories, plaster or gypsum board trim, corner
- 3180 glazing block, hollow, shape:
- 3181 armored sheet
- 3182 fabric, application:
- 3183 glazing block, frame/accessory material: metal
- 3184 trim, running, base, resilient, straight
- 3185 air-spray applied
- 3186 trim, material: vinyl
- 3187 surface protection products, material: plastic
- 3189 surface protection products, door guard, push plate
- 3190 fastener, installation method: power tool, explosive
- 3191 shutter, environment: exterior
- 3192 paneling, acoustic
- 3193 framing brace, wall
- 3194 ceiling, grid material: plastic
- 3195 ceiling
- 3196 embedded anchor, base, post, standoff
- 3197 porous paving products, material: concrete
- 3198 ceiling products, suspended panel, lay-in
- 3200 surface protection products, wall protection device, corner guard
- 3201 lockset, handle type: grip
- 3202 gypsum/plaster accessories, plaster/stucco trim, edge
- 3203 flooring/tile accessories, cove filler strip
- 3204 door communication hardware, speak hole

- 3205 trim, material: other
- 3206 glazing block, material:
- 3208 fabric, exposure:
- 3209 fastener, use: machinery
- 3210 ceiling, grid material: wood
- 3211 lockset, handle type: paddle
- 3212 precast terrazzo flooring, resinous
- 3213 gypsum board system, application: roof
- 3214 floor mat, rail
- 3215 gypsum/plaster accessories, gypsum board trim
- 3219 paneling, single material, FRP
- 3220 formed-in-place flooring, granular coating
- 3221 fabric, other
- 3222 flooring/tile accessories, divider strip
- 3223 ceramic surfacing, porcelain paver
- 3224 paint, application method:
- 3225 handle, knob
- 3226 glazing block, material: plastic, acrylic
- 3227 paint, vehicle: coal tar
- 3228 embedded anchor, material: steel
- 3229 joint sealant and filler
- 3230 fastener, installation method: power tool
- 3231 paint, application method: spray
- 3233 stone flooring
- 3235 cable
- 3238 track hardware, cabinet door
- 3239 grillwork, open-cell
- 3240 fastener, anchor, chemical
- 3242 fabric, application: privacy screen
- 3244 fastener, use: roof curb
- 3245 ceiling, linear, horizontal slat
- 3246 trim, running, rail, plate
- 3247 framing tie, loading: wind
- 3248 fastener, substrate: wood
- 3249 latching device
- 3250 paneling, composite
- 3251 door communication hardware, occupancy indicator
- 3253 framing tie, angle, single-bend, 90-degree, gusset-reinforced
- 3254 plaster
- 3257 shutter
- 3258 paint, specular gloss:
- 3259 embedded anchor
- 3260 access floor, gravity-held stringered understructure
- 3262 gypsum/plaster accessories, joint compound
- 3263 track hardware, intravenous equipment
- 3264 shutter, application:
- 3265 bracing
- 3267 blind and shade hardware
- 3269 stone, application: interior

- 3270 fastener, use: gypsum board
- 3271 timber, glue-laminated
- 3272 framing tie, loading: seismic
- 3273 trim, standing, mantel
- 3274 trim, running, edge molding
- 3276 gypsum board, form board
- 3277 glazing block, application: interior, partition
- 3278 dimension lumber, milled, treated
- 3279 trim, running, base, resilient, venting base
- 3280 paint, vehicle: polyurethane plastic
- 3283 fastener, anchor, mechanical
- 3285 saw
- 3286 ceiling products, suspended panel, semiconcealed-grid
- 3287 ceiling products, grid material: metal and wood combination
- 3288 wallcovering
- 3289 ceiling products, panel/baffle material: single material, fiber-reinforced plast
- 3291 paint
- 3292 trim, standing, bracket
- 3294 fastener, installation method: power tool, hydraulic
- 3295 framing tie, strap, flat, T
- 3296 fastener, impact
- 3297 paneling, composite, surface material: fiber-reinforced plastic
- 3299 fastener, material: stainless steel
- 3301 gypsum board system, three-hour fire-resistance rated
- 3302 ceiling, panel/slat material: single material, mineral fiber
- 3303 gypsum board, wallboard
- 3304 ceiling, panel/slat material: single material, fiberglass
- 3305 ceiling, exposure:
- 3306 embedded anchor, fastener: screw
- 3307 door communication hardware, knocker
- 3308 embedded anchor, member connection: sill to slab
- 3309 framing tie, installation method: nails
- 3310 ceiling, panel/slat material: composite, surface material: plastic film
- 3311 framing tie, loading: snow
- 3312 framing hanger, sloped
- 3313 porous paving products, modular unit, interlocking
- 3314 hydraulic cement, portland
- 3317 timber connector, ring, toothed
- 3318 airless spray applied
- 3319 knitted
- 3321 fastener, material: lead
- 3322 paneling, composite, surface material: plastic laminate
- 3323 embedded anchor, base, post, flush
- 3324 ceiling, panel/slat material: single material, other
- 3325 other facing/tread material
- 3328 ceiling, panel/slat material: composite, core/backing material: gypsum
- 3329 precast terrazzo flooring, cementitious
- 3330 trim, running, base, resilient
- 3331 stone, dimensioned, masonry unit

- 3332 glazing block, accessories, expansion strip
- 3334 shutter, operable, horizontal sliding
- 3335 embedded anchor, material connection: concrete block
- 3336 trim, standing, other
- 3337 ceramic surfacing, unglazed
- 3338 stone, application: interior, flooring
- 3340 shutter, operable, folding
- 3341 other flooring, application:
- 3342 trim, material: concrete
- 3343 concrete/masonry reinforcement, fibers
- 3344 paneling, application: location, ceiling
- 3345 framing hanger, aluminum
- 3346 stone, marble
- 3347 framing tie, installation method: bolts
- 3348 fabric, knitted
- 3349 paint, special use: marine application
- 3350 blind/shade, draw shade, cellular
- 3351 framing tie, angle, single-bend
- 3352 framing tie, angle
- 3353 framing brace, attachment type: surface attached
- 3354 framing hanger, member application: beam
- 3355 shutter, installation: within opening
- 3356 other concrete and masonry accessories, other
- 3357 framing hanger, member application: rafter
- 3360 ceiling products, baffle
- 3362 wood panel, plywood, structural
- 3363 gypsum board, backer board
- 3365 ceramic surfacing, glazed
- 3367 embedded anchor, post standard
- 3369 trim, standing, quoin
- 3370 embedded anchor, live loading application:
- 3371 paneling, decorative, paneled wainscot
- 3372 floor maintenance product, floor finish
- 3373 grillwork, open-cell, circular
- 3374 surface protection products, material: metal
- 3375 trim, material: stone
- 3377 paint, application method: other
- 3378 lock, application: window
- 3379 ceiling products, grid, other
- 3380 shutter, operable, roll-up
- 3381 latching device, catch
- 3382 ceiling products, panel/baffle material: composite, surface material: plastic fi
- 3383 paneling, composite, surface material: stone
- 3384 fastener, installation method: power tool, pneudraulic
- 3385 flue liner
- 3386 framing hanger, saddle
- 3387 ceiling, exposure: exterior
- 3388 stone, limestone
- 3389 terrazzo

- 3390 armored sheet, material: steel
- 3391 shutter, environment:
- 3392 other flooring, application: industrial
- 3393 paint, finish
- 3394 fabric, application: tent
- 3395 ceiling products, panel/baffle material: composite
- 3396 track hardware, stainless steel
- 3397 gypsum board system, four-hour fire-resistance rated
- 3398 glazing block, accessories, finishing extrusion
- 3399 paint, finish, metallic
- 3401 other flooring, material: aluminum
- 3404 framing tie, strap, twist, double
- 3405 resilient flooring, strip
- 3406 admixture
- 3407 paneling, single material, metal
- 3408 framing tie, tie plate
- 3409 track hardware, recessed
- 3410 stone, application: exterior, paving
- 3412 other concrete and masonry accessories, reglet
- 3414 access flooring, panel
- 3415 wood panel, plywood, untreated
- 3416 glazing panel
- 3417 track hardware
- 3418 paint, special use: floor
- 3419 plaster, fiber-reinforced
- 3422 paint, substrate: metal
- 3423 stone, other
- 3425 underlayment, application: stone tile
- 3426 ceramic surfacing, application: swimming pool
- 3427 ceiling products, suspended panel, lay-in, open cell
- 3429 ceiling, panel/slat material: composite, surface material: fabric
- 3430 other backing material
- 3431 fabric, application: banner
- 3432 paint, substrate: cementitious, concrete masonry unit
- 3433 carpet, area rug, loop-pile
- 3434 furring/lath
- 3436 formed-in-place flooring
- 3438 armored sheet, exposure: interior
- 3441 concrete formwork accessories, form angle
- 3443 carpet, area rug, cut-and-loop pile
- 3447 door communication hardware, viewing device
- 3448 ceiling, application:
- 3449 handle, thumb lever
- 3450 floor maintenance product, other
- 3451 framing tie, material: other
- 3452 armored sheet, exposure: exterior
- 3454 porous paving products, cast-in-place
- 3455 fastener, retainer
- 3456 timber connector, spike-grid, square

- 3457 glazing block, accessories, other
- 3458 paint, encapsulant
- 3459 access floor, gravity-held-panel stringerless understructure
- 3460 access flooring products, understructure, stringerless
- 3461 paint, substrate: metal, ferrous
- 3462 embedded anchor, member connection: beam to pilaster/wall
- 3463 cement/mortar/grout, mortar
- 3464 latching device, chain guard
- 3465 timber connector, spike-grid, circular
- 3466 ceramic surfacing, quarry tile
- 3467 paneling, environment:
- 3468 fastener, substrate: gypsum
- 3470 wallcovering, border
- 3471 armored sheet, material: fiber-reinforced plastic
- 3472 floor mat, backing material:
- 3475 track hardware, passage door
- 3476 gypsum board system, application: beam
- 3477 paneling, single material, foam rubber
- 3478 gypsum/plaster accessories, joint compound, bedding
- 3479 framing tie, strap, flat, straight
- 3480 lock
- 3481 other flooring, synthetic turf
- 3482 paneling, composite, backing/core material: gypsum board
- 3483 carpet, area rug, cut-pile
- 3484 framing tie, special purpose: corrosive
- 3486 recessed mat/frame combination
- 3487 embedded anchor, hold-down
- 3488 paneling, composite, surface material: metal
- 3489 fabric, exposure: interior
- 3490 framing tie, angle, multiple-bend, other
- 3491 track hardware, carrier
- 3492 gypsum board system, application: wall, shaft
- 3494 lock, combination
- 3495 curtain, stage
- 3496 access flooring products, stringer
- 3497 latching device, other
- 3498 fastener, anchor, chemical, screen tube
- 3500 stone, application: exterior
- 3501 trim, running, base, resilient, cove
- 3502 paint, clean-up: solvent
- 3503 ceiling products, panel/baffle material: composite, core material:
- 3504 fastener, screw, tapered shank
- 3506 fastener, screw
- 3507 framing tie, strap, twist, single
- 3508 trim, standing, keystone
- 3509 trim, standing, head trim, peak pediment
- 3512 track hardware, track
- 3513 embedded anchor, member connection: truss to wall
- 3515 blind/shade, vertical blind

- 3516 paneling, environment: interior
- 3518 stone, quartzite
- 3519 trim, running, base, board
- 3520 steel pan and concrete fill
- 3524 ceiling, panel/slat material: composite, surface material:
- 3525 fastener, rivet
- 3526 paint, substrate: cementitious, cement board
- 3527 timber connector, spike-grid, square, curved face
- 3528 floor maintenance product, repair kit
- 3530 grillwork, decorative pattern
- 3533 ceiling products, grid, exposed
- 3534 cushioned wood flooring
- 3535 paint, special use:
- 3536 paint, application method: trowel
- 3537 fastener, use: structural members
- 3538 surface protection products, material: other
- 3539 blind/shade, draw shade, other
- 3540 ceiling, panel/slat material: composite, core/backing material: mineral fiber
- 3541 ceiling, panel/slat material: composite, surface material: other
- 3542 paneling, composite, backing/core material: wood
- 3543 armored sheet, exposure:
- 3544 stone, application: exterior, sill
- 3545 wood flooring, parquet
- 3546 latching device, hasp
- 3547 other flooring, application: detectable warning
- 3548 fastener, use: fencing
- 3549 trim, material: polyurethane
- 3550 brick
- 3551 other concrete and masonry accessories
- 3552 trim, standing, applique, other
- 3555 ceiling grid
- 3556 retracting door slide
- 3557 curtain, gym divider
- 3559 fabric, material: blend
- 3560 framing hanger, member application: louver
- 3561 adhesive
- 3562 framing tie, angle, multiple-bend
- 3563 fastener, accessory, washer or plate
- 3564 ceiling products, panel/baffle material: single material, metal
- 3565 framing hanger, member application: header
- 3566 ceramic surfacing, application: other
- 3568 track hardware, wall panel
- 3569 paneling, composite, surface material: vinyl
- 3570 framing hanger, fastening method: nails, with placement prongs
- 3571 framing tie, material: aluminum
- 3573 gypsum/plaster accessories, plaster/stucco trim, expansion joint
- 3574 embedded anchor, one-strap
- 3575 framing tie, special purpose:
- 3576 door communication hardware, other

- 3577 surface protection products, door guard
- 3578 trim, standing, applique, rectangular
- 3579 glazing block, application: interior, other
- 3581 plastic glazing sheet
- 3583 ceiling, linear, vertical slat
- 3584 concrete formwork accessories, expansion board cap
- 3585 fastener, material: jute
- 3586 porous paving products, mat
- 3587 glazing block, special performance: fire-rated
- 3588 framing hanger, mounting: face mount or top flange
- 3589 fastener, rivet, blind
- 3590 resilient flooring
- 3591 ceiling products, panel/baffle material: single material
- 3592 track hardware, motor
- 3593 drawer slide
- 3596 ceiling products, panel/baffle material: composite, core material: fiberglass
- 3598 ceiling, panel/slat material: composite, surface material: metal
- 3600 access floor
- 3601 other flooring, material: iron
- 3603 other flooring, application: residential
- 3604 fastener, screw, straight shank
- 3605 surface protection products, door guard, kick plate
- 3606 hinge
- 3607 stone, broken, aggregate
- 3608 framing tie, installation method: screws
- 3609 embedded anchor, base
- 3610 glazing block, application: exterior, skylight
- 3611 ceiling products, suspended panel, lay-in, solid, flush edge
- 3612 ceiling, application: sanitary
- 3613 fastener, single material
- 3614 trim, material: wood
- 3615 fastener, substrate:
- 3616 ceiling products, grid, finished open
- 3617 paint, substrate: gypsum board
- 3619 ceiling products, panel/baffle material: composite, core material: other
- 3620 shutter, application: sound control
- 3621 curtain
- 3623 needlepunched
- 3624 stone, application: interior, paneling
- 3625 framing hanger, other
- 3626 fastener, anchor, mechanical, deformed spike
- 3627 blind/shade, installation: inside mounted
- 3628 stone, granite
- 3629 ceramic surfacing, application: floor
- 3630 sealant, joint, preformed
- 3631 framing hanger, mounting:
- 3632 handle, application: window
- 3633 framing tie, angle, single-bend, 90-degree, without gusset
- 3635 glazing block, accessories, seal/gasket

- 3636 access floor, bolted-panel stringerless understructure
- 3638 fabric, application: curtain/window treatment
- 3640 concrete installation & maintenance compounds
- 3641 paint, finish, dry fall
- 3642 paneling
- 3643 paneling, composite, backing/core material: fiberglass
- 3645 framing hanger, skewed and sloped
- 3648 flooring underlayment, rigid board
- 3649 ceiling, grid, planar
- 3650 varnish
- 3651 fabric, application: patio/deck cover
- 3653 paver
- 3654 framing hanger, fastening method:
- 3655 specular gloss description
- 3656 fastener, combined materials
- 3657 porous paving products, material: other
- 3660 fastener, use: paneling
- 3662 floor mat, surface mounted or recessed
- 3664 floor mat
- 3666 gypsum board system, two-hour fire-resistance rated
- 3667 ceiling products, grid
- 3668 ceiling products, grid material: wood
- 3669 framing tie, angle, single-bend, 90-degree
- 3672 paint, location: interior
- 3673 embedded anchor, live loading application: wind
- 3674 shutter, fixed
- 3675 grillwork, lattice
- 3676 paint, vehicle:
- 3677 blind/shade, motorized
- 3678 stone, broken, rubble
- 3679 paneling, sanitary
- 3680 lockset, handle type: knob
- 3681 surface protection products, material: rubber
- 3682 paint, substrate: wood
- 3683 fastener, material: plastic
- 3684 trim, standing, head trim
- 3685 fabric, application: upholstery
- 3686 ceiling, panel/slat material: composite, core/backing material: fiberglass
- 3687 paneling, application:
- 3689 fastener, accessory, nut
- 3691 gypsum board system, application: floor
- 3692 ceiling, exposure: interior
- 3694 coating
- 3695 paint, substrate: brick
- 3696 glazing block
- 3697 ceramic surfacing, application: detectable warning
- 3698 stone, application: exterior, coping
- 3701 gypsum board system, application: ceiling
- 3702 cement/mortar/grout, grout

- 3703 door communication hardware, doorbell
- 3704 access flooring products, understructure
- 3705 concrete formwork accessories, form tie
- 3706 shutter, removable panel
- 3707 hydraulic cement
- 3708 paint, other
- 3709 ceiling products, applied panel
- 3710 framing tie, angle, multiple-bend, 3-way
- 3713 stone, application: exterior, landscaping
- 3715 other concrete and masonry accessories, cracking agent
- 3716 trim, running, casing
- 3717 hydraulic cement, blended
- 3718 gypsum board, soffit
- 3720 wood panel, oriented strand board
- 3721 paneling, single material, mineral fiber
- 3722 framing brace, knee
- 3724 stone, boulder
- 3725 carpet, broadloom, loop-pile
- 3726 surface protection products, door guard, door edge
- 3727 access floors, other
- 3728 handle, application: cabinet
- 3729 framing hanger, member application: beam, joist
- 3730 carpet, area rug
- 3731 gypsum/plaster accessories, joint compound, regular
- 3732 luminaire, application, sign
- 3733 electrical control, application, lighting
- 3734 communication system components, monitoring
- 3735 building and security systems, security
- 3736 electrical control
- 3737 lightning protection, other
- 3738 luminaire, emergency lighting
- 3739 communication/security system
- 3740 generator
- 3741 building and security systems, safety
- 3742 communication system components
- 3743 luminaire, general, mounting, portable, table
- 3744 conductor
- 3745 luminaire, signal
- 3746 wiring device
- 3747 lightning protection, ground terminal
- 3748 luminaire, application, aeronautical
- 3749 wire management, box
- 3750 lightning protection
- 3751 wire management, fitting
- 3753 building and security systems, energy management
- 3754 conductor, undercarpet
- 3755 wiring system, lighting
- 3756 lamp
- 3757 poles, posts, standards

- 3758 communication system components, sound
- 3759 luminaire, general, mounting, portable, floor
- 3760 communication system components, voice/data
- 3761 luminaire, application, theater
- 3762 wire management
- 3763 power distribution switch
- 3764 communication system components, audio-visual
- 3765 lightning protection, air terminal
- 3766 luminaire, application, roadway/area
- 3767 electrical control, application, temperature
- 3768 luminaire, application, stair/walkway
- 3770 illumination accessories
- 3771 ballast
- 3772 luminaire, application, sports
- 3773 luminaire, other
- 3774 building and security systems, sound
- 3775 lightning protection products
- 3776 luminaire, environment, waterproof
- 3777 luminaire type, solar
- 3778 luminaire, application, display
- 3779 wire management, overhead, power pole
- 3780 luminaire, environment, hazardous location
- 3781 grounding device
- 3782 building and security systems, time
- 3783 wiring system
- 3784 luminaire, application, navigation
- 3785 luminaire
- 3786 building and security systems, intercommunication
- 3787 lightning protection, conductor
- 3788 luminaire, application, medical/surgical
- 3789 flagpole, application: residential
- 3790 bleacher, understructure material: other
- 3792 locker, mounting: wall, recessed
- 3794 service door
- 3795 access door, hinged
- 3796 door leaf, application: vehicle traffic
- 3797 fixed window, two-dimensional
- 3798 door leaf, full, monolithic, transparent
- 3799 waste/ash receptacle, material: metal, bronze
- 3800 door leaf, partial height, Dutch
- 3801 sculpture, frieze
- 3803 sign, frame/bracket material: wood
- 3804 flagpole, material: stainless steel
- 3805 relocatable partition, demountable panel
- 3806 chair, material: partially upholstered
- 3807 folding door, bifolding
- 3808 detention door
- 3809 vertical rising door, sectional, panel
- 3810 dividers and screen partitions, without casters

- 3811 window screen/guard, installation: welded
- 3812 door leaf, property: fire resistant, 20-minute rating
- 3814 revolving door, darkroom application
- 3815 mesh partition component
- 3816 door leaf, composite, core material: plastic, polyisocyanurate foam
- 3817 flagpole, single mast, tilting, counterbalanced
- 3818 toilet/dressing/shower partition, door, floor and ceiling attached
- 3819 restroom accessories, material: plastic
- 3820 vertical rising door, application: garage
- 3821 dividers and screen partitions, other
- 3822 door leaf, hinge mount
- 3823 bench, back material:
- 3824 letter signage, material: other
- 3825 door leaf, property: fume resistant
- 3826 three-dimensional operable window, corner
- 3828 mineral core
- 3829 wine rack, other
- 3830 bleacher, exposure: exterior
- 3831 door leaf, property: radiation shielding
- 3832 door leaf, full, stile-and-rail, frame-and-panel
- 3833 detention window, combination, casement
- 3834 sign, changeable message, illuminated, internally
- 3835 fixed window, three-dimensional
- 3838 telescoping platform, plank
- 3839 bleacher, bench/seat material: fiberglass
- 3840 bleacher, understructure material: wood
- 3841 sculpture, other
- 3842 door leaf, composite, inset panel material: wood
- 3843 locker, application: office
- 3844 coiling door, fabric
- 3845 clock, portable
- 3846 sign, permanent message, illuminated
- 3847 locker, case locker, open front
- 3848 sign, changeable message, illuminated, externally
- 3849 sliding door, single leaf, overhead-tracking
- 3851 flagpole, mounting: ground, embedded
- 3852 bench, bench-and-table combination
- 3853 door leaf, full, flush
- 3854 bench, application: child's bench
- 3855 bench, back material: fiberglass
- 3856 fixed window, two-dimensional, arched, other
- 3857 hung operable window, double-hung
- 3858 fixed window, three-dimensional, bay
- 3859 waste/ash receptacle, environment: interior, restroom
- 3860 directory, case/frame material: metal
- 3862 door leaf, composite, frame material: plastic, other
- 3863 hinged operable window, casement
- 3864 tag and label
- 3866 waste/ash receptacle, single container, side-loading, push door

- 3867 vault door
- 3868 directory, cover/door material: glass
- 3871 door leaf, composite, core material: metal or mineral-based product, metal stiff
- 3872 letter signage, material: plastic
- 3873 door leaf, exposure, interior
- 3874 theatre/auditorium
- 3875 toilet/dressing/shower partition, application: urinal screen
- 3876 flagpole, mounting: roof
- 3877 restroom accessories, medicine cabinet
- 3878 sliding door, multiple leaf, overhead-tracking bottom-guided
- 3879 access door, hinged, recessed
- 3880 directory, non-illuminated, permanent message
- 3881 door leaf, property: acoustically insulated
- 3882 restroom accessories, material: wood
- 3883 restroom accessories, grab bar
- 3884 cabinet, mounting: wall
- 3885 dividers and screen partitions, protection screen
- 3886 sign, portable
- 3889 operable grille, vertical-coiling
- 3891 locker, material: wood, plastic laminate
- 3892 toilet/dressing/shower partition, doorless, wall hung
- 3893 locker, material: wood, all wood
- 3895 combination table and seating, cluster configuration
- 3896 bleacher, telescoping, platform only
- 3897 sign, application: identification, other
- 3898 impact traffic door
- 3899 vertical rising door, lifting, single panel
- 3900 bicycle rack, loop stand
- 3901 exit device, side strike, rim
- 3902 sign, message face material: metal
- 3903 door leaf, exposure
- 3904 flagpole, material: aluminum
- 3906 locker, application: luggage
- 3907 door operator, coiling door
- 3908 folding door, accordion
- 3909 sign, application: directional
- 3910 bleacher, understructure material: steel
- 3911 waste/ash receptacle, material: metal, steel
- 3912 window screen/guard, installation: clips
- 3913 window accessories, screen
- 3914 systems furniture
- 3915 sign, application:
- 3917 bench, seat material: concrete
- 3918 fixed window, building class: commercial
- 3919 bleacher, telescoping, chair
- 3920 door leaf, composite, inset panel material: glass
- 3921 flagpole, accessories
- 3922 cabinet, drawer/shelf
- 3923 bleacher, bench/seat material: wood

- 3925 OBSOLETEtransaction window, combination, open perimeter
- 3926 OBSOLETEswinging door, door, full, flush
- 3928 chair, application: industrial
- 3929 flagpole, material: steel
- 3930 honeycomb construction
- 3931 waste/ash receptacle, freestanding
- 3932 directory, message panel material: wood
- 3933 door leaf, composite, facing material: plastic, phenolic plastic
- 3935 door leaf, composite, core material: metal or mineral-based product, mineral-fib
- 3936 cabinet, shelf, with door
- 3938 toilet/dressing/shower partition, door, ceiling attached
- 3939 OBSOLETEtransaction window, combination
- 3941 coiling door, continuous ribbed sheet
- 3942 waste/ash receptacle, single container, side-loading, pull-out
- 3943 door closer, single function
- 3944 door leaf, full, monolithic
- 3945 OBSOLETEtransaction window, combination, speak hole
- 3946 directory, wall-mounted
- 3947 restroom accessories, other
- 3948 door leaf, full, stile-and-rail, louvered
- 3949 plant, artificial
- 3950 flagpole, mounting: wall, vertical
- 3952 fixed window, two-dimensional, rectangular
- 3953 fire door
- 3955 locker, application: valuables
- 3957 sign, suspended
- 3958 letter signage, material: stone
- 3959 door leaf, composite, facing material: plastic, fiber-reinforced plastic
- 3960 restroom accessories, robe hook
- 3961 door leaf, composite, frame material: metal
- 3962 planting accessories, tree grate
- 3963 door operator, vertical lifting door, jackshaft type
- 3964 restroom accessories, retractable clothes line
- 3965 sign, message face material: wood
- 3966 access door
- 3967 door leaf, property: fire resistant, 3-hour rating
- 3968 bench, freestanding
- 3969 door leaf, composite, core material: wood product, fiberboard
- 3970 door leaf, composite, facing material: hardboard
- 3972 cabinet, environment, residential
- 3973 hinged operable window
- 3974 cabinet, environment:
- 3975 door leaf, property: emi/rfi shielding
- 3976 bench, seat material: wood
- 3977 clock
- 3978 bicycle rack, loop stand, single
- 3979 sign, message face material: cork
- 3980 door leaf, single material, glass
- 3981 threshold, saddle

- 3982 directory, illuminated, permanent message
- 3983 bench, bench-and-planter combination
- 3984 directory, portable
- 3985 sliding door, single leaf
- 3987 cabinet, application:
- 3988 locker, material: wood
- 3990 door operator, revolving door
- 3991 OBSOLETEswinging door, pre-hung
- 3992 door leaf, composite, facing material: metal, stainless steel
- 3993 exit device
- 3995 furnishing accessories, umbrella stand
- 3996 swinging hangar door
- 3997 door leaf, exposure, exterior
- 3998 window screen/quard, roll screening
- 3999 flagpole, material: bronze
- 4000 locker, application: bicycle
- 4002 sign, frame/bracket material: plastic
- 4003 OBSOLETEswinging door, door
- 4004 flagpole, single mast, tilting
- 4005 door leaf, full, stile-and-rail, screen/storm
- 4006 waiting area
- 4007 door leaf, application: security vault
- 4008 detention window, combination, sliding
- 4009 hung operable window, single-hung
- 4010 hatch, scuttle, smoke/explosion-relief vent
- 4011 bench, back
- 4012 bench, back material: metal
- 4013 wine rack, grid
- 4014 window screen/guard, guard
- 4015 directory, message panel material:
- 4017 flagpole, single mast, stationary
- 4018 letter signage, material: wood
- 4019 threshold, saddle, carpet divider
- 4020 bicycle rack, wall bar
- 4021 fixed window, sash and frame material: wood, clad
- 4022 planting accessories, planter shape: round
- 4023 sculpture
- 4024 OBSOLETEtransaction window, pass-through, hinged panel
- 4025 locker, mounting: wall
- 4026 bleacher, bench/seat material: aluminum
- 4028 flag/banner
- 4029 coiling door, slatted
- 4030 site ornament
- 4031 table, wall-mounted
- 4033 bleacher, platform/floor material: other
- 4034 fixed window, sash and frame material: wood, clad, vinyl-clad
- 4035 bleacher, platform/floor material: steel
- 4038 sign, changeable message, non-illuminated
- 4040 planting accessories, planter shape: rectangular

- 4042 double door
- 4044 waste/ash receptacle, material: metal, stainless steel
- 4045 table, folding
- 4046 bicycle rack, other
- 4047 fixed window, special application: underwater
- 4048 locker, other
- 4049 flagpole, single mast, entasis-tapered
- 4050 directory, electronic/computerized
- 4053 mesh partition component, door, sliding
- 4054 waste/ash receptacle, application: waste and ashes
- 4055 waste/ash receptacle, wall-mounted, surface
- 4056 door leaf, property: pressure resistant
- 4057 door accessories, door stop
- 4058 waste/ash receptacle, material: stone
- 4059 tag and label, tag
- 4060 door leaf, full, stile-and-rail, casement
- 4061 clock, floral
- 4062 door leaf, application: interior passage
- 4063 OBSOLETEswinging door, powered
- 4064 flagpole, single mast, stationary, with yardarm
- 4065 multiple seating
- 4066 tackable display product, tackstrip
- 4067 clothing rack, coat tree
- 4068 window screen/guard, installation: clamps
- 4069 detention window, combination, projected
- 4070 coiling door, application: darkroom
- 4071 fixed window, two-dimensional, special-shape, curvilinear
- 4072 restroom accessories, bottle opener
- 4073 writing surface, chalkboard
- 4074 bench, back material: other
- 4075 window screen/guard, insect screen
- 4076 bleacher
- 4078 projected operable window, outswinging
- 4079 planting accessories, planter shape: other
- 4080 bench, backless
- 4081 bench, seat material: fiberglass
- 4082 multiple seating, backless
- 4083 sliding door, multiple leaf, bottom-tracking
- 4084 door leaf, exposure, interior/exterior
- 4085 bleacher, fixed
- 4088 bench, armless
- 4089 door operator, sliding door
- 4090 fixed window, sash and frame material: metal, steel
- 4091 coiling door
- 4092 writing surface, electronic copyboard
- 4094 door property: fire resistant
- 4095 double leaf
- 4096 single door unit
- 4097 waste/ash receptacle, material: combination

- 4098 multiple seating, with back
- 4099 detention window, operable, other
- 4100 combination window, three-dimensional
- 4101 flagpole, mounting: roof, guyed
- 4104 bleacher, platform/floor material:
- 4106 directory, suspended
- 4107 window screen/guard, guard, fixed
- 4108 letter signage, material: plastic, cut film
- 4109 locker, assembly: preassembled
- 4110 sign stand/frame/base
- 4111 bicycle rack, hanger
- 4112 shelving
- 4113 clothing rack, wardrobe
- 4114 restroom accessories, material: ceramic
- 4115 flagpole, double mast
- 4116 door accessories, door hold open device
- 4117 door frame, hollow metal, other
- 4118 locker, mounting: wall, surface
- 4119 flagpole, single mast, internal halyard
- 4120 door leaf, composite, core material: plastic, polystyrene foam
- 4121 door operator, vertical lifting door, trolley type
- 4122 OBSOLETEswinging door, door, full
- 4123 writing surface
- 4124 crane access door
- 4125 waste/ash receptacle
- 4126 sign, permanent message, illuminated, internally
- 4127 OBSOLETEtransaction window, pass-through, rotating shelf
- 4128 other operable window, combination
- 4129 three-dimensional operable window, other
- 4130 tackable display product, bulletin case
- 4131 waste/ash receptacle, application: ashes
- 4132 door leaf, composite, core material: plastic
- 4133 cabinet, mounting: floor
- 4134 door leaf, full, flush, hollow core, embossed face
- 4136 writing surface, menu board
- 4137 waste/ash receptacle, material: plastic
- 4138 sign, frame/bracket material:
- 4139 door leaf, single material, other
- 4140 bleacher, understructure material: aluminum
- 4141 hinged operable window, awning
- 4142 clock, wall
- 4143 locker, basket rack, double access
- 4144 waste/ash receptacle, material: other
- 4146 door leaf, partial height
- 4147 toilet/dressing/shower partition, doorless, floor and ceiling attached
- 4148 flood gate
- 4149 directory, cover/door material:
- 4151 waste/ash receptacle, single container
- 4152 sign, wall-mounted, flag-mount

- 4153 writing surface, markerboard
- 4155 other furnishing accessories
- 4156 directory, illuminated, changeable message, letter
- 4157 door leaf, single material, wood
- 4158 directory, cover/door material: plastic
- 4159 sliding hangar door
- 4160 table
- 4161 mirror
- 4162 door leaf, full
- 4163 fixed window, three-dimensional, other
- 4164 bleacher, freestanding
- 4165 flagpole, application: commercial
- 4166 fixed window, sash and frame material: wood
- 4167 sign, changeable message, electronic/computerized
- 4168 planting accessories, planter
- 4170 dividers and screen partitions, with casters
- 4171 revolving door, cylindrical, four-way
- 4172 wine rack
- 4173 fixed window, three-dimensional, greenhouse
- 4174 sign, application: identification, room/area
- 4176 locker, application: tenant storage
- 4177 bench, seat material: metal
- 4178 sign, wall-mounted
- 4181 bollard
- 4182 cabinet, other
- 4184 operable grille, horizontal-sliding
- 4185 OBSOLETEtransaction window, voice transmission, speak hole
- 4186 for glass door
- 4187 other door material
- 4188 cabinet, plastic laminate
- 4190 bleacher, accessory
- 4191 vertical rising door, sectional, flush
- 4192 waste/ash receptacle, environment: interior
- 4193 sign, application: identification, commemorative/dedicatory
- 4194 sign, frame/bracket material: other
- 4195 locker, application: athletic
- 4196 fixed window, sash and frame material: metal, aluminum
- 4197 waste/ash receptacle, single container, top-loading
- 4199 wine rack, scalloped crossbar
- 4200 planting accessories
- 4201 flagpole, mounting: ground, bolted
- 4202 sign, changeable message, illuminated
- 4203 bench, back material: concrete
- 4204 window screen/guard, security, detention
- 4207 fixed window, sash and frame material: plastic
- 4208 door leaf
- 4209 waste/ash receptacle, material: wood
- 4210 relocatable partition, unitized panel
- 4211 exit device, vertical strike, concealed rod

- 4212 bleacher, platform/floor material: aluminum
- 4213 door leaf, composite, core material: wood product, particleboard
- 4214 relocatable partition, panel material: metal
- 4215 letter signage, material: ceramic
- 4216 directory, illuminated
- 4217 sign, frame/bracket material: stone
- 4219 planting accessories, tree guard
- 4220 three-dimensional operable window, bow
- 4221 restroom accessories, towel warmer
- 4223 waste/ash receptacle, application: waste, recyclables
- 4224 directory, exposure: exterior
- 4225 fixed window
- 4227 toilet/dressing/shower partition, application: dressing room
- 4228 door leaf, full, stile-and-rail
- 4229 restroom accessories, baby changing table
- 4230 door leaf, composite, inset panel material: stainless steel
- 4231 door leaf, composite, core material: plastic, polyurethane foam
- 4233 vertical rising door, other
- 4235 fixed window, special application:
- 4236 store front entrance
- 4237 directory, ground-mounted
- 4238 locker, assembly: knocked-down
- 4239 window accessories
- 4240 door leaf, application: craneway
- 4241 other furnishings
- 4242 door leaf, single material, plastic
- 4243 door frame, other
- 4245 letter signage, material: metal
- 4247 fixed window, sash and frame material: wood, all-wood
- 4249 letter signage, projecting
- 4250 other operable window, tilt-and-slide
- 4251 wine rack, bin
- 4252 sign, ADA compliant
- 4253 dividers and screen partitions, portable partition
- 4254 fixed window, glazing material: glass
- 4255 single leaf
- 4258 cabinet, environment, commercial/institutional, food service
- 4259 bench, application: indoor only
- 4260 door leaf, hinge mount, electric hardware preparation
- 4261 door leaf, composite
- 4262 fixed window, sash and frame material: metal, stainless steel
- 4264 bicycle rack, slotted, vertical slot
- 4265 sliding door, single leaf, overhead-tracking bottom-guided
- 4267 door leaf, property: bullet resistant
- 4268 restroom accessories
- 4269 waste/ash receptacle, wall-mounted, semi-recessed
- 4270 other operable window
- 4271 detention window, operable, casement
- 4272 detention window, combination, awning

- 4273 door leaf, composite, core material: metal or mineral-based product
- 4274 drawer
- 4275 door leaf, composite, facing material: wood veneer
- 4277 window screen/guard, security, safety
- 4278 revolving door, other
- 4280 letter signage, material: glass
- 4281 door leaf, composite, facing material: metal, aluminum
- 4282 bleacher, bench/seat material: other
- 4283 revolving door, winged
- 4284 bicycle rack
- 4285 restroom accessories, towel rack
- 4286 restroom accessories, dryer
- 4287 door leaf, full, edge-joined/layered
- 4289 site ornament, foot medallion
- 4293 waste/ash receptacle, material: metal, aluminum
- 4294 floor hatch
- 4295 roof hatch
- 4296 window screen/guard, installation: spring suspensioin
- 4297 fixed window, sash and frame material: other
- 4298 combination window
- 4299 multiple seating, with back, with arms
- 4300 bench, seat material: other
- 4301 vertical rising door, sectional
- 4302 door leaf, property: fire resistant
- 4303 door leaf, full, flush, hollow core, applied moldings/panels
- 4304 door leaf, composite, inset panel material: plastic
- 4305 table, application: dining
- 4306 combination window, two-dimensional, arched fixed sash
- 4308 bench, single-sided
- 4309 folding gate
- 4310 directory
- 4311 detention window, other
- 4312 bench, fixed
- 4313 chair
- 4314 sign, changeable message
- 4315 door accessories, door coordinator
- 4317 sliding door, multiple leaf, overhead-tracking
- 4318 sign, permanent message, non-illuminated
- 4320 door leaf, full, flush, solid core, flat face
- 4321 locker, case locker
- 4322 waste/ash receptacle, material: fiber-reinforced plastic
- 4323 directory, case/frame material: wood
- 4324 OBSOLETEswinging door, door, Dutch
- 4325 flagpole, material: other
- 4326 bench, seat material: stone
- 4327 fixed window, building class: residential
- 4328 hinged operable window, hopper
- 4329 detention window, combination
- 4330 revolving door

- 4332 hatch, pan door
- 4333 seat material
- 4334 sign, ground-mounted, console
- 4337 hatch, flush door
- 4338 door leaf, composite, frame material: metal, steel, cold-rolled
- 4340 hollow-core door
- 4341 door closer
- 4342 threshold
- 4343 waste/ash receptacle, environment: interior, office
- 4345 access door, hinged, flush
- 4346 locker, material: steel
- 4347 operable window
- 4349 projected window, inswinging-outswinging
- 4350 drawers and drawer fronts
- 4351 door leaf, property: fire resistant, 60-minute rating
- 4352 display case
- 4353 site ornament, weathervane
- 4354 flagpole, single mast, tilting, hinged-base
- 4355 door frame, hollow metal
- 4356 hung operable window, triple-hung
- 4357 dividers and screen partitions, accessory
- 4358 front door
- 4359 door accessories, escutcheon
- 4360 basement walk-out door
- 4361 relocatable partition, panel material: gypsum
- 4362 flagpole, single mast, other taper
- 4363 clock, post
- 4364 bench, back-to-back
- 4365 door property: radiation shielding
- 4366 arm material
- 4368 bleacher, understructure material:
- 4369 workbench
- 4370 OBSOLETEtransaction window, pass-through, transaction drawer
- 4371 sign, message face material: stone
- 4373 sign, frame/bracket material: metal
- 4374 door frame
- 4376 bench
- 4377 window
- 4378 restroom accessories, shower seat
- 4379 other mounting method
- 4380 directory, exposure:
- 4382 door leaf, full, stile-and-rail, frame-and-panel, solid panel
- 4383 fixed window, two-dimensional, arched, rounded arch
- 4384 door light/louver
- 4385 door leaf, composite, frame material: plastic, acrylonitrile-butadiene-styrene
- 4389 door activator
- 4390 sign, application: identification, personnel/desk
- 4392 site
- 4393 other operable window, pivoting

- 4394 detention window, operable, projected
- 4395 patio door
- 4396 other operable window, tilt-and-turn
- 4397 door leaf, partial height, cafe
- 4399 clothing rack, circular
- 4401 window screen/guard, security, protection
- 4402 door frame, hollow metal, drywall
- 4403 exit device, vertical strike
- 4404 door accessories, door stop and holder
- 4405 restroom accessories, soap holder
- 4407 locker, application: handicap accessible
- 4408 door leaf, composite, core material: wood product, honeycomb
- 4410 sign, wall-mounted, recessed
- 4411 door leaf, composite, frame material: metal, steel
- 4412 bicycle rack, post
- 4413 writing surface, presentation cabinet
- 4414 flagpole, mounting: roof, with mandrel
- 4415 cabinet
- 4416 operable grille, horizontal-coiling
- 4417 directory, message panel material: other
- 4418 combination table and seating, integral bench configuration
- 4419 ceiling hatch
- 4421 door closer, dual function
- 4422 planting accessories, other
- 4423 restroom accessories, towel pin/hook
- 4425 OBSOLETEtransaction window, voice transmission, open perimeter
- 4426 systems furniture, application: bank
- 4428 sign, environment:
- 4429 door leaf, single material, steel
- 4430 cabinet, environment, commercial/institutional, school lab
- 4431 waste/ash receptacle, environment: exterior
- 4433 vertical rising door, lifting
- 4434 door leaf, composite, frame material:
- 4435 door leaf, composite, facing material: plastic
- 4436 sign, application: scoreboard
- 4437 detention window, operable, sliding
- 4438 door leaf, composite, facing material: metal
- 4440 toilet/dressing/shower partition, door
- 4441 sign stand/frame/base, frame
- 4443 detention window
- 4444 door leaf, application: entrance
- 4445 folding door
- 4446 door leaf, application: patio
- 4447 restroom accessories, application: barrier free
- 4448 door leaf, application: replacement
- 4451 OBSOLETEtransaction window, pass-through
- 4452 three-dimensional operable window, bay
- 4454 cabinet, environment, commercial/institutional, office
- 4455 sign, application: identification, building

- 4456 directory, non-illuminated, changeable message
- 4457 sliding door, single leaf, bottom-tracking
- 4458 horizontal sliding operable window, one operable sash
- 4459 door leaf, application:
- 4460 directory, message panel material: plastic
- 4461 door leaf, composite, core material: wood product, stave
- 4462 horizontal sliding operable window, other
- 4463 bleacher, bench/seat material: plastic
- 4464 waste/ash receptacle, material: metal, brass
- 4465 door frame, hollow metal, adjustable
- 4466 OBSOLETEswinging door, door, full, stile-and-rail, louvered
- 4467 horizontal sliding operable window, three operable sash
- 4469 cabinet, application: bookcase
- 4470 mesh partition component, material: steel
- 4471 detention window, operable
- 4472 waste/ash receptacle, environment:
- 4473 sign stand/frame/base, stand
- 4474 telescoping platform, bench
- 4475 countertop, application: laboratory
- 4476 door leaf, application: anechoic chamber
- 4477 stave-lumber core
- 4478 sculpture, statue
- 4479 restroom accessories, towel ring
- 4480 fixed window, sash and frame material:
- 4481 access door, removable
- 4482 window screen/guard, security
- 4483 sign, ground-mounted, post
- 4484 table, application: conference/office
- 4485 locker, application: handgun
- 4486 bleacher, platform/floor material: wood
- 4488 door operator, vertical lifting door, chain type
- 4489 folding hangar door
- 4490 toilet/dressing/shower partition, door, wall hung
- 4491 door leaf, full, stile-and-rail, French, applied muntin
- 4492 bleacher, bench/seat material:
- 4493 sign, message face material:
- 4495 detention window, operable, awning
- 4496 lounge seating
- 4497 table, extendable
- 4498 directory, message panel material: metal
- 4499 tag and label, label
- 4500 door leaf, composite, inset panel material: steel
- 4502 flagpole, material: fiber-reinforce plastic
- 4503 detention window, fixed
- 4504 door leaf, composite, frame material: wood
- 4506 door leaf, full, flush, hollow core, flat face
- 4508 flagpole, mounting: wall, outrigger
- 4510 fixed window, special application: basement
- 4512 door property: air tight

- 4513 bed
- 4514 waste/ash receptacle, material: metal
- 4515 threshold, other
- 4516 door leaf, track mount
- 4517 fixed window, sash and frame material: metal, bronze
- 4518 window screen/guard, guard, operable
- 4519 hinged operable window, jalousie
- 4520 door leaf, composite, inset panel material:
- 4521 countertop
- 4522 fixed window, building class: institutional
- 4523 operable partition
- 4524 mesh partition component, door swinging
- 4525 door property: water tight
- 4526 flagpole, single mast
- 4527 restroom accessories, child protection seat
- 4528 sign, portable, floor
- 4529 shower door
- 4530 detention window, combination, other
- 4532 fixed window, building class: industrial
- 4534 service wall assembly
- 4536 bench, seat material:
- 4538 horizontal sliding operable window
- 4539 other artwork
- 4540 exit device, side strike, mortise type
- 4541 tackable display product, tackboard
- 4542 vertical rising door
- 4543 exit device, side strike
- 4544 waste/ash receptacle, application: waste, diapers
- 4545 locker, material: stainless steel
- 4547 cabinet, application: clothing/linens
- 4548 fixed window, building class:
- 4549 hatch, curb-mounted door
- 4550 flagpole, single mast, stationary, without yardarm
- 4551 chair, material: fully upholstered
- 4553 door leaf, composite, frame material: plastic
- 4554 locker, application: corridor
- 4555 window screen/guard
- 4556 bench, arms
- 4557 sign, message face material: plastic
- 4558 multiple seating, with back, armless
- 4559 sidewalk door
- 4560 bicycle rack, slotted
- 4561 door property: blast resistant
- 4562 directory, special use, braille
- 4563 door leaf, application: cold storage
- 4564 door property: bullet resistant
- 4565 all-glass-door operator
- 4566 door leaf, composite, core material: plastic, other
- 4567 combination window, two-dimensional, square/rectangle fixed sash

- 4568 threshold, saddle, flat
- 4569 locker, mounting:
- 4570 restroom accessories, semi-recessed
- 4572 systems furniture, application: mail room
- 4573 cold storage door
- 4574 door leaf, composite, facing material: metal, steel
- 4575 bleacher, telescoping
- 4576 bench, application: ecclesiastical
- 4577 sign, ground-mounted, pylon/monolithic
- 4578 waste/ash receptacle, wall-mounted
- 4579 restroom accessories, material: metal
- 4580 window screen/guard, sun screen
- 4581 bleacher, telescoping, bench, flat
- 4582 directory, case/frame material:
- 4583 combination table and seating
- 4584 table, fixed
- 4585 combination table and seating, freestanding chair/bench configuration
- 4587 clock, tower
- 4589 combination window, three-dimensional, greenhouse
- 4590 restroom accessories, shower curtain rod
- 4591 locker, basket rack, single access
- 4592 fixed window, glazing material: plastic
- 4593 cabinet, metal
- 4595 cabinet, environment, residential, other
- 4596 stiffener construction
- 4598 door leaf, property: air tight
- 4599 unit skylight
- 4601 cabinet, drawer
- 4604 waste/ash receptacle, material: metal, copper
- 4605 door leaf, composite, facing material: medium-density overlay
- 4606 bleacher, telescoping, bench, contoured
- 4607 flagpole, single mast, external halyard
- 4608 door leaf, property:
- 4610 directory, illuminated, changeable message, strip
- 4611 clock, other
- 4613 file cabinet
- 4617 bleacher, telescoping, bench
- 4618 clock, projecting
- 4619 riser mounted
- 4620 cabinet, shelf
- 4621 OBSOLETEtransaction window, pass-through, slot tray
- 4623 waste/ash receptacle, environment: interior, mall/concourse
- 4624 vertical rising door, lifting, multiple panel
- 4625 hatch, smoke/explosion-relief
- 4626 sculpture, religious symbol
- 4627 door leaf, composite, core material: wood product, plywood
- 4628 flagpole, application: nautical
- 4630 bicycle rack, loop stand, multiple
- 4631 sign, application: identification, restroom

- 4632 door leaf, property: water tight
- 4633 revolving-door cylinder
- 4634 door leaf, full, edge-joined/layered, rigid
- 4635 sign, wall-mounted, surface
- 4637 fixed window, glazing material:
- 4638 door operator, vertical lifting door, crank type
- 4639 dividers and screen partitions, room divider
- 4640 hatch
- 4641 door leaf, composite, facing material: plastic, plastic laminate
- 4642 locker, mounting: back to back
- 4644 threshold, saddle, offset
- 4646 site ornament, other
- 4647 door accessories
- 4648 lead-lined door
- 4649 site ornament, birdbath
- 4650 door leaf, full, edge-joined/layered, flexible
- 4651 access door, removable, recessed
- 4652 sign stand/frame/base, base
- 4653 letter signage
- 4654 directory, case/frame material: plastic
- 4655 cabinet, environment, commercial/institutional, photo lab
- 4656 mesh partition component, material: other
- 4657 cabinet, shelf, open
- 4658 closet door
- 4659 door accessories, astragal
- 4660 door leaf, composite, core material: plastic, phenolic
- 4661 door leaf, full, stile-and-rail, frame-and panel, combination
- 4663 window screen/guard, installation: screws
- 4664 sign, application: identification, exit
- 4665 door accessories, other
- 4666 fixed window, special application: historic reproduction
- 4667 fixed window, two-dimensional, arched
- 4668 threshold, rabbeted
- 4671 door operator, vertical lifting door
- 4672 restroom accessories, toothbrush/tumbler holder
- 4673 mesh partition component, door
- 4674 directory, case/frame material: other
- 4675 waste/ash receptacle, material: concrete
- 4676 cabinet, application: fire equipment storage
- 4678 tackable display, other
- 4679 sign, ground-mounted, other
- 4680 locker, basket rack
- 4682 door leaf, composite, inset panel material: aluminum
- 4683 fixed window, two-dimensional, special-shape, rectilinear
- 4684 projected operable window
- 4685 table, application: library
- 4686 flagpole, mounting: wall
- 4687 clothing rack, hook
- 4688 cabinet, wood

- 4689 sign, environment: exterior
- 4690 directory, message panel material: cork
- 4691 mesh partition component, stairway partition
- 4692 door leaf, full, monolithic, opaque
- 4693 counter door
- 4694 door leaf, property: fire resistant, 90-minute rating
- 4695 stadium
- 4696 tackable display
- 4697 fixed window, three-dimensional, bow
- 4698 threshold, butt
- 4700 door leaf, composite, core material:
- 4701 door frame, preassembled
- 4702 sliding door
- 4703 hung operable window
- 4704 telescoping platform, chair
- 4705 umbrella
- 4706 dividers and screen partitions
- 4707 vertical rising door, sectional, ribbed
- 4708 flagpole, tilting
- 4710 flagpole, single mast, cylindrical
- 4711 door leaf, full, stile-and-rail, French, through muntin
- 4712 sign
- 4713 aperture door
- 4714 waste/ash receptacle, application: waste
- 4715 sign, permanent message, illuminated, externally
- 4716 toilet/dressing/shower partition, door, floor mounted
- 4717 bleacher, transportable
- 4718 sign, wall-mounted, semi-recessed
- 4719 combination window, two-dimensional
- 4720 systems furniture, application: laboratory
- 4721 fixed window, glazing material: glass block
- 4722 combination window, three-dimensional, bow
- 4723 OBSOLETEswinging door, door, full, stile-and-rail, screen/storm
- 4724 door leaf, composite, frame material: metal, steel, stainless
- 4726 flagpole, single mast, cone-tapered
- 4727 door leaf, full, flush, hollow core
- 4728 door leaf, hinge mount, hinge and lock preparation
- 4731 directory, non-illuminated, changeable message, strip
- 4732 restroom accessories, recessed
- 4735 locker, assembly:
- 4736 restroom accessories, application: security
- 4737 operable grille
- 4738 mesh partition component, panel, service window panel
- 4739 cabinet, environment, commercial/institutional, medical
- 4740 mesh partition component, panel
- 4741 bleacher, exposure: interior
- 4742 locker
- 4743 bench, back material: stone
- 4744 combination table and seating, seminar configuration

- 4745 fire-rated door
- 4746 directory, non-illuminated, changeable message, letter
- 4747 letter signage, material: plastic, molded
- 4748 sign, message face material: other
- 4749 door leaf, composite, frame material: metal, aluminum
- 4750 combination window, three-dimensional, bay
- 4751 door leaf, composite, core material: metal or mineral-based product, fiberglass
- 4752 door leaf, full, flush, solid core, embossed face
- 4753 access door, removable, flush
- 4754 relocatable partition, panel material: metal-clad
- 4755 door leaf, application: detention
- 4756 door leaf, property: blast resistant
- 4757 restroom accessories, shower curtain hook
- 4758 OBSOLETEtransaction window, pass-through, hopper
- 4760 door leaf, composite, core material: plastic, acrylonitrile-butadiene-styrene
- 4761 restroom accessories, surface mounted
- 4762 planting accessories, landscape edging
- 4763 floor mounted
- 4764 fixed window, sash and frame material: metal
- 4765 door leaf, partial height, other
- 4767 toilet/dressing/shower partition, door, overhead braced
- 4768 projected operable window, inswinging
- 4769 three-dimensional operable window
- 4771 sign, application: informational
- 4772 waste/ash receptacle, application:
- 4773 sign, application: identification, stairs
- 4774 fixed window, two-dimensional, special-shape
- 4776 sign, portable, desk-top
- 4777 door leaf, property: fire resistant, 30-minute rating
- 4778 bleacher, bench/seat material: steel
- 4779 toilet/dressing/shower partition, application: shower
- 4780 directory, illuminated, changeable message
- 4781 directory, exposure: interior
- 4782 dividers and screen partitions, divider wall
- 4783 site ornament, sundial
- 4784 beam mounted
- 4786 mesh partition component, panel, standard panel
- 4787 bench, back material: wood
- 4788 detention window, operable, hopper
- 4790 cabinet, environment, commercial/institutional
- 4791 clothing rack
- 4792 sliding door, multiple leaf
- 4793 fixed window, sash and frame material: wood, clad, aluminum-clad
- 4794 revolving door, cylindrical
- 4795 waste/ash receptacle, single container, side-loading, without door
- 4796 sign, permanent message
- 4798 door leaf, full, flush, solid core
- 4799 combination table and seating, single-seat unit
- 4800 door accessories, door silencer

- 4801 fixed window, two-dimensional, arched, pointed arch
- 4802 flagpole
- 4803 letter signage, flush-mounted
- 4804 back material
- 4805 toilet/dressing/shower partition, doorless
- 4806 revolving door, cylindrical, three-way
- 4807 sign, ground-mounted
- 4808 waste/ash receptacle, material: metal, iron
- 4809 vertical-rising traffic door
- 4810 waste/ash receptacle, multiple container
- 4811 fixed window, three-dimensional, corner
- 4812 cabinet, environment, residential, kitchen
- 4814 restroom accessories, soap
- 4816 sign, application: identification
- 4817 window frame
- 4818 door frame, stick
- 4819 cabinet, environment, commercial/institutional, other
- 4820 hinged operable window, folding
- 4821 revolving door, cylindrical, two-way
- 4822 door property: sound control
- 4823 sign, environment: interior
- 4824 clothing rack, hanger rod
- 4825 threshold, interlocking
- 4826 vertical-rising hangar door
- 4827 locker, case locker, closed front
- 4828 vertical rising door, canopy
- 4829 door leaf, composite, facing material:
- 4830 detention window, combination, hopper
- 4831 door leaf, single material
- 4833 exit device, vertical strike, exposed rod
- 4834 waste/ash receptacle, application: waste, paper and trash
- 4835 toilet/dressing/shower partition
- 4836 door leaf, application: other
- 4837 flagpole, mounting: ground
- 4838 door leaf, full, stile-and-rail, French
- 4840 traffic door
- 4841 fixed window, special application: replacement
- 4842 bed, wall bed
- 4843 horizontal sliding operable window, two operable sash
- 4844 directory, non-illuminated
- 4845 cabinet, environment, residential, bath
- 4848 telescoping platform
- 4849 relocatable partition
- 4850 door operator
- 4851 door leaf, composite, core material: wood product
- 4853 waste/ash receptacle, application: waste, sanitary napkin
- 4854 OBSOLETEswinging door, door, full, stile-and-rail, panel
- 4855 flagpole, fixed
- 4856 clothing rack, with shelf

- 4857 waste/ash receptacle, partition-mounted
- 4858 waste/ash receptacle, single container, side-loading
- 4859 waste/ash receptacle, environment: interior, kitchen
- 4860 bicycle rack, slotted, horizontal slot
- 4861 door operator, swinging door
- 4863 window screen/guard, screen
- 4864 locker, application: laundry
- 4865 waste/ash receptacle, wall-mounted, recessed
- 4866 restroom accessories, utility shelf
- 4868 sign, application: regulatory/control
- 4869 toilet/dressing/shower partition, application: toilet
- 4870 other vehicle control equipment
- 4871 sport equipment, net support, upright floor sleeve
- 4872 freezer, application: medical
- 4873 food preparation equipment, cutting equipment, chopper/processor
- 4874 food preparation equipment, application: commercial
- 4875 range, single oven, gas
- 4876 wheelchair lift, application: commercial
- 4877 range, electric, modular cooktop
- 4878 pedestrian queuing product, horizontal stretcher, tube
- 4879 food holding table, hot
- 4880 oven
- 4881 photographic processing equipment, slide mounter
- 4882 ice maker/ice storage
- 4883 loading dock equipment, dock shelter
- 4885 telephone accessories, installation: portable
- 4886 athletic mat storage sling
- 4887 range, double oven
- 4888 acoustical shell, vertical panel
- 4889 cooktop, electric
- 4890 cooktop, electric, modular
- 4891 photographic processing equipment, film processor
- 4892 soap dispenser, liquid
- 4893 wheelchair lift, environment:
- 4894 pest control products, repellent, sound
- 4895 refrigerator, with freezer, bottom freezer
- 4896 loading dock equipment, truck restraint
- 4897 scaffold, suspended
- 4898 refrigerator, with freezer, side-by-side
- 4899 sport equipment, basketball backboard
- 4900 exercise equipment
- 4901 waste handling equipment, solid, compaction
- 4902 dumbwaiter
- 4903 range, double oven, high/low
- 4904 other cooking equipment, steamer
- 4905 range, single oven
- 4906 morgue and autopsy equipment
- 4907 photographic processing equipment, masking easel
- 4908 loading dock equipment, accessories, hood

- 4910 other cooking equipment, broiler
- 4911 sport equipment, judge's stand
- 4912 athletic pad, floor
- 4913 pedestrian gate/turnstile, turnstile
- 4914 telephone accessories, installation: wall mounted
- 4915 other cooking equipment, electric
- 4916 personal-care products dispenser
- 4917 other cooking equipment, fryer
- 4918 loading dock equipment
- 4919 tolling equipment, simulated bell
- 4920 food holding table, hot, steam-heated
- 4921 food preparation equipment
- 4922 scaffold, gantry
- 4923 scaffold, freestanding, fixed
- 4924 pedestrian conveyor, moving walk
- 4925 soap dispenser, liquid, hand-operated
- 4926 telephone accessories, special application:
- 4927 sport equipment, shooting target
- 4928 loading dock equipment, ramp, hydraulic, vertical storing
- 4929 telephone accessories, material: other
- 4930 telephone accessories, exposure: interior
- 4931 pedestrian queuing product, horizontal stretcher, rope
- 4932 cooktop, application, commercial
- 4933 refrigerator, without freezer, roll-in
- 4935 food waste compactor, built-in
- 4936 refrigerator, application: residential
- 4937 scaffold, material: steel
- 4938 pedestrian conveyor
- 4939 freezer, pass-through
- 4940 weighing/packaging product, scale, hanging-dial
- 4941 x-ray scanning equipment
- 4942 material handling containers
- 4943 scaffold, material: aluminum
- 4944 scaffold, freestanding, telescoping tower
- 4945 weighing/packaging product, scale, dial
- 4947 telephone accessories, enclosure, alcove, single
- 4948 cooktop, application: residential
- 4950 food waste compactor, freestanding
- 4951 loading dock equipment, accessories, other
- 4952 other cooking equipment, application: commercial
- 4953 freezer, reach-in, chest
- 4954 freezer, reach-in
- 4956 pest control products, repellent, chemical
- 4957 dishwasher/warewasher
- 4958 telephone accessories, enclosure, booth, with door
- 4959 elevator
- 4960 range, single oven, electric
- 4961 loading dock equipment, ramp, drop plate
- 4962 photographic processing equipment, print processor

- 4963 projection equipment
- 4964 tolling equipment, electronic bell
- 4965 food preparation equipment, cutting equipment, cutter/slicer
- 4966 pest control products, poison
- 4967 refrigerator, without freezer, reach-in, chest, without door
- 4968 food waste compactor, other
- 4969 escalator
- 4970 freezer, reach-in, other
- 4971 scaffold, accessory
- 4972 vehicle parking control products, token collector
- 4973 refrigerator, application: medical storage
- 4974 telephone accessories, enclosure, panel
- 4975 turntable
- 4976 other cooking equipment, steam kettle
- 4977 food holding table, hot/cold convertible
- 4978 range, electric, burner cooktop, exposed element, coil
- 4979 waste handling equipment
- 4980 cooktop, electric, burners only
- 4981 food preparation equipment, application: residential
- 4982 weighing/packaging product, packager
- 4983 exercise equipment, rope climbing equipment, rope
- 4984 cooktop
- 4985 hospital equipment
- 4986 telephone accessories, special application: drive-up
- 4987 wheelchair lift, environment: interior
- 4988 range, installation: freestanding, with back panel
- 4989 loading dock equipment, perimeter seal, other
- 4990 pedestrian queuing product, horizontal stretcher
- 4991 other cooking equipment, gas
- 4992 wheelchair lift, open
- 4993 scaffold, application: equipment maintenance
- 4994 currency handling equipment, automated teller machine
- 4995 clothes dryer, steam
- 4996 wheelchair lift, application:
- 4997 vehicle parking control products, vehicle detector
- 4998 photographic processing equipment, dryer
- 4999 chute
- 5000 freezer, roll-in
- 5001 sport equipment, football goalpost
- 5002 range, double oven, gas
- 5003 projection screen, front
- 5004 scaffold, suspended, boatswain's chair
- 5005 photographic processing equipment, washer, film washer
- 5006 finishing equipment
- 5007 telephone accessories
- 5008 food service station
- 5009 pest control products
- 5010 disposer, pulper/extractor
- 5011 cooktop, electric, burners only, below surface elements

- 5012 cooktop, electric, burners only, exposed elements, coil
- 5013 scaffold, application: bridge maintenance
- 5014 exercise equipment, chinning bar
- 5015 pedestrian gate/turnstile, gate
- 5016 beverage dispenser
- 5017 hoist/winch
- 5018 broiler
- 5019 scaffold, gantry, arched platform
- 5020 telephone accessories, exposure: exterior
- 5021 pest control products, repellent, device
- 5022 clothes dryer
- 5023 soap dispenser, powdered
- 5024 vehicle parking control products
- 5025 telephone accessories, installation: floor and wall mounted
- 5026 other pedestrian control products, badging equipment
- 5027 sport equipment, net, volleyball
- 5028 freezer, roll-through
- 5029 telephone accessories, installation: wall mounted, projecting
- 5030 sport equipment, basketball backstop
- 5031 sport equipment
- 5032 pedestrian queuing product, queuing post
- 5033 other cooking equipment, broiler, grill, charcoal
- 5034 pneumatic-tube conveyor
- 5035 scaffold, suspended, davit
- 5036 exercise equipment, rope climbing equipment
- 5037 scaffold
- 5038 refrigerator
- 5039 pest control products, repellent
- 5040 disposer
- 5041 loading dock equipment, other
- 5042 loading dock equipment, ramp, hydraulic, horizontal storing
- 5043 sport equipment, net, tennis
- 5045 sport equipment, bullet trap
- 5046 wheelchair lift, application: residential
- 5047 other cooking equipment, broiler, electric
- 5048 platform/stage
- 5049 platform lift
- 5051 acoustical shell, combination vertical panel and canopy
- 5052 freezer
- 5053 refrigerator, without freezer, other
- 5054 pedestrian queuing product, horizontal stretcher, panel
- 5055 vehicle parking control products, card reader
- 5056 wheelchair lift, enclosed
- 5057 sport equipment, net, badminton
- 5058 range, double oven, side-by-side
- 5059 other cooking equipment, griddle
- 5060 photographic processing equipment, washer
- 5061 other pedestrian control products
- 5062 vehicle parking control products, fee indicator

5063 loading dock equipment, perimeter seal, inflatable

5064 loading dock equipment, truck restraint, other

5065 material handling system, application: commercial baggage

5066 pedestrian queuing products

5067 cooktop, electric, burners only, exposed elements, solid disk

5068 refrigerator, without freezer, walk-in

5069 refrigerator, without freezer, reach-in

5070 loading dock equipment, safety gate

5071 disposer, grinder

5072 food holding table, cold

5073 photographic processing equipment

5074 kennel

5075 tolling equipment, chime

5076 weighing/packaging equipment, packager, labeler

5077 loading dock equipment, ramp, mechanical

5078 sport equipment, net

5079 refrigerator, without freezer, reach-in, upright

5080 exercise equipment, rope climbing equipment, hoist

5081 loading dock equipment, truck restraint, hook

5082 food holding table

5083 elevator accessories

5085 vehicle parking control products, key switch

5086 photographic processing equipment, processor

5087 wheelchair lift, environment: exterior

5088 photographic processing equipment, film dryer

5089 range, electric, burner cooktop, exposed element, solid disk

5090 food preparation equipment, cutting equipment, grinder

5091 telephone accessories, enclosure

5092 other cooking equipment, application: residential

5093 safe

5094 refrigerator, with freezer, top freezer

5095 athletic pad, wall

5096 soap dispenser

5097 range, installation: free-standing, flush

5098 scaffold, suspended, stage

5099 scaffold, application: facade maintenance

5100 range, electric, burner cooktop

5101 weighing/packaging product, packager, wrapper

5102 other cooking equipment, broiler, over-fired

5103 telephone accessories, enclosure, booth, without door

5104 exercise equipment, incline board

5105 clothes dryer, electric

5106 telephone accessories, material: wood

5107 range, application: residential

5108 scaffold, suspended, crane

5109 range, electric, burner cooktop, exposed element

5110 range, double oven, combination

5111 tolling equipment, carillon

5112 steamer

- 5114 tolling equipment, automatic bell ringer
- 5115 pedestrian queuing product, queuing post, cap-post
- 5116 scaffold, accessory, stabilizer
- 5117 food preparation equipment, cutting equipment
- 5118 scaffold, suspended, work basket
- 5119 stairway lift
- 5121 material handling system
- 5122 loading dock equipment, ramp, hydraulic
- 5123 tolling equipment, bell
- 5124 refrigerator, without freezer, reach-in, other
- 5125 loading dock equipment, ramp
- 5126 scaffold, accessory, other
- 5127 medical and laboratory work stations
- 5128 crane
- 5129 projection screen
- 5130 loading dock equipment, accessories, wearface
- 5131 refrigerator, application: morgue
- 5132 telephone accessories, enclosure, booth
- 5133 telephone accessories, material: plastic
- 5134 sport equipment, basketball backstop, portable
- 5135 paper dispenser
- 5136 acoustical shell, canopy
- 5137 telephone accessories, directory holder
- 5138 projection screen, rear
- 5139 pedestrian queuing product, queuing post, other
- 5140 exercise equipment, other
- 5141 illuminator
- 5142 photographic processing equipment, enlarger
- 5143 vehicle parking control products, software
- 5144 scaffold, freestanding
- 5145 fryer
- 5146 pedestrian queuing product, other
- 5147 telephone accessories, material: metal
- 5148 sport equipment, soccer goal
- 5149 telephone accessories, material: glass
- 5150 range, application: commercial
- 5151 refrigerator, without freezer, reach-in, chest, with door
- 5152 refrigerator, with freezer
- 5153 other cooking equipment, broiler, rotisserie
- 5154 stamp vending machine
- 5155 other cooking equipment, broiler, gas
- 5156 freezer, other
- 5157 food holding table, hot, air-heated
- 5158 soap dispenser, liquid, sensor-operated
- 5159 weighing/packaging product
- 5160 range, installation: counter-supported
- 5161 funicular
- 5162 vehicle parking control products, pay station
- 5163 loading dock equipment, perimeter seal

- 5164 telephone accessories, installation: floor mounted
- 5165 exercise equipment, arm ladder
- 5166 other cooking equipment
- 5167 sport equipment, net support, portable upright base
- 5168 vehicle parking control products, differential counter
- 5169 loading dock equipment, accessories
- 5170 photographic processing equipment, print dryer
- 5171 weighing/packaging product, scale, fan
- 5172 washer/extractor
- 5173 telephone accessories, special application: wheelchair accessible
- 5174 grill
- 5175 waste handling equipment, solid, incineration
- 5176 clothes dryer, gas
- 5177 range, double oven, electric
- 5178 cooktop, electric, burners only, exposed elements
- 5179 scaffold, suspended, tripod
- 5180 freezer, reach-in, chest, without door
- 5181 pedestrian gate/turnstile
- 5182 other cooking equipment, broiler, grill
- 5183 scaffold, gantry, flat platform
- 5184 telephone accessories, enclosure, booth, with seat
- 5185 loading dock equipment, truck restraint, chock
- 5186 telephone accessories, enclosure, alcove
- 5187 sport equipment, net support
- 5188 photographic processing equipment, washer, print washer
- 5189 pest control products, trap
- 5190 wheelchair lift
- 5191 photographic processing equipment, film storage bin
- 5192 pedestrian queuing product, horizontal stretcher, retractable tape
- 5193 wheelchair lift, application: industrial
- 5194 weighing/packaging product, scale, beam
- 5195 scaffold, suspended, harness
- 5196 telephone accessories, enclosure, booth, without seat
- 5197 sport equipment, basketball goal
- 5198 portable tools
- 5199 telephone accessories, installation: wall mounted, flush
- 5200 refrigerator, without freezer, reach-in, chest
- 5201 sport equipment, net support, upright
- 5202 freezer, reach-in, upright
- 5203 sport equipment, water polo goal
- 5204 refrigerator, without freezer, roll-through
- 5205 soap dispenser, liquid, foot-operated
- 5206 pest control products, other
- 5207 telephone accessories, enclosure, alcove, multiple
- 5208 sport equipment, basketball backstop, stationary
- 5209 sport equipment, other
- 5210 weighing/packaging product, scale, electronic
- 5211 food preparation equipment, peeling equipment
- 5212 freezer, reach-in, chest, with door

- 5213 refrigerator, without freezer, pass-through
- 5214 cooktop, gas
- 5215 athletic pad
- 5216 weighing/packaging product, scale
- 5217 pedestrian queuing product, horizontal stretcher, chain
- 5218 food waste compactor
- 5219 vehicle lift
- 5221 sport equipment, basketball backstop, retractable
- 5222 steam kettle/braising pan
- 5223 vehicle parking control products, ticket dispenser
- 5224 acoustic shell
- 5225 refrigerator, application: wine
- 5226 other food service equipment
- 5227 food preparation equipment, cutting equipment, saw
- 5228 traffic control equipment
- 5229 tolling equipment
- 5230 scaffold, suspended, beam
- 5231 pedestrian queuing product, horizontal stretcher, other
- 5232 telephone accessories, exposure:
- 5233 scaffold, freestanding, sectional
- 5234 food preparation equipment, mixing equipment
- 5235 magnetic detection equipment
- 5236 unit kitchen
- 5237 sport equipment, baseball/softball backstop
- 5238 range
- 5239 scaffold, accessory, roof anchor
- 5240 waste handling equipment, fluid
- 5241 sport equipment, net support, upright storage rack
- 5242 pedestrian queuing product, queuing post, hook-post
- 5243 range, electric, burner cooktop, below-surface element
- 5244 other cooking equipment, braising pan
- 5245 vehicle parking control products, gate
- 5246 scaffold, application: atrium maintenance
- 5247 mail handling equipment
- 5248 loading dock equipment, perimeter seal, pad
- 5249 currency handling equipment
- 5250 freezer, application: morgue
- 5251 refrigerator, without freezer
- 5252 associations
- 5253 associations, woven wire
- 5254 associations, awning
- 5255 associations, insulation
- 5256 associations, wood flooring
- 5257 associations, postal services and equipment
- 5258 associations, tile/paver, ceramic tile
- 5259 consulting/design service, computer software
- 5262 associations, stone, limestone
- 5264 associations, waterproofing
- 5265 associations, concrete

- 5266 associations, roofing
- 5267 associations, timber and lumber
- 5268 associations, tile/paver, concrete paver
- 5269 associations, stone, granite
- 5270 associations, stone, cast stone
- 5271 consulting/design services
- 5272 associations, door and frame
- 5273 associations, gypsum board
- 5274 associations, association directory
- 5275 associations, terrazzo
- 5276 earth anchor, straight
- 5277 trench products, trench, components, cover
- 5278 trench products, trench, system, frame and cover
- 5279 trench products, cover material: metal, galvanized steel
- 5280 trench products, cover material: polymer concrete
- 5281 marine dock, framing material: steel
- 5282 trench products, box/frame material: other
- 5283 trench products
- 5284 marine dock, decking material: polyvinyl-chloride
- 5285 marine dock, components, deck planking
- 5286 trench products, form material: other
- 5287 subsurface drainage products
- 5288 trench products, trench, component
- 5289 trench products, application: drainage, chemical
- 5290 marine dock, bottom-supported, dock type: fixed
- 5291 trench products, box/frame material; concrete
- 5292 earth retainage products
- 5293 marine dock, bottom-supported
- 5294 marine dock, floating
- 5295 trench products, box/frame material:
- 5296 marine dock, application: non-marine
- 5297 trench products, cover material:
- 5298 marine dock, decking material
- 5299 earth anchor, material: reinforced concrete
- 5300 earth anchor, material: wood
- 5301 earth retainage products, retaining wall block, interlocking
- 5302 trench products, manhole/catch basin cover, grate, flush
- 5303 earth anchor, shaft and plate, helical plate
- 5304 trench products, cover material: plastic
- 5305 trench products, manhole/catch basin cover, grate
- 5306 earth retainage products, retaining wall block, hardware connected
- 5308 trench products, trench, system, box and frame and cover
- 5309 trench products, box/frame material: plastic
- 5310 trench products, application: drainage, water
- 5311 trench products, environment:
- 5312 subsurface drainage, porous pipe
- 5313 marine dock, components
- 5314 trench products, valve box
- 5315 trench products, application: drainage

- 5316 trench products, form material: polystyrene
- 5317 trench products, manhole/catch basin cover
- 5318 earth anchor, application: tieback
- 5319 marine dock, application: salt water
- 5320 marine dock
- 5321 trench products, cover material: metal
- 5322 trench products, box/frame material: metal
- 5323 trench products, trench, component, frame
- 5324 marine dock, components, support frame
- 5325 marine dock, flotation material: polystyrene
- 5326 marine dock, application: fresh water
- 5327 trench products, cover material: fiber-reinforced plastic
- 5328 trench products, trench, system, box and frame
- 5329 marine dock, decking material: wood
- 5330 trench products, box/frame material: polymer concrete
- 5331 earth anchor, material: steel
- 5332 marine dock, components, decking sections
- 5333 trench products, cover material: metal, aluminum
- 5334 marine dock, framing material: other
- 5335 trench products, application:
- 5336 trench products, cover material: metal, brass
- 5337 marine dock, framing material: treated wood
- 5338 marine dock, flotation material:
- 5339 geosynthetics
- 5340 earth retainage products, gabion
- 5341 marine dock, decking material: other
- 5342 marine dock, decking material: concrete
- 5343 trench products, manhole/catch basin cover, grate, raised
- 5344 trench products, catch basin
- 5345 earth anchor
- 5346 marine dock, framing material: aluminum
- 5347 trench products, cover material: metal, stainless steel
- 5348 trench products, manhole/catch basin cover, solid
- 5351 earth retainage products, retaining wall block
- 5352 marine dock, flotation material: other
- 5353 trench products, application: utility access
- 5354 trench products, box/frame material: fiber-reinforced plastic
- 5355 trench products, trench
- 5356 trench products, trench, component, box
- 5357 trench products, trench, form
- 5358 earth anchor, shaft and plate, flat plate
- 5359 trench products, trench, system
- 5360 trench products, cover material: metal, cast iron
- 5361 trench products, cover material: other
- 5362 trench products, form material:
- 5363 marine dock, framing material:
- 5364 earth anchor, shaft-and-plate
- 5365 earth anchor, threaded rod
- 5368 trench products, application: drainage, other

- 5369 truss, wood
- 5370 ladder, portable, straight
- 5371 shelter
- 5372 light framing products, purlin, Z
- 5373 grating, application: catwalk
- 5374 column, accessory, capital
- 5375 fence components, accessory, slat
- 5376 space frame, fastening type:
- 5377 wood beam, laminated
- 5379 space frame, fastening type: welded
- 5381 fence
- 5382 railing, post-and-rail
- 5383 decking, installation method: mechanically fastened, welding clips
- 5384 railing
- 5385 fence components, section, lattice
- 5386 decking, installation method: mechanically fastened, riveted
- 5387 fence, application: ornamental
- 5391 glazed structure, frame material: aluminum
- 5392 tensile fabric structure, pole-supported, combination
- 5393 step component, abrasive strip
- 5394 decking, precast slab
- 5395 light framing products, joist
- 5396 fence components
- 5398 mezzanine
- 5399 decking, material: other
- 5401 column, adjustable
- 5403 decking, installation method: mechanically fastened, screwed
- 5405 light framing products, purlin, hat
- 5406 decking, application: wall panel
- 5407 light framing products, aluminum
- 5408 bridge, frame material: concrete
- 5413 recreational park equipment, seesaw
- 5414 recreational park equipment, material: wood
- 5415 truss, pitched, other
- 5416 fence components, accessory, decorative insert
- 5417 glazed structure, pyramid
- 5418 tubing and shapes, steel
- 5419 curved stairway, column-supported
- 5420 ladder, retractable
- 5421 ladder, portable, step
- 5422 step component, exposure: interior
- 5424 decking, formed metal, non-acoustical
- 5425 railing, other
- 5426 truss, steel
- 5427 ladder
- 5428 decking, installation method: mechanically fastened
- 5429 bridge, truss-supported, bowstring
- 5430 column, full/shaft
- 5431 decking, other

5433 light framing products, purlin, subpurlin

5434 bridge, decking material:

5436 fence, unassembled

5437 fence, post-and-rail, double line

5439 OBSOLETErailing products

5440 column, material: metal, steel

5442 straight stair, parallel-return

5443 space frame, other material

5444 bridge, frame material:

5446 pneumatic structure, air-supported, without cables

5448 decking, material: wood, glue-laminated

5450 decking, material: wood, oriented strand board

5451 grating, material: metal, aluminum

5452 truss, composite

5454 glazed structure, even-span, ridged, gabled, square eaves, with glazed roof

5456 glazed structure, lean-to, square eaves, with glazed roof

5457 column, accessory, plinth

5458 decking, installation method: welded

5459 light framing products, accessories, blocking

5460 truss, roof

5461 ladder, retractable, sliding

5463 curved stairway, stringer-supported

5464 glazed structure, even-span, ridged

5465 glazed structure, glazing material: plastic, rigid sheet, double glazing

5466 steeples & cupolas

5467 glazed structure, glazing material: plastic, combination film and sheet

5468 decking

5469 light framing products, stud

5471 bridge, material handling

5472 manufactured building, frame-and-cladding system

5473 fence, material: plastic

5475 manufactured building, framing material:

5476 fence components, post

5477 manufactured building, preassembled

5479 fence, sectional, grille, decorative

5480 railing, post and in-fill panel, grille, bar-grate

5481 glazed structure, glazing material: plastic

5482 ladder, retractable, folding

5484 structural insulated panel, faced

5485 step component, other

5486 manufactured building

5487 light framing products, load-bearing, general use

5488 tubing and shapes, tubing, round

5489 tubing and shapes, bar

5491 wood beam, laminated, vertically laminated

5493 ladder, rail-guided

5494 light framing products, accessories, splice

5495 column, material: concrete, prestressed

5497 structural frame, arch

5498 tensile fabric structure, crossed-arch supported

5499 straight stair, straight-run

5500 fence, sectional, lattice

5501 straight stair, angled

5502 structural frame, steel

5504 column, material: wood

5509 column, material: metal, stainless steel

5511 fence, sectional, other

5512 tubing and shapes, bar, round

5513 light framing products, accessories, bracing

5514 tubing and shapes, bar, flat

5515 fence components, section, picket

5516 bridge, arch-supported

5517 step component, tread with toeplate

5518 decking, application: bridge

5520 railing, panel-supported, illuminated

5521 decking, application: interstitial deck

5522 step component, material: metal

5523 recreational park equipment, climber, horizontal ladder

5524 decking, material: metal, stainless steel

5525 mezzanine, grate decking

5526 step component, material: vinyl

5527 step component, riser

5528 wide "L" angled stair

5529 fence, sectional, privacy

5533 curved stairway, stringer-supported, closed riser

5534 light framing products, load-bearing

5535 structural frame, rigid

5536 column, accessory, other

5537 recreational park equipment, multi-activity structure

5538 column, material: concrete

5539 column, use: loadbearing

5541 glazed structure, glazing material: plastic, film

5543 fence components, accessory

5545 railing, panel-supported, non-illuminated

5546 decking, accessories, trench header duct

5547 light framing products, other member

5548 fence, post-and-rail

5550 manufactured building, framing material: steel

5552 light framing products, special purpose system

5553 grating, material: metal, cast iron

5554 column, exposure: interior

5556 railing components, accessory, gate

5557 tubing and shapes, tubing, rectangular

5558 manufactured building, location: interior

5560 refrigerated room, freezer or refrigerator

5561 ladder, fixed, open

5562 sauna, modular

5563 step component, tread with riser

5564 truss, pitched, triangular

5565 truss, pitched, triangular, single-pitch

5566 fence, chain-link fence

5567 recreational park equipment, slide, water slide

5568 space frame, cladding attachment:

5569 decking, material: wood, solid

5570 decking, installation method: subpurlin

5571 column, material: concrete, reinforced

5572 decking, formed metal, roof deck

5573 step component, material: metal, steel

5575 straight stair, cross-over

5576 fence components, wire fabric, other

5579 space frame, fastening type: slip-in

5580 railing, post-and-rail, non-illuminated

5581 bridge, frame material: unit masonry

5582 fence components, barrier wire, barbed wire

5584 step component

5585 bridge, truss-supported, box

5586 ladder, fixed

5587 decking, formed metal, acoustical

5588 glazed structure, even-span, ridged, gabled

5589 railing, post and in-fill panel, grille, decorative

5590 glazed structure, solarium

5592 decking, material: cementitious, fiber cement

5593 fence components, section, grille, decorative

5594 grating, bar

5595 pneumatic structure, air-supported

5596 grating, material: other

5599 fence components, barrier wire, other

5601 grating, application: shelving

5605 light framing products, accessories, other

5606 structural frame, wood

5607 decking, formed metal, composite deck, noncellular

5608 step component, tread

5609 fence components, wire fabric, chain link

5610 structural frame, other material

5611 recreational park equipment, climber, stepping posts

5613 glazed structure, lean-to, square eaves

5616 truss, pitched, scissors

5617 glazed structure, even-span, ridged, gabled, A-frame

5618 grating, application: safety flooring

5619 glazed structure, even-span, vaulted, Quonset

5620 column, material: metal, muntz

5621 step component, material: rubber

5623 recreational park equipment, material: metal

5625 decking, formed metal, composite deck

5626 manufactured building, application: commercial/industrial

5627 manufactured building, cladding/panel material: concrete

5629 space frame, decorative

5633 manufactured building, application: attendant booth

5634 glazed structure, greenhouse, residential

5635 step component, stringer skirting

5636 refrigerated room, freezer

5637 decking, sandwich panel

5638 recreational park equipment, material: plastic

5639 decking, special environment:

5641 column, material: plastic

5642 light framing products, track

5643 tubing and shapes, aluminum

5644 glazed structure, lean-to

5645 manufactured building, cladding/panel material: other

5647 fence components, in-fill panel, solid panel

5648 light framing products, fiber-reinforced plastic

5649 railing, post and in-fill panel, grille

5650 space frame, cladding attachment: purlin

5651 recreational park equipment, climber, arch ladder

5652 roller slide

5653 fence, sectional, grille, bar-grate

5655 ladder, tiltable

5657 tubing and shapes, stainless steel

5658 grating

5659 refrigerated room

5660 pneumatic structure, air-inflated

5661 gate operating device, operator, other

5662 fence components, material: wood

5665 pneumatic structure, air-supported, with cables, dome

5666 recreational park equipment, crawl tunnel

5667 step component, nosing

5668 tubing and shapes, brass

5669 tubing and shapes, shape, tee

5670 space frame, load-bearing

5672 step component, material: fired clay

5673 fence, material: metal

5674 curved stairway, stringer-supported, open riser

5675 space frame, fastening type: screw-in

5677 decking, material: gypsum

5678 bridge, frame material: steel

5679 sight screen/enclosure

5681 recreational park equipment, bouncer

5682 bridge, footbridge, general use

5683 railing, post and in-fill panel, lattice

5684 step component, structural tread, grating

5685 glazed structure, frame material: steel

5686 decking, formed metal, composite deck, cellular

5687 glazed structure, swimming pool enclosure

5688 bridge, footbridge, skywalk

5689 step component, material: metal, aluminum

5690 spray booth, enclosed, water wash

5691 fence components, barrier wire, razor wire

5692 spray booth, enclosed

5693 column, use: decorative

5694 tensile fabric structure, parallel-arch supported

5695 ladder, rung

5696 manufactured building, cladding/panel material: plastic

5697 railing, panel supported

5698 recreational park equipment, material: other

5699 bridge, beam-supported

5700 truss, girder

5701 fence components, picket

5702 manufactured building, framing material: other

5705 bridge, decking material: other

5706 recreational park equipment

5707 truss, parallel-chord, flat

5708 spray booth, enclosed, dry arrestor, cross flow

5709 shelter, awning/canopy

5710 decking, material: wood, plywood

5711 step component, material: metal, cast iron

5712 column, accessory, base

5713 railing, balustrade, non-illuminated

5714 fence components, other

5716 tubing and shapes, shape, channel

5717 decking, material: composite

5719 glazed structure, glazing material: glass

5720 space frame, fastening type: bolted

5721 recreational park equipment, swing set

5722 recreational park equipment, merry-go-round

5723 recreational park equipment, horizontal bars

5724 manufactured building, application: storage/equipment housing

5725 tubing and shapes, composite

5726 security vault

5727 light framing products, nonbearing, curtain wall

5729 glazed structure

5730 truss, other

5731 bridge, decking material: wood

5732 fence, other

5733 wide "U" angled stair

5734 glazed structure, glazing material: plastic, rigid sheet

5735 decking, special environment: high moisture

5737 bridge, decking material: steel

5740 railing, post and in-fill panel, wire mesh

5741 column, material: with fireproofing

5742 truss, parallel-chord, other

5743 glazed structure, glazing material: plastic, rigid sheet, batt-filled

5744 recreational park equipment, slide, playground

5746 bridge, footbridge

5747 tubing and shapes

5748 wood beam, joist/rafter

5749 manufactured building, framing material: wood

5750 tubing and shapes, other material

5751 step component, structural tread, solid

5753 railing, post and in-fill panel, solid

5754 tensile fabric structure, pole-supported

5755 decking, application: floor

5756 recreational park equipment, sandbox

5757 step component, structural tread

5758 grating, material: metal

5759 grating, application: bridge decking

5760 truss, parallel-chord

5762 column, material: metal, bronze

5764 grating, perforated

5765 fence components, material: plastic

5766 tubing and shapes, bar, square

5767 fence components, wire fabric

5768 decking, precast slab, solid flat

5769 fence, sectional

5770 step component, material: other

5774 tubing and shapes, shape, I-beam

5775 bridge, motor vehicle

5776 glazed structure, even-span

5778 decking, material: wood

5780 fence, chain-link

5781 manufactured building, cladding/panel material: metal or metal-clad

5783 wood beam, laminated, horizontally laminated

5784 space frame, cladding attachment: other

5785 decking, formed metal, form deck

5786 decking, application:

5787 column, accessory

5788 glazed structure, even-span, ridged, gabled, square eaves

5789 wood beam, girder

5791 column, material: plaster

5792 manufactured building, dome

5793 fence, preassembled section

5794 decking, formed metal

5797 light framing products, nonbearing

5798 space frame, display

5800 truss, pitched, triangular, double-pitch

5801 spray booth, partially enclosed, dry arrestor

5803 light framing products, purlin

5804 refrigerated room, refrigerator

5805 curved stairway, circular

5806 tubing and shapes, tubing, square

5807 decking, material: cementitious

5808 glazed structure, glazing material: glass, single glazing

5809 light framing products, nonbearing, drywall

5811 glazed structure, even-span, ridged, gabled, curved eaves

5812 glazed structure, pyramid, other

- 5813 fence components, barrier wire
- 5815 fence components, section, solid panel
- 5816 decking, accessories
- 5817 bridge, truss-supported, cross-diagonal
- 5818 decking, installation method: glued
- 5819 glazed structure, even-span, ridged, hipped
- 5820 recreational park equipment, climber
- 5821 straight stair, ship's ladder
- 5822 light framing products
- 5823 decking, material: metal, other
- 5824 grating, application: mezzanine
- 5825 recreational park equipment, climber, jungle gym
- 5827 double "L" angled stair
- 5830 bridge
- 5831 spray booth, partially enclosed, water wash
- 5832 space frame
- 5833 column, material: metal
- 5836 light framing products, accessories, clip
- 5837 structural frame, column-and-truss
- 5838 steam bath
- 5839 decking, installation method: mechanically fastened, nailed
- 5840 manufactured building, modular system
- 5841 sauna
- 5842 glazed structure, glazing material:
- 5843 long "L" angled stair
- 5844 space frame, strut and hub
- 5845 decking, installation method: mechanically fastened, bolted
- 5846 column, accessory, cover
- 5848 decking, accessories, other
- 5849 column, material: stone, natural
- 5852 glazed structure, lean-to, square eaves, with opaque roof
- 5853 column, exposure: exterior
- 5854 straight stair, landing
- 5855 fence, material: wood
- 5856 decking, precast slab, single tee
- 5857 railing, post and in-fill panel
- 5858 manufactured building, cladding/panel material:
- 5859 curved stairway
- 5861 grating, application: platform
- 5862 manufactured building, location:
- 5863 spray booth
- 5864 glazed structure, pyramid, square
- 5866 security vault, modular-panel
- 5867 grating, expanded
- 5869 column, material: fiber-reinforced plastic
- 5871 mezzanine, solid decking
- 5872 wood beam, solid
- 5873 decking, material: metal
- 5877 straight stair

5878 glazed structure, frame material: wood

5879 column, material: metal, aluminum

5880 ladder, portable, articulating

5881 glazed structure, pyramid, octagonal

5882 glazed structure, attached

5883 fence components, accessory, picket finial

5884 manufactured building, frame-and-cladding system, clearspan

5885 space frame, direct connection

5886 fence, post-and-rail, triple line

5887 manufactured building, self-framing

5888 decking, material: cementitious, concrete

5890 bridge, truss-supported

5891 manufactured building, framing material: aluminum

5892 light framing products, stud/joist

5893 column, pilaster

5894 pneumatic structure, air-supported, with cables

5895 fence, installation: preassembled section

5896 space frame, preassembled module

5897 fence components, section, louver

5898 tensile fabric structure, pole-supported, mast and cable

5899 decking, material: metal, steel

5900 fence, sectional, louver

5904 light framing products, load-bearing, roof support

5905 fence components, accessories, other

5906 bridge, footbridge, pedestrian overpass

5910 fence components, section

5911 truss, bowstring

5913 recreational park equipment, other

5914 step component, material: stone

5916 truss

5917 wood beam

5918 pneumatic structure, air-supported, with cables, vault

5919 glazed structure, even-span, vaulted, bowed roof

5920 bridge, truss-supported, Pratt

5921 grating, cast

5922 tensile fabric structure

5923 decking, precast slab, hollow core

5924 spray booth, enclosed, dry arrestor, downdraft

5925 railing, balustrade

5930 light framing products, accessories

5931 fence, application: security

5932 manufactured building, application:

5933 recreational park equipment, climber, other

5935 glazed structure, even-span, ridged, gabled, square eaves, with opaque roof

5936 ladder, portable, extension

5937 wood beam, I beam

5938 fence components, section, grille

5939 structural insulated panel, unfaced

5941 glazed structure, greenhouse

5943 glazed structure, dome

5944 glazed structure, lean-to, curved eaves

5945 step component, material: metal, bronze/brass

5946 column, material: stone

5947 recreational park equipment, activity panel

5948 manufactured building, location: exterior

5949 fence, installation: unassembled

5950 step component, material: wood

5951 fence, material: other

5952 ladder, portable, rolling steps

5954 glazed structure, frame material:

5955 space frame, cladding attachment: direct

5957 glazed structure, glazing material: plastic, rigid sheet, single glazing

5959 other special purpose room

5960 manufactured building, frame-and-cladding system, multispan

5961 railing, balustrade, illuminated

5962 decking, installation method: other

5963 manufactured building, application: residence

5964 column, exposure:

5965 pneumatic structure

5966 security vault, unit

5967 panelized court

5968 glazed structure, greenhouse, commercial

5971 glazed structure, skylight

5972 manufactured building, cladding/panel material: wood

5973 structural frame, post-and-beam

5974 grating, material: fiberglass

5975 column, material: composite

5977 glazed structure, freestanding

5978 light framing products, load-bearing, mansard/fascia support

5979 fence components, rail

5980 fence components, material: metal

5983 manufactured building, application: fire training

5986 fence, sectional, grille

5989 tubing and shapes, tubing

5990 truss, floor

5991 tubing and shapes, bar, other

5992 space frame, steel

5993 fence components, accessory, gate

5994 recreational park equipment, slide

5996 column, material: stone, simulated/cast

5997 fence, post-and-rail, other line

5998 structural frame

5999 tensile fabric structure, pole-supported, center pole

6000 tubing and shapes, shape

6001 sauna, precut

6002 column, material: without fireproofing

6003 structural frame, other

6006 structural frame, aluminum

- 6009 structural insulated panel
- 6010 fence components, accessory, post cap
- 6011 ladder, fixed, caged
- 6012 fence components, material: other
- 6013 space frame, aluminum
- 6014 ladder, portable
- 6015 glazed structure, even-span, vaulted
- 6016 light framing products, accessories, web stiffener
- 6017 fence components, section, other
- 6018 glazed structure, glazing material: glass, insulated glass
- 6019 manufactured building, frame-and-cladding system, multistory
- 6022 decking, application: ceiling panel
- 6024 spray booth, partially enclosed
- 6026 decking, precast slab, double tee
- 6027 step component, applied tread
- 6030 tubing and shapes, shape, angle
- 6032 decking, application: roof
- 6033 step component, exposure: exterior
- 6034 pool, recirculating
- 6035 fire protection accessories
- 6036 pool, non-recirculating
- 6037 combination plumbing fixture
- 6038 hydronic heat-transfer products, application: other
- 6039 fire extinguisher, gas
- 6040 hydronic heat-transfer products, application: ice prevention
- 6041 pool accessories, lifequard chair
- 6042 fire extinguisher, pressurized water
- 6043 electric resistance heating products, heat tape
- 6044 toilet/urinal/bidet, urinal
- 6045 ventilator
- 6046 ventilator, application: other
- 6047 electric resistance heating products, cable, mineral insulated
- 6048 ventilator, hood
- 6049 drinking water dispenser, bowl material: steel
- 6051 toilet/urinal/bidet
- 6052 plumbing fitting, accessory, insulation
- 6053 split heat-transfer system, heat pump
- 6054 wash basin, washfountain
- 6055 fireplace/stove
- 6056 louver/vent
- 6057 drinking water dispenser, housing material: bronze
- 6058 safety shower
- 6059 dehumidifier, desiccant
- 6060 ventilator, application: commercial
- 6061 air conditioner
- 6062 drinking water dispenser, drinking fountain
- 6063 flushometer, pedal-operated
- 6064 drinking water dispenser, housing material: stainless steel
- 6065 drinking water dispenser, application: children

6066 fire extinguisher, foam

6067 hydronic heat-transfer products, single tube

6068 fan

6069 shower enclosure

6070 air handling unit, with coil

6071 bath

6072 wash basin

6073 terminal unit, conditioning unit

6074 plumbing fitting

6075 pool accessories, diving board

6076 flushometer, toilet seat-operated

6077 hydronic heat-transfer products, double tube

6078 air curtain unit

6079 electric resistance heating products, application: permafrost prevention

6080 drinking water dispenser, semi-recessed

6081 toilet/urinal/bidet, bidet

6083 drinking water dispenser, water cooler

6084 drinking water dispenser, application: freeze resistant

6085 electric resistance heating products, application: earth thermal storage

6086 fan, axial, propeller

6087 drinking water dispenser, water cooler, remote chiller

6088 water heater, gas-fired

6089 air outlet/inlet

6090 fountain equipment

6091 water chiller

6092 fire extinguisher

6093 drinking water dispenser, bowl material:

6094 flushometer, push-button-operated

6095 fire extinguisher, wheeled

6096 bath liner

6097 drinking water dispenser, combined bowl and housing material: enamel finish

6098 electric resistance heating products, application: roof and gutter warming

6099 drinking water dispenser, recessed

6100 drinking water dispenser, housing material: cast aluminum

6101 split heat-transfer system

6102 hydronic heat-transfer products, application: snow melting

6103 fume removal systems and components

6104 filter

6106 water heater

6107 pump

6108 space heater

6109 drinking water dispenser, combined bowl and housing material: powder coat finish

6110 pool accessories, bulkhead

6111 fire extinguisher, hand-portable

6112 pool accessories

6114 air handling unit

6115 flushometer, timer-operated

6116 drinking water dispenser, wall-surface mounted

6117 boiler, accessories

- 6118 drinking water dispenser, housing material
- 6119 louver/vent, application: air conditioning
- 6120 drinking water dispenser, bowl material: stainless steel
- 6121 louver/vent, vent, brick/block
- 6122 pool, swimming
- 6123 steam generator
- 6124 drinking water dispenser, floor mounted
- 6125 faucet
- 6126 shower enclosure components
- 6127 space heater, infrared
- 6128 toilet/urinal/bidet, water closet
- 6129 drinking water dispenser, bottled water dispenser
- 6130 space heater, hydronic
- 6131 electric resistance heating products, application: process heating
- 6132 boiler
- 6134 drinking water dispenser, application: children, dual heights
- 6135 ventilator, application: kitchen
- 6136 drinking water dispenser, bowl material: bronze
- 6137 electric resistance heating products, cable, other
- 6138 laboratory fume hood
- 6139 dehumidifier, refrigeration, self-contained
- 6140 ventilator, application: bath
- 6141 drinking water dispenser, three bubbler heads
- 6142 electric resistance heating products, application: pipe heating
- 6143 drinking water dispenser, two bubbler heads
- 6144 flushometer
- 6145 combination plumbing fixture, lavatory/water closet
- 6146 drinking water dispenser, housing material: steel
- 6147 ductwork
- 6148 pool accessories, ladder
- 6149 drinking water dispenser, combined bowl and housing material: bronze
- 6150 water heater, tank type
- 6151 toilet/urinal/bidet, incinerating
- 6152 drinking water dispenser, combined bowl and housing material: polymarble
- 6155 pool equipment
- 6156 ventilator, application: attic
- 6157 pool
- 6158 plumbing control
- 6159 drinking water dispenser, housing material: ABS plastic housing
- 6160 storage tank
- 6161 drinking water dispenser, one bubbler head
- 6162 pool accessories, rail
- 6163 drinking water dispenser, combined bowl and housing material: concrete
- 6164 pool accessories, other
- 6165 ventilator, application: whole house
- 6166 fan, axial
- 6167 flushometer, handle-operated
- 6168 hydronic heat-transfer products, application: heating
- 6169 fan, centrifugal, backward-inclined

- 6170 drinking water dispenser, application: children, single height
- 6171 drinking water dispenser, bowl material: polymarble
- 6172 pool accessories, access ramp
- 6174 electric resistance heating products, other
- 6175 dehumidifier, refrigeration, add-on
- 6176 drinking water dispenser
- 6177 wash basin, application: photographic laboratory
- 6178 drinking water dispenser, combined bowl and housing material: cast aluminum
- 6179 drinking water dispenser, bowl material: cast aluminum
- 6180 fan, centrifugal, airfoil
- 6181 fan, centrifugal, tubular
- 6184 fan, centrifugal, forward curved
- 6185 precipitator
- 6186 fan, axial, tubeaxial
- 6187 drinking water dispenser, combined bowl and housing material: vitreous china
- 6188 electric resistance heating products, cable, self-regulating
- 6189 drinking water dispenser, combined bowl and housing material: stainless steel
- 6190 pool accessories, diving tower
- 6191 pool accessories, stanchion post
- 6192 fire extinguisher, dry-chemical
- 6193 pool, baptistry
- 6194 terminal heat-transfer unit
- 6195 drinking water dispenser, glass filler
- 6196 pool, counter-current
- 6197 dehumidifier, refrigeration
- 6198 combination plumbing fixture, water closet/bidet
- 6199 electric resistance heating products
- 6200 drinking water dispenser, water cooler, integral chiller
- 6201 water heater, oil-fired
- 6202 pool accessories, lifter
- 6203 drinking water dispenser, housing finish: enamel
- 6205 drinking water dispenser, housing material: concrete
- 6206 flushometer, sensor-operated
- 6207 wash basin, floor sink
- 6208 electric resistance heating products, mat
- 6209 hydronic heat-transfer products
- 6210 pool accessories, diving platform
- 6211 pool accessories, lane divider
- 6212 electric resistance heating products, application: snow melting
- 6213 hydronic heat-transfer products, application: floor warming
- 6214 electric resistance heating products, application: floor warming
- 6215 drinking water dispenser, counter mounted
- 6216 drinking water dispenser, application: barrier free fountain
- 6217 ventilator, application: residential
- 6218 pool, jet
- 6219 electric resistance heating products, application: ice prevention
- 6220 dehumidifier
- 6221 water heater, circulating
- 6222 pool accessories, pool cover

6223 split heat-transfer system, air conditioner 6224 hydronic heat-transfer products, application: permafrost prevention 6225 fan, centrifugal, radial 6226 drinking water dispenser, combined bowl and housing material: 6227 air curtain unit, ambient 6228 fan, centrifugal 6229 pool accessories, starting platform 6230 air conditioner, rooftop 6231 boiler, steam generator 6232 water heater, electric 6233 pool, therapy 6234 electric resistance heating products, cable 6235 drinking water dispenser, housing finish: powder coat 6236 air curtain unit, heated 6237 electric resistance heating products, cable, constant watt 0 DefaultTerm 6253 swinging door 6254 swinging door, flush 6255 swinging door, flush, solid core 6256 swinging door, flush, hollow core 6257 swinging door, flush, hollow core, insulated 6258 swinging door, flush, hollow core, noninsulated 6259 swinging door, flush, hollow core, insulated, embossed 6260 swinging door, flush, hollow core, insulated, applied moldings 6261 swinging door, flush, hollow core, flat face 6262 swinging door, stile-and-rail 6263 swinging door, stile-and-rail, French 6264 swinging door, stile-and-rail, French, applied muntin 6265 swinging door, stile-and-rail, French, through muntin 6266 swinging door, stile-and-rail, casement 6267 swinging door, stile-and-rail, louvered 6268 swinging door, stile-and-rail, screen/storm 6269 swinging door, property: 6270 swinging door, property: water tight 6271 swinging door, property: air tight 6272 swinging door, property: blast resistant 6273 swinging door, property: bullet resistant 6274 swinging door, property: fume resistant 6275 swinging door, property: pressure resistant 6276 swinging door, property: emi/rfi shielding 6277 swinging door, property: radiation shielding 6278 swinging door, property: acoustically insulated 6279 swinging door, property: fire resistant 6280 swinging door, property: fire resistant, 20-minute rating 6281 swinging door, property: fire resistant, 30-minute rating 6282 swinging door, property: fire resistant, 45-minute rating 6283 swinging door, property: fire resistant, 60-minute rating 6284 swinging door, property: fire resistant, 90-minute rating 6285 swinging door, property: fire resistant, 3-hour rating

```
6286 swinging door, exposure:
6287 swinging door, exposure: interior
6288 swinging door, exposure: interior/exterior
6289 swinging door, exposure: exterior
6290 swinging door, frame material:
6291 swinging door, frame material: plastic
6292 swinging door, frame material: wood
6293 swinging door, frame material: wood, unclad
6294 swinging door, frame material: wood, clad
6295 swinging door, frame material: wood, clad, plastic
6296 swinging door, frame material: wood, clad, plastic, polyvinyl-chloride
6298 swinging door, frame material: wood, clad, metal
6299 swinging door, frame material: wood, clad, metal, steel
6300 swinging door, frame material: wood, clad, metal, aluminum
6301 swinging door, frame material: wood, clad, other
6302 swinging door, frame material: metal
6303 swinging door, frame material: metal, aluminum
6304 swinging door, frame material: metal, steel
6305 swinging door, frame material: metal, stainless steel
6306 swinging door, frame material: metal, other
6307 swinging door, frame material: other
6308 swinging door, leaf material:
6309 swinging door, leaf material: structural element material:
6310 swinging door, leaf material: structural element material: plastic
6313 swinging door, leaf material: structural element, plastic, vinyl-coated nylon
6314 swinging door, leaf material: structural element material: metal
6315 swinging door, leaf material: structural element material: metal, aluminum
6316 swinging door, leaf material: structural element material: metal, steel
6318 swinging door, leaf material: structural element material: metal, other
6319 swinging door, leaf material: structural element material: glass
6320 swinging door, leaf material: structural element material: other material
6321 swinging door, leaf material: inset panel material:
6322 swinging door, leaf material: inset panel material: plastic
6323 swinging door, leaf material: inset panel material: wood
6324 swinging door, leaf material: inset panel material: aluminum
6325 swinging door, leaf material: inset panel material: stainless steel
6326 swinging door, leaf material: inset panel material: steel
6327 swinging door, leaf material: inset panel material: glass
6328 swinging door, leaf material: inset panel material: combination
6329 swinging door, core material:
6330 swinging door, core material: honeycomb
6331 swinging door, core material: wood product
6332 swinging door, core material: wood product, plywood
6333 swinging door, core material: wood product, stave lumber
6334 swinging door, core material: wood product, particle board
6335 swinging door, core material: wood product, fiberboard
6336 swinging door, core material: mineral-based
6337 swinging door, core material: mineral-based, fiberglass insulation
6338 swinging door, core material: mineral-based, mineral-fiber insulation
```

```
6339 swinging door, core material: plastic product
6340 swinging door, core material: petroleum product, polystyrene foam
6341 swinging door, core material: petroleum product, polyurethane foam
6342 swinging door, core material: petroleum product, phenolic plastic
6343 swinging door, core material: petroleum product, acrylonitrile-butadiene-styrene
6344 swinging door, core material: plastic product, other
6345 swinging door, core material: composite
6347 swinging door, facing material: metal
6348 swinging door, facing material: metal, steel
6349 swinging door, facing material: metal, stainless steel
6350 swinging door, facing material: metal, aluminum
6351 swinging door, facing material: plastic
6352 swinging door, facing material: plastic, plastic laminate
6353 swinging door, facing material: plastic, fiber-reinforced plastic
6354 swinging door, facing material: plastic, phenolic plastic
6355 swinging door, facing material: wood
6356 swinging door, facing material: medium-density overlay
6357 swinging door, facing material: hardboard
6358 swinging door, facing material: hardwood veneer
6359 swinging door, application:
6360 swinging door, application: interior passage
6361 swinging door, application: anechoic chamber
6362 swinging door, application: impact traffic
6363 swinging door, application: cold storage
6364 swinging door, application: entrance
6365 swinging door, application: detention
6366 swinging door, application: security vault
6367 swinging door, application: fire vault
6368 swinging door, application: patio
6369 swinging door, application: craneway
6370 swinging door, application: other
6371 swinging door, application: test
6372 swinging door, leaf material: structural element material: metal, stainless stee
6373 swinging door, leaf material: structural element material: plastic, acrylonitril
6374 swinging door, frame material: wood, clad, plastic, acrylonitrile-butadiene-styr
6375 swinging door, leaf material: structural element material: plastic, polyvinyl-ch
6376 swinging door, stile-and-rail, panel
6377 swinging door, stile-and-rail, panel, solid
6378 swinging door, stile-and-rail, panel, solid, raised
6379 swinging door, stile-and-rail, panel, solid, flat
6380 swinging door, stile-and-rail, panel, combination
6381 swinging door, monolithic
6382 swinging door, other
6383 swinging door, leaf material: structural element material: metal, aluminum, form
6384 swinging door, leaf material: structural element material: metal, aluminum, plat
6385 swinging door, leaf material: structural element material: metal, aluminum, extr
6386 swinging door, leaf material: structural element material: metal, steel, formed
6387 swinging door, leaf material: structural element material: metal, steel, formed
6388 swinging door, leaf material: structural element material: metal, steel, formed
```

6389 swinging door, leaf material; structural element material; metal, steel, plate a 6390 swinging door, leaf material: structural element material: wood 6391 swinging door, core material: plastic product, polystyrene foam 6392 swinging door, core material: plastic product, polyurethane foam 6393 swinging door, core material: plastic product, phenolic plastic 6394 swinging door, core material: plastic product, acrylonitrile-butadiene-styrene 6395 swinging door, facing material: metal, other 6396 swinging door, facing material: plastic, polyethylene 6397 swinging door, facing material: plastic, acrylonitrile-butadiene-styrene 6398 swinging door, facing material: plastic, polyvinyl chloride 6399 swinging door, facing material: plastic, acrylic 6400 swinging door, property: fire resistant, four-hour rating 6401 swinging door, facing material: 6402 wood flooring, application: industrial 6403 railing, cable 6404 railing, secondary rail material: 6405 railing, secondary rail material: fiberglass 6406 railing, secondary rail material: wood 6407 railing, secondary rail material: metal 6408 railing, secondary rail material: plastic 6409 railing, secondary rail material: other 6410 railing, handrail material: 6411 railing, handrail material: fiberglass 6412 railing, handrail material: wood 6413 railing, handrail material: metal 6414 railing, handrail material: plastic 6415 railing, handrail material: glass 6416 railing, handrail material: other 6417 railing, post material: 6418 railing, post material: wood 6419 railing, post material: metal 6420 railing, post material: plastic 6421 railing, post material: fiberglass 6422 railing, post material: other 6423 railing, baluster material: 6424 railing, baluster material: wood 6425 railing, baluster material: metal 6426 railing, baluster material: plastic 6427 railing, baluster material: fiberglass 6428 railing, baluster material: other 6429 railing, panel material: 6430 railing, panel material: wood 6431 railing, panel material: metal 6432 railing, panel material: plastic 6433 railing, panel material: glass 6434 railing, panel material: other 6435 railing, exposure: 6436 railing, exposure: interior 6437 railing, exposure: exterior

6438 railing, application: 6439 railing, application: stairs 6440 railing, application: balcony 6441 railing, application: swimming pool 6442 railing, installation: unassembled 6443 railing, installation: preassembled section 6444 planting accessories, material: concrete 6445 planting accessories, material: wood 6446 planting accessories, material: metal 6447 planting accessories, material: stone 6448 planting accessories, material: ceramic 6449 planting accessories, material: plastic 6450 planting accessories, material: other 6451 railing components 6452 railing components, handrail 6453 railing components, handrail, illuminated 6454 railing components, handrail, non-illuminated 6455 railing components, post, 6456 railing components, baluster 6457 railing components, secondary rail 6458 railing components, in-fill panel 6459 railing components, railing accessory 6460 railing components, other 6461 railing components, self-supported panel 6462 railing components, in-fill panel, wire mesh 6463 railing components, in-fill panel, solid 6464 railing components, in-fill panel, lattice 6465 railing components, in-fill panel, grille 6466 railing components, in-fill panel, grille, bar-grate 6467 railing components, in-fill panel, grille, decorative 6468 railing components, accessory, post cap 6469 railing components, railing accessory, end loop 6470 railing components, accessory, toe plate 6471 railing components, accessory, decorative insert 6472 railing components, accessory, light 6473 railing components, in-fill panel, louvered 6474 railing components, other railing in-fill panel 6475 railing components, accessory, other 6476 railing components, material: wood 6477 railing components, material: metal 6478 railing components, material: plastic 6479 railing components, material: glass 6480 railing components, material: other 6481 railing components, exposure: interior 6482 railing components, exposure: exterior 6483 flooring underlayment, mastic 6484 flooring underlayment, mat 6485 flooring underlayment, mat, fiber 6486 flooring underlayment, mat, foam

6487 flooring underlayment, mat, other 6488 flooring underlayment, material: nylon 6489 flooring underlayment, material: polyvinyl chloride (PVC) 6490 flooring underlayment, material: rubber 6491 flooring underlayment, material: polyethylene 6492 flooring underlayment, material: gypsum 6493 flooring underlayment, material: wood 6494 flooring underlayment, material: cement based 6495 flooring underlayment, material: cork 6496 flooring underlayment, material: fiberboard 6497 flooring underlayment, material: polyurethane 6498 flooring underlayment, material: other 6499 flooring underlayment, application: 6500 flooring underlayment, application: insulating 6501 flooring underlayment, application: crack isolation 6502 flooring underlayment, application: radiant heating 6503 flooring underlayment, application: substrate repair 6504 flooring underlayment, application: floor leveling 6505 flooring underlayment, application: sound control 6506 flooring underlayment, application: other 6507 flooring underlayment, flooring: 6508 flooring underlayment, flooring: wood 6509 flooring underlayment, flooring: ceramic or quarry tile 6510 flooring underlayment, flooring: stone tile 6511 flooring underlayment, flooring: resilient 6512 flooring underlayment, flooring; carpet 6513 flooring underlayment, flooring: other 6514 flooring underlayment, substrate: 6515 flooring underlayment, substrate: wood flooring 6516 flooring underlayment, substrate: ceramic or quarry tile 6517 flooring underlayment, substrate: stone tile 6518 flooring underlayment, substrate: resilient flooring 6519 flooring underlayment, substrate: concrete 6520 flooring underlayment, substrate: plywood 6521 flooring underlayment, substrate: metal 6522 flooring underlayment, substrate: other 6523 flooring underlayment, self-leveling 6524 flooring underlayment, application: cushioning 6525 gate operating device 6526 gate operating device, security accessory 6527 gate operating device, safety accessory 6528 gate operating device, operator 6529 gate operating device, operator, electric 6530 gate operating device, operator, electric, roller chain 6531 gate operating device, operator, electric, crank arm 6532 gate operating device, operator, hydraulic 6533 gate operating device, gate type: swinging 6534 gate operating device, gate type: sliding 6535 gate operating device, gate type: sliding, single

6536 gate operating device, gate type: sliding, biparting 6537 gate operating device, gate type: vertical rising 6538 gate operating device, gate type: pivoting 6539 gate operating device, operator, electric, other 5260 associations, stone 5261 publications and information services 5349 earth anchor, application: underpinning 5350 marine dock, bottom-supported, dock type: removable 5411 light framing products, steel 5412 decking, special environment: corrosive 5441 column, use: 5447 spray booth, enclosed, dry arrestor 5505 glazed structure, walkway cover 5738 fence components, section, grille, bar-grate 5739 decking, material: metal, aluminum 5850 railing, post-and-rail, illuminated 5851 fence, sectional, picket 5908 truss, pitched 5912 bridge, frame material: wood 5969 column 5970 grating, material: metal, steel 6153 fan, axial, vaneaxial 6154 wash basin, sink 6182 drinking water dispenser, combined bowl and housing material: steel 6183 water heater, tankless 6540 curtain, shower 6541 waterstop 6542 resilient flooring, tile, abrasive 6543 resilient flooring, tile, raised pattern 6544 resilient flooring, tile, textured 6545 resilient flooring, tile, smooth 6546 resilient flooring, pattern type: open cell 6547 resilient flooring, material: asphalt 6548 resilient flooring, material: rubber 6549 resilient flooring, material: rubber, rubber type: recycled 6550 resilient flooring, material: vinyl 6551 resilient flooring, material: linoleum 6552 resilient flooring, material: cork 6553 resilient flooring, material: polyethylene 6554 resilient flooring, material: multi-layer composite 6555 resilient flooring, material: other 6556 resilient flooring, exposure: 6557 resilient flooring, exposure: interior 6558 resilient flooring, exposure: exterior 6559 resilient flooring, special application: 6560 resilient flooring, special application: static-controlled 6561 resilient flooring, special application: detectable warning tile 6562 resilient flooring, special application: sterile 6563 resilient flooring, special application: chemical resistant

```
6564 resilient flooring, special application: access floor panel covering
6565 resilient flooring, special application: athletic/ recreational facility
6566 resilient flooring, installation: heat welded
6567 resilient flooring, installation: chemically seamed
6568 vibration isolation, floating floor
6569 vibration isolation, floating floor, wood
6570 vibration isolation, floating floor, concrete
6571 vibration isolation, floating floor, concrete, jack-up
6572 vibration isolation, floating floor, concrete, panel
6573 vibration isolation, floating floor, concrete, isolation pads
6574 vibration isolation, floating floor, concrete, isolation mat
6575 vibration isolation, floating floor, concrete, springs
6576 vibration isolation, floating floor, components
6577 vibration isolation, floating floor, components, leveling device
6578 vibration isolation, floating floor, components, isolation mat
6579 vibration isolation, floating floor, components, isolation floor drain
6580 vibration isolation, floating floor, components, perimeter isolation
6581 vibration isolation, floating floor, components, mount
6582 vibration isolation, floating floor, components, mount, isolation pad
6583 vibration isolation, floating floor, components, mount, spring
6584 vibration isolation, floating partition
6585 vibration isolation, isolator
6586 vibration isolation, isolator, mount
6587 vibration isolation, isolator, flexible connector
6588 vibration isolation, isolator, hanger
6589 vibration isolation, isolator, pipe sleeve
6590 vibration isolation, isolator, equipment base
6591 vibration isolation, isolation material:
6592 vibration isolation, isolation material: composite
6593 vibration isolation, isolation material: glass fiber
6594 vibration isolation, isolation material: metal spring
6595 vibration isolation, isolation material; air spring
6596 vibration isolation, isolation material: elastomer
6597 vibration isolation, isolation material: other
6598 vibration isolation, housing material:
6599 vibration isolation, housing material: metal
6600 vibration isolation, housing material: other
6601 vibration isolation, application: vibration type:
6602 vibration isolation, application: vibration type: impact
6603 vibration isolation, application: vibration type: mechanical
6604 vibration isolation, application: vibration type: air-induced
6605 vibration isolation, application: area/facility:
6606 vibration isolation, application: area/facility: building
6607 vibration isolation, application: area/facility: studio/room
6608 vibration isolation, application: area/facility: railway
6609 vibration isolation, application: area/facility: roof
6610 vibration isolation, application: area/facility: ceiling
6611 vibration isolation, application: area/facility: equipment
6612 vibration isolation, application: area/facility: equipment, HVAC
```

6613 vibration isolation, application; area/facility; equipment, pipework 6614 vibration isolation, application: area/facility: equipment, machinery 6615 vibration isolation, other 6616 vibration isolation, isolation material: nylon matrix 6617 gunport 6618 manufactured building, application: other 6619 truss, pitched, triangular, other 6620 bridge, decking material: steel, grating 6621 bridge, decking material: steel, plate 6622 bridge, frame material: other 6623 bridge, other 6624 bridge, beam-supported, drawbridge 6626 bridge, beam-supported, stationary 6627 athletic surfacing 6628 athletic surfacing, preformed 6629 athletic surfacing, preformed, sheet 6630 athletic surfacing, preformed, tile 6631 athletic surfacing, synthetic turf 6632 athletic surfacing, synthetic turf, sand filled 6633 athletic surfacing, synthetic turf, non-sand filled 6634 athletic surfacing, formed-in-place 6635 athletic surfacing, other 6636 athletic surfacing, material: plastic 6637 athletic surfacing, material: composite 6638 athletic surfacing, material: rubber 6639 athletic surfacing, material: wood fiber 6640 athletic surfacing, material: other 6641 athletic surfacing, application: athletic track 6642 athletic surfacing, application: athletic field 6643 athletic surfacing, application: golf course 6644 athletic surfacing, application: playground 6645 athletic surfacing, application: walk/jog path 6646 athletic surfacing, application: tennis court 6647 athletic surfacing, application: pool deck 6648 athletic surfacing, application: basketball court 6649 transaction window/door 6650 transaction window/door, window 6651 transaction window/door, window, voice transmission 6652 transaction window/door, window, voice transmission, speak hole 6653 transaction window/door, window, voice transmission, open perimeter 6654 transaction window/door, window, pass 6655 transaction window/door, window, pass, slot tray 6656 transaction window/door, window, pass, hopper 6657 transaction window/door, window, pass, transaction drawer 6658 transaction window/door, window, pass, hinged sash 6659 transaction window/door, window, pass, sliding sash 6660 transaction window/door, window, pass, other 6661 transaction window/door, window, combination

6662 transaction window/door, window, combination, speak hole

| 6663 transaction window/door, window, combination, open perimeter |
|---|
| 6664 transaction window/door, pass through |
| 6665 transaction window/door, pass through, hopper |
| 6666 transaction window/door, pass through, transaction drawer |
| 6667 transaction window/door, pass through, transaction door |
| 6668 transaction window/door, pass through, deal tray |
| 6669 transaction window/door, pass through, deal tray, open |
| 6670 transaction window/door, pass through, deal tray, with lid |
| 6671 transaction window/door, pass through, deal tray, rotating |
| 6672 transaction window/door, pass through, package passer |
| 6673 transaction window/door, pass through, other |
| 6674 transaction window/door, speak hole |
| 6675 transaction window/door, frame/body material: |
| 6676 transaction window/door, frame/body material: steel |
| 6677 transaction window/door, frame/body material: stainless steel |
| 6678 transaction window/door, frame/body material: plastic |
| 6679 transaction window/door, frame/body material: aluminum |
| 6680 transaction window/door, glazing material: |
| 6681 transaction window/door, glazing material: single glazing |
| 6682 transaction window/door, glazing material: insulating |
| 6683 transaction window/door, application: |
| 6684 transaction window/door, application: mail |
| 6685 transaction window/door, application: food service |
| 6686 transaction window/door, application: detention |
| 6687 transaction window/door, application: banking |
| 6688 transaction window/door, application: registration |
| 6689 transaction window/door, application: darkroom |
| 6690 transaction window/door, application: medical |
| 6691 transaction window/door, application: retail/ticket |
| 6692 transaction window/door, properties: |
| 6693 transaction window/door, properties: bullet resistant |
| 6694 transaction window/door, properties: other |
| 6695 column, material: other |
| 6696 column, material: metal, cast iron |
| 6697 acoustic control products, sound control type: masking |
| 6698 acoustic control products, application: other |
| 6699 acoustic control products, material: other |
| 6700 tubing and shapes, shape, other |
| 6701 tubing and shapes, tubing, fitting |
| 4629 OBSOLETEtransaction window, pass-through, hinged sash |
| 4336 OBSOLETEtransaction window, voice transmission |
| 4699 OBSOLETEtransaction window, pass-through, sliding sash |
| 4846 OBSOLETEtransaction device |
| 6704 04478 - agglomerate |
| 6703 02576 - pavement sealers |
| 6705 05150 - wire rope assemblies |
| 6706 06310 - wood coatings |
| 6707 10280 - prefabricated ramps & walkways |
| 6708 03404 - precast autoclaved aerated concrete wall and roof panels |
| |

6709 04225 - precast autoclaved aerated concrete masonry units 6710 11146 - vehicle lubrication equipment 6711 14555 - vertical reciprocating conveyors 6712 shooting range equipment

DEFINITION.C.254

Standard Test Method for Absorption of Chemical-Resistant Mortars, Grouts, and Monolithic Surfacings water slides; wave pools.

all structural units fabricated of wood, other than those specifically identified in sections 06125, 06180, 06182 and 06190 Standard Test Method for Resistance to Abrasion of Resilient Floor Coverings Using an Abrader with a Grit Feed Method a master monitor and command system controlling all automated fire detection, suppression, automated access control, surve construction units and assemblies using plastic material, and incorporation of the fabrications into other construction special purpose rooms products not identified in sections 13032-13069

granular or block form materials or systems applied to weigh down and protect loose-laid membrane roofing assemblies; inclustant and Test Method for Rubber Property - Tear Resistance

rubber-like thermoset of polymerized chloroprene; has high resistance to, weathering, various chemicals, oil, and flame operated or powered by pressurized oil or other liquid

capable of flowing

fired clay unit masonry flooring products

cited in the manufacturer's product literature as suitable for use in residential applications, such as single and multiple family oparking barriers, parking bumpers, etc.

all types of pumps for air, gas, and liquids, including: centrifugal and reciprocating, eductors, ejectors, and injectors lighting products designed for underwater applications

measurement of duration of an event or sequence of events

specialized plumbing fixtures for hospital/medical applications

telescopes and related equipment unique to observatories

Standard Test Method for Linear Dimensional Changes in Plastic

specific end-use systems of prefabricated and pre-engineered components for site assembly as a swimming pool enclosure (furniture and accessory products not identified in sections 12601-12669

special doors and assemblies which permit ventilation or provide protection from the weather, often installed as an auxiliary doxygen flow regulators for boilers.

material handling system using pressurized air to move materials

entrance and storefront door assembly consisting of leaves which pivot about a common axis, within a cylindrical vestibule planar structure that rises from the floor or foundation to the ceiling or roof to form the side of a building or room maximum rate, given as distance per unit of time, at which an elevator car is designed to travel

Standard Test Methods for Water Vapor Transmission of Materials

manual or powered dampers of all types and for all applications

that which snaps into place and fits tightly

interior luminaires not specifically identified in sections 16511-16519

design information related to topics in this division

having been bonded by placing cementing material at regular or random intervals between materials to be bonded

lathing including accessories and trim; exterior plaster including veneer plaster, acoustical plaster, plaster partitions, and plast catalogs listing publications or reference books available from private companies, industry associations, and government age all products for precast and on-site mixing and installation of terrazzo, including plastic matrix terrazzo; includes all componer safety equipment for use in the industrial setting

for assemblies of doors, sidelights, bulkheads, sills, etc., to include, but not limited to: balanced doors, bi-parting doors, and a rock of sedimentary origin composed principally of calcite or dolomite or both

laminated wood, or metal/wood composite decking for floors or roofs

compartment and cubical products intended primarily for toilet room applications: includes partitions; excludes toilet accessor anchor, ties, joint reinforcement used to anchor masonry systems to the structure

underlying base material or supportive structure of plywood

coarse reddish-brown fiber from the outer husk of the coconut; easily dyed, it is used chiefly in brushes, mats, and as a upholopower driven scaffolds installed as a part of the completed building for use in facade maintenance

systems of less than full height partitions and office furniture to provide work stations in open office applications

office project services and information

heating, ventilating and air conditioning using steam as a heat source

automated and semi-automated, operating, monitoring, and metering systems for manufacturing, processing, and assembly processing measurement of the force due to gravity exerted by snow accumulation on all or a portion of an object

any of various long-chain synthetic polymers derived from certain olefins, usually ethylene or propylene, for use chiefly as tex site erected systems of equipment and components to condition sewage sludge by heating for further treatment and final disp special elevators for high capacity applications

products and methods for the removal and encapsulation of hazardous materials

fuel-fired heaters not specifically identified in sections 15621-15624

solar power units for outdoor lighting; power from photovoltaic cells or direct sunlight

unfired devices that transfer heat to the make-up air streams entering the building

products for the in-office use of the design professional

metal alloy composed primarily of copper and tin

all types of electronic data processing hardware and hardware/software combinations for the use of design or construction fire Standard for the use, installation, and maintenance of fire doors, windows, glass blocks, and shutters

coating made entirely from mineral or metallic elements

special doors and grills which operate by sliding

finish that consists of a thin layer of wood material

hardwood known for its dimensional stability and its luster when polished; light red to brown in color and commonly used for p swings toward the interior of the building or structure

given that an object is represented on the universal coordinate system in its most natural or descriptive orientation (i.e. top side a protein fiber produced by the silkworm or various other insect larvae and processed into various forms for use in textile fabribasic concrete materials

products for high pressure, low volume spray cleaning equipment for walls, floors, fans, garbage cans, etc.

crushed stone and cinder surfacing

Standard Specification for Asphalt Shingles (Organic Felt) Surfaced with Mineral Granules

Standard Specification for Aluminum-Pigmented Asphalt Roof Coatings

building sandstone reddish brown in color

special purpose equipment and systems for the removal of carbon monoxide or other toxic fumes

musical instruments, including field assembled and built-in instruments

electrically controlled locking systems and accessories

permanent forms, temporary formwork, and falsework for structural and architectural cast-in-place concrete including form line products for application for both roofs and walls; of any material, such as: metal, plastic, mineral fiber cement, composite material communications equipment for studio application

specialized fabrications comprising multiples of similar fixtures or performing the functions of two or more different fixtures coating made from carbon compounds, as obtained from animal and vegetable matter

products used to store and transfer solar energy

heat generation equipment and materials

rubber-like thermoplastic based on polyvinyl chloride

tiles and roll flooring of all resilient materials, such as: asphalt, cork, vinyl, rubber, etc.

non-acoustical, decorative treatment and ceiling finish panels

sewage and drainage products not identified in sections 02710-02749

specialty devices for connecting power source to driven unit

systems that provide total heat, power, and other energy requirements independent from external sources; products not identified in sections 02355-02389

specialized piping systems products and equipment for handling of gas and liquid petroleum gas

open web structural units of wood or wood/metal composite, for use in floor or roof framing - flat or pitched configurations; inclusives stress-rated plywood sheets

products for the decorative or utilitarian improvement of a site or cityscape, other than those specifically identified in sections

kitchen machines and appliances, ovens, ranges, sinks and drainboards; (excludes ice machines)

foamed polystyrene processed into bead-like particles or molded shapes for use as a packing material or as loose-fill insulation project development services

most types of doors, frames, windows, and glazing

roofing or siding shingles of all materials, except clay and concrete

electrical, mechanical, or chemical repellents and protective devices against birds, vermin, insects, etc.

solid waste handling equipment not identified in sections 11171-11179

shortest horizontal distance between vertical framing members in either the hoistway door or elevator car door, whichever is sprecast or poured-in-place roof and floor decks not identified in sections 03510-03549

ratio measure of specular flux to incident flux at specified source and receptor apertures when the angle of incidence is 60 de Standard Specification for Roofing Slate

surface applied solar control film

columns, beams, decking, and other structural units fabricated from wood members

various equipment used in fluid waste treatment and disposal

thick, sticky liquid, dark brown to black in color, derived through the destructive distillation of bituminous coal; used chiefly as insulation products including organic and inorganic insulation applied to walls, roofs, decks, perimeter of foundations, and und an elastomer produced by substitution of chlorine for hydrogen on a high density polyethylene chain; higher chlorine content poured and prefabricated cementitious floor and roof decks and fill, including form boards, reinforcement, and support member items and equipment for monitoring and controlling one or more pieces of mechanical equipment or mechanical systems; incliquid and gas storage tanks and basins not identified in sections 13201-13219

all specialized equipment for use in facilities that manufacture, process, or assemble products

Standard Test Method for Water Absorption of Slate

fluid waste treatment products not identified in sections 11302-11399

unit masonry products not identified in sections 04210-04299

special windows not identified in sections 08652 to 08670

tile surfacing units made of molded fused silica glass

generic design information, topics in this division

building systems for evaporative surface or water cooling

an infill material between the two faces of a panel composed of concrete or other material that, when mixed with a liquid, become Standard Specification for Mineral-Fiber Blanket Thermal Insulation for Light Frame Construction and Manufactured Housing zinc coated

held together through the use of a nail, screw, bolt, or similar object designed to physically join components of an assembly products for the assembly of a room for the storage of wine or beverages. includes prefabricated, controlled environment, sto prefabricated/pre-engineered components assembled at the site to form a dome shaped structure; geodesic domes and fram installed equipment for monitoring the external environment or nonoperating internal conditions

specialized built-in or loose furniture for use in classrooms and libraries

storage shelving: fixed, movable, adjustable; automated filing equipment; mobile pallet storage system; (exclusive of library states which is used outdoors

heating, ventilating and air conditioning using hot water as a heat source

products for assembly of hyperbaric rooms

products for marine work including docks, boat facilities, and dredging

prefabricated channel/trench surface drainage materials

measurement of the heat flow through a material, under steady state conditions, per unit area per temperature difference between the standard Test Method for Tensile Properties of Plastics

portable posts and ropes or railings, entrance and exit gates, turnstiles, and electronic counting/detection devices furnaces fueled by gas

granite, precast concrete, or other precast materials

specialized equipment for police and fire station facilities

construction assembled from units of building material, such as brick or stone, set layer upon layer in a cementitious matrix

structural metal framing products of aluminum material

all materials, admixtures and grout used to install masonry

forced by pressure into a cavity while in liquid form and allowed to solidify into a fixed shape before removal

lockers used for temporary storage by tenants

interchangeable components for the assembly of telephone or telecommunication systems, including products for connecting Standard Test Method for Tensile Properties of Adhesive Bonds

specialized piping systems products and equipment for special fuel handling

products specifically intended as accessories to gypsum board

any one of many thermoplastic and thermosetting plastics based on polyester or polyether resins; used in insulating foams, see specialized piping systems products and equipment for fuel oil handling

Standard Specification for Door Controls (Closers)

built-in and free-standing equipment for building maintenance

Standard Test Method for Relative Resistance to Wear of Unglazed Ceramic Tile by the Taber Abraser

tactile warning lines

components for solar energy collectors or receptors, including: glass or other glazing, absorber plates or tubing, insulation, re prefabricated products to carry underground power and communication lines

manner, or way, in which an attachment is made

carpet materials including cushions and accessories

plaster/stucco with portland cement as the cementitious binder

for water, electrical, and mechanical utilities; covers and frames

Standard Specification for Poly (Vinyl Chloride) Sheet Roofing

dockboards, levelers and lifts, bridges and ramps, dock door shelters and seals, bumpers

structural metal framing products not identified in sections 05110-15199

basic material veneer and flitch components for architectural woodwork

designed to operate or be worked by hand with an additional source of energy, such as electricity, provided to reduce the req finish carpentry board panel component product

wired external communication system with capabilities ranging from basic telephone (voice/data) service to computerized line

measurement taken as a ratio of the change in weight of an object after absorbing water to the weight of the dry object surface transportation terminal project services and information

Standard Test Method for Strength Properties of Adhesive Bonds in Shear by Compression Loading

acoustical treatment products not identified in sections 09501-09539

acoustical tiles and panels, perforated metal pan ceiling systems, sound absorbing wall and ceiling units, acoustical wall systems silver-white, light-weight metallic element known for its electrical and thermal conductivity, high reflectiveness, and resistance hoist and crane products not identified in sections 14601-14690

film processing equipment, photographic and graphic arts equipment

luminaries intended for exterior applications

atypical

operating and monitoring systems for water supply, wastewater, and power generation plants; includes metering devices, display heat transfer equipment and terminal heat transfer units not involving forced air supply

items of movable furniture and furnishing accessories

doors and frames for ceilings, floors, walls; exclusive of roof access doors

self-supporting panels with factory finish of all materials

directories, bulletin boards, directional items, letters, signs, and plaques of various materials used in establishing identity and lifts, latches, handles, holders, operators, security devices, sash balances, and attendant specialties such as window cleaners crash cushions, highway attenuators, guard rails

computer hardware and software systems specifically designed to be integrated into a communications/control network to offer vehicle service equipment not specifically identified in sections 11141-11149

includes gas-fired indirect; convection heating panels for floor, wall, or ceiling; exterior systems for heating walks, etc.

prefabricated components of any material for a storage facility, such as silos, bins, rack structures, storage containers and eq

intercommunication systems not specifically identified in sections 16761-16774

Standard Test Method for Static Coefficient of Friction of Polish-Coated Floor Surfaces as Measured by the James Machine sheet glass and manufactured glass units

in a window sash, a secondary framing member that divides glazing units and holds them in place

anchor tieback products to attach and/or fasten slab on grade, or walls to earth, rock or adjacent structures to prevent movem information describing design considerations, as well as equipment available for coffee areas, including grinders, brewers, se side-hinged window sash that swings inward or outward

a vegetable fiber extracted from the linseed plant Linum usitatissiumum; finer than cotton and used in linen fabrics, thread, tw manufacturing equipment, lathes, milling machines, furnaces, kilns, ovens, finishing and spray painting equipment, processing multi-use concealed or exposed acoustical products

site survey and investigation information, standards, and services

expansion control products manufactured as assemblies for expansion joint cover applications

coating containing both epoxy and polyurethane resins

layer exposed to pedestrian or vehicular traffic

wire rope intended for use as seismic bracing

outdoor recreation project services and information

plastic compound that softens when heated and rehardens when cooled

finished metal castings not specifically identified in other sections

panel that is not hollow and has no perforations or through-holes

Standard Specification for Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules

fixtures, furniture, and appliances specifically designed for use in a laboratory

joined by melting or softening with a solvent and then applying pressure

hardwood known for its figured grain and for its high luster when polished; generally reddish-brown in color; commonly used f shape that is thin in relation to its length and breadth and is usually rectangular

that which consists of, contains, or resembles fibers

culvert pipe underpasses, guard rails, parking barriers, parking bumpers, traffic signals, signage

floor, outlet, pull and junction boxes

products specifically manufactured for assembly of computer rooms

pipe of all materials for distribution of utility lines for buried or exposed exterior application

built-in and free-standing equipment specifically designed for handling and transfer of money and other high security items artwork of types and/or end use not identified in sections 12101-12189

finished extruded metal products not specifically identified in other sections

special doors intended for air and watertight applications

fabrics, membranes, and matting products for stabilizing soil

products for railroad work including trackage, ballasting, crossties, service facilities, and traffic control devices

object that is not hollow; having length, width and depth

structural and architectural precast building elements; execpt curbs, decking, pre-engineered concrete systems, composite with shapes for use in masonry as copings, sills, etc.

tile shapes for use in masonry as copings, sills, etc. custom designed glazed fixed or operable roof opening enclosures, including the complete framing system necessary to spar

mechanized components of buildings--partitions, ceilings, platforms

fiber made of plant cellulose

electric motors of all types

machine that converts one type of energy into mechanical energy

Standard Specification for Calcium Silicate Block and Pipe Thermal Insulation

railing assemblies fabricated from pipe and tubing components

equipment for refrigeration and to reject heat from refrigeration processes

substance of which a product is composed

prefabricated specialty structures, systems or applications not identified in sections 13121-13149

pertaining to facilities in which the diagnosis and treatment of physical and mental conditions occur

equipment for specialized electric heating systems not a part of a mechanical space heating system; covers such systems as manufactured awnings, canopies, marquees, covered walkways, bus stops, and car shelters of various materials

products for construction of earthen dams as slope protection and erosion control

earthquake project services and information

measurement of volume of lumber at a nominal thickness of one inch

equipment to supply water to a boiler or still

all types of glass and plastic glazing used for doors, windows, sidelights, transoms, entrances, storefronts, curtain walls, and emergency standby generation units, comprising a drive (diesel, gasoline, gas fired), generator, and control equipment; include measurement of influence or action of one body on another body; commonly thought of in terms of push or pull

designed to withstand earthquakes or other earth vibrations to specified testing limits

concrete curing materials and methods including water, sand, paper, and other compounds and membranes

lights to indicate the position and direction of boat motion

softwood known for its extensive use in general construction and carpentry; generally straight-grained, fine-textured, light in c Standard Test Method for Brittleness Temperature of Plastics and Elastomers by Impact

storage facility project services and information

automatic entrance doors which have flat sliding panels as the operable component

water supply equipment for disinfectant/detoxification of water

motor controls installed with a single motor

wood flooring products not identified in sections 09551-09599

materials and products to prevent the spread of fire through openings in floors, walls and other building components

having been tested and classified for fire endurance in accordance with a specified standard

steel wire rope intended for use as structural metal framing

fiber made of complex esters formed through polymerization; has the appearance and feel of wool

hangers and supports for pipes and ducts

systems for monitoring and controlling switches for lighting and power

wind energy systems products for electric energy storage/transfer

indicating clocks, master time and program control systems

any of various, synthetic polyamide resins commonly formed into textile fibers, monofilaments, sheets, and molded parts; valuater distribution products used for the withdrawing or movement of groundwater

structural metal framing, metal decks, metal fabrications, ornamental metal

measurement of the ratio of the magnitudes of the friction force between two objects to the normal force

Standard Test Method for Rubber Property - Effect in Liquids

portable, fixed, and telescoping seating for theaters, auditoriums, lecture halls, stadiums, arenas, gymnasiums, churches, res toilet and bath accessories primarily for residential applications

roll-up type doors, grilles and counter shutters with operators, guides, etc.

Standard Specification for Sheet Vinyl Floor Covering with Backing

miscellaneous fiberglass products not specifically identified in other sections

spring supported; cushioned; mastic set or steel channel wood flooring

insulation products for spray/foam-in-place installation

information about the U.S.A. metric program

material created by expanding natural minerals, usually mica, by heat, and known for its light weight and absorbency; typically built-in and free-standing equipment used in barber/beauty shops

finish that consists of a metallic coating of chromium applied by electrolysis

planar structure that spans the exterior walls of and covers a building; includes exterior horizontal or inclined surfaces designed manufactured fireplaces and fireplace components (damper, hearth, flue, screen), including accessories (irons, grates, etc.); seemets code requirements of some regulatory agency

lightning rod systems for equipment, structures and trees

for products such as shelving, hanging rods, etc., used in residential/institutional installations

Standard Methods of Fire Tests of Door Assemblies

a material applied over old lead based paint to provide a protective barrier to neutralize the effect of lead contained in the old large gates and valves for dams, hydroelectric, and irrigation projects; as required for equipment such as penstocks, turbine in tile products not identified in sections 09305-09390

includes bar supports and chairs, welded wire fabric, splices, stressing tendons and anchors

blinds and shades of all types and materials, interior shutters

exterior siding, surfacing or paneling products of all materials that are applied over a supporting subsurface or sheathing, and constructed pool used for swimming or bathing, and related equipment

information on the use of computers in design or construction firms not identified in sections 01951-01959

coarse fiber from the outer husk of the coconut

measurement of mass per unit area

metal decking manufactured of aluminum

fluffy white powder, similar to pumice in form, produced by flash-roasting and crushing perlite; inert, lightweight, fire-resistant, having received a layer of material to protect, seal, or enhance the appearance of the surface

products for receiving, detention and discharge of sewage

measurement of total surface within specific boundaries on a plane or a solid figure

liners for chimneys and flues of masonry or cementitious materials

measurement of distance between two points along a straight line

portable items for group seating, including ganged seating, interlocking and stacking chairs

Standard Test Method for Crazing Resistance of Fired Glazed Whitewares by Autoclave Treatment

polymeric material known for its high energy absorbing and elongation properties; when stretched to twice or more its length, stock casework of specialized function or specific end use not identified in sections 12381-12390

generic design information, topics in this division

Standard Test Method for Water Penetration of Exterior Windows, Curtain Walls, and Doors by Cyclic Static Air Pressure Differentiations designed for various industrial applications

electrical recording, sensing, and monitoring devices with multi-systems or specialized applications

horizontal or inclined, power driven belts, installed for the movement of pedestrians

in the shape of a parallelogram whose angles are all right angles usually with adjacent sides that are not equal in length putting to use or applying

transportation system consisting of one or more cables supported by towers capable of carrying a traveling carriage

Voluntary Specifications for Poly (Vinyl Chloride) (PVC) Prime Windows and Sliding Glass Doors

composed of two or more pieces that are joined with overlapping seams by the manufacturer

lighting units intended for use as furnishing accessories

specialized or loose items not identified in sections 12321-12339

materials and products that provide fire resistance to building components

thermal and special purpose insulation products for piping, ductwork, and mechanical equipment and systems

special doors intended for cold storage applications

entrance and storefront glazed wall/door assemblies, fire-rated

special coatings specifically manufactured with fire-resistant/intumescent characteristics

bank equipment not identified in sections 11031-11039

complete units, including scoreboards and electronic controls

equipment and installation of alarm, detection, clock, voice/data, public address, television, satellite, microwave, and other co general term for various iron alloys having more than 2% carbon and about 1 to 3% silicon; valued for its compressive strengt doors and fixed panels of solid or hollow core construction with wood, plastic laminate, and metal veneers; stile and rail and fl

smallest dimension of a three-dimensional planar object

steel with a zinc finish coating to protect against corrosion

lighting products designed for stair and walkway applications

molded roofing tile that is flat and trapezoidal in shape

that side designed to face away from the building and stand up to weather

laminated glass units in which glass occurs as the finish surface

games that are played in a usually walled or marked off quadrangular space, often enclosed and roofed products/methods for demolition of structures and parts of structures; removal and capping of existing utilities information on, and specialty services for, project types other than those identified in sections 01101 - 01199 all products to prevent the passage of air into a structure or between portions of a structure applied in bulk form from an open container by dispensing in a continuous stream

Standard Specification for Asphalt Roof Cement

Standard Specification for Mineral Fiber Preformed Pipe Insulation

backing and underlays, fastening strips

cited in the manufacturer's product literature as suitable for use in commercial applications, such as retail stores and business ice makers, dispensers, crushers and bins.

material used to form the final surface, usually designed to protect or beautify

piping and structures for collection and transmission of wastewater and subdrainage systems for structures

physical or functional arrangement of components or elements within a material, assembly, or system

hardwood known for its strength and shock resistance; generally fine-grained and light in color; commonly used for veneer, to metal items and metal work of an ornamental nature, including anchors and related accessories

restaurant and food service project services and information

refrigeration system equipment, usually on the roof of a building, over which water is circulated, so as to cool it evaporatively enclosures, dividers, screens, and curtains for toilets, urinals, showers, dressing compartments, and hospital cubicles includir Standard Specification for Mineral Fiber Loose-Fill Insulation

shop fabrication and prefinishing of woodwork requiring expert craftsmanship and joinery; includes application of plastic lamin Standard Test Method for Breaking Strength of Ceramic Tile

doors of various types intended for darkroom applications where intrusion of light is to be limited

window designed to be installed on the exterior side of another window to provide added weather protection; typically remova cabinet pulls, hinges, locks and catches; drawer slides; shelf standards and brackets; showcase hardware

wire and cable products not identified in sections 16121-16129

epoxy formulated such that it has sufficient electrical conductivity to prevent electrostatic buildup

land development/PUD procedures, project services, and information

parking gates, automated access, control, and signalling devices and systems, parking bumpers and barriers

thermosetting synthetic resin made through the reaction of phenol with an aldehyde; hundreds of different compounds are us Standard Test Method for Water Penetration of Exterior Windows, Curtain Walls, and Doors by Uniform Static Air Pressure D products for electrical heat generation, other than those specifically identified in sections 16855 to 16895

single compact unit in a refrigeration system consisting of one or more power driven compressors, condensers, liquid received assembled systems of components for monitoring and controlling traffic, safety, and environmental conditions in transportation fabricated sheet metal products for interior application, including: perimeter ceiling pockets, soffit covers, wall pockets and coverany of a large group of polymeric materials, including rubber and rubber-like synthetics, that can be stretched to more than two zoo facility project services and information

Standard Test Methods for Rubber Property - Compression Set

shortest horizontal distance between parallel interior surfaces of an elevator car

framing members fabricated from sheet gauge metal, either load-bearing or nonload-bearing

natural or cut stone; includes stone sills, copings, and mantels

all information relating to the maintenance or operation of the finished building; includes materials, equipment, consultants, se equipment specifically designed to heat water or generate steam

equipment for the main entry and primary distribution of electrical power within a facility

built-in and free-standing equipment used in retail and service stores

information on, and specialty services for, specific types of projects

equipment related to the transmission, distribution, and control of electric power 600 volts and below to, and within, a project; measurement of the total weight of the surface pile of a carpet per unit of area

equipment and specialized devices for registering and registration control in hotel/motel, hospital, or similar applications swing-up, sectional, paneled doors, for all applications, with operators, tracks, controls, etc. operators and special hardware for

work and materials associated with the thermal and moisture protection of the building envelope, including waterproofing, instruction material, usually in powder form, that makes a paste when mixed with liquid, and when poured or molded, harde specialized equipment for health care facilities for humans

Standard Test Method for Steady-State Heat Transfer Properties of Horizontal Pipe Insulation

acoustical treatment products for wall treatment applications

relative measurement of the sound absorptive property of an object, as given by a single number index; this index is determin all materials and methods used specifically for the attachment of any type or material insulation to any substrate resaturants for roofing

concrete cast-in-place, including standard finishing, normal cements, various speciality cements, super plasticizers, and other products fabricated to imitate stone; artificial stone made of various materials used as a lightweight alternative to natural stone Standard Specification for Exit Devices

packaged air conditioning products not specifically identified in sections 15781-15787

Standard Test Method for Modulus of Rupture of Dimension Stone

rubber-like thermoset based on polyethylene and sulphonyl chloride

electrical work, including lighting, power distribution, communications, controls, and instruments

photography project development services

plumbing fixtures designed specifically for emergency wash down

having been bonded together through the application of solvent, heat, and pressure coiled sheet

Standard Test Method for Textiles - Colorfastness to Ozone in the Atmosphere under Low Humidities

water conditioning systems and equipment installed as part of the domestic water system

noncomposite metal materials for all applications

designed to withstand or protect against fire

liners and covers used in pits, ponds and reservoirs for the storage of all types of liquids

fluid applied membrane roofing system products

matting and other porous materials to prevent radon gas infiltration into basement walls and slabs on grade

measurement of the maximum stretching load a material can bear without rupture

freezing equipment, piping, floor systems, and surrounding enclosures for ice rinks

separators specifically for fluid waste treatment and disposal

artwork of glass, includes leaded and stained glass work

films and coatings for tinting, solar control, shatter control, or reflection; applied to the surface of the glazing or installed within designed to be or capable of being applied by spraying

measurement taken as the ratio of the change in length of an object per degree temperature to the original length of the object. Tests for Fire Resistance of Roof Covering Materials

decorative pieces of material used for window treatment capable of being drawn back

specialized equipment for business offices or other commercial occupancies not offering goods to the general public

milkers, stock feeders, stock waterers, and waste clean-up equipment

visible characteristic and appearance

doors to resist explosion or extremes of atmospheric pressure differential

specialty casework designed to display items as in museums or mercantile applications

plastic skylights and metal framed skylight assemblies with plastic and glass glazing

any of a group of plastic materials made from polyether or polyester resin

form of polystyrene in which mixed isomers of methyl styrene are reacted with drying oils to form alkyd resins for coatings measure of the degree to which incident light is reflected from a surface at an angle opposite the angle of incidence at specifi folding gate product designed for use as a partition

preformed products fabricated of glass or other fiber reinforced gypsum or integrally framed or laminated gypsum board coatings applied to exterior surfaces of above grade concrete, masonry, stucco or similar materials to provide resistance to m a widely distributed variety of sandstone composed of quartz grains bound together by silica; typically white or light in color ar system of prefabricated components of any material for site assembly of a parking structure

all products for the fabrication of an air distribution system, other than those specifically identified in sections 15881 to 15949 products for heat transfer not otherwise identified in this division

specific end-use spaces not otherwise identified

maintenance equipment not identified in sections 11011-11019

radiation protection project services and information

specialized built-in or loose furniture for use in a mailroom

hardwood known for its hardness, strength, and shock resistance; generally yellowish in color and commonly used for flooring joined by melting or softening with flame or other heat source and then applying pressure

intelligent building project services and information

overhead and underground power and communications lines; includes on-site lines outside of structures, off-site transmission natural stone two inches or less in thickness, with polished or matter finish applied as an exterior and interior veneer surface material consisting of an aggregate and binding matrix composite that, when set, resembles the strength and hardness of sto measurement of mass per a given volume

floor systems manufactured and designed by a single source and integrating all components

heavy duty decking and grating for bridges

thin felting of usually vegetable fibers rolled into sheets less than 0.030 cm. thick and sometimes coated; many varieties and electric power transmission products not identified in sections 02786-02789

residential equipment not identified in sections 11451-11459

plumbing specialties products not identified in sections 15431-15439

shortest horizontal distance between front and back interior surfaces of a hoistway shape

fuel distribution products specifically for the distribution of gas

material produced by blending two or more polymerized resins that cannot be joined by polymerization prefabricated enclosures, stalls, shelves, alcoves, and directory units for indoor or outdoor use

chinaware used as furnishing accessories

special piping systems products not identified in sections 15480-15499

platform lifts of various types, intended primarily for the movement of materials, includes sidewalk lifts

products for foundation and site drainage; usually in roll, mat or panel form to differentiate from drains, pipes and inlets

woven mesh stretched over a frame; designed to keep out pests while allowing the passage of air through a door or window conduit intended of handling power and communications conductors

measurement of relative hotness or coldness of a given object, as measured by the scalar change in a thermometric property any of a variety of alloys of iron and carbon known for their strength and hardness, and typically classified as carbon steel or window sash with one layer of glazing material

built-in and free-standing equipment specifically designed for the automated handling and transfer of money and other high se shortest vertical distance between horizontal framing members in either the hoistway door or elevator car door, whichever is synthetic thermoplastic resin made from ethylene

automated fire detection, suppression, and warning systems for inhabitants of buildings and fire-fighting authorities (excludes products for the distribution and protection of current at or below 600 volts

Standard Test Methods for Rubber Properties in Compression

fiber reinforced plastic coated panels, molded simulated woodwork panels and hand or machine applied aggregate over base products for tunnel support and lining; equipment and contracting services for soil or rock boring

Standard Test Method for Facial Dimensions and Thickness of Flat, Rectangular Ceramic Wall and Floor Tile

complete wastewater recycling systems

perforated or expanded sheets or plates of all metals, for ornamental or utilitarian application

luminaires designed for these specific applications

engineered structural masonry of all materials

Performance Standard for wood window units; includes general requirements, grades of performance, unit requirements, and all terminal units for ductwork supply and return openings

built-in and free-standing appliances and other components specifically for residential use

permanently attached or fastened in place

Standard Test Method for Chemical Resistance of Mortars, Grouts, and Monolithic Surfacings

built-in and free-standing equipment specifically designed for the manual handling and transfer of money and other high secu all mechanical life safety systems and components not identified in sections 15310-15399

all hardware products not specifically identified in sections 08711 to 08799. includes: locksets, hinges, closers, push/pull plate Standard Method of Testing of Slate (Modulus of Rupture, Modulus of Elasticity)

manufactured units of masonry; load and non-load-bearing, single and multiple wythe masonry wall systems; reinforced and plain or patterned surface metal plates for flooring or walkways

sliding or coiling grille partitions of all materials, including chain link

measurement of the force or system of forces delivered instantaneously by a blow or collision

fasteners for tool-driven installation in concrete

generic design information, topics in this division

swings away from the interior of the building or structure

driven sheeting for cofferdams, shoring, etc.

lighting products designed for theater and entertainment applications

scientific and technical organization that established voluntary standards and test standards for materials, products, systems, bar or strip that divides or separates glazing units within a sash or door

prefabricated swimming pools and all products and accessories for a site constructed swimming pool exclusive of underwate items used in conjunction terrazzo; includes accessories and sealers

prison equipment, cells and cell doors, detention furnishings (bunks, tables, seating, etc.)

Standard Test Method for Textiles - Colorfastness to Light: Water-Cooled Xenon-Arc Lamp, Continuous Light

wardrobe and closet products not identified in sections 10910-10920

complete metal stair assemblies, exclusive of composite stair assemblies

includes a storm window and a screen to allow use of either while the other is stored

designed to reduce noise transmission

Standard Specification for the Installation of Ceramic Tile

any of a large group of organic materials, derived chiefly from hydrocarbons, that, through the artificial process of polymerizat fixed and operable metal framed windows used singly and in multiples; operating hardware, screens, and other accessories in equipment, other than means of transport, intended specifically for facilities servicing the arrival and departure of people by at Standard Test Method for Water Absorption of Plastics

fittings and component systems for the ornamental or functional use of free water

hardware and gasketing for doors and windows not specifically supplied as part of the manufactured items; also includes according reprographic services and information

mineral formed by water-deposited calcium carbonate; usually stratified

information on professional consulting firms

terminal heat transfer unit which transfers heat by means of induction

finish carpentry wood panel component product with a factory applied finish

treated wood materials for use in foundations

pipe for underdrainage of ground water from the site

designed to prevent passage of x-rays or other radiation

for exterior or interior application; also, fabrics for

all products for the storage, preparation, and dispensing of liquids and solid food in commercial or institutional applications; of various equipment used in water supply and treatment

method or means by which a product is put in place for service

precast cementitious block flooring, with polymer or asphaltic constituents, for heavy traffic and industrial use

roofing systems such as built-up bituminous, modified bituminous, elastomeric single-ply, thermoplastic single-ply, roll, fluid a products used as temporary or portable offices at the construction site

equipment related to interior, exterior lighting and special lighting applications

lockers of all materials and types

components and other addition equipment used in conjunction with lighting fixtures

industrial and process equipment for maintenance applications

plumbing appliance intended to perform a special function, often include components for control and energizing

general name given to a large variety of calcite rocks, including dolomite, chalk, marble and other minerals composed mainly various types of liners and accessories for concrete forms

metal or plastic castings for architectural use, including cast components for gutter/downspout systems (exclusive of utility systems) mobile aerial work platforms, telescoping booms, scissor lifts

tube or channel designed to house wires, cables, or to transport air

products for fascia or mansard roof assembly, and equipment screens

prefabricated chutes for handling all dry materials

shortest vertical distance between top and bottom parallel interior surfaces of an elevator car

street-side bus shelters and similar constructions to shelter pedestrians, including gazebos and kiosks (exclusive of fully enclosed piping and tubing of all materials: ferrous, non-metallic fittings of all types: bushings, clamps, couplings, elbows, room, or space, where typically administrative activities are performed

tile surfacing unit made of fired clay

of or relating to a location inside a building

boilers and water heaters not identified in sections 15556-15569

single railed transportation system

level; being somewhat smooth or even

environmental pollution project services and information

products for the transfer of heat to occupied spaces that do not use forced air distribution

veterinary project services and information

equipment to remove water vapor from the air by any methodology

grilles and screens of all materials for interior or exterior multi-application, such as: building facades (new or refacing), cooling manufactured and field assembled, built-in and free-standing equipment, used for liquid and solid food storage, preparation, or packaged cold storage units for installation: (excludes cold room and building assemblies, and wine storage rooms)

Standard Test Method for Flexural Strength and Modulus of Elasticity of Chemical-Resistant Mortars, Grouts, and Monolithic products of plastic materials not listed elsewhere by end use

designed to be or capable of being spread with a paint brush or paint roller

Standard Test Method for Delamination Strength of Secondary Backing of Pile Floor Coverings

concrete accessory products not identified in sections 03251-03275

products for the holding and dispensing of prepared food (hot or cold). includes: serving units, backbar units, tray slides, and hardware, locks and accessories for lockers

cranes, elevators, and hoists for use at construction sites

power and hand tools; occupational protection devices

coating or treatment of the surface of a product

laboratory project services and information

operated or powered by air pressure

screening and grinding equipment specifically for fluid waste treatment and disposal

fixed or portable screens for conventional or rear projection, including automated systems

Standard Test Methods for Surface Flammability of Materials Using a Radiant Heat Energy Source

for catalogs with a combination of products listed for both sections 10914 and 10916; for automated checking equipment and measurement of the pressure exerted by a fluid uniformly covering the surface of a sheet or a fabric required to produce a least the standard Task Marked for Check About in Proportion of Paving Surface Contains and Marked for Check About in Proportion of Paving Surface Contains and Marked for Check About in Proportion of Paving Surface Contains and Marked for Check About in Proportion of Paving Surface Contains and Marked for Check About in Proportion of Paving Surface Contains and Marked for Check About in Proportion of Paving Surface Contains and Marked for Check About in Proportion of Paving Surface Contains and Marked for Check About in Proportion of Paving Surface Contains and Marked for Check About in Paving Surface Contains and Marked for Check About in Paving Surface Contains and Marked for Check About in Paving Surface Contains and Marked for Check About in Paving Surface Contains and Marked for Check About in Paving Surface Contains and Marked for Check About in Paving Surface Contains and Marked for Check About in Paving Surface Contains and Marked for Check About in Paving Surface Contains and Marked for Check About in Paving Surface Contains and Marked for Check About in Paving Surface Contains and Marked for Check About in Paving Surface Check About in Paving

Standard Test Method for Shock Absorbing Properties of Paving Surface Systems and Materials

Standard Specifications for Sectional Overhead Type Doors

ratio measure of specular flux to incident flux at specified source and receptor apertures when the angle of incidence is 20 de asphalt or coal tar built-up roofing

products to anchor or tie stone panels and veneers to the structure

hostelry project services and information

illumination control products which may be installed in individual fixtures and/or in ceiling systems

specialized built-in or loose furniture for use in guest rooms and public areas

designed to stand alone without support from anchors or adjacent structures

terminal heat transfer unit containing an air filter, air heating and/or cooling coils, and a centrifugal fan

mixture of aggregates and binding agents that when set, resembles the strength and hardness of stone

Ferris wheels, roller coasters and all other types of amusement rides and equipment

powered ventilation units of all types, for all applications (excludes gravity ventilators not part of the mechanical system)

Standard Specification for Ceramic Tile

all materials for assembly of a ductwork system, including pre-insulated and flexible materials and duct liners

building products specifically designed for passive solar energy use and conservation systems

acoustical treatment products for ceiling applications

loose furnishings of a decorative or occupant use nature intended for use in a bathroom

of or relating to the production, transmission, or perception of sound

paving forms for soil and grass

metal windows not identified in sections 08501-08569

earthwork products not identified in sections 02210-02290

interior window coverings such as blinds, shades, shutters, draperies, and curtains, including hardware and controls

elevators operated by hydraulics Fire Tests for Window Assemblies

manufactured expansion and contraction joints, anchors, inserts, and waterstops

composite material consisting of reinforcement fibers set in a matrix of hydraulic cement

powered belts, powered rollers, or other devices for the vertical and/or horizontal movement of documents, tote boxes, or tray raceways, conduits and trenches not specifically identified in sections 16111-16119

Standard Test Methods for D-C Resistance or Conductance of Insulating Materials

loose rugs and pads; foot grills, gratings, and floor grid systems; entrance mats; recessed and surface mat frames; floor runner any naturally occurring inorganic element or compound that is homogeneous and crystalline in structure, such as stone or satisfabric barriers, supported by metal tubing, to contain the smoke above the ceiling for mechanical discharge and control smoke a device specifically designed to provide sound dampening

glass or plastic glazed units of standard sizes and configurations, whose glazing frame is supported on the edge of the roof o fixed seating for areas of public assembly

component products designed and supplied as an integrated assembly for an interior space

specialized built-in or loose furniture for use in dormitory rooms

shale that is very hard, is not usually porous, and is of various colors; is often used for blackboards, electric panels, tabletops open front or enclosed booths, including ventilation systems and accessories, for protection of spray painting operations

Voluntary Guide Specifications for Aluminum Architectural Windows

countertops for residential applications

products for foundation and site drainage

products for the assembly of rooms or chambers controlling the characteristics of audible sound; audiometric rooms, audio-ar refrigeration system component which circulates refrigerant through the system in a continuous cycle

concrete accessories used across a joint to prevent water penetration

products for the assembly of rooms for sports and gymnastics, such as racquetball and squash courts

Standard Test Method for Rubber Deterioration - Surface Ozone Cracking in a Chamber

hardwood known for its close, even texture and sometimes wavy grain; generally hard, tough, and yellow in color; commonly fire suppression systems incorporating standpipes and hoses

folding, pull-down, or telescoping stair units

Standard Test Method for Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizo doors of various types intended primarily for aircraft hanger application

unit masonry products of clay material

sewage ejectors specifically for fluid waste treatment and disposal

water purification/filtering equipment used as a component of water wells

terminal heat transfer units which transfer heat to the space to be heated by radiation and conduction

framed sheet of glass with a backing designed to reflect a nearly perfect image of objects in front of the glass

Standard Test Method for Compressive Strength of Dimension Stone

bedding used as furnishing accessories

specialized built-in or loose furniture for use in public eating and drinking facilities; includes institutional dining room furniture synthetic polymer derived from an ester of acrylic acid

heating, ventilating and air conditioning using a substance that by undergoing a change in phase releases a large latent heat built-in or loose patient room systems or equipment; (exclusive of patient room furniture)

unfinished and prefinished gypsum board on wood and metal framing and on solid substrates; laminated solid and semi-solid wall, roof panels that open from the pressure of an explosion and return to original position when the pressure has been released material composing a majority of a product's surface

terrazzo products not identified in sections 09401-09445

metal materials containing no iron

measurement of the relative efficiency of an object in isolating sound transmission, as represented by a single number index Standard Specification for Modified Wood

any of various cementitious materials, of mineral origin, designed to be mixed with water to form a plastic substance that hard packaged equipment involving the collection, shredding, compaction, removal, and incineration of trash and other solid waste measurement of energy transferred due to a temperature difference between two bodies per unit of time

assemblies of sliding, swinging, or bi-folding fully glazed doors, with stiles and frames of metal, wood, or plastic

devices at the end of a duct through which air is exhausted from or supplied to a space or building

horizontal structure that intersects the walls at the base of a room or building, forming the bottom of the enclosure and providi special use/decorative furnishings not specifically identified in sections 12901-12940

material in the form of three or more thin layers of wood permanently bonded together, the grain of adjacent layers usually be vertical enclosures for distribution of power or communication wiring; including fixed or telescoping forms with terminal units specialized building equipment such as, security, food service, stage, laboratory, medical, and water and sewage treatment measurement of volume of the space taken up by object or internal space within object

prefabricated constructions and components for the holding or display of water; components of a fountain (water display) including moisture; not dry

complete sewage treatment plants

information not indexed elsewhere in this product area

synthetic, thermoplastic resin produced through the polymerization of propylene and valued for its resistance to heat, moisture measurement of an object's resistance to being accelerated; commonly thought of as a measure of the quantity of matter of a metal cages or bins filled with stone or earth and stacked to retain a slope

prefabricated and pre-engineered rooms designed and constructed to meet critical performance requirements of environment composed of more than one material or of dissimilar parts; serving two or more functions

clay and concrete roofing tiles, including tiles of other materials simulating clay roofing tiles

products and fabrications, except doors, to resist or contain explosions.

Standard Test Methods for Fire Tests of Building Materials

equipment used to provide suppression of changing magnetic fields or electromagnetic radiation to sensitive communication, thin sheet made from layers of resin-impregnated paper, cloth, asbestos, or woven glass and fused under heat and pressure; composed of more than one layer

metal decking products not identified in sections 05310-05349

specialized occupant life safety products

specialized built-in or loose furniture for outdoor use

a wired internal communication system for a single user entity, capable of either interactive or non-interactive voice and signa Standard Specification for Quartz-Based Dimension Stone

door assemblies by function or application, not identified in sections 08301-08399

general information and services not specified in other divisions

shortest horizontal distance between left and right side interior surfaces of a hoistway

Standard Test Method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact)

equipment including both air movement fans for ducted systems and coils for heat transfer

mixing boxes, turning vanes, expansion joints, access panels, mastic, adhesives, elastomeric sealants

clay unit masonry products not specifically identified in sections 04211-04219

products, other than plants and planters, for the decorative landscaping of interior spaces; includes plant care accessories Standard Test Method for Weather Resistance of Natural Slate

manufactured surfacing units of impervious, vitreous, semi-vitreous, and non-vitreous materials; glazed, unglazed, conductive system of wires that supplies the electric current

prefabricated unit kitchens; (exclusive of complete kitchen room modules)

microwave communications transmission products

element that gives texture or substance

wiring devices specifically designed for communications

products used for on-site construction work

ratio measure of specular flux to incident flux at specified source and receptor apertures when the angle of incidence is 85 de components for radio, television or other items of electronic communications equipment

mercantile equipment not identified in sections 11101-11109

products designed for control of effects of seismic activity

standard or custom fabrications not identified elsewhere

metering devices to monitor the movement of air, gas and liquids through piping systems or to monitor pump performance prefabricated/pre-engineered products for the suppression of sound or vibration within the structure or its spaces; (excludes: master control systems monitoring and controlling mechanical equipment and systems; excludes single systems controls or call components and accessories for indoor or outdoor pistol and rifle ranges, including lighting, sound and training systems granular, asphaltic concrete, bituminous, concrete, and synthetic paving and surfacing for walks, roads, highways, airfields, a standard that states the requirements to be satisfied by a product, system, or service; may indicate the procedure which it may standard Test Methods for Rubber Properties in Tension

measurement of heat flow through a material, under steady state conditions, per unit of thickness per temperature difference includes both fuel and its residue

general information on various types of wood

partitions which can be dismantled and moved between locations-generally of the post and panel or stud and panel compone measurement of rate of change of linear velocity

Standard Test Method for Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guamaterials for cement-based toppings for concrete slabs, either as finish surface or to receive a finish surfacing/material items which are components of audio-visual systems

direction or extent of movement of an operable mechanism or device

complete, packaged, power operated exterior door assemblies

products for shielding from high energy radiation

structural units fabricated from wood members (except decking)

manufactured items for use in conjunction with toilets and baths

panel with spaced penetrations through the material; typically to all passage of air

cars and motorized vehicles and equipment utilized in systems such as railroads, subways, monorails, funiculars, ski tows, an softwood known for its strength, hardness, and lack of dimensional stability; generally fine texture and straight grain; used for fittings specifically designed for medical/laboratory applications

engineered systems of prefabricated components utilizing solar energy for conversion to thermal energy and electrical power textile fiber made from the fleece of the sheep; typically spun into durable resilient yarn known for its absorbancy, insulating p measurement of a material's resistance to vapor penetration

Standard Test Method for Indentation of Resilient Floor Coverings (McBurney Test)

free-standing panels, generally of a decorative or specialized function type; (exclusive of partition screen systems) doors of flexible or rigid materials including flexible strip doors

automatic door operators of all types, including all actuating devices, such as: mats, switches products for systems employing wire, fiber optics, laser, or radio for the transmission of electronic data site assembled systems of piping and equipment for the dissolution and mixing of gaseous oxygen in liquid waste products for handling the entry of current at or below 600 volts, not identified in sections 16401-16465 synthetic resin made by condensing urea or thiourea with formaldehyde; used chiefly as an adhesive binder in products such a vinyl resin compound marketed chiefly in liquid form for use in coatings, adhesives, and as an extender for rubber system that provides heat, power, or other energy utilizing waste as a fuel operated or powered by electricity

temporary chutes used on the construction site

systems of prefabricated wood components which are site assembled to form a building facility; excludes single prefabricated quality control inspection services and information

electrical power distribution station used to lower the high/medium supply voltage to a lower voltage for further distribution equipment related to the transmission, distribution, and control of electric power ranging from 601 to 35,000 volts; such as sul control, enhancement, or conservation devices accessory to chimneys and breechings

Standard Specification for Lap Cement Used with Asphalt Roll Roofing

communication transmission products not identified in sections 02791-02799

being within as opposed to outside

measurement of space occupied by a fluid, as measured in a container against a standard scale

fixed and operable wood framed, metal clad wood framed, plastic clad wood framed, and plastic framed windows used singly prefabricated shelters and/or components for indoor or outdoor kennels, including feeding and other care equipment

hardwood known for its dense texture, hardness, and strength; generally light in color; commonly used for flooring and furnitu measurement of rate of change of angular velocity

metamorphic stone composed chiefly of calcite or dolomite; includes any crystallized limestone that is granular to compact in resilient tile and sheet flooring, conductive and fluid-applied resilient flooring; includes resilient base, resilient stair treads and a line segment that joins the center of a circle with any one of its points.

softwood known for its light weight and resistance to decay and insects; commonly used for exterior and interior construction

any of a broad group of synthetic plastic materials based on polyester or polyether resin; valued for its combination of hardne having a protective oxide film on the surface of aluminum resulting from electrolysis direct-heating, factory-made, encased assembly including a heating element, fan and motor, and directional outlet

measurement of length along a horizontal line parallel to the frontal plane of an object

equipment used to recover and recycle refrigerants

fuel fired unit for creating heat

Standard Test Method for Rubber Property - Durometer Hardness

Performance Standard for wood sliding patio doors: includes general requirements, grades of performance and test requirementate that part of an object that is at the center as distinguished from the outer part or envelope of the object

cleaners and coatings that provide resistance to graffiti on surfaces

specialized built-in or loose furniture for use with computer and communications equipment

fan with disc or air-foil shape blade mounted on a shaft that moves the air in the general direction of the shaft axis products for the lining of liquid and gas storage tanks

plumbing products not identified in sections 15410-15499

slope protection and erosion control products not identified in sections 02271-02294

that which is made up of different materials

instrument for indicating measurement according to some standard or system, i.e. flow, pressure, temperature products used for the identification of mechanical equipment and system components

surface having fine, medium, or coarse broken corrugated markings

powered devices mounted within stairwells to lift a single seated occupant from the base to top of a run of stairs; may also inc specialized material handling systems for conveying and dispensing baggage

very hard, durable, compact igneous rock that can be highly polished; extremely durable and does not absorb water; tile surfacing units manufactured of metal

Standard Test Method for Compressive Strength of Hydraulic Cement Mortars (Using 2-in. or 50-mm Cube Specimens) furnaces fueled by oil

surface layer of material that protects, seals, or enhances the appearance of that to which it is applied

Standard Test Methods for Breaking Load and Flexural Properties of Block-Type Thermal Insulation

having self-sealing seams

folding, sliding, or coiling partitions and walls

products fabricated to imitate stone or unit masonry

products used for marine work involving dredging

cabinets and countertops for residential use

items not essential to the product; typically not an integral part of the main product

generic design information, topics in this division

lapped roofing shingles, shakes and roofing tiles, including underlayment and fastening products and methods

the response of a product to a specific test designed to measure a desirable quality or property; usually stated quantitatively powered devices for lifting individuals vertically, other than elevators

individual letters/numerals, plaques, tablets, and symbols for interior or exterior application. includes most cast metal items ar a panel in which meters and other instruments display the condition of a system, and dials, switches, buses, circuit breakers, curtains and tracks for screening patient areas; includes other screens and dividers intended for medical facility end use generic design information, topics in this division

systems for the movement of people between points outside of any building enclosure, or, between a building enclosure and hidden from view

mechanical supporting devices not specifically identified in sections 15141-15149

complete solar energy system

metal joist products not identified in sections 05210-05269

air, rooftop and water source heat pumps

upkeep procedure for a product

manufactured components of metal, wood, plywood, plastic, mineral fiber-cement, and composite materials forming wall, roof machinery mounts to support equipment

least numerical value allowable or assignable

class of wood types having common attributes

distribution products specifically for the distribution of steam

cold applied mastic roof membrane; glass fiber reinforced asphalt emulsion

medium voltage primary grounding

residential television (TV) units; TV screens that can be built into a wall or cabinet; motorized lifts to raise/lower TV units; brac Standard Test Method for Abrasion Resistance of Stone Subjected to Foot Traffic

generic design information, topics in this division

dark brown to black bituminous mixture of hydrocarbons that occurs naturally and as a petroleum by-product; semi-solid or so measurement of temperature difference between faces of a material, under steady-state conditions, that produces a unit of he prescriptive building information from government agencies, particularly code authorities

cables and tapes for the protection of piping and equipment

all vendor systems offered for multiple client usage

poured concrete paving including scored (imprinted or stamped) and integrally colored

Standard Method for Measuring Warpage of Ceramic Tile

equipment to provide uninterrupted power and outage protection from power disturbances

fire hose and blanket cabinets, fire extinguishers and cabinets

measurement of rate of change of angular displacement

synthetic fiber known for its tenacity, resistance to the effects of sunlight, excellent dye acceptance, abrasion resistance, and storage facilities providing temporary security of contents; includes: tenant storage lockers, benches, and related hardware that which has been pierced with a series of holes

Standard Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials

draperies and curtains not identified in sections 12541-12549

window sash that slides horizontally in the plane of the window

mastics and adhesives for the installation of interior finishing materials

solid wood decking

loose furnishings of a decorative or occupant use nature intended for use in a kitchen

liquid applied flooring for a continuous or seamless finish of all materials. other special or heavy duty flooring not specifically is a synthetic rubber formed by polymerization of acrylonitrile with butadiene

unit heaters fueled by gas

special purpose electrical/electronic switching devices, with or without sensing mechanisms, to initiate the operation of equiproduct application class not specified elsewhere in this product area

strong material made up of a plastic polymer of propylene

designed to be or capable of being applied with a trowel

loose individual seating

any one of many thermoplastic and thermosetting plastics based on polyester or polyether resins; used in insulating foams, so Standard Test Method for Structural Performance of Exterior Windows, Curtain Walls, and Doors by Uniform Static Air Pressuglass or plastic glazed structures for any building type except swimming pool enclosures

for detection and alarm systems not specifically identified in sections 16722-16724; exclusive of master fire control systems

Standard Practice for Determining Resistance of Synthetic Polymeric Materials to Fungi

product use or function other than that for which it is primarily designed

for electric or electronic control of window treatments

products capable of generating voltage as a result of exposure to solar radiation

air handling fans not identified in sections 15861-15869

all types of fire suppression systems other than water, including: dry chemicals, foams, and gases

expansion control products specifically intended for bridge applications

power and communications products not identified in sections 02781-02799

landscaping products not specifically identified in sections 02910-02989

large screens and projection systems for theaters

accessory items for flow control, containment, drainage and installation of plumbing fixtures

material with a sponge-like cellular structure made by combining phenol resin, in liquid form, with sodium bicarbonate and an traffic: automotive, marine and railroad

insulation products not identified in sections 07210-07249

Standard Test Method for Deflection Temperature of Plastics Under Flexural Load

all rigid metal and plastic shapes designed for particular applications, including reglets

equipment used to maintain the power factor of a line or apparatus at a predetermined value.

Standard Specification for Glass Fabric (Woven and Treated) for Roofing and Waterproofing

Standard test Method for Flexibility of Resilient Flooring Materials with Cylindrical Mandrel Apparatus

hardened clay

strip, parquet, block, and composition wood flooring; included resilient wood flooring systems, stage flooring, and gymnasium air conditioning unit designed to cool individual spaces

product environment class not specified elsewhere in this product area

containing cavities or having a porous structure

block form or applied continuous surfacing for protecting watertight roofing from traffic damage, exclusive of pavers

Standard Test Methods for Surface Burning Characteristics of Building Materials

overhead mechanical equipment to provide air stream barriers for exterior openings or to enclose areas

transparent material forming the light of a window or door

structural plastic framing members including fasteners and supports to join and anchor the framework to other construction measurement of variable force exerted on a structure per unit area; includes weight of equipment, furnishings, people, etc., be metal joists manufactured of aluminum

Standard Test Method for Tuft Bind of Pile Floor Coverings

subsurface investigation products and services; includes standard penetration tests and seismic investigation plumbing fixtures not identified in sections 15441-15449

Standard Specification for Smooth-Surfaced Asphalt Roll Roofing (Organic Felt)

arrangement of design or form

shop and field formed sheet metal roofing with waterproof joints; accessories and trim such as gutters, downspouts, scuppers thermoplastic made from vinyl chloride gas; used in many construction products, including plumbing, floor and wall coverings, manual or mechanically actuated device used to open or close an electric circuit or to change the connection of a circuit items intended for use in closures and for setting of precast concrete

Standard Test Method for Determining Visible Abrasion Resistance of Glazed Ceramic Tile

membrane roofing products not identified in sections 07510-07559

loose items, such as: desks, tables, seating, storage cabinets, stands, etc.

white, powdery compound of calcium and silica used as a reinforcing agent in rubber, as a filler in coatings, and as an absorb products for electrical illumination other than those specifically identified in sections 16501 to 16599

electrical distribution equipment used to convert alternating current to direct current or direct current to alternating current naturally occurring cohesive mineral substance composed primarily of hydrous aluminum silicates; plastic when moist, rigid w measurement of weight per a unit area

Standard Test Method for Tensile Strength of Chemical-Resistant Mortars, Grouts and Monolithic Surfacings

synthetic rubber produced by copolymerizing isobutylene with a small amount of isoprene

designed for or suitable for use on surfaces made of asphalt

specialized built-in or loose furniture for use in health care facilities

widespread mineral form of calcium carbonate and the chief ingredient in limestone, marble, and chalk; used as a raw materia masonry products specially fabricated to resist deterioration from factors other than heat

audio-visual equipment for the projection of holographic images

loose upholstered items for seating

suitable for use where exposed to weather conditions

stock design cabinets and other casework units manufactured from steel, wood, and plastic laminate for a variety of uses; inc composition of one or more of the metallic elements such as, iron, aluminum, gold, or tin

components for assembly of decorative space frames: tubes and connectors, tubes and wire webbing, etc. for interior applica custom or stock systems and luminaires to utilize light as interior decoration; exclusive of electrical signage

electronic data processing software only, for use in design and construction firms

materials and methods for field application of fiber reinforced gypsum plaster

conditioners, varnishes, and sealers for wood floors; includes special purpose finishes normally classified as painting material cabinets, counters for use in a laboratory

product designed to be installed in place of the original installation

audio-visual equipment designed for computerized teaching/reference applications

cost estimating services and information

sheet of material made from layers of resin-impregnated paper, cloth, asbestos, or woven glass and fused under heat and precrude commercial iron, containing three to four percent carbon, processed by smelting ore

accessory products used for landscaping

different applications and methods of metal forming.

underpinning, needling, and other methods of shoring structures and site elements

Fire Tests for Door Assemblies

a complete control system for the start-up and operation of a standby power generation installation; excludes component devices and equipment for changing lamps and servicing luminaires

joint reinforcement, reinforcing steel. anchors, and ties used with masonry systems, or to anchor or tie masonry to other struc having a form consisting of parallel waves, typically to increase stiffness, as in sheet metal

boilers where gas is the power source

windows, including operating hardware, used for a variety of special functions and applications; and employing various operation manual and automatic equipment for compaction and/or extrusion of various types of waste

thickness of a cured film or coating

measurement of length along a horizontal line perpendicular to the frontal plane of an object

Standard Specification for Slate Dimension Stone

disguised or concealed entrance to a private or secluded area or room

loose tables and storage items

measurement of the force or system of forces evenly distributed over all or a portion of a surface of an object

Standard Test Method for Deflection of Resilient Flooring

decorative wrought iron or cast iron ornamental metal products

elastomer designed to retain flexibility, tensile strength, and resilience over a wide temperature span; used for sealants, roofir special doors manufactured of chain components

plumbing fixtures designed for multiple wash stations

lighting products designed for medical/surgical applications

general term for a fiber artificially derived from regenerated cellulose; similar to natural cellulose fiber; used chiefly in textiles Standard Specification for Marble Building Stone (Exterior)

cabinets, counters for use in a medical facility

toilet and bath accessory products not identified in sections 10801-10839

complete buildings, of all material types, site or factory assembled of prefabricated components

measurement taken as the ratio of vertical rise to horizontal run

exterior surfacing systems that provide both thermal insulation and decorative/protective finish

model making services and information

floor and roof drains, excludes site drains

shape of the perimeter of a material

architectural precast concrete products made of a mixture of cement and aggregates to simulate natural cut stone

tension, compression, and temperature reinforcing steel, including welded wire fabric, tendons, fibrous reinforcing, and plastic tension supported structures of rigid or flexible materials; structures of flexible materials supported by any means other than particles of the compression of the compr

vertical distance between the bottom floor terminal landing surface and the top floor terminal landing surface

underlayments of plywood or other materials

units combining electric resistance heating and air circulation fan

manufactured, cast, and extruded metal expansion joint frames and covers; slide bearings, anchors, and related accessories polyester-based insulating foam produced by a chemical reaction between two of its contents

unit heaters fueled by oil

enclosures, dividers, screens, and partitions which may be fixed or demounted and relocated with a minimum of labor; partition tile surfacing units manufactured from plastic

wing energy systems products not identified in sections 13705-13719

skillful and physical action which is associated with athletes or athletics

shop fabricated solid wood or veneered plywood paneling; wood stile and rail paneling

a vegetable fiber obtained from several plants, chiefly from the plants Corchorus capsularis plant of India and the plant C. olite mechanically attached

heavy load capacity rollers for moving buildings, grandstands, equipment, etc.

products and services for mock-ups

being controlled of electrical charges resulting from friction

component products of a security/surveillance system for a building and/or outdoor perimeter.

Standard Specification for Perlite Loose Fill Insulation

emulsion of finely spread particles of rubber or plastic materials in water

all materials for structural bonding of wood

Standard Test Method for Measuring Frost Resistance of Ceramic Tile to Freeze-Thaw Cycling

products intended for use as loose floor covering

Standard Test Method for Abrasion Resistance of Organic Coatings by the Taber Abraser

sealing of the overlap or interlock of two pieces of material

programmable systems for the conveying of carts or trays that are specifically intended for use in medical facilities integrated work units with or without partitions

material that forms the top protective layer of a roof, floor, or similar wear surface

bored and augered pile products

unit vents, generally cast metal, of a size and shape to replace one or more pieces of unit masonry within a wall. units of a sir systems to monitor and control equipment specified in divisions 2 through 14, where the control system is not provided integral material consisting of sand grains bound together by natural cementing agents to form a consolidated sand rock; available in mirrors intended for use as toilet and bath accessories

freight handling equipment, prefabricated chutes, conveyors, gravity rollers, powered rollers, powered belts, and other device wall storage units containing fold-out beds, desks, seating, etc.; for any end use

manufactured casework primarily of plastic/plastic laminate materials

composed of one layer or thickness

measurement of rate of change of linear displacement

Standard Test Methods for Sampling and Testing Brick and Structural Clay Tile

synthetic polymer derived from an ester of acrylic acid

mutually exclusive choices for the selected product

aluminum, in liquid form, forced into a die

prepared roll membrane roofing system products

informational signs and graphics of all materials for interior or exterior application; includes exterior signboard assemblies and receptacles and switches of all types, including trim plates

prefinished panels except those identified in sections 06250. 06255, 09540, and 09985

device used with electric discharge lamp to provide correct circuit conditions for starting and operating

enclosures to carry electrical conductors, including: bussways, conduit pipe, and under-floor ducts

fixed or folding metal ladders, ships ladders, rungs and accessories

structures for dams, hydroelectric, and irrigation projects: penstocks, bulkheads, trashracks, manifolds, bifurcations

products for the assembly of rooms to maintain a controlled internal environment; includes components for computer rooms, of physical conditioning exercise/rhythmic movement of the feet and body, usually to music

products handling current above 600 volts to 35,000 volts not identified in sections 16310-16399

fully integrated system for computer managed buildings providing a centralized monitoring and control of all detection/surveillaeducation project services and information

Standard Test Method for Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method

in-line fittings and accessories for all types of piping and tubing systems: cleanouts, coupling systems, expansion joints, sepa configuration choices not essential to the primary function of the product; may choose none, one, or more

boilers where steam is the power source

refrigeration systems for making ice

wood and plastic doors faced with plastic laminate

flooring and flagging of all stone materials and including specialized grouts and other materials for installation; exclusive of ex Standard Specification for Perlite Thermal Insulation Board

aluminum in a shape imparted by a die cavity into which the aluminum was forced under pressure while molten and allowed to measurement of length along a horizontal line parallel to the frontal plane of an object

Standard Test Method for Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature products for filtering all types of liquids, except water filtration equipment

specialized equipment for the purification/clarification of water for ice making, beverage or solid food preparation; installed at air conditioning unit designed to cool large spaces, up to an entire building

systems of cables or tapes for interior or exterior (snow melting) heat production, within or on the surface of other building mageneral information and products identified in sections 14201-14249

mortar-like material for filling joints, cavities, and setting or anchoring items in concrete or masonry

cleaners, sealers, and coatings for the protection and maintenance of pavements

flat sheets, panels and decking of fiberboard

Standard Test Methods for Bleeding of Pigments

site appurtenances intended for storage

telephones intended for use as a decorative furnishing

thick, sticky liquid, dark brown to black in color, obtained through the destructive distillation of organic materials such as coal, systems monitoring and controlling one or more systems of electrical equipment or fixtures only and to include electronic (con emergency route used to exit a building or enclosure that is on fire

vertical stacking unit for parking of automobiles

air handling products not otherwise identified in sections 15855-15879

includes hinged and bahama flat type shutters

Standard Test Methods for Steady-State heat Flux Measurements and Thermal Transmission Properties by Means of the Heat Standard Test Methods for Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressudark phosphate rock found in riverbeds

the thickness of a cured film or coating

metal materials containing iron

visible or unprotected

Standard Specification for Power Assist and Low-Energy Power Operated Doors

elements of dismantled structures or simulations of existing or historic building elements

expansion control products specifically manufactured for sliding bearing applications

having a material form or surface that is flat or two-dimensional in quality and, as such, lacks curvature

devices with two or more coupled windings, used to convert a supply of electrical power at one voltage to another voltage metal materials not identified in sections 05015-05029

hardwood known for its wear resistance and hardness; usually black in color and commonly used for musical instrument competched, stained, beveled, sandblasted or carved glass; decorative plastic films and overlays

process by which a material is applied

equipment to add water vapor to the air by any methodology

designed for or suitable for use over gypsum board

manufactured, preassembled, and field-assembled, built-in, and free-standing equipment for athletic, recreational, and therap mat consisting of hinged rails, usually a vinyl material, on which treads of carpet are attached; rail spacing provides for water portable or built-in central station systems for the transmission of voice or music

boilers where electricity is the power source

products/methods for both the removal or encapsulation of asbestos materials

wired, internal or external communication systems limited to interactive or non-interactive machine transmissions; excludes te unit masonry manufactured for acoustical control applications

stock casework of two or more materials identified in sections 12301-12304

flatware used as furnishing accessories

includes products of all materials for the integral treatment of soils to maintain their stability

stock architectural metalwork shapes

prefabricated and pre-engineered assemblies of two or more related components

merchandising project services and information

hazardous material processing project services and information

powered devices specifically designed to lift wheelchair occupants

technical and scientific society of textile chemists and colorists in the textile and related industries that use colorants and cher prefabricated, solid or glazed, walkway cover, canopy, or car shelter assemblies; including complete walkway enclosures

having been made by forming the material, as in a mold, while liquid or plastic and allowing it to solidify into a fixed shape with wider than is common; often for a special application

hinges, latches, assembly brackets, and other hardware for partitions and cubicles (except curtain track)

designed to operate or be worked by hand

complete audio-visual systems

one of a variety of steel alloys, often containing nickel and always containing a high percentage of chromium; valued for its corefractories not specifically identified in sections 04551-04579

Standard Specification for Asbestos-Cement Roofing Shingles

arrangement, appearance, or direction of the strata

Standard Specification for Power Operated Pedestrian Doors

a unified, single source system providing intrusion detection, or surveillance, alarm/response system, and access control; except terrazzo with a binder of plastic material

caisson products of various types and materials

switch to isolate a circuit or piece of electrical apparatus after interruption of the electrical current

all flexible membrane materials including elastomeric and laminated metal types

weathersealing products of all types for installation within door or window assemblies

trade association of firms engaged in the manufacture and sale of architectural building components and related products any of a number of cellulosic fibers of vegetable origin, such as cotton, flax, or sisal; generally classified as leaf, bast, or seed custom designed glazed roof opening enclosures, including the complete framing system necessary to span the full opening Standard Test Method for Flammability of Finished Textile Floor Covering Materials

softwood known for its fragrant odor and decay resistance; commonly used for shingles and construction posts and timbers furnishing accessories used on or with a desk

product installation class not specified elsewhere in this product area

soil conditioners, top soil, etc.

tubing coils for the transfer of heat between air and liquids/gases; excludes equipment including both coils and air movement concrete with cementitious component of plaster

toilet compartment products manufactured from plastic/plastic laminate materials

hardwood known for its durability and insect resistance; golden yellow to dark brown and heavy; commonly used in interior ar fiber composed primarily of rock, slag, or glass fibers, with or without binders

underlying material or structure that supports another

special coatings specifically manufactured with fire-retardant characteristics

loose furnishings that are the property of the occupant, that have no direct relationship to the building, and are not identified e pre-engineered structural component systems of all metal materials (includes fabricated arches, bents and frames; girders an specialized built-in or loose furniture for use in places of worship

enclosed area for precision products whose quality would be affected by dust, lint, et cetera; typically has smooth surfaces to Standard Test Method for Salt Spray (Fog) Testing

insulation materials for cold storage applications only, exclusive of prefabricated cold storage rooms or buildings

site applied wall finish of all materials, such as: cork, fabric, leather, paper, vinyl, etc. these are thin, flexible sheets requiring a equipment related to the generation of electric power in large built-up systems

includes equipment for outdoor athletic fields

sewage discharge and collection controlled by automated equipment built into a vacuum station

specialty casework for use in a bank

a protein fiber obtained from the fleece of sheep and used in textile fabrics

reinforced preassembled panels of unit masonry of all materials.

furnaces not identified in sections 15611-15619

in a window sash, decorative bar or strip that visually divides glazing material into smaller units

items that are common to more than one section of Division 15

having the characteristics of an institution

electronic sensing devices

slope retaining methods of all materials except for products identified in sections 02240, 02246 and 02270

measurement of the force needed to start or continue a tear in a sheet or a fabric

classification indicating the frequency or severity of use for which a product is designed; usually expressed as a grade autopsy tables, other specialized refrigerated storage units and equipment generic design information, topics in this division.

doors and door assemblies for a variety of special functions and applications involving a variety of operating methods library project services and information

transportation system used for loading and unloading of aircraft

project development services not identified in sections 01931-01944

device used to govern the power delivered to a group of motors

vertical distance between the surface of the bottom terminal landing and the hoistway bottom interior surface

metal floor and roof decking of fluted, ribbed and cellular configurations; composite decks of metal with acoustical and therma enclosures manufactured as a component to elevator systems supplied by others, including integral accessories

products of all materials (generally sheet type) intended to provide resistance to moisture penetration

products for highway construction, including underlayment for construction and resurfacing

all types and materials of treads and/or nosings used for stair assemblies

systems and devices for specific end use.

Standard Test Method for Resistance of Plastics to Chemical Reagents

products used to provide maintenance services

generic design information, topics in this division

heavy duty and other special flooring

overhead type rolling shutters for windows with complete assembly of jamb, frame and head box

general term for a synthetic plastic material based on any of various compounds of ethylene-derived polymers; used in a broad organization serving as clearing house for nationally coordinated voluntary standards

specialized piping systems products and equipment for gasoline fuel handling

Standard Specification for Preformed, Cellular Polystyrene Thermal Insulation

measurement of the force or system of forces regarded as acting on an object at a point

powered equipment or systems for the emergency movement of building occupants

designed to withstand continuous static pressure

treatments for soil retardation, blocking of ultraviolet light, anti-static for carpeting, fungicidal treatment and flame proofing simulated grass, turf, or special purpose site materials not otherwise identified

having to do with or part of industry

prefabricated work space enclosures for interior or exterior installation. includes: relocatable offices, in-plant offices, toll booth loose furnishings designed for use in relation to a fireplace

horizontal distance taken from the front edge to the back edge of an elevator car platform

water supply equipment for softening water

industrial project services and information

lighting products designed for roadway and parking area applications

white or ivory-colored powder typically produced by treating a solution of rubber and carbon tetrachloride with chlorine gas; us domestic animal housing project services and information

measurement of the ultimate stress per unit area of the object that an object can bear without breaking when twisted or bent; products for the assembly of a sauna room or building

measurement of difference in direction of two rays that intersect at one and only one point or of two planes that intersect at or sliding panels to cover a projection screen; hardware for

equipment designed for sludge disposal

a fan, within a scroll-type housing, which receives air along it's axis and discharges it radially

piping systems designed for specialized applications

pliable material made by weaving, knitting, or felting processed natural or synthetic fibers, filaments, threads, or yarns into a country the area to be covered per unit volume of coating to obtain specified dry thickness

measurement of the maximum load applied to an object as it is brought to rupture

cold formed by contoured rollers

sealants, tapes, gaskets, or compounds for the installation of glazing materials

panel composed of parallel or crossed bars to allow the passage of air

storm drainage products not specifically identified in sections 02721-02729

communications products not specifically identified in sections 16701-16840

lawns, trees, shrubs, ground cover; including soil preparation and finish grading involving topsoil and landscape accessories proportion of one quantity to another, given by division of one quantity by the other

items manufactured to conventional details from standard metal shapes and plates which do not fit specifically in other section interior and exterior art objects such as murals, paintings, sculpture, and stained glass

products for systems for transmission and distribution of water including the digging, drilling, and jetting of water wells measurement of the maximum compacting load a material can bear

fences and gates of all materials. exclusive of products for kennels and animal shelters

decorative pieces of material used for window treatment

shortest horizontal distance between front and back parallel interior surfaces of an elevator car

specialized medical and hospital equipment for examination and treatment

products not identified in sections 02505-580

finish that consists of a metallic coating of gold applied by electrolysis

sources of information and services not identified in sections 01901-01920

manual and motor operated, traveling and fixed hoists; hoisting towers, cranes, crane rails, and related accessories

fixed and moveable devices and systems for burning of all types of waste for all applications

projectors and related equipment unique to planetariums

metal door and frame products not identified in sections 08101-08149

general information on the characteristics and use of all fiber materials that can be processed into furniture or window treatment of all types and drives, for interior use

factory-designed, self-contained air conditioning unit

system of prefabricated components of any material for site assembly of a single or multiple dwelling unit (may or may not inc products for the preservation of wood to resist moisture, decay, insects; also, fire retardant treatments; for factory applied woo self-contained, battery operated fixtures for use in the event of power failures

equipment and accessories, including furniture, designed for use in a place of worship. includes fabrications such as steeples Standard Test Method for Linear Shrinkage and Coefficient of Thermal Expansion of Chemical-Resistant Mortars, Grouts, and premanufactured drawer units and accessories for use with manufactured casework

information on the use of computers in design or construction firms

construction of wood framework using lumber, plywood. particle board, and other sheathing materials; includes rough hardwa equipment for other than normal electrical systems

museum project services and information

hoisting machine in which the hoisting apparatus is carried by a bridge-like structure spanning the area over which the crane metal decking products manufactured for raceway applications

Standard Test Method for Rate of Burning and/or Time of Burning of Self-Supporting Plastics in a Horizontal Position finished on one side only

sheet roofing assemblies of all metal materials. includes accessories and tools for assembly and fastening

railed transportation system used to ascend and descend steep inclines; ascending car counterbalances descending car permanently installed equipment for measuring and recording phenomena such as stresses in structures, solar and wind ene

unit at the end of a branch duct through which air is transferred or delivered to the conditioned space

furnishing accessories not identified in sections 12651-12659

preservation, restoration, and rehabilitation project services and information

Standard Test Method for Rubber Property - Resilience by Vertical Rebound

includes pneumatically placed and fibrous reinforced thin shell systems

wool-like material made from molten rock, slag, or glass fibers; commonly used for insulation and for reinforcement mop sinks, laundry tubs, janitor's closet accessories, and other utility/maintenance products

products designed to collect and accumulate energy in the form of solar radiation

components for ornamental railing assembly, such as: posts, panels, balustrades, handrails, and handrail covers wastewater collection products of all materials

chambers for radio-frequency and electro-magnetic interference shielding; radio frequency anechoic chambers

flexible fibers of glass, plastic, or other transparent materials used for data transmission

closed or very nearly closed to the passage of air

having received a coating of one of the types of vinyl

not designed to retard the passage of heat or sound

fire protection systems designed for smoke suppression/relief

standard finish carpentry building materials manufactured in millwork plants or planing mills

standard that provides rules and requirements for design, fabrication, and erection of structures or structural elements of build design office requirements regarding project documentation and format

measurement of length along a vertical line

thermoplastic composed of isobutylene and isoprene; commonly used for roofing membranes, which also contain reinforcing removal of subsurface water in preparation for foundations, pipe bedding, and other site work

products for reinforcement of concrete with fibers

Fire Prevention Code

glazed or screened units for doors or windows-interior or exterior mounting

products of all materials for outdoor or outdoor/indoor use

common commercial metal derived from pig iron and classified as ingot iron, powdered iron, wrought iron, cast iron, or steel, concrete materials used for the finishing of concrete

airport project services and information

design office services and information

tile surfacing unit made of clay by an extrusion process

finish carpentry hardboard panel component product with a factory applied finish

stone selected or cut to uniform size, shape, or thickness for use in building construction; uses include surface veneers, bear theater project services and information

Standard Test Methods for Abrasion Resistance of Organic Coatings by Falling Abrasive

docks, jetties, groins, fenders, and boat servicing/handling equipment and facilities

stage curtains and drapery, flyloft rigging and equipment, stage and orchestra lifts, stage risers and platforms, bandshells, specontainers, generally placed in cornerstones or foundation walls, to preserve artifacts and/or historical data

automated and semi-automated, operating, monitoring, and metering systems for inventory purposes

aquatic equipment designed for therapeutic purposes

portable toilets

civil engineering type equipment for on-site construction work

converters, voltage regulators, power factor corrective devices, peak load controllers, and surge arrestors

manufactured casework primarily of wood

of one material in one uniform piece without joints or seams

solar energy systems products not identified in sections 13610-13669

concrete or other material that has cured from a plastic form into a hard mass

stair nosings, treads, base, and trim of resilient materials

terrazzo manufactured in a shop or factory in molds

metal joistsand related bridging, anchors, and accessories; includes composite framing systems of steel joists and concrete unit masonry of concrete material

designed to retard the passage of heat or sound

dimensionless measurement of amount of material or number of objects within a given set

exposed or concealed grid systems for suspension of gypsum board, acoustical tile, metal panels, and other finish ceiling material outside as opposed to inside

all equipment of any type for the purification of air, including: air cleaners, precipitators, dust collectors, filters, and deodorizing a system of power driven stairway treads for the inclined movement of pedestrians

metal furring and accessories for lath and plaster

wood of a fruit tree used typically for furniture

water-supplied receptacles connected to the plumbing and drainage systems for various applications

flue liners and firebrick used in chimneys and combustion chambers

form or shape as viewed from the side or edge

Standard Classification for Rating Sound Insulation

devices designed for the isolation or protection of equipment and systems

good faith statement by the maker of a product assuring the buyer of the product's quality; typically a specific written agreement prefabricated or constructed tanks for storage, including: liquid gas tanks, oil and gas storage and supply tanks, sewage treat automated checking equipment-coat and hat storage racks for checkrooms; (exclusive of stationary hat/coat racks)

paper produced from wood pulp boiled in a sodium sulfate solution; especially a heavy, brown unbleached grade where stren steel metal windows

air distribution and ventilation material and equipment; includes air terminal units involving heat transfer and forced air supply inclosed unit in which heat is generated

a vegetable fiber obtained from the blossom of any of several species of plants of the genus Gossypium; typically used in text fixed group seating suitable for multiple end use

that side designed to face the inside of a building

a unit heater having a burner and heat exchanger, but nit a fan; located in a duct

Standard Specification for Granite Dimension Stone

composite material consisting of a combination of fibers and polymeric binders or matrices

room especially constructed for the use of diagnostic scanning equipment

fuel and steam distribution products not identified in sections 02685-02699

measurement of temperature difference that produces a unit of heat flow through one inch of a material, under steady-state c visual or tactile characteristics of a surface

measurement of the three-dimensional size or extent of an object

assembly structure comprising two or more distinct main components

wood framing connectors including: strap hangers/anchors, nails and structural fasteners, jacks and levellers

heat transfer unit with an operable air-inlet damper which furnishes outdoor air to an interior space; may be provided with a fil product acquired by pulverizing clinker consisting mainly of hydraulic calcium silicates to which no additions, other than water products for heavy duty self-service hat and coat checking for offices, restaurants, etc.

especially designed to limit the transmission of sound waves; may meet specific sound transmission class requirements products for the transmission and distribution of liquid or gaseous fuels (including steam) - exclusive of pipe and fittings vertical distance between the top floor terminal landing surface and the top interior horizontal hoistway surface

finish that consists of a metallic coating of silver applied by the process of electrolysis

measurement of distance along a curved line in one dimension

small capacity prefabricated tanks for application in plumbing or mechanical systems

lighting products designed for hazardous location applications

having to do with the preparation, cooking, packaging, et cetera of food products

thin, flat, normally rectangular piece of material

passenger and freight elevators of all types, including cars, entrances, controls, safety equipment, hoistway equipment, and emetal decking manufactured of steel

products for automatic water release systems to suppress fire

shape with four equal sides and four right angles

water filtration devices, fixture mounted or central to a domestic water system

terminal heat transfer units not specifically identified in sections 15831 to 15844

systems to monitor and control all electrically operated equipment within the building, for the purpose of conserving the use of thermal and special purpose insulation products for equipment and systems other than those specifically identified in sections prefabricated complete kitchen room assemblies; for unit kitchens, see section 11460

alloyed metals with unusual properties or special end use

all forms of mechanical fastening devices for the installation of finish products and accessories

testing laboratory that establishes and operates product safety certification programs to determine that items produced under exercise and physical maintenance equipment

Standard Test Method for Wind-Resistance of Asphalt Shingles

measurement of the maximum load a material can bear before shearing

general information for various metal materials

products and services to control the conditions and environment of the construction site

equipment for commercial applications, including automated systems

fabrics products not identified in sections 12051-12069

wood and plastic door and frame products not identified in sections 08201-08249

low-medium capacity units, generally combining water heating equipment and storage tank; exclusive of large capacity water equipment normally associated with vehicular service facilities; includes washing, fuel dispensing, tire changing, air systems, framing, flooring, and decking using timber and lumber; includes blocking and supports to join the members and anchor the frunderground transportation terminal project services and information

concrete cast in forms before final placement either on or off site, (includes concrete architectural precast concrete faced with flow-through, use-activated heaters or superheaters installed at the terminal fixture

wire and cable manufactured of non-metallic materials

products for application to walls only, of all materials, single ply board or sheet, or sandwich construction

complete flagpole fabrications of metal, wood, and fiberglass, including all accessories and appurtenances

concrete and concrete products including forms, reinforcing, and precast items

tracks, rods, operating mechanisms, pins, hogback - non-motorized or automated

softwood known for its coarse uneven texture and tendency to splinter; commonly used for pulp and low grade lumber

brick, stone, concrete, and other masonry units and associated mortars and accessories

aquatic equipment used to provide heated and circulating water

changeable strip and letter directories and display boards; coordinated tackboard/display case units; illuminated and electronic crystalline limestone often used for ornamental building, ornaments, statuary, flooring, and large slabs used at electric-power Standard for the Protection of Electronic Computer/Data Processing Equipment

standard defining appropriate application of a given product

systems for monitoring and controlling of HVAC systems, with or without electric heating as a component of the system; exclupolymeric material that in liquid form can be extruded, cast, molded, or rolled; used in a wide range of commercial products; kell types for air or gas, special purpose items not part of a furnished system

horizontal sliding, folding doors and/or partitions that are fire rated to serve as barriers to isolate areas from the spread of fire any heavy material used to provide stability or to hold in place

prefabricated building components that are assembled at the site to form a building facility; structures for multiple end-use; ex Standard Test Method for Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteward and surface or recessed frames; recessed foot grilles; surface runners and roll matting exhaust and ventilating systems for kitchen ranges and ovens in commercial/institutional applications

rendering services and information

a complete assembly of products to provide a building enclosure and the transmission of light Standard Method for Simulated Service Testing of Wood and Wood-Based Finish Flooring

architectural woodwork for stair and handrail application

measurement of the temperature at which an object fractures under low stress without deformation

partitions and freestanding panels which are locked into place between floor and ceiling by spring loaded, magnetic, gasketed special purpose manufactured window units, such as those for ticket booths, cashiers, or projection booths

having a finished surface that is planar

fiber made primarily of naturally occurring polymeric amino acids

doors and fixed panels manufactured from steel, aluminum, stainless steel, and bronze; formed and extruded metal frames for utility piping materials and products not identified in sections 02605-02658

rubber-like thermoset based on ethylene and propylene with small amounts of a diene; can be vulcanized mixed or saturated with acrylic

the point, line, or area where the ends, edges, or surfaces of two or more objects connect barriers and enclosures for use at construction sites

portable or built-in radiator, convector, or baseboard units

anchors and inserts for cast-in-place installation in concrete

systems for fire protection equipment where controls are not supplied integral with equipment

Voluntary Test Method for Thermal Transmittance and Condensation Resistance of Windows, Doors and Glazed Wall Section Standard for Providing Accessibility and Usability for Handicapped People to Buildings and Facilities

elevator powered by a piston or plunger acted on by pressure from a fluid within a cylinder

concrete formed by the addition of a foaming agent or gas-forming chemical, producing concrete with a homogeneous cellula level of viscosity

decorative piece of material used for window treatment, normally not drawn

designed to function without being permanently fixed in place, or designed such that the product can be readily removed from wire mats intended for slope protection applications

quality control requirements for products and workmanship; includes testing laboratory services, inspection services, mock-up elevators operated by electric traction

cribbing, anchoring, and other means of permanent and temporary support of excavations

interior systems providing platforms or seating

refrigeration system equipment heat exchange device which acts to reject heat from the system

sloped surface that connects planar surfaces, such as floors, of different levels

clear finish coatings for all materials and wood finishing products such as stains and wood fillers

packaged pump stations specifically for fluid waste treatment and disposal

specialized cable products for under-carpet applications

pneumatically supported single or multiple wall structures or enclosures; component materials or equipment for their fabrication doors of all types intended primarily for industrial or heavy duty application, including doors for vehicular or aircraft passage and designed for use where protection against unauthorized passage or use is required

real or simulated plants for interior use, together with pots and containers

manufactured curbs, hatches, access doors and vents

equipment for the horizontal or vertical movement of materials by any means other than platform lifts; products not identified i sheet or manufactured units of all plastic materials-includes laminated units in which plastic material occurs as the finish surfamaterial and equipment used for heating, ventilating, and air conditioning

polyester-based insulating foam produced by a chemical reaction between two of its contents

device for adjusting speed of connected equipment

products for conventional site cast work. exclusive of specialty concrete systems and precast

Standard Test Method for Compressive Properties of Rigid Plastics

Specification Standard for quality levels for grades, finishes and construction of architectural wood flush doors

products for ventilation, either fixed or operable, that are not a part of the mechanical system; includes enclosures for cooling lath and plaster products not identified in sections 09201-09229.

amount of volatile organic compound that a coating contains expressed in grams per liter

measurement of force exerted on an elastic material over a given area

concrete material products not specifically identified in sections 03020-03049

metal or plastic grids and gratings for all purposes, including: catwalks, trench and pit covers, and floor or walkway, air distribution finishing work and materials including plaster, gypsum board, tile, carpet, painting, wall coverings, and acoustical treatments panic hardware of all types

products for the decorative or utilitarian improvement of a site or cityscape; includes fences, traffic and parking control barriers measurement of length of an opening in a wall or the framework of a building into which a door or window frame is fitted, take fire protection systems, materials, and equipment

refrigeration products not identified in sections 15651-15749

designed to be installed or placed below adjacent surfaces

carpet manufactured in sheet form

material composed of long filaments of pulled or spun molten glass

excavation support systems not identified in sections 02161-02169

subject to contact with bacteria

access flooring panel having integrated componentry for the distribution and control of air

all types and services, and including components, such as: cars, controls, doors, hoistway equipment, and signals architectural metalwork not specifically identified in sections 05600-05629

movie, slide, overhead, and opaque projectors; fixed, portable and rear projection screens; players and recorders; includes le prefabricated crypts and equipment

specialized equipment for conference or meeting rooms

information describing the characteristics and use of gypsum board.

expansion control products not identified in sections 05810-05849

medical and hospital equipment not identified in sections 11701-11750

fabrics, leathers, and furs for upholstery and window application and general information on fabric fibers and treatments letter slots, mail boxes and chutes, mail handling devices, and self-service postal substations

security project services and information

materials other than water, aggregates, cement, and fiber reinforcement, used as an ingredient of concrete or mortar equipment for the extraction and transfer of waste heat from any heat producing equipment or system

measurement of a material's resistance to vapor penetration per unit thickness of the material

passenger conveying systems composed of moving belts or treads installed in horizontal and inclined positions including assoproducts used for the identification of electrical equipment and system components

cited by the manufacturer as being designed for or suitable for use on ferrous metals

designed for or suitable for use over concrete

food service equipment for the cleaning of utensils; includes dishwashers

all types and materials of coatings for metals

equipment used to monitor and record power consumption, or condition, or deviation from norm on the electrical service furnishings for specific end use within industrial facilities

finish not indexed elsewhere in this product area

all materials and types: box, pneumatic, etc.

equipment for the washing of vehicles

synthetic rubber obtained through copolymerization of butylene and isoprene; used chiefly in tires and inner tubes measurement of space occupied by particles, as measured in a container against a standard scale

water and fluid waste filtering materials and appurtenant accessories

stile and rail construction or doors simulating that configuration

Standard Test Method for Specific Optical Density of Smoke Generated by Solid Materials

wind hazard project services and information

prefabricated, raised flooring assemblies that create a cavity between the finish and structural floor surfaces for mechanical a products that are components of an alarm system: bells, sirens, buzzers, etc.

electronic and digital data display units

special high heat production devices such as kilns and glass furnaces

set in place, especially between the edges or boundaries of adjacent parts or materials

all types of heat transfer equipment, including: air-to-air, air-to-liquid, liquid-to-liquid, etc.

supported or suspended floor construction having a minimum of 18 inches of cross ventilated air space beneath the floor construction having a minimum of 18 inches of cross ventilated air space beneath the floor construction having a minimum of 18 inches of cross ventilated air space beneath the floor construction having a minimum of 18 inches of cross ventilated air space beneath the floor construction having a minimum of 18 inches of cross ventilated air space beneath the floor construction having a minimum of 18 inches of cross ventilated air space beneath the floor construction having a minimum of 18 inches of cross ventilated air space beneath the floor construction having a minimum of 18 inches of cross ventilated air space beneath the floor construction having a minimum of 18 inches of cross ventilated air space beneath the floor construction having a minimum of 18 inches of cross ventilated air space beneath the floor construction having a minimum of 18 inches of cross ventilated air space beneath the floor construction have a construction of the floor cons

mechanical insulation designed for high temperature applications

for central and packaged power packs/units for backup power supply

conductor suitable for carrying electric current

computer system consultants

entrance and storefront product with double-pivoted, counterbalanced hardware

electrical signage, electronic message boards and displays, etc.

multi-use programmable systems for the movement of objects between various stations by means other than conveyors products for the distribution of air for a room, space, or area

heliport project services and information

water supply and treatment products not identified in sections 11210-11279

site and site preparation products, materials, and services, including demolition, earthwork, piped utilities, landscaping, paving crystalline metamorphic rock resulting from the recrystallization of limestone; rock that will polish and is composed mainly of cometal doors and frames manufactured of steel

pervious to visible light energy

prefabricated, pre-engineered buildings and structures assembled on temporary and permanent foundations portable and movable pre-engineered structures

elevators, cranes, escalators, and other powered transportation systems

glass blocks, panel frames and glazing accessories for glass blocks

dimensionless measurement of a property or characteristic that is used as a factor in a computation

waste chutes and collectors installed within a building; (excludes material handling chutes and temporary construction chutes Voluntary Specifications for Aluminum Prime Windows and Sliding Glass Doors

designed such that the position of one or more components or the output of one or more functions can be routinely changed to loose items, such as: desks, tables, seating, storage cabinets, stands, etc.; excludes integrated furniture/partition systems for measurement of length along a horizontal line perpendicular to the frontal plane of an object

typically one story entrance and storefront systems fabricated from formed and extruded metals and glass components for ex windows constructed to have a sound transmission class (STC) rating of over 36

mechanical insulation designed for low temperature applications

extended care facility project services and information

widespread mineral form of calcium-magnesium carbonate used in making cement, lime, magnesium metal, as a flux in melting custom fabricated, multi-use, or other types not provided as part of specific equipment

floor mounted or suspended preformed units for the adjustment of the acoustic characteristic within a space simulated interior plants

softwood known for its strength and elasticity; generally straight even grain and light color; commonly used as a general utility product designed to reduce glare from or regulate penetration of natural light

all wave carried audio communication systems, including in-building subsystems and components

generic design information, topics in this division

metal framing system, of a grid design, attached to the structure with furring channels, to provide a self-aligned surface for att light weight, tough thermoplastic polymer used in packaging, industrial containers, and vapor barriers

soil stabilization products not identified in sections 02241-02240

any field or laboratory service for the testing or certification of building products or systems

Standard Specification for Cellulosic Fiber (Wood Base) Loose-Fill Thermal Insulation

products of solid polymer materials

prefabricated complete bathroom units for on-site installation as a single unit

products for heating, ventilating and air conditioning not otherwise identified in this division

containers, enclosures or buildings for storage of toxic waste and other types of hazardous materials

load bearing or supportive in design or function

having received an opaque coating designed to protect or enhance the appearance of that to which it is applied impervious to visible light energy

having one or more features or provisions designed to accommodate use by disabled persons

insulation specifically for direct application to the top or underside of a roof or deck, including rigid, flexible, sprayed-on, or foa Standard Test Method for Behavior of Materials in a Vertical Tube Furnace at 750 degrees C

wood from a deciduous tree, generally broad-leaved, as opposed to coniferous trees, which have a simpler microstructure generic design information, topics in this division

pumps intended for use as a component to water wells

suitable for use inside a building or other sheltered area

acrylonitrile copolymer or terpolymer combined with a significant amount of a comonomer, such as vinyl chloride or vinylidene stadium project services and information

general design information, topics in this division.

accessory products for utility piping

artwork in all media for mounting on, or application to, a wall surface

impervious membranes, coatings, and other materials applied to walls, slabs, decks and other surfaces subject to continuous products not identified in sections 01520-530

device capable of automatically opening an electric circuit under both a predetermined overload and short-circuit conditions e conduit hangers and racks, insulators, standoffs and spacers, cable trays

table linen used as furnishing accessories

cabinet pulls, hinges, locks and catches; drawer slides; shelf standards and brackets; showcase hardware

either built-in or portable audio-visual systems and equipment to service a single space; (exclusive of interspace systems) special flooring for use for indoor athletics-all materials and forms except wood. for indoor-outdoor athletic surfacing specialized built-in or loose furniture for residential use

object composed of parallel or crossed bars that form an open lattice structure

method or manner of working

designed to be applied by heating with flame, melting the material so that it adheres to substrate

devices for raising any type of vehicle. includes equipment capable of providing both vertical and horizontal movement for use products in which the principal structural elements are fabricated of wood

detention project services and information

abundant natural polymer obtained from the cell walls of wood and fibrous plants such as cotton and hemp; used as a raw maplastic, wood or metallic veneer sheets for finish application to a backing material

items that are common to more than one section of Division 16

products to cut or provide a joint to control cracks in a finished concrete surface

elastomer derived from coagulated latex of a tropical tree

curtain wall systems in which the principal skin component consists of nontransparent light transmitting, insulated panels made to order

made to order product information describing a complete range of masonry products for single or double withe construction to include: block materials to provide resistance to moisture penetration through foundation walls and similar surfaces subject to high humidity.

products for excavating, placing, stabilizing, and compacting earth; includes base courses, soil stabilization, slope protection, having received a coating designed to improve adhesion of subsequent coatings

underside of an overhead or overhanging structure in a building, such as the underside of a balcony or beam

lowest story of a building; usually partly or completely below ground level

concrete strengthened by embedded metal rods

Fire Tests for Building Construction Materials

having one or more formed ridges or channel sections, typically to increase stiffness, as in sheet metal

Standard Specification for Cellular Glass Thermal Insulation

products fabricated to imitate unit masonry

interior plants and planters not identified in sections 12801-12819

having entire surface area bonded to substrate

ecclesiastical project services and information

synthetic, thermoplastic resin based on acrylic acid or its derivatives and valued for exceptional toughness, stability, and resis measurement of length of an opening in a wall or the framework of a building into which a door or window frame is fitted, take processed granular materials and binders used for backfilling in loadbearing situations

Standard Specification for Liquid-Applied Neoprene and Chlorosulfonated Polyethylene Used in Roofing and Waterproofing mortar, grout, coatings, sealers, adhesives, joint cleaners and underlayments specifically for the installation of tilework the percentage by volume of the nonvolatile matter of a coating

Standard Specification for Limestone Dimension Stone

applied in the liquid state by forcing through the orifice of a caulking gun or similar tool; shaped by forcing a material through a specialized cable products for communications applications

special function accessory products for plumbing

custom metal fabrications for interior or exterior application,

forms for casting concrete blocks and pile encasements in order to create corrosion protection or repair dikes, piles, flood wal generic concrete formwork products and services

Standard Specification for Mineral Fiber Block and Board Thermal Insulation

desk accessories, ash and waste receptables, lamps, wall clocks, and other decorative furnishings

heating, ventilating, and air conditioning

site assembled and premanufactured footbridges used a site improvements

swimming facility project services and information

products crafted of fiberglass, polymer or composite materials to replicate wood moldings, trim, ornaments and/or decorative includes components such as draft regulators and inducers

products for the assembly of a steam-vapor bath room, and steam generators and controls for site-constructed rooms pumps designed specifically for HVAC purposes

system of prefabricated concrete components which are site assembled to form a building facility

plumbing equipment designed for the cooling and dispensing of drinking water

the lowest temperature at which vapors above a combustible substance ignite in air when exposed to a flame

sunshades, fixed or adjustable fins and louvers for sun control, and exterior blinds and shutters (except roll-up exterior windown foamed polystyrene processed into sheets for use as insulation or other applications

Standard Specification for Unfaced Performed Rigid Cellular Polyurethane Thermal Insulation

fire safety project services and information

single-ply membrane roofing system products

rock fabricated into individual panels, veneers, ornamental trim, facing units, or blocks; commonly referred to as dimensional all types for interior malls and exterior site locations.

gaseous carcinogenic compound used chiefly to produce polyvinyl chloride resins

food processing project services and information

artwork intended for ecclesiastical applications

hardwood known for its hardness, strength, and durability; commonly used in flooring and furniture

partitions of and open nature, usually framed wire mesh or woven wire panel systems

utility piping of various types of materials, including fittings and accessories

how will the space be used

Standard Test Method for Laboratory Measurement of Impact Sound Transmission Through Floor-Ceiling Assemblies Using t miscellaneous pre-manufactured items such as, toilet partitions and accessories, lockers, signs, fireplaces, chalkboards commonly used term for the naturally hydrated calcium sulfate mineral used to make plaster

remote or attached devices for monitoring and controlling lighting systems only

cited by the manufacturer as being designed for or suitable for use over stucco

equipment and services for finishing cured concrete

rough and finish carpentry, heavy timber, structural plastics, and plastic fabrications and laminates

a vegetable fiber obtained from the hemp plant Cannabis sativa and processed chiefly for cordage, sacks, and oakum sedimentary rock usually of quartz, cemented with mineral material

pre-engineered buildings used as fire training facilities, including component products such as: fireproof panels, fire shutters, types of metal material not indexed elsewhere for this product

assemblies in which a nuclear chain reaction is initiated and controlled

Voluntary Specifications for Forced-Entry Resistant Aluminum Sliding Glass Doors

painting materials not specifically identified in sections 09900-09934

designed to withstand high pressure shock for short duration

hardwood known for its hardness, strength, and elasticity; generally uniform in texture and dark brown to black in color; commloose furnishings designed for restaurant/bar applications

circular sliding screen which provided an air lock and reduces the interchange of inside and outside air

window sash that slides vertically in the plane of the window

sculpture and ornamental work of various types intended for use as a site improvement

flat sheets of wood, wood particles, that have multi-end use application

walk, road and parking appurtenances not specifically identified in sections 02841-02849

coating and surfacing products with special properties, such as resistance to chemicals or abrasion, or coatings formulated formeasurement of the force due to wind acting on all or part of an object or structure

special doors intended for sound control applications

folding interior doors and grilles complete with tracks and hardware

specialized tank covers and assemblies designed for digestion tanks; including structure and access requirements

manufacturers and craftsmen of custom fabricated furniture

glazed curtain wall with structural glass components

exterior and interior painting products with transparent and opaque finishes; includes stains, varnishes, lacquers, primers, fille water distribution products not identified in sections 02661-02679

elevator that is raised and lowered by cables driven by friction between them and a sheave powered by an electric motor aluminum metal windows

products for the installation of roofing tiles

identifying and signaling devices of non-rigid material

material composed of polyethylene and a foaming agent

Voluntary Specifications for Forced-Entry Resistant Aluminum Prime Windows

loose or fixed group seating, other than those types specifically identified in sections 12701-12774

green colored igneous rock containing a high level of chlorite; often used for structural and decorative applications

wall mounted units consisting of a coordinated group of specialties, such as: drinking fountains, waste receptacles, extinguish screens and windows of all types for security purposes

measurement along the line of greatest length passing through the center of a plane shape

generic design information, topics in this division

air conditioning system equipment which circulates chilled water to various cooling coils in an installation

wood ladders, all types

complete factory assemblies of all materials, for manual operation

window or door light with two or more sheets of glazing material separated by a cavity filled with air or other gas; cavity is typi mechanical insulation designed for insulation of mechanical equipment

material and equipment for plumbing, including systems handling special liquids and gases

synthetic, thermoplastic or thermosetting resin formed by a reaction between a polybasic acid and a polyhydric alcohol; value Standard Test Method for Critical Radiant Flux of Floor-Covering Systems Using Radiant Heat Energy Source

manufactured casework primarily of metal

application method in which material is sprayed from a prepackaged container in which pressure is supplied by a compressed specialized piping systems products for compressed air

information on associations and professional organizations

hard and brittle transparent or translucent material made from silicate

driven pile foundations of various materials

products and materials for large volume placement of cast-in-place concrete

visibly granular crystalline rock of igneous origin

structural metal framing products which are tubular steel

composed entirely or primarily of wood

water passage products of all materials

specialized piping systems products for medical gas

standard that covers sampling and describes the subsequent testing procedures used in determining the properties, composi boilers where oil is the power source

on site, or preassembled, non-reinforced masonry units and mechanical support systems for veneer masonry center of wood-particle base panel

Standard Test Methods for Compressive Strength of Chemical-Resistant Mortars, Grouts, and Monolithic Surfacing

bookshelving and stacks, carrels, specialized storage and display units, book depositories, charging and theft protection equi

chemical/microbiological treatment equipment specifically for fluid waste treatment and disposal

specialized component or accessory equipment, such as: condensate and feedwater pumps, vacuum control devices, filters of complete systems, including suspension systems and diffusing/control materials, to form a finish ceiling assembly

door opening hardware intended for waste bin door applications

standard and custom fabricated curtain wall systems installed as and integrated system to enclose a vertical or sloped surfact general information on the characteristics and use of all fiber materials that can be woven into carpet

carpet manufactures in the form of precut surfacing units

pillows and bolsters used as furnishing accessories

products not identified in sections 01510-01519

measurement of force exerted on an area by an evenly distributed liquid or gas

man-made material produced by combining or modifying natural elements

furniture, drapes, blinds, art work, multiple seating, and interior plants

Standard Test Method for Textiles - Colorfastness to Crocking; AATCC Crockmeter Method

remote or attached devices for monitoring and controlling electric heating equipment only; excludes complete HVAC control s measurement of the conical angle formed by set of all rays, intersecting at the center of a sphere, that pass through a given s pool and fountain equipment not identified in sections 15476-15479

equipment and systems involved in plumbing, drainage, heating, ventilating, air conditioning, and fire sprinkler systems measurement of the movement of volume per a unit of time

carpet specifically manufactured for indoor/outdoor application

product designed for use in the original construction of a building

material applied in sheet form to provide a base layer for and be covered by one or more subsequent layers of material stock or custom fabricated assemblies, such as steeples or cupolas, for exterior installation

ground lighting: approach, apron/ramp, taxiway

material from the bark of the cork oak tree; valued for its light weight, elasticity, low thermal conductivity, resistance to fire and laser based communications transmission products

chalk and marker writing surfaces, and mounting surfaces of various materials; includes framing systems and accessories, ar convection heating panels for ceiling, floor, or wall installation; infrared (tubular quartz units) panels or fixtures

Life Safety Code

bullet-resistant products for multiple end-use application; includes partitions, panels, doors, windows, shatterproof products at products for heat generation not otherwise identified in this division

rubber-like thermoplastic made by introducing chlorine into polyethylene

National Electric Code

materials for cement-based toppings for concrete slabs, either as finish surface or to receive a finish surfacing/material plastic compound that, when cured, does not soften when heated

equipment for operating and controlling electrical systems

metallic element that, in product form, is considered tough, ductile, malleable, and is highly conductive of electricity and heat interior pollution project services and information

having no moisture; not wet

all connectors for metal, including: bolts, rivets, screws, anchors, and hangers; materials and equipment for welding, soldering furniture of historical or collector value

nonprescriptive construction standards and recommendations from all sources

panels designed to redirect sunlight for solar control to provide indirect sunlight for building interiors

act of bringing into operation

products for insect, vegetation, and rodent control

Standard Test Methods for Absorption and Bulk Specific Gravity of Dimension Stone

products for the installation of an irrigation or lawn sprinkling system

assemblies composed of two or more prefabricated, coordinated components designed to be fitted together to perform a spec Standard Test Method for Thermal Shock Resistance of Glazed Ceramic Tile

synthetic, thermoplastic material made from polymerized derivatives of ethylene, such as vinyl chloride, vinyl acetate, vinylide

generic design information, topics in this division

products for shielding from nuclear, x-ray, or other types of radiation; fallout shelters

composed of zinc, copper, and titanium

plant or site architectural building elements, wall panels or area separators, site shelters, etc. (exclusive of precast concrete p devices to monitor, detect, and/or record atmospheric hazards of climatic data

poles. posts, and standards designed for use as luminaire accessories

custom sheet metal items for special purposes other than roofing and flashing applications, including custom enclosures and construction material, usually in powder form, that makes a paste when mixed with liquid, and when poured or molded, harde products for outdoor, or both outdoor and indoor use (exclusive of products for indoor products only)

designed to be placed on or fastened to the face of the mounting surface, not above it, and not recessed below the surface prefinished panels with a particularly impervious surface, intended specifically for sanitation protective installations

in a window sash with two or more layers of glazing material, a decorative bar or strip placed between window panes to visua materials, equipment, and services for cleaning and restoration of masonry

extruded plastic windows of polyvinyl chloride (PVC) or any polymer matrix

special types of warnings for disabled persons on walking surfaces, doors to hazardous areas, stairs, etc.

wave or wire carried, non-interactive, external or internal communication systems providing both visual and voice transmission products for prestressing reinforced concrete

Standard Specification for Class A Shingles Surfaced with Mineral Granules

columns fabricated of wood, fiberglass, polymer or composite materials; includes pilasters, capitals and bases mechanical insulation designed for piping

relative to business

luminaries intended for interior applications

food service equipment for the handling of food waste; includes garbage disposers

revolving platforms of all types; exclusive of theater turntables

information relating to management and contracting

roadway appurtenances intended to provide a barrier to highway noise

vertical enclosures for distribution of power or communication wiring-includes fixed or telescoping forms with terminal units formed steel completely encasing a filled cavity

ceiling systems manufactured and designed by a single source and integrating all components: suspension system, ceiling fir products for the transmission of sanitary sewage beyond the building envelope, exclusive of pipe and fittings. and of sewage includes windows of wood construction clad with other materials (metal, vinyl, etc.)

specialized equipment for educational facilities

artwork sculpted, carved, or cast of various materials

special doors intended for detention/security applications

metal joists manufactured of steel

substance of which a screen is composed

scaffolding, when part of the completed project

low capacity, low rise (normally not exceeding three stories), electrically driven elevator assemblies intended primarily for resi green colored igneous rock containing a high level of chlorite; often used for structural and decorative applications

flashing products specifically for plumbing fixtures and trim

protective devices such as corner guards and bumper rails of metal, plastic, rubber, and other finish materials

manufactured light sources of various types

live plants and related materials for landscaping

toilet compartment products manufactured from metal materials

furnaces powered by electricity

products include safety roof anchors; davit bases and safety tie backs; receptor anchors for window mullions; roof carriage be measurement of weight per a given volume

indoor recreation project services and information

all types of athletic training equipment. includes: basketball backstops, exercise machines, gymnasium equipment, bowling al

that which is unprotected from chemicals

products for the collection and transmission of subsurface or storm water, exclusive of pipe and fittings

products specifically for communications transmission

Standard Test Method for Resistance of Transparent Plastics to Surface Abrasion

equipment to carry high voltage from initial power source

wood from a coniferous tree, mostly evergreens, as opposed to broad-leaved trees, which have a more complex microstructu valves and regulators - both manual and self actuating - for air, gas, water, and steam; valves for special purpose applications poles, towers and accessory devices

vehicular enclosures for the transport of passengers over short distances

a single source, total monitoring and control system that handles all mechanical and electrical equipment and all automated s specialized equipment for health care facilities for animals

solid mass of mineral material formed from natural processes

supply outlet utility piping products

mechanically attached with a bolt or screw

measurement of force on an object due to gravity. For general measurements of weight, acceleration due to gravity is assume products intended for use an louvers and vision lights in doors

hard, inert material such as sand, gravel, or stone chips used for mixing with a cementing agent to form a mortar or surfacing manufacturing equipment not identified in sections 11510-11549

fine woodwork and prefinished woodwork not identified in sections 06410-06499

hard, brittle metamorphic rock consisting mainly of clay minerals, characterized by good cleavage along parallel planes skylight structures capable of partial or total retraction through remote controlled mechanical operators

horizontal distance taken from the left edge to the right edge of an elevator car platform

crystal/glassware used as furnishing accessories

people lifts, platform lifts, stage and orchestra lifts, sidewalk lifts, wheelchair lifts, vehicle lifts, and related equipment sheet glass and manufactured glass units not identified in sections 08815-08839

products for watertight enclosures excavated for construction below water

designated area for a specific purpose

drafting services and information

windows and sub-framing systems of all materials intended for the replacement or renovation of existing window assemblies Standard Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions

roof specialties and accessories for standard manufactured components, both formed and extruded; includes accessories ins Standard Test Method for Abrasion Resistance of Concrete or Mortar Surfaces by the Rotating-Cutter Method

devices for the positioning and leveling of mechanical equipment

binding material in which an aggregate is embedded

measurement of the movement of weight per a unit of time

insulation for ductwork, exclusive of self-insulating ductwork

Standard Test Method for Effect of Household Chemicals on Clear and Pigmented Organic Finishes

metal non-load-bearing framing systems and ceiling suspension systems; includes furring systems

process or procedure for performing a task

measurement of the force or the system of forces that an object or structure can withstand without breaking or failure designed to resist penetration by small, high-speed projectiles

to include pavers of asphalt block, brick, precast concrete or other precast materials, and stone; installation accessories open structure designed to serve as a pedestrian barrier; typically a series of posts tied together by horizontal members Standard Specification for Asphalt Roof Coatings

foundation, bottom support

Standard Test Method for Dielectric Breakdown Voltage and Dielectric Strength of Solid Electrical Insulating Materials at Comdoors, partitions, and wall surfacing for the tub or shower area; exclusive off complete shower enclosures or tub/shower combdegaussers or other special devices to reduce electrolitic erosion

all components for built-in, central vacuum systems for residential, commercial and industrial applications

operators and hardware for gates

soda, candy, coffee, etc., vending machines

generic or producer information describing solid wood and timber for multi-end use applications

for complete stair assemblies

measurement of the rate at which work is performed, energy is transferred, or is transformed

conditions, circumstances and influences that affect the surroundings

aquatic facility used for exhibit of living plants and animals

maximum weight that an elevator car is designed to carry over an extended period of time

plant or site cast structural building elements, planks, slabs, etc., both post-tensioned and pretensioned

Standard Test Method for Bond Strength of Ceramic Tile to Portland Cement

products for the assembly of refrigerated rooms and buildings; includes frozen food storage; sharp-freezing rooms; walk-in reall equipment of any type for the purification of air, including: air cleaners, precipitators, dust collectors, filters, and deodorizing manufactured casework of specialized function or specific end use

cabinets and enclosures designed for housing mechanical equipment

pattern that is produced on and slightly protruding above a flat back plane surface

very hard form of mineral silica

exterior luminaires not specifically identified in sections 16521-534

includes packaged rooftop units for heating and/or cooling single or multiple zones; exclusive of rooftop heat pump systems portable/removable equipment to provide power, heat, or other utility service during construction

street/mall furniture, planters and receptacles, benches and tables

luminaire accessories not specifically identified in sections 16503-16509

unique, permanently mounted navigation equipment for airports, canals, rivers, and harbors

measurement, given as a percentage, of the ratio of the change in length of an object, taken at the time the object ruptures do Recommended Practice for Determining Relative Stain Resistance of Plastics

unit masonry of gypsum material

cementitious material containing magnesium chloride and calcined magnesia

special coatings not identified in sections 09810-09899

shop fabricated solid wood decorative trim, moldings and ornaments

broad group of brittle crystalline compounds of metallic and nonmetallic elements; generally processed at high temperature, the having a surface that smoothly and gradually deviates from being planar

temporary utilities, facilities, construction aids, and environmental controls used during construction

glazed enclosures comprising a vertical surface and a pitched overhead surface (and which may include windows, ventilators any product for the field or laboratory testing of building products, or system/equipment operational performance

thermoset polymer containing epichlorohydrine

products or systems for the construction of seawalls, bulkheads, and underwater work

plumbing equipment not identified in sections 15451-15470

core communications and control systems for computer managed buildings; single source, wired transmission network with in cited by the manufacturer as being designed for or suitable for continuous exposure to sunlight and fresh or salt water

natural stone aggregates intended to be exposed in cement or epoxy matrixes; similar aggregates used as ground cover; may weighing devices, usually of a fixed nature

generic design information, topics in this division

measurement taken as the ratio of the stress on an object to the corresponding strain

door gaskets and seals with fire-resistant and smoke-control properties

having a texture characterized by parallel lines or grooves

designed for a purpose or application not specified in SweetSource

maintenance services and information not identified in sections 01801-01819

measurement of the force or systems of forces that change position while acting on an object

compartment and cubicle products not identified in sections 10151-10199.

structural metal elements including permanent bracing

fuel distribution products specifically for the distribution of oil

natural organic material drawn from the cell structure of plants; used in making plastics, paper, and a wide variety of synthetic metal expansion joints and covers, copings, gravel stops, gutters and downspouts

electronic noise masking or audibility control

built-in booths, providing both seating and table surface for restaurants, bars, etc.

designed to block or retard the passage of electromagnetic or radio wave energy

Standard Specification for Vermiculite Loose Fill Thermal Insulation

products for the over-current protection of electric current systems above 600 volts to 35,000 volts, such as: circuit breakers, prefabricated/pre-engineered components for providing an intermediate floor level in tall spaces

air outlets and inlets not specifically identified in sections 15941-15949

material made of wood particles or chips bonded together by synthetic resins and formed into a solid board using pressure ar underlying base material or supportive structure of fiber-cement board

Standard Test Method for Electrical Resistance of Conductive Ceramic Tile

hardware for sliding and folding doors

Standard Specification for Mineral Fiber and Felt Blanket Insulation (Industrial Type)

soil and soil preparation materials for landscaping

Specification for wood stile and rail doors. Includes: general requirements of construction, dimensions, materials, and classific wiring devices manufactured of non-metallic materials

store fixtures, display cases and shelves; refrigerated display cases

track-supported, operable panels and partitions, top hung and floor supported, manually and power operated (includes gymna held together by surface-level molecular attraction to and structural interlocking with a bonding material designed for this purp engineered systems of prefabricated components utilizing wind power for conversion to electrical power time keeping devices intended for use as furnishing accessories

tough, lightweight thermoplastic polymer often used to make packaging, industrial containers, and vapor barriers permanent or demountable, including components for

Specification standard for wood flush doors. Includes general requirements for both solid and hollow core doors, special cons glassy volcanic rock, found chiefly in California and Oregon, composed of silicon dioxide and aluminum oxide; contains trapped

vault design information. vault doors, accessories, and vault furnishings. prefabricated vaults and safes

includes tapes, gaskets, joint fillers and all other materials employed to make a watertight and airtight seal between materials assemblies located at, or forming a part of, the exterior wall of the building

fabrication and installation of site built and site finished cabinets, molding, and trim; includes application of laminates and furn clothes dryers and washers, dishwashers, waste disposals, exhaust fans and hoods, ovens and ranges, refrigerators and free building components serving specialized purposes, including pre-engineered buildings, air supported structures, integrated constant Standard Specification for Vulcanized Rubber Sheet Used in Single-Ply Roof Membrane

products for venting low capacity appliances using any fuel

thermal insulation made of mica particles that have been expanded through heat treatment

elastomeric membrane roofing in the form of a plastic or synthetic-rubber sheet or seam-bonded sheets

bituminous membrane roofing containing bitumen that has not been mixed with plasticizers; typically requires several layers to pipe designed to receive water discharged from downspout; typically more damage resistant than a downspout

device for attaching roofing tiles to a roof substrate

acoustic control product that prevents transmission of sound or improves the quality of sound in a room or area by redirecting asphalt shingle with a tab that fits into slots on adjacent shingles

preformed roofing sheet metal with interlocking edges designed to stand perpendicular to the rest of the sheet when applied t exterior insulation finish system components designed to be assembled at the time of installation

acoustic insulation composed primarily of fibers derived from molten alumnia-silica

thermal insulation consisting of flexible batting material; usually available in roll or flexible sheet form

acoustic control product suitable for reducing sound generated by or transmitted through plumbing or heating installations or acoustic control product that tempers or reduces sound transmission by means of: (select from the following)

thermal insulation composed of thin strands made of molten rock, such as basalt

thermal insulation cited by the manufacturer as suitable for attachment with nails, screws, clips or other fastener acoustic insulation designed to be placed around plumbing pipes

flashing material in which the desired shape is produced prior to delivery to the construction site.

vapor retarder made of a combination of heavy paper, a plastic film, and a reflective metal foil

strip of material or an assembly that blocks the passage of gas, moisture, light, sound, or harmful rays through the joint betwee plastic sheet that has been perforated with microscopic holes to allow passage of water vapor

product designed primarily to redirect, retard the passage of, or reduce the intensity of air-borne sound; typically not for use a thermal insulation whose insulating material is derived primarily from trees or other plants

acoustic control product for reducing sound transmission through a wall; often placed within a wall cavity

thermal insulation made of bonded beads of expanded polymerized styrene resin

vapor retarder suitable for sealing out dust from a protected area

rigid roofing panel made of a single layer of material

rigid roofing panel composed of two layers of material, often bonded to a core of insulation

blanket insulation with a separate facing material attached to one side to serve as a vapor retarder

thermal insulation cited by the manufacturer as suitable for being weighed down by rocks, pavers, or other ballast weatherstrip made of spongy material or flexible tube that conforms to the shape of the surfaces being sealed vapor retarder composed of polyvinyl chloride plastic

formed roofing panel whose ribbed, corrugated, or folded shape provides the stiffness needed to support itself and required to thermal insulation cited by the manufacturer as suitable for retarding heat transfer through the exterior walls of a building water-resistant coating not able to withstand hydrostatic pressure; typically applied to below-ground or other unexposed vertice thermal insulation with a facing of a synthetic organic polymer

foam insulation made from petroleum-based chemicals

product consisting of all the components necessary to form a roofing membrane; substrate layer may be included acoustic control product designed or suitable for blocking traffic noise along roadways or airport runways

vapor retarder cited by the manufacturer as suitable for preventing migration of moisture through the walls, floor, or ceiling of felt that has been saturated with asphalt, coal tar, or modified bitumen

asphalt that has not been thinned with a solvent

vapor retarder whose construction is not specified by the manufacturer or of a type not listed board insulation with facing on both sides

hydrocarbon obtained through coal distillation; dark brown to black in color and typically used as a waterproofing material in be expansion control product designed to allow for expansion or contraction in roofing panels, decks, or membranes relatively flat, sometimes textured, roofing tile with a rabbeted or grooved edge that overlaps corresponding edge of adjacent coiled sheet metal designed for use as roofing; often formed to have interlocking edges and cut to length on site individual roofing products in sheet or liquid form designed for use in obtaining a roof membrane with elastic properties acoustic insulation designed to be applied to the inside of an air duct

thermal insulation designed to be held in place by pressure exerted by the insulation on studs or other surrounding surfaces cladding panel in which thin masonry units are adhered to a substrate panel before installation

thermal insulation made of hydrated calcium silicate, typically used for high-temperature applications

designed to be heated up before being spread

above-deck roof insulation without a ventilation gap

channel-shaped single-skin rigid roofing panel with raised edges; the central pan may have stiffening ribs thermal insulation cited by the manufacturer as designed or suitable for retarding heat transfer through a ceiling cladding panel with an exterior facing composed of thin masonry units

wood shingle that has at least one surface derived by longitudinal splitting of the wood

acoustic control product designed to hang down from a ceiling or other overhead structure

thermal insulation designed to fit around or suitable for wrapping around water or steam pipes

door seal designed to attach to the bottom of a door and vertically adjust itself to the height and shape of the door sill or thres weatherstrip in which a tongue on one surface fits into a groove or overlaps a similar tongue on the other surface small rigid unit of material, flat or curved, designed to be laid in overlapping rows to form a weather-resistant covering on a slo

sheet material designed to reduce thermal conductivity of a wall by slowing the rate of air exchange in the wall cavity while all acoustic insulation composed of fibers obtained from wood or wood products, such as paper

tape for patching punctures or tears in a vapor retarder

preformed roofing sheet metal with interlocking edges designed to lie flat, parallel to the rest of the sheet when applied to roof pipe for conducting water from a roof drain or gutter down to the ground or a cistern.

siding in the form of stock-sized strips of material, usually of tapered or complex cross section, designed to be applied in over acoustic control product suitable for placement on the underside of a floor deck

thermal insulation made of glass that has been softened and injected with air to product sealed bubbles

door seal that meets set requirements for sealing against the passage of air or other gases

acoustic control product suitable for reducing or blocking noise generated by an air conditioner, heater, or other HVAC unit vapor retarder composed of bonded fibers

thermal insulation made of an extruded sheet of expanded polymerized styrene resin

door seal that, when attached to a fire-rated door, maintains the fire-resistance rating of the door

coating or membrane able to withstand hydrostatic pressure

vapor retarder composed of a thin sheet of metal, usually reflective

natural bitumen mixed with plasticizer to improve performance or durability

acoustic control product suitable for use where protected from extended exposure to weather conditions

tubular compression seal designed to be mechanically inflated with a gas or liquid to effect tight closure

thermal insulation designed or suitable for placement in hollow-core masonry units

product designed to impede the flow of heat, sound, or vibration

acoustic control product suitable for use in an environment that is: (select from the following)

thermal insulation with a single facing made of: (select one of the following)

weatherstrip composed of a resilient folded band that adjusts to the width of the joint between a closed door or window sash a thermal insulation with a facing composed kraft paper, usually treated to serve as a vapor retarder

acoustic insulation composed of a light-weight cells formed by chemical, mechanical, or thermal expansion

board insulation of varying thickness, often to promote drainage

components designed to form a framework by which glazing or cladding materials can be attached to a building to form a non thermal insulation with a facing composed of woven or spun-bonded glass fiber cloth

natural or manufactured mixture of hydrocarbons derived from petroleum or coal through heat-refining; dark colored or black, acoustic control product made of plastic

state of readiness of a roof for accepting roofing material, or the degree to which a roof needs roofing

acoustic control product suitable for use on or under a roof

acoustic control product that can be attached to a surface with a mechanical device or devices

thermal insulation cited by the manufacturer as designed or suitable for preventing the soil beneath a road bed from freezing thermal insulation suitable for placement on a flat surface or in cavities where gravity and the surrounding surfaces hold it in pacoustic control product cited by the manufacturer as suitable for use on or near: (select from the following)

asphalt that has been thinned with a solvent; typically for cold application

thermal insulation whose insulating material is derived from rocks, sand, or other minerals

metal sheets designed to be applied to a roof substrate to prevent moisture penetration

thermal insulation that is designed to be sprayed or foamed onto a surface and that has bonding properties or includes a bonthermal insulation with a facing consisting of a rigid or semi-rigid metal sheet

thermal insulation with a facing composed of latex modified or fiber reinforced concrete

elastomeric roofing membrane of a single sheet or seam-bonded sheets of plastic or synthetic-rubber designed to form a concladding system consisting of cladding panels, vision panels, and mullions, the latter of which are designed to form a supportion catchment designed to collect water from the surface of a low-slope roof and to discharge it into a drainpipe

acoustic control product made of metal

panel formed to look like several smaller roofing tiles or wood shakes

insulation designed primarily to impede the flow of heat

designed for use on a newly constructed roof

acoustic insulation suitable for installation by laying it onto a horizontal surface or fitting it into a wall or panel cavity elastomeric membrane roofing designed to be applied in liquid form and then cure to form a water-impermeable barrier roofing tile whose profile has a shape similar to the letter S

felt that has been saturated, and often coated, with modified bitumen

acoustic control product made of concrete

vapor retarder cited by the manufacturer as suitable for preventing migration of ground moisture into and through a concrete sthat layer, in a sandwich panel, that is designed to inhibit flexure of the face panel

vapor retarder cited by the manufacturer as suitable for covering a slab as it cures to prevent it from drying too quickly acoustic control product suitable for reducing or blocking noise generated by a motor or other machine

door seal that meets set requirements for sealing out smoke

board insulation of uniform thickness

thermal insulation in preformed units designed for unique applications, such as plumbing pipes or molded inserts for masonry blanket insulation with no facing or encasing material

thermal insulation with two or more facings or layers of facing made of: (select one or more of the following)

thermal insulation cited by the manufacturer as suitable for use as the insulating component of an exterior insulation and finis thermal insulation designed or suitable for insulating air ducts or other ductwork

thermal insulation made of foamed polyethylene plastic

shingle of rot-resistant wood

thermal insulation whose facing material is derived from rocks, sand, or other minerals

acoustic insulation suitable for application to the underside of a roof deck

vapor retarder suitable for preventing moisture from migrating from the warmer to the cooler side of an exterior wall of a buildi thermal insulation in rigid monolithic or laminated rectangular sheets

vapor retarder composed of a plastic not specified by the manufacturer or of a plastic not listed

door seal that incorporates sound-deadening properties

vapor retarder composed of polyethylene plastic

board insulation with a laminated or otherwise attached protective facing of a material other than the insulating material cladding panel with exterior facing of brick or stone

individual roofing products that are composed of or include bitumin and are designed for use in obtaining a continuous waterp acoustic control product designed to be installed independently of other supports or structures

shingle made of asphalt-saturated fabric with mineral granules applied to one surface

group of components sandwiched together to form a sheet or three-dimensional shape designed to function as an exterior inssiding in the form of stock-size sheets, usually of uniform thickness, typically designed to be applied using butt joints

weatherstrip made of a flat, flexible strip of material, such as rubber or vinyl, that conforms to the shape of the surface opposisingle roofing tile

thermal insulation with a facing composed of oriented strand board or other wood panel

thermal insulation with a composite facing that includes foil, a scrim reinforcement, and kraft paper

acoustic control product made primarily of only one material

thermal insulation made of a plant-based material not listed

preformed insulation with a protective wrap

thermal insulation with a bonded facing of volcanic rock that has been expanded through heat treatment

thermal insulation whose insulating material is composed primarily of strands of wood held together by an adhesive or cemen thermal insulation cited by the manufacturer as suitable for being attached to a surface with glue or other adhesive

coating or membrane designed to prevent movement of water through a wall, slab, or deck; excludes roofing products thermal insulation designed or suitable for being attached by surface bonding

box- or bowl-shaped device designed to be installed between a gutter and a downspout to increase the capacity of a downspour device designed to be installed on the surface of a sloping roof to direct rainwater away from a traffic area below the roof door seal that blocks the passage of light

acoustic insulation in the form of a flexible mat; includes encased batting, such as sack baffles shingle of synthetic fiber cement; typically designed to simulate wood or slate shingles

thermal insulation with a composite facing that includes foil, a scrim reinforcement, and white paper

door seal in the form of a flexible magnetic ribbon that improves closure when used on metal doors or door frames

vapor retarder composed of a combination of a plastic film and a reflective metal foil

flat sheet metal designed for use as roofing; often site-formed to have interlocking edges

thermal insulation with a facing of polyethylene plastic

shingle of split metamorphic rock, cut to uniform size and shape

thermal insulation with a metal facing bonded to it

thermal insulation composed of plastic that has been expanded chemically or mechanically to form closed cells acoustic control product in a form not listed

not fastened but held in place by heavy material deposited on its top side

air-infiltration barrier made of bonded plastic or organic fibers

thermal insulation cited by the manufacturer as suitable for retarding heat transfer through the roof of a building

panel edge designed to have an applied cap that seals the joint between adjacent panels and often clips them together

thermal insulation designed or suitable for insulating machinery or other equipment

acoustic insulation composed of fibers formed from molten rock

product designed primarily to retard the passage of sound, usually by absorption or reflection

thermal insulation with a facing consisting of a sheet of fiber-reinforced plastic resin

thermal insulation composed of thin strands of spun molten glass

thermal insulation with a facing made of a plastic not listed

vapor retarder composed of a plastic sheet or sheets reinforced by a fiber mesh

thermal insulation designed or suitable for insulating equipment or mechanical systems of a building

coal tar that has not been thinned with a solvent

overall spatial form of a roof surface

material or device designed to absorb or dampen mechanical vibration or to retard the conduction of sound through solid mat product consisting of interdependent components designed to be assembled to form the exterior wall of a building including v vapor retarder cited by the manufacturer as suitable for controlling moisture on a poured concrete slab

acoustic control product that reduces sound by converting it to heat

degree of slant of a roof surface, usually expressed as a ratio between vertical rise and horizontal run

coal tar that has been thinned with a solvent; typically for cold application

shallow channel designed to be installed immediately below and along the eaves of a sloped roof to catch and carry off rainw products designed to receive, control, or discharge roof water onto the ground or into a drainage system

cladding panel in which thin masonry veneer units are adhered to a substrate

bitumen or bitumen-saturated felt that has no added plasticizers

designed to be applied at ambient temperature

strip or combination of strips of material that reduce the passage of air or precipitation through the joint between a closed doo channel-shaped roofing tile; vertical edges of adjacent tiles are covered by a narrower cap of the same or similar material.

thermal insulation with a facing of a material not listed

roofing in the form of a continuous waterproof layer or layers of material

thermal insulation in bulk form consisting of a material or materials that will adhere to a surface when mechanically spray-app standing seam designed to accept a preformed strip of material that covers and sometimes secures the seam

acoustic batt insulation that is wrapped in an outer shell or casing, such as a plastic film, to improve its appearance or function roofing tile in the shape of a half cylinder or tapered half cylinder

acoustic insulation composed primarily of filaments of pulled or spun molten glass

shingle made of metal; typically has interlocking tabs

product designed to form an outlet for roof water through a wall or parapet and to direct the water away from the side of the b vapor retarder composed of plastic

door seal that is lead-coated and that, when attached to a lead-shielded door, maintains the shielding properties of the door structural surface to which roofing is applied

vapor retarder cited by the manufacturer as suitable for preventing moisture from migrating through a roof or ceiling and gettir

thermal insulation made of foamed phenolic plastic

acoustic control product suitable for extended exposure to weather conditions

cladding panel with an exterior facing composed of full-thickness masonry units

thermal insulation with a facing consisting of a rigid or semi-rigid sheet of aluminum

vapor retarder in the form of a single sheet of material

products designed to block passage of fire through mechanical penetrations or other openings between floors or rooms

thermal insulation with a facing of thin, flexible, typically reflective sheet of aluminum or other metal

acoustic insulation in bulk form that can be applied to a surface by being thrown or sprayed on

vapor retarder consisting of sheet material of matted fibers impregnated with a bituminous liquid

products for installing or maintaining vapor retarders

thermal insulation made from the bark of a cork oak tree

air-infiltration barrier not indexed elsewhere in this product area

barrier designed to restrict the spread of smoke between building areas

acoustic control product that can be attached to a surface with an adhesive

membrane roofing system that primarily utilizes components with elastomeric properties

elastomeric membrane roofing in liquid form that, when applied, cures to form a water-impermeable membrane

thermal insulation with a facing consisting of a rigid or semi-rigid sheet of galvanized steel

thermal insulation made of foamed polyisocyanurate plastic

non-loadbearing panel designed to be fastened to structural members to form the exterior walls of a building; has a weather-r noncombustible material designed to be applied to structural members of a building to prevent them from losing structural inte film or other membrane designed to prevent or reduce the passage of air-borne moisture through a wall, ceiling, floor, or roof strip or combination of strips of material that block the passage of air, moisture, light, or sound through the joint between a clo cladding system consisting of panels with or without vision sections

preformed insulation without a protective wrap

thermal insulation consisting of unbound granules or fibers; remains unbound after installation

exterior insulation finish system in the form of factory assembled units

thermal insulation composed of thin strands of ceramic

thermal insulation with a facing composed of two or more materials bonded together

roof insulation designed or suitable for placement directly under a roof deck or between a roof and ceiling of a building

small flat unit of material designed to be nailed or stapled to exterior surfaces of architectural structures to provide a weatherthermal insulation whose insulating material is: (select from the following)

vapor retarder composed of heavy paper treated with a moisture-inhibiting compound

above-deck roof insulation that provides a space between the insulating material and the facing or sheathing to allow air ventiproducts other than roofing material designed to enhance the function or appearance of a roof

bituminous membrane roofing composed of a fabric sheet that has been saturated and coated with bitumen mixed with plastic felt that has been saturated with asphalt or coal tar

vapor retarder cited by the manufacturer as suitable for use as pipe covering

board insulation with a facing laminated or otherwise attached to one side

thermal insulation designed or suitable for retarding heat transfer in a building area not listed

thermal insulation designed or suitable for retarding heat transfer between the interior and exterior of a building or between tw foam insulation made of expanded glass, clay, or other mineral-based material

thermal insulation made of foamed plastic resins made by condensing urea with formaldehyde

roof insulation designed or suitable for placement on top of roof sheathing or decking

cladding panel to which thin masonry veneer units are applied after installation; sometimes does not include masonry units thermal insulation with facing that is: (select from the following)

single-skin rigid roofing panel with parallel and equally curved ridges and grooves

tapered wood shingle produced by sawing

single-skin rigid roofing panel with one or more ribs between raised edges; ribs are of equal or nearly equal height as raised edges thermal insulation made of volcanic rock that has been expanded through heat treatment

acoustic insulation in bulk form that can be blown or poured in place

tape for sealing the crack at the overlap of two sheets of vapor retarder

thermal insulation cited by the manufacturer as designed or suitable for retarding heat transfer through foundation walls of a broofing sheet metal with preformed edges designed to stand perpendicular to the rest of the sheet and form seams with the simineral-based thermal insulation in fibrous form

having the quality or property of transmitting light

thermal insulation cited by the manufacturer as suitable for retarding heat transfer through the floor of a building acoustic insulation suitable for placement in the cavities of acoustic steel decking to improve acoustic performance accessory product designed to fit around preformed or other insulation to protect it from wear or weather conditions thermal insulation whose insulating material is made primarily of shredded paper or other wood by-product

board insulation without a laminated facing

vapor retarder composed of a polyester plastic

cladding system consisting of panels and windows

built-up shingle designed to provide a textured look similar to shakes or slate

vapor retarder in the form of several layers of film or other sheet material bonded together

acoustic control product in the form of a rigid or semi-rigid rectangular sheet or plank

acoustic insulation composed primarily of rock, slag, or glass fibers, with or without binders

organic or inorganic sheet material typically used in membrane roofing products

piece of homogeneous material, larger than a shingle or shake, designed to provide an aesthetic and weather-resistant exteri acoustic control product suitable for reducing sound transmission through a ceiling or for absorbing sound at or near a ceiling acoustic control product designed or suitable for mounting directly to a surface

devices designed to allow for expansion and contraction and to prevent distortion, cracks, and breaks of building materials du material layer or sheet that is pliable and seamless

thermal insulation with a facing of polyvinyl chloride plastic

thermal insulation cited by the manufacturer as designed or suitable for retarding heat transfer through non-bearing exterior wacoustic control product designed to be attached or installed by a method not listed

panel edge designed to snap, clip, or be mechanically crimped together with the edge of an adjacent panel

membrane roofing system that primarily utilizes components of bituminous composition

thermal insulation made of foamed polyurethane plastic

thermal insulation cited by the manufacturer as designed or suitable for placement between light framing members of an exte designed for use over, or in place of, roofing already in place

thin sheet of impervious material designed to block water penetration into and through a wall or at other locations, such as rocacoustic control product made of more than one material

thermal insulation with a composite facing other than FSK or ASJ

acoustic batt insulation without any material around it

preformed roofing sheet metal that, when applied to the roof substrate, has between each of the sheets a flat-topped ridge; rigglue for installing a vapor retarder

blanket insulation enclosed in paper or film or fabric

cladding panel with thin masonry veneer integrally cast with the substrate

thermal insulation cited by the manufacturer as designed or suitable for sheathing an exterior wall

roofing sheet metal with interlocking edges

thermal insulation made of concrete with air or other gas generated in it or with foam added to it before it cures

impervious membrane or a fabric-reinforced coating designed to withstand hydrostatic pressure; does not include roofing producustic insulation composed of thin pliable strands of material

weatherstrip composed of a thick array of flexible bristles that conform to the shape of the surface opposite the one to which thermal insulation suitable for being attached by a method not listed

product for surfacing or resurfacing pavement

framing tie in the form of a strip of metal designed to accept fasteners at both ends suspended ceiling panel that forms a uniform surface closed to the plenum above

paint that can be applied with a rubber-edged squeegee applique with a curvilinear perimeter

corner trim designed to be installed on the outside corner of a junction between two walls

exposed-grid ceiling panel not classified elsewhere in SweetSource

having been constructed by using needles to punch surface yarns through a backing

ceiling grid designed to have flanges exposed in one direction only when ceiling panels are installed

framing hanger designed or suitable for hanging or connecting prefabricated construction panels

armored sheet that is suitable for leaving exposed as a finished wall surface

column cap designed to accommodate beams that meet perpendicular to each other above a post simulated masonry designed to imitate natural dimensioned stone

framing hanger designed or suitable for hanging a framing component not listed

paint cited by the manufacturer as designed for or suitable for applying to a glass or glazed tile surface

paint cited by the manufacturer as suitable for applying to canvas or other heavy fabrics

paint cited by the manufacturer as designed for or suitable for applying to poured or precast concrete

paint cited by the manufacturer as designed for or suitable for applying to stucco

ceiling panel or tile made of a material not listed

shutter made of a plastic other than polyvinyl chloride or polycarbonate

lay-in ceiling panel with holes penetrating all the way through; usually metal

ceiling with panels or slats that have a core or backing of a material not listed

product consisting of glazing blocks and a framework tying the blocks together

fastener designed for or suitable for securing an object to standard concrete

wall brace in the form of a flat strap designed to be nailed to wall studs and to top and bottom plates

framing brace designed to be fastened with: (select from the following)

other flooring made of a combination of materials

fabric made from hairs or filaments entangled and matted together

fabric designed for a use not listed

wood flooring consisting of pieces 2 to 4 inches in depth, 2 1/4 to 4 inches in width, and 4 to 9 inches in length; designed to b installation accessories not defined elsewhere in SweetSource

curtain designed to decorate a window or to provide privacy or impede the passage of sunlight when closed; often made of a curtain designed for easy removal from its track and easy laundering for sanitary considerations; usually made from a lightwe embedded anchor designed to be connected to a wood framing member with: (select from the following)

paint with flow properties that make it suitable for air spraying at low pressure and high volume

paneling made of wood

handle in the form of a flat plate designed to be mounted in a plane parallel to but projecting from the plane of a door casing linear in form and designed to be installed along a door or window opening

casing linear in form and designed to be installed along a door or window opening latching device for securing a door or gate; requires physical manipulation such as sliding, swinging, or rotating a mechanism

trim of a specific size or length designed to be placed without on-site cutting or fitting paint designed to dry to a rough texture or to retain a pattern imparted during application

framing brace designed to be: (select from the following)

products designed for use with glazing blocks

decorative paneling in sheet form; may be molded to simulate wainscot

ceiling grid made of a material not listed

fastener made from a zinc alloy

framing tie cited by the manufacturer as suitable for withstanding short-term live loading of the type: (select from the following ceiling consisting of long thin slats and clips or frames designed to hold them in place

ceiling consisting of panels and a suspended grid designed to support the panels

composite paneling with a mineral fiber core or backing material

product designed to support and give shape to poured concrete as it cures.

fastener designed for or suitable for securing an object to metal

open-cell grillwork with a uniform polygonal pattern

fastener designed for or suitable for securing an object to structural steel members

other flooring designed for or suitable for use in athletic or recreational facilities

timber connector in the form of an open grid of interconnected teeth that get pressed between two timbers by tightening a bol hinge suitable for use on cabinetry or other cased work

impact fastener made of hardened steel with a pointed end and a washer or collar that prevents over-driving and distributes he track designed to support and guide an operable partition

embedded anchor designed to connect a wood framing member to poured concrete

standing trim designed to terminate a post or the point of a spire or pinnacle

round plate connector with a lip formed around its perimeter designed to fit into a precut groove in a timber or timbers

material that can be mixed with water or other liquid to achieve a plastic or pourable consistency and then harden as it cures fastener designed for or suitable for securing an object to steel decking

iasterier designed for or suitable for securing an object to steer det

grid-type ceiling designed to be installed in the shape of a dome

composite ceiling panel with a surface facing of fabric

barrier designed to prevent mortar or grout from accumulating where it could cause damage, such as over weep holes product designed to mount on a wall to protect the wall from impact from the frame or headboard of a portable bed and to ma product designed to line concrete forms to effect a finish on the concrete surface, to absorb moisture from the concrete, or to gypsum board system designed to be applied over a column

embedded anchor designed or suitable for anchoring: (select from the following)

hanger designed to accept a horizontal joist or other beam that runs into the girding beam or wall at an angle

stone that consists of small pieces mechanically broken from larger stones

stone flooring in the form of a thin, flat, typically square unit

composite paneling with a surface layer of mirrored glass

paint cited by the manufacturer as suitable for applying to a surface formed from a mixture of aggregate and a hydraulic ceme hollow glazing block with a face having a shape not listed

product in solid form designed to make wood resistant to rot or insect infestation

impact fastener consisting of a U-shaped wire; both ends are driven simultaneously

framing brace designed to be placed within a notch or groove in a framing member or members

head trim in the form of an arched panel; typically designed to imitate classical architecture

other flooring made of concrete; includes products with an ashaltic binder

shutter designed primarily for decorative use

ceiling with panels or slats that have a surface of wood

hollow glazing block whose ability to transmit light is cited as: (select from the following)

fastener designed for or suitable for installation using a tool powered by compressed air

floor maintenance product designed to dissolve or otherwise remove varnish, wax, or other finishes from a floor surface

hydraulic cement containing portland cement and other material or admixtures that distinguish it from the five standard types

running trim designed to support picture hooks, allowing framed pictures to be hung for viewing

framing hanger designed or suitable for hanging: (select from the following framing member types)

carpet produced in widths of more than six feet

shutter designed to provide protection against theft or bodily harm

preformed tube or slot that provides drainage, preventing accumulation of moisture in masonry or concrete walls

thin sheet made of multiple layers of resin-impregnated paper or fabric and fused under heat and pressure; sheets fused under surface protection product designed to protect a wall surface from impact by vehicles or equipment; typically a horizontal resil composite ceiling panel with a surface facing of metal

ceramic surfacing cited by the manufacturer as suitable for use around a shower or bath tub

grid-type ceiling not listed elsewhere in SweetSource

device designed to be grasped by the hand to open doors, windows, drawers; may actuate, but does not include, a latch mec material designed to be applied to the top surface of access flooring panels to improve appearance, comfort, or sound absorp glazing panel in the form of a single sheet of glass; properties such as strength and light or heat transmission may be modified

fastener designed for or suitable for securing steel decking to structural members

handle in the form of a bar or tube designed to be mounted in a plane parallel to but projecting from the plane of a door individual, solid, and usually rectangular unit of stone, fired clay, concrete, or other material designed to withstand severe were paneling suitable for use as fascia or soffit facing

access flooring understructure that consists of pedestals and of horizontal members designed to support panel edges and promat consisting of links, usually vinyl, woven on spring steel rods which gives an open-weave appearance

ring connector designed to be wedged between two framing members in precut circular grooves; typically has a break along i ceiling with panels or slats made of plastic

linear metal or plastic trim designed to terminate a plaster, stucco, or gypsum board surface, such as around openings or adjastrap anchor designed to be embedded in concrete with two separate tabs sticking out of the concrete to be attached to a muplywood that has been chemically treated to resist decay and insect infestation

blind or shade designed to darken a room

paint designed to withstand vehicle traffic and to mark traffic lanes, crosswalks, etc.; typically reflective

mechanical device, such as a nail or bolt, designed to secure one object to another

shade consisting of a flexible sheet attached to a roller and operated by coiling the material on or off the roller

paint that can be applied using a rolling cylinder with a removable sleeve covered by an absorbent material such as a napped anchor that can be embedded in a single concrete pour

lock designed to be installed in a door that has two round holes at right angles to one another, one through the face of the do stone that is naturally flat or split into flat slabs, often with irregular shape organic coating designed to penetrate the material to which it is applied and alter its natural color; may serve as a finish coat of the document of the coat of the coat of the document of the coat of

framing hardware in the form of a piece of metal designed to be attached to two or more adjoining wood framing members to

carpet module in which all facing yarn is in the form of uncut loops framing tie designed to join two beams end to end while allowing slight axial movement between them

framing tie designed to join two beams end to end while allowing slight axial movement between them ceiling grid made of aluminum

surface protection product designed to protect door knobs, levers, and handles

sleeve anchor exclusive of a screw, bolt, or nail

lock whose mechanism is activated by a key, by registering a combination of characters, or by both

blind or shade designed to function between two panes of glass

paint cited by the manufacturer as suitable for applying to gypsum board made from recycled gypsum board and recycled parfastener made from brass products designed to cover, protect, decorate, join, or in some way finish flooring seams or edges after installation

products designed to cover, protect, decorate, join, or in some way finish flooring seams or edges after installation straight strap tie with notches along each edge

liquid material designed to function as an underlayment when applied to a flooring substrate

running trim designed to be installed horizontally on a wall but not adjoining the floor or ceiling

glazing block or panel suitable for assembling a dividing wall between interior and exterior spaces

wire fastener with a point at one end and a blunt head at the other; designed to be hit on the head to be driven

lipped plate connector with the lip projecting one direction only from the plate; designed for fastening a timber to steel

linear pieces of sawn, often planed, wood or of molded plastic with rectangular or square cross-section; includes solid timbers panel composed of an aggregate, fibrous reinforcement, and a portland cement binder

small block designed to fit at the joints of adjacent glazing block units to keep the units placed at consistent distances from eaceiling panel or tile made of wood

track hardware with power-driven carriers

draw shade with a single layer that forms horizontal folds when gathered

paint cited by the manufacturer as designed for or suitable for applying to a metal that is not derived from iron hanger designed to support a joist or other beam perpendicular to the supporting beam or wall to which it is attached head trim that is linear or rectangular in form; designed to be installed horizontally above a door or window shutter made of wood

suspended ceiling panel designed to be installed with a concealed ceiling grid paneling suitable for use as door facing

component of a suspended ceiling or a discrete product designed to be applied to a ceiling running trim designed to cover the joint between a wall and the adjoining floor

shutter designed to be installed above the ceiling

substance to be spread on concrete forms prior to pouring to allow the forms to be easily removed ceiling with panels or slats that have a core or made of: (select from the following)

grid-type ceiling designed to be installed so that the panels are recessed from the suspension grid

running trim designed to hold in place or to finish the edges of a decorative panel

other flooring cited by its manufacturer as suitable for use in commercial facilities

composite paneling with a backing or core material not listed elsewhere in SweetSource

blind or shade designed to provide insulation

nail with ring type barbs encircling the shank to provide better holding power

wood panel composed of thin layers of wood veneer bonded with resin

unit paver designed to function as a raised border to a paved surface

ceiling with panels or slats made of a combination of different materials

blind or shade designed to be mounted outside the window casing

framing hanger designed to connect a wood framing member to: (select from the following)

finished, protective edging material designed for use as a transition between flooring surfaces of differing height

glazing block designed for use as: (select from the following)

blind or shade that can be operated by hand

fastener designed for attaching: (select from the following)

linear material designed to surround an assembly of glazing block units and hold them together

mechanical anchor that expands when a screw, bolt, or nail is inserted

paneling made of a material not listed elsewhere

composite paneling with a surface layer of high-density polyethylene

strap tie in the form of a flat piece of material designed to function in a single plane

textile designed to be used as a finish covering on a floor

paneling suitable for installation on a wall

ceramic surfacing cited by the manufacturer as suitable for use as exterior cladding for a building

pliable sheet of woven, knitted, or felted fibers or filaments; usually available by the yard or meter

standing trim designed to form a recess in a wall; often semicircular in plan and topped by a half dome

plywood that has been treated with a chemical to reduce combustibility

mechanical anchor with a pivoting wing or wings that unfold in a cavity to prevent a threaded rod, often included, from being prunning trim designed to be installed along the walls of a room to prevent damage from the backs of chairs

wallcovering in the form of a sheet of stock size

blind with slats or vanes made of plastic or shade made of vinyl

fabric designed or suitable to be used for an awning

composite ceiling panel with a core or backing made of mineral fiber

finished, protective edging material used to join different flooring surfaces

other running trim products not defined elsewhere in SweetSource

variety of sandstone that is bluish gray in color and splits easily

paint designed to serve as a base coat over which a finish coat is applied

usually hollow, nonfired masonry unit; typically larger than brick

trim made of molded plaster

fastener designed to be inserted and secured in a hole in a wall, floor, or ceiling; often designed to accept a threaded fastene ceramic surfacing unit two inches square or smaller, usually 1/4 inch thick; often preassembled in sheets for ease of installation wood flooring consisting of long, narrow pieces of wood having tongue-and-groove joints along the sides; strips typically have formed-in-place flooring consisting of chips of material, typically a mineral such as marble, granite, or quartz, are bound in a capital glazing block or panel suitable for use as a fixed window

grid-type ceiling designed to be installed in the shape of a half barrel

framing tie with integral prongs for fastening it or for holding it in place prior to nailing

standing trim in the form of a plaque or panel, usually with a sculpted face

hinge designed for use on a swinging passage door

flooring or surfacing products not listed elsewhere in SweetSource

shutter made of steel

blind or shade designed or suitable to be used in a skylight

installation accessories for terrazzo flooring

blind or shade designed or suitable to be used in a sunroom or greenhouse

designed for or suitable for use over glazed brick

component of a grid-type ceiling designed be supported by a framework and to form the main ceiling surface

fabric designed to withstand extended exposure to weather conditions

hydraulic cement containing no portland cement

unit paver or accessory designed to weigh down a low-slope roof membrane and allow the roof to serve as a terrace

fabric composed of two or more layers of material adhered together with an adhesive or flame-foam process

fastener designed for installation using a tool powered by electricity

track hardware made of steel (does not apply to carrier or track motor)

flat strap tie shaped like a capital letter L

gypsum board for use as an exterior wall membrane and a base for exterior surface materials

gypsum board designed to serve as a base for a thin coat of veneer plaster

fastener designed for or suitable for securing an object to a lightweight concrete deck

ceiling with a grid made of: (select from the following)

wallcovering in the form of a roll of stock width

paint cited by the manufacturer as designed for or suitable for applying to a plastic substrate

framing tie designed to fit at the top of a post to hold in place a beam or beams that bear on the post

products designed to strengthen an assembly of glazing block units

paint that can be cleaned from tools and equipment with the use of warm water and detergent

shutter designed to be placed on the interior side of a window

base anchor with a seat designed to accept a vertical framing member

other flooring suitable for exposure to conditions that are: (select from the following)

framing hardware designed to transfer lateral forces on one member to an adjoining or adjacent member or members to incre carpet module in which all facing yarn ends are cut

surface protection product designed to cover all or part of the vertical members of a door frame to protect it from damage or n decorative paneling in the form of tongue-and-groove or shiplap boards or strips

blind or shade that does not operate

column cap designed to accommodate a single beam or two end-butted beams above a post

strip of material to be placed in wet concrete to create a line where the concrete will crack as it cures or moves ceiling with panels or slats made of metal

U-shaped stirrup designed be attached to a girder or wall and to support the end of a joist or other beam

track hardware made of aluminum (does not apply to carrier or track motor)

paint that can be cleaned from tools and equipment with the use of: (select from the following)

cylindrical device with a key-operated cam or spindle that actuates a lock bolt; may be removed from the lock and replaced standing trim in the form of a partial sphere or ellipsoid designed to form a decorative concave recess in the plane of a ceiling

track designed to guide and support a hospital cubicle curtain

ceiling with a grid made of wood and metal

framing brace with prongs that hold the brace in place

ceiling with panels or slats made primarily or entirely of a single material

fastener designed for or suitable for securing an object to cementitious wood-fiber deck

framing hanger designed to connect a wood framing member to steel

linear metal or plastic trim designed to allow large areas of plaster, stucco, or gypsum board to expand or contract with chang

panel designed to be placed in a ceiling grid to create a finished plane below the overhead building structure or existing ceilin cited by the manufacturer as being designed for special use or application not specified in SweetSource

glazing block or panel suitable for applications where protected from weather conditions

glazing block or accessory cited by the manufacturer as suitable for extended exposure to weather conditions

framing brace designed to be fastened with threaded fasteners

ceiling with a grid made of a material not listed

plywood whose veneers are bonded with a water-resistant but not waterproof resin; made in various grades

resilient flooring in rectangular units wider than strip resilient flooring; typically in widths of six feet

composite paneling with a cork core or backing material

ceiling panel or tile made of mineral fibers in a binder material

base anchor with a seat designed to accept a horizontal framing member

fastener designed for or suitable for securing an object to a cementitious substrate

device designed to be installed in or near a doorway to allow communication through a closed door

product designed to tie an assembly of glazing block units to an adjacent wall, floor, or other surface

trim made of polystyrene plastic

other flooring made of bronze

handle designed to pivot to actuate a latching mechanism to which the pivoting end is attached; usually L-shaped glazing block cited by the manufacturer as suitable for use as: (select from the following)

shutter made of polycarbonate

fastener for securing insulation to support members

underlayment for use with ceramic tile or quarry tile

fabric made from natural fibers, such as wool, cotton, flax, or silk

gypsum board system cited by the manufacturer as being suitable for wall applications

paint designed for a specific use not listed

shade with fabric material or blind with fabric vanes

paint designed to resist break-down from exposure to ultraviolet radiation

timber connector in the form of a circular ring

blind with slats or vanes made of metal

embedded anchor designed or suitable for anchoring a mud sill to a foundation wall

decorative trim in the shape of a circle designed to cover a key hole and protect the surrounding surface from wear

stone that has been cut or trimmed to a uniform shape or size

fabric made from a synthetic solution or fibers, such as acrylic or polyester

stone cut or shaped to meet customer-specific requirements

glazing block panel with a frame made of concrete

lock designed to be fixed to the surface of a door

grillwork in the form of a more or less flat piece of material constructed of fixed perpendicular bars or rods forming a uniform parmored sheet designed to be installed under paneling or other wall covering

glazing panel composed of two or more sheets of glass or other transparent material separated by a cavity filled with dry air o sedimentary rock composed of bonded sand-sized grains of quartz or other mineral

homogenous formed-in-place flooring that forms a thin film when applied; single- or multi-layer

track hardware with nonpowered carriers

wall brace with a T-shaped cross-section; central flange must be let into studs and plates and one of the other flanges nailed fastener designed for or suitable for securing an object to light metal framing

ceiling grid made of steel

other flooring made of a material not listed

embedded anchor designed to connect a wood framing member to: (select from the following)

plaster with a portland cement binder

products designed to facilitate the upkeep or repair of finished flooring surfaces, such as wood flooring, resilient flooring, or catrim made of metal

fastener made from aluminum

shutter designed to provide visual privacy

ceramic surfacing cited by the manufacturer as suitable for use on a countertop

lock with a bolt that is actuated by a solenoid or motor upon receiving an electronic signal

embedded anchor designed to leave exposed from the concrete a flat tab or tabs that can be fastened to a mudsill or other from lock designed to be installed into a cavity mortised into the edge of a door; working mechanism is contained in a rectangular of stone flooring of greater thickness than stone tile flooring; may be random or uniform in shape

framing hanger designed or suitable for hanging a purlin

fastener designed for or suitable for securing an object to a substrate other than those listed

wood flooring consisting of long, narrow boards having tongue-and-groove sides and ends; planks typically have a face width modular porous paving unit that does not mechanically connect with adjacent units

composite ceiling panel with a surface facing of: (select from the following materials)

relatively thick gypsum board designed for use in multi-layer partitions and shaft walls; sometimes consists of multiple, factory shutter designed to open and close over a door or window opening

product consisting of the components needed to erect a fire-rated wall between adjacent residences

paint cited by the manufacturer as being designed for or suitable for use over existing paint films

gysum board system whose fire-resistance rating is based on the use of wood framing members

framing tie with a finish that makes it suitable to be exposed to view after installation

frame or accessory for glazing block units made of polyvinyl chloride or other polymeric plastic

ceiling designed absorb or condition sound in the space below the ceiling

assembly consisting of a lock and its associated hardware, including knobs or levers, escutcheon, and strike fastener made of epoxy

paint that can be spray-applied by being pumped through a nozzle, usually at high pressure

rivet requiring access to both sides of the hole in which it is installed; the head is held or "bucked" while the shank end is "ups shutter designed to be installed over a window or door opening

removable lock with a U-shaped shackle that, when open, can be looped through an eye or eyes, such as the staple of a has framing hanger designed or suitable for hanging a truss

hollow glazing block with a rectangular face having adjacent sides of unequal length

surface protection product designed to be installed on a wall to protect it from impact or wear

framing tie made of steel

product designed to form a slot in a concrete surface so it can interlock with concrete of a subsequent pour corner trim designed to be installed in the inside corner of a junction between two walls

ceiling grid made of: (select from the following materials)

flooring made primarily of metal

glazing panel composed of bonded layers of glass or other transparent material with interlayers of clear or tinted plastic film formed-in-place terrazzo in which the chips are bound in a resinous or chemical matrix; typically thinner than cementitious terpaint designed to withstand extended exposure to weather conditions

ceiling designed to resist tampering or to prevent escapes

glazing block with no internal void

shutter made of aluminum

wood panel composed of randomly aligned flat wood chips or flakes bonded with resin

product consisting of gypsum board and a plaster mix; gypsum board serves as a base for a thin layer of the plaster individual products that are separate from, but fit together with, other parts of an access floor

joint filler in the form of a strip designed to fill a joint but not necessarily to seal it from the passage of gases or liquids composite paneling with a foam rubber core

framing hanger designed to be fastened with nails

lockset that includes a lever-type handle

plate connector with teeth formed in it to dig into the timbers between which it is used paneling made of a single material

products designed to be installed with and to enhance the function or appearance of plaster or gypsum board embedded anchor made of aluminum

ceiling grid made of steel with an aluminum-capped face

ceiling panel or tile made of a plastic other than fiber-reinforced plastic

paint whose vehicle is based on an epoxy resin

composite ceiling panel with a surface facing of a material not listed

shutter or rigid screen designed to provide protection against the sun

paint designed to retard flame propagation over the surface of a combustible substrate, usually by chemical reaction in which framing brace designed to be fastened with nails

stone cited by the manufacturer as suitable for use as the exposed step components of a stairway

metal plate, grid, or ring designed to increase shear resistance between two framing members when pressed between them because the contract of the contract of

finished, protective edging material used to cap coved carpets or resilient sheet flooring

sawn or dressed piece of wood of suitable size for use as a column or beam

porous paving products in the form of modular units designed to be placed together

wall guard designed to be placed around a column or column cover

paint whose vehicle is based on a solution of rubber and chlorine

surface protection product designed to be installed on a dock to absorb the impact of a truck; typically a recoiling or resilient of trim made of fiberglass or other fiber-reinforced plastic

other flooring that is suitable for interior applications

composite paneling with a surface layer of wood

ceiling with panels or slats made of: (select from the following)

floor maintenance product in the form of a liquid designed to penetrate the surface of a floor to provide wear and moisture rescasing curved in form and designed to create an arch above a door or window

running trim designed to be installed at the junction of two walls

hollow glazing block with a square face

lay-in ceiling panel in the form of a lattice or a series of evenly spaced parallel bars

ceiling with panels or slats made of wood

frame or accessory made of steel

linear metal or plastic trim designed to allow large areas of gypsum board to expand or contract and not crack with changes in framing hanger designed to connect a wood framing member to concrete or masonry

gypsum board and related components, as designated by the manufactuer, designed to be installed integrally with a building embedded anchor designed or suitable for anchoring a post or stud to a concrete slab

linear metal or plastic trim designed to terminate a gypsum-board surface, such as around openings or adjacent to another m device designed to be installed with a fastener to improve or alter its function

framing hanger designed or suitable for hanging a girder

track designed to guide and support a curtain or draperies

linear metal or plastic trim designed to reinforce corners and serve as a screed for plaster or stucco

operable shutter that is hinged on one side

nail with helical ridges along its shank

embedded anchor designed to be connected to a wood framing member with nails

ceramic surfacing unit larger than two inches square with relatively high porosity and therefore typically glazed; designed for usualloom carpet in which all facing yarn ends are cut

plaster designed for exterior application

powder that acts as a binder for mortar, concrete, or grout when mixed with aggregate and water

formed-in-place terrazzo in which the chips are bound in a matrix made from white, gray, or tinted Portland cement ceiling with a grid made of metal

paneling designed to function primarily as decorative wall facing

ceramic surfacing that is suitable for use on a wall

gypsum board system cited by the manufacturer as being suitable for fire-rated walls between adjacent residences

releasable clamp designed to hold concrete forms together for pouring and initial curing

bracket designed to suspend concrete formwork around steel beams

paint with a vehicle based on a synthetic or modified drying oil that reacts with oxygen to form a film

paint cited by the manufacturer as suitable for applying to a plastered surface

square spike-grid connector all of whose teeth are the same length

threaded bolt designed to be embedded in a concrete foundation or wall; threaded end remains exposed allowing a framing national timber connector in the form of a flat plate with a central hole for a bolt and with teeth or a raised lip that digs into one or both nail with a shank that is mostly smooth; may be coated

framing hanger that can be welded into place

fastener made from a material not listed

strip, bar, or wire designed to provide lateral stability to a masonry wall or veneer by connecting it to an adjacent wall trim made of an acrylic plastic

ceiling designed to transmit light and to look like a skylight

framing hanger designed to be fastened in place with threaded fasteners

hard, non-porous shale that splits easily into smooth-surfaced layers

latching device component designed to be mounted on or recessed into a door jamb to receive a latching bolt installed on the embedded anchors not specified in SweetSource

track designed to guide a bifolding passage door

composite paneling with a surface layer of a material not listed elsewhere in SweetSource

relatively hard, impervious surfacing material in sheet and sometimes molded form designed to be used for work surfaces, co blind consisting of an operating mechanism and horizontal slats that can be rotated to a desired angle or gathered at the top joint sealant, with adhesive qualities, that cures to a solid when applied; closes joint to the passage of gases, liquids, and airb shutter made of polyvinyl chloride

bulk flexible material in roll, strip, or unit form designed for use as flooring underlayment; may be natural or synthetic paneling suitable for exposure on the outside of a building

strap tie with one or more 90-degree twists along its length

running trim in the form of a decorative band designed to be installed near the top of a wall below the cornice

wood panel composed of wood fibers and resin; smooth finish on both sides and less dense than hardboard

standing trim designed to serve as a base for mounting a light fixture to a wall or other vertical surface; has a hole for passing decorative metal products not included in other product areas

products designed for use with concrete forms; does not include form liners

other flooring that is suitable for extended exposure to weather conditions

architectural metalwork made by bending or forming metal in sheet form

gysum board system whose fire-resistance rating is based on the use of steel framing members

stone formed by the cooling and solidifying of molten rock from a volcanic eruption

panel product composed of a gypsum-based core sandwiched between two layers of paper or other sheet material; designed wood panel composed of wood fibers and resin; smooth finish on one or both sides and more dense than fiberboard; may be paint that can be applied with a device consisting of bristles fastened to a handle

single-bend angle tie designed to allow adjustment of the angle between the two fastening faces; includes ties that can be us composite paneling with a core or backing material of: (select one of the following)

lock with electromagnets designed to hold a door closed; to open the door the electric current is interrupted by a key, combine lipped plate connector with lip projecting from both sides of the plate; designed for fastening one timber to another

glazing block or accessory designed for an external application not listed

other flooring made of steel

composite ceiling panel with a core or backing made of gypsum board

broadloom carpet in which the facing yarn consists of a combination of cut yarn ends and uncut loops

wall brace with an L-shaped cross-section; one of the two legs must be let into studs and plates and the other leg nailed to eaceiling designed to allow diffusion of light through most of its surface

products designed to protect finished surfaces against impact or wear

lock designed for use on cabinetry or other cased work

product designed to be placed over a subfloor to provide a smooth and level surface for the application of finished flooring; m shutter made of plastic

framing hanger made of steel

molding or ornament designed for permanent surface attachment

fastener designed for or suitable for securing an object to masonry

glazing block made of a transparent polymer

material of openwork construction, usually in panel form, designed to cover or decorate an opening, such as in a wall, or to fo embedded anchor cited by the manufacturer as suitable for resisting stresses imposed by an earthquake

hollow glazing block that transmits light but distorts or obscures vision through the block

products designed to create a surface that can withstand limited traffic while allowing rainwater to filter through holes to a gray shade consisting of flexible fabric that can be gathered by means of a pull cord

hollow glazing block designed to terminate or form a corner in a glass block partition

paneling not indexed elsewhere

glazing block designed to resist forced entry

sheet of surfacing material composed of a single material or a homogeneous blend of materials

flat, rectangular unit designed to form the surface of an access floor and to allow access to the space below

wood panel composed of waste wood shavings and sawdust bonded with resin

frame or accessory made of extruded or molded aluminum

shutter made of metal

rectangular trim piece, often with a hinged closer, designed to be installed in an exterior door, sidelight, or wall to allow letters floor maintenance product designed to remove dirt and unwanted marks from the surface of a floor

track designed to guide and support window shutters

natural stone products, such as aggregates, dimensioned stone, or stone slabs; does not include cast stone

supporting framework designed to support and separate each unit in an assembly of glazing block units

carpet produced in units smaller than broadloom, typically 18 by 18 inches square; designed to allow easy access to subfloor other flooring made of polypropylene

head trim, either triangular or arched in form, having a break in its perimeter at the peak

assembly designed to vertically support the corners of access floor panels; assembly typically consists of base plate, height-a framing brace made of aluminum

fastener designed to function as lateral support for masonry veneer or to anchor a masonry tie

fastener for securing flooring to joists or substrate

solid lay-in ceiling panel whose exposed surface hangs lower than the grid that supports it

perforated paper or mesh strip designed to reinforce the joints between adjacent gypsum boards or plaster lath

composite paneling with a surface layer of fabric

mantel designed to be attached to the wall on both sides of and above a fireplace

track designed to be mounted directly to a floor or an overhead surface

paint has flow properties designed for or suitable for air spraying at low pressure (typically 5 psi) and high volume (typically 50 paint that is packaged in a pressurized container with a compressed, liquefied-gas carrier; when released through a nozzle, the products designed to impart tensile strength to concrete

framing hanger that has an angle flange that fits over the top of the supporting wall or member to help support the member hur fastener made from steel

architectural metalwork whose shape is obtained by pouring melted material into a mold and allowing it to solidify wood that has been cut and dressed for use as a floor surface

ceiling grid designed to be concealed from view when ceiling panels are installed

ceiling panel or tile made of: (select from the following)

paint cited by the manufacturer as designed or suitable for applying to a surface that is: (select form the following)

flooring designed to be used as surfacing for an athletic facility

casing or assembled members designed to define and finish the perimeter of a mat

linear metal or plastic trim designed for use with plaster or stucco

thin, flat unit of molded and fired clay, suitable as a finish for floors, walls, or countertops; attached to substrate with mortar or having been constructed by implanting yarns between two parallel adhesive-coated backing sheets, which are then slit down track hardware made of a material other than aluminum, plastic, or steel (does not apply to carrier or track motor)

prefabricated flooring unit consisting of mineral chips, such as marble, granite, or quartz, bound in a cementitious or resinous hollow glazing block that allows objects on one side to be visible from the other side

concrete formwork accessory not listed

flooring product in the form of a flat, usually square or rectangular, unit of a type not included in another product area fastener designed or suitable for attaching roofing materials to a substrate

gypsum board system designed to meet ASTM E 119 requirements for a fire resistance rating of one hour stone suitable for use as an exterior facing to a wall

composite paneling with a finish surface made of: (select one of the following)

plywood panel that has been chemically treated to resist fire, decay, or insect infestation

lock whose mechanism is activated by the use of a key

hollow unit masonry made of fired ceramic clay; larger than brick

device used to lift an access flooring panel from the understructure

framing hanger with flat face designed to abut the supporting wall or member vertically; fasteners bear the load of the membe linear metal or plastic trim suitable for use with gypsum board or with plaster and stucco

adhesive capsule or gel designed to be injected into a cavity prior to insertion of an anchor rod or sleeve, which is sometimes glazing block, panel, or accessories cited by the manufacturer as suitable for use in horizontal load-bearing applications composite ceiling panel with a surface facing of wood

end items designed to be field-assembled to related end items to form an access floor; includes understructure, panels, and pastone cut into a relatively thin polygonal shape

ceiling other than a grid type or linear ceiling

glazing block made of transparent polycarbonate resin

porous paving unit or mat made of plastic

joint compound that sands easily when dried and is used for final coats in finishing gypsum board surfaces, joints, or edges; c track hardware made of plastic (does not apply to carrier or track motor)

glazing block with a void at its center; typically consists of two halves fused together

glazing block made of glass

framing brace made of steel

running trim in the form of an ornamental molding designed to cover the joint between a wall and the adjoining ceiling or soffit timber of a single piece of wood

paint intended for use in an environment that is: (select from the following)

frame or accessory for glazing block units or a panel with a frame made of: (select from the following)

carpet module in which the facing yarn consists of a combination of cut and uncut loops

fabric formed by two or more sets of yarns interlaced at right angles to each other

multiple-bend angle tie with three faces; section view looks like a modified letter Z with 90-degree angles; central face may or blind with slats made of wood

ceiling grid made of plastic

formed-in-place flooring in which one or more components provide cushioning; underlayment may be preformed ceiling grid designed to support gypsum board that can be fastened to it

fabric made from solution extruded through narrow slits into warm air or cast onto a revolving drum; also, fabric made by mole products designed to give the appearance of unit masonry or dimensioned stone; includes cast stone

straight strap tie with uninterrupted edges

trim that is linear in form and that requires on-site fitting to similar or associated pieces of trim to give the appearance of a cor track designed to be attached to hangers mounted to an overhead surface

resilient flooring manufactured in typically square units that range from 9 to 36 inches

interlaced fabric structure, such as that produced by a loom

paint designed to impart two or more discrete colors to the surface to which it is applied

paint that can be applied using a gun that mixes paint with pressurized air

flooring tile with a distinct raised pattern designed to be detected by sight, sound, and touch; typically used to alert pedestrian dimension lumber cited by the manufacturer as suitable for use as a ground contact foundation

fastener designed for or suitable for manual installation, such as hammering or using a hand screwdriver

framing hanger designed to connect a wood framing member to wood

shutter designed to protect glass windows or doors from storm damage

nail-fastened framing hanger without the addition of placement prongs

sleeve anchor that includes a screw, bolt, or nail

anchor that can be embedded in concrete with: (select from the following)

anchor that is embedded in concrete with two separate pourings of the concrete

trim made of synthetic or natural rubber

coatings other than paint, varnish, stain, or lacquer

track or carrier designed to support and guide theater equipment

narrow strip of material designed to be heat-welded into the joints of vinyl resilient flooring to create a seamless installation paint designed to dry to a smooth, even texture

mantel designed to be attached to the wall above a fireplace; includes a horizontal surface projecting out from the wall paint with a vehicle consisting of finely spread particles of rubber or plastic suspended in water

track designed to guide and support a sliding passage door

finished piece of pliable material or a series of slats, usually with an integral control mechanism, designed be hung over a win building material in the form of a composite sheet of wood bonded with resin adhesives by heat and pressure

plywood whose veneers are bonded with a waterproof resin; made in various grades

brace designed to be installed between floor joists to stiffen the floor and distribute live loads; typically installed in pairs that compared by the system designed to meet ASTM E 119 requirements for a fire resistance rating of one and one-half hours

linear metal or plastic trim designed to reinforce or provide a decorative effect for a corner where two gypsum-board surfaces linear metal or plastic trim designed to reinforce or provide a decorative effect for a corner where two plaster, stucco, or gypsum-bollow glazing block with a face shape that is: (select form the following)

opaque sheet of material designed to resist passage of firearm projectiles through walls or other space dividers

fabric designed for or suitable to be used for: (select from the following)

frame or accessory for glazing block units or a panel with a frame made of metal

resilient base in the form of a flat strip

paint flow properties are designed for an application method in which paint is mixed with a high volume of pressurized air resulting made of plastic derived from a polyvinyl resin

surface protection device made of plastic

surface protection product in the form of a flat plate designed to protect a door as it is pushed open

fastener designed for installation using a gunpowder cartridge in a specially designed gun

shutter designed to withstand prolonged exposure to weather conditions

paneling designed to absorb or deaden sound

long brace designed to be attached at an angle across wood studs from top plate to bottom plate to prevent racking of an ent ceiling with a grid made of plastic

set of components that together provide a finished surface to the overhead structure of a building; generally restricted to ceilir post-base anchor designed to raise a post above the surface of the slab or floor in which the anchor is embedded; helps to keep porous paving product made of concrete or a form for creating concrete porous paving

suspended ceiling panel designed to be installed in an exposed ceiling grid

wall guard designed to fit over and protect the outside corner of a wall

lockset with a grip handle and thumbpiece

linear metal or plastic trim designed to terminate a plaster or stucco surface, such as around openings or where plaster meets structural backing for a flash cove; typically used with resilient flooring

passive device designed to be installed in a door panel, window lite, or similar barrier to allow the voice of a person on one significant parties of the passive device designed to be installed in a door panel, window lite, or similar barrier to allow the voice of a person on one significant parties of the passive device designed to be installed in a door panel, window lite, or similar barrier to allow the voice of a person on one significant parties of the passive device designed to be installed in a door panel, window lite, or similar barrier to allow the voice of a person on one significant parties of the passive device designed to be installed in a door panel passive device designed to be installed in a door panel passive device designed to be installed in a door panel passive device designed to be installed in a door panel passive device device designed to be installed in a door panel passive device d

trim made of a material not listed

glazing block made of: (select from the following)

fabric intended for use in an environment that is: (select from the following)

fastener designed for or suitable for securing machinery to various substrates

ceiling with a grid made of wood

lockset that includes a depressible paddle-type handle

precast terrazzo in which mineral chips are bound in a resinous or chemical matrix; typically thinner than cementitious terrazz gypsum board system cited by the manufacturer as being suitable for roof applications

structural component of a rail-and-insert mat into which the tread surface is inserted

linear metal or plastic trim designed for use with gypsum board

paneling made of fiber-reinforced plastic

formed-in-place flooring consisting of small grains or granules of either natural or synthetic materials in a resinous binder fabric of a type not listed

narrow strip of material designed to control cracking, to provide leveling, or for decorative purposes in the installation of formed dense white-bodied, fine-grained ceramic surfacing unit with low porosity designed for use as a durable floor finish; units are a paint that can be applied by means of: (select from the following)

handle of spherical shape; may be fixed in place and pulled or may turn and operate a latch or lock mechanism glazing block made of transparent acrylic resin

paint whose vehicle is based on oil obtained through the distillation of coal

embedded anchor made of steel

material designed to fill a joint between two objects and sometimes to seal the joint from the passage of gases, liquids, or airly fastener designed for or suitable for installation using a power or power-assisted tool, such as electric screw driver or pneuma paint that can be applied by being dispersed by pressure through a nozzle

natural stone that has been cut or hewn and finished for use as a flooring surface

braided wire rope

track designed to guide and support a cabinet door

grillwork that is more or less three-dimensional

anchor that utilizes a adhesive compound to secure a rod or sleeve by expanding and solidifying within a hole or structure carefabric suitable for use in fashioning a privacy screen

fastener designed for or suitable for attaching a roof curb to a roof deck

linear ceiling designed to have slats installed parallel to the ceiling

running trim in the form of a narrow shelf or rail designed to hold plates or other decorative items

framing tie cited by the manufacturer as suitable for resisting stresses imposed by strong winds

fastener designed for or suitable for securing an object to wood

keyless device designed to hold a door, window, or gate closed; includes devices designed to mount on a door jamb to acceppaneling made of more than one material

device designed to be actuated from within a room or dwelling to indicate on the outer surface of an outer door that the room 90-degree angle tie with a triangular plate or plates to reinforce the angle between the two fastening faces; gussets do not ac cementitious or gypsum powder that can be mixed with water or a premixed plastic substance that cures and hardens; typical window or door covering consisting of louvers, rigid slats, or panels and designed for light control, privacy, storm protection, or paint whose level of light reflectance after application and curing is described by the manufacturer as: (select from the following framing hardware designed to secure a wood framing member to concrete; one end is designed to be embedded in concrete access floor in which the panels rest on a pedestal at each corner, without mechanical fastening, and are supported along the plastic mix or powder that can be mixed with water to form a plastic mix for finishing gypsum board surfaces, joints, or edges track or carrier designed to support an intravenous drip bag or bottle

shutter designed or suitable for use as: (select from the following)

framing hardware designed to transfer lateral forces on one member to an adjoining or adjacent member or members to incre hardware specific to blinds or shades

stone suitable for an interior application

fastener for securing gypsum board to support members

timber made up of layers of wood strips or veneers glued together with the grain of all layers essentially parallel

framing tie cited by the manufacturer as suitable for resisting stresses imposed by an earthquake

standing trim designed to form a decorative facing around or above a fireplace

running trim designed to finish the edge of a counter or table

gypsum board designed for use as permanent forms for poured gypsum roof decking

glazing block or panel suitable for dividing two interior spaces

dimension lumber to which a chemical has been applied to obtain a desired quality, such as resistance to moisture, decay, in wall base with vents to allow air circulation for floating floors

paint with a vehicle based on polyester or polyether resins

anchor that holds by friction or expansion

hand or power tool designed to cut material such as metal, wood, or concrete by way of a reciprocating or rotating blade suspended ceiling panel designed to be installed in a semi-concealed ceiling grid

ceiling grid made of a combination of metal and wood

finishing product in the form of a thin, pliant material designed to decorate, protect, or otherwise finish the surface of a wall ceiling panel or tile made of fiber-reinforced plastic

liquid compound designed to dry to an opaque, adherent film that decorates, imparts color to, or protects the surface to which standing trim in the form of a rigid structure designed to be attached to a wall or other vertical surface from which it projects to fastener designed for installation using a tool powered by oil under pressure

flat strap tie shaped like a capital letter T

fastener designed to be driven into a substrate by suddenly applied force

composite paneling with a surface layer of fiber-reinforced plastic

fastener made from stainless steel

gypsum board system designed to meet ASTM E 119 requirements for a fire resistance rating of three hours

ceiling with panels or slats made of mineral fiber

gypsum board designed for use primarily as interior surfacing material

ceiling with panels or slats made of glass fiber reinforced plastic

ceiling suitable for exposure in an environment that is: (select from the following)

embedded anchor designed to be connected to a wood framing member with threaded fasteners

ring, hammer, or other mechanical device designed to be tapped against the outer door of a building by a visitor to announce embedded anchor designed or suitable for anchoring a mud sill to a concrete slab

framing tie designed to be installed with nails

ceiling with panels or slats that have a surface of plastic film

framing tie cited by the manufacturer as suitable for resisting stresses imposed by heavy snow loads

hanger designed to accept and support a beam that slopes down away from the girding unit

modular porous paving unit designed to form a mechanical connection with adjacent units creating a tensile link between ther bluish-gray hydraulic cement powder made by heating a mixture of clay and limestone and pulverizing the resulting clinker; lir ring connector with serrated edges designed to cut into the timbers it connects when pressure is applied

paint has flow properties designed for an application method in which the paint is pumped under high pressure resulting in atchaining been constructed by interlacing pile, backing, and stitching yarns in a series of connected loops in one operation fastener made from lead

composite paneling with a surface layer of plastic laminate

post-base anchor designed to hold the bottom of the post flush with the slab or floor in which the base is embedded ceiling with panels or slats made of a material not listed

facing or tread material not indexed elsewhere in this product area

ceiling with panels or slats that have a core or backing of gypsum board

precast terrazzo in which mineral chips are bound in a matrix made from white or gray Portland cement; may be tinted flexible wall base

stone cut or trimmed into a block shape

linear piece of material designed to fit between glazing block units allowing them to expand or contract without damaging an a operable shutter guided in a horizontal track, allowing movement from side to side

embedded anchor designed to connect a wood framing member to concrete block

standing trim products not listed elsewhere in SweetSource

ceramic surfacing that has not been treated with an oxide solution; typically has a flat finish that is more porous than a glazed stone cited by the manufacturer as suitable for use as a flooring material

operable shutter consisting of a series of hinged panels or slats that fold to one side when opened

other flooring that is suitable for use in buildings or facilities that are: (select from the following)

trim made of concrete

thread-like filaments that can be mixed with concrete or masonry provide tensile strength

paneling suitable for installation on a ceiling

framing hanger made of aluminum

crystallized limestone that can be highly polished; usually streaked

framing tie designed to be fastened with nuts and bolts

fabric formed by the interlacing of a yarn or yarns in a series of connected loops by means of hand or machine needles paint cited by the manufacturer as being designed for or suitable for use in marine applications, withstanding prolonged continuations in the form of adjoining horizontal tubular cells that flatten when gathered

angle tie with two adjacent fastening faces

framing tie with at least two faces in adjacent perpendicular planes, typically with each face designed to accept fasteners framing brace designed to be attached only to the surface of a framing member or members

framing hanger designed or suitable for hanging a beam

shutter designed to be installed within a window or door opening

concrete or masonry accessory not listed

framing hanger designed or suitable for hanging a rafter

panel or device designed to be suspended from a ceiling to deaden or deflect sound

plywood that is rated for structural use

gypsum board designed for use as a base for tile or for other layers of gypsum board

ceramic surfacing that has been coated prior to firing with a mixture primarily of oxides to make the surface lustrous or impern freestanding seat designed to raise the bottom of a post off the slab or floor it rests on; often used with an embedded drift pin standing trim designed to imitate reinforcing stone or brick that contrasts with adjacent masonry on an external corner of a bu embedded anchor cited by the manufacturer as suitable for withstanding short-term live loading of the type: (select from the for decorative paneling composed of panels that are bordered and bound by stiles and rails

floor maintenance product designed to coat or seal a floor surface to protect it or make it shine

open-cell grille with a uniform circular pattern

surface protection device made of metal

trim made of stone

paint that can be applied by a method not listed

lock designed for use on a window

ceiling grid not indexed elsewhere

operable shutter with joined horizontal slats that are guided in a track and coil around a drum when opened

latching device designed to be actuated by pushing or pulling on the door on which it is mounted

composite ceiling panel with a surface facing of plastic film

composite paneling with a surface layer of stone

fastener designed for installation using a tool powered by a combination of compressed air and oil under pressure product designed to form a heat-resistant, inner surface of a chimney

hanger with two stirrups designed to straddle a girder or bearing wall and hold up the ends of two secondary beams on oppose ceiling suitable for outdoor use

stone formed by the accumulation of organic remains and composed mainly of calcium carbonate

colored stones, usually granite or marble, set in a cement mortar and, typically, ground and polished; formed-in-place or precipitations are considered as a compact of the colored stones, usually granite or marble, set in a cement mortar and, typically, ground and polished; formed-in-place or precipitations are considered as a compact of the colored stones.

armored sheet made primarily of steel

shutter designed for use in an environment that is: (select from the following)

other flooring cited by its manufacturer as suitable for heavy traffic in industrial settings

paint designed primarily to provide a decorative finish

fabric designed or suitable to be used for a tent

ceiling panel or tile made of a combination of materials

track hardware made of stainless steel (does not apply to carrier or track motor)

gypsum board system designed to meet ASTM E 119 requirements for a fire resistance rating of four hours

linear strip of material designed to cap the top or end of an assembly of glazing block units

paint containing flakes of metal designed to reflect light to effect a metallic finish quality

other flooring made primarily of aluminum

twist strap tie with two twists along its length

resilient flooring in which the length is significantly greater than the width; typically a long, narrow units designed to simulate v product designed to be mixed with concrete or mortar to alter one of its properties, such as setting rate, plasticity, or color paneling made of metal

flat plate designed to provide a moment connection between two end-butted members or at the junction of three or more mentrack designed to be mounted in a groove in the surface to which it is attached stope cited by the manufacturer as suitable for use as a ground surfacing unit, such as a road, sidewalk, or natio surface.

stone cited by the manufacturer as suitable for use as a ground surfacing unit, such as a road, sidewalk, or patio surface preformed slot designed to be placed in a mortar joint or in concrete for the insertion of flashing

access flooring component that creates a finished surface or provides a substrate to be covered with another finishing produc

plywood panel with no chemical treatment

panel designed primarily to transmit light into or allow vision from a building or other space; typically transparent and rectanguproduct designed to guide and support a door, curtain, or operable partition panel as it opens and closes paint designed for use on a floor

plaster mix that includes thread-like filaments that provide increased tensile strength

paint cited by the manufacturer as designed for or suitable for applying to a metal substrate

stone of a type not listed

underlayment for use with stone tile

ceramic surfacing that is cited by the manufacturer as suitable for lining a swimming pool

suspended ceiling panel consisting of intersecting slats that form geometric cells open to the plenum above

ceiling with panels or slats that have a surface of fabric

backing material not indexed elsewhere in this product area

fabric designed to be used for a banner

paint cited by the manufacturer as suitable for applying to concrete masonry units

area rug carpet in which all facing yarn is in the form of uncut loops

products designed to form a base or support for plaster or gypsum board

flooring in the form of a liquid designed to be poured, troweled, or floated onto a substrate; includes epoxies, acrylics, polyme armored sheet suitable for use where protected from extended exposure to weather conditions

bracket designed to hold concrete forms perpendicular to each other

area rug in which the facing yarn consists of a combination of cut and uncut loops

optical device designed to allow the occupant of a room or building to see through a closed door while preventing persons ou ceiling designed for use as: (select from the following)

handle consisting of a grab bar and a lever that can be depressed with the thumb to actuate a latch mechanism

floor maintenance product not indexed elsewhere in this product area

framing tie made of a material not cited by the manufacturer or of a material not listed

armored sheet suitable for extended exposure to weather conditions

product consisting of reinforcement and forms for shaping concrete or other moldable material into porous paving clip or pin that prevents a part from disengaging or separating from another, as a wheel from a shaft spike-grid connector with teeth arrayed in a square pattern

glazing block accessory not listed

paint designed primarily to form a protective barrier

access floor in which the panels rest on pedestals at each corner with no other means of fastening or support

access flooring understructure consisting of pedestals as the only means of support for floor panels

paint cited by the manufacturer as designed for or suitable for applying to a ferrous metal substrate

embedded anchor designed or suitable for anchoring a beam to a supporting pilaster or wall

cementitious material designed to be mixed with water to form a plastic mixture; typically used for bedding and bonding unit n latching device designed to be installed on a door and its jamb to allow the door to be opened slightly while preventing passage spike-grid connector with teeth arrayed in a circular pattern

ceramic surfacing with low porosity designed for use as a durable floor finish; made of natural clays or shales that turn red or paneling suitable for exposure on: (select one of the following)

fastener designed for or suitable for securing an object to gypsum board, plaster, or a poured gypsum deck

wallcovering in the form of a strip of stock size designed to accent the main wallcovering; typically applied horizontally

armored sheet composed primarily of a plastic resin reinforced with a fiber mesh, such as Kevlar, that is highly resistant to pe material that makes up the underside of a mat

track designed to guide and support a passage door

gypsum board system designed to be applied over a beam

paneling made of foam rubber

joint compound that has high adhesion and is used to install joint tape

flat strap tie in the shape of a simple rectangle

device activated by a key, combination, or remote electronic signal and designed to secure, to hold fast, or to control entry or flooring product designed to simulate natural grass; constructed similarly to carpet

composite paneling with a gypsum board core

area rug in which all facing yarn ends are cut

framing tie designed to withstand exposure to corrosive elements

floor mat and frame assembly designed to be installed flush with the surrounding floor surface

anchor designed to be fastened to a wood framing member and that has a gusseted angle plate perpendicular to the member composite paneling with a surface layer of metal

fabric not suitable for extended exposure to weather conditions

multiple-bend angle tie other than a Z-angle or 3-way tie

trolley or caster that rides on a track and supports a door, curtain, or operable wall panel as it opens and closes

gypsum board system cited by the manufacturer as being suitable for fire-rated walls around an elevator shaft, stair well, or or lock whose mechanism is activated by combining in a certain order the characters on a dial, movable rings, or push buttons curtain designed to separate a stage from an auditorium in a theater; usually made of a heavy, decorative, opaque material horizontal structural member designed to interconnect the pedestals of and support the panel edges of an access floor; adds

latching device not indexed elsewhere in this product area

tubular metal screen designed to restrict the expansion of, and to reinforce, an adhesive or other chemical fastening compour stone suitable for an exterior application

resilient base with a concave projection along its bottom edge

paint that can be cleaned from tools and equipment with the use of a suitable solvent

composite ceiling panel with a core or backing made of: (select from the following)

fastener with a threaded shank that is tapered or pointed and either requires no pre-drilled hole or cuts threads into a pre-drilled fastener with a threaded shank and a head by which it can be rotated or held and thereby inserted into a substrate or recepto twist strap tie with a single twist along its length

standing trim designed to mimic a central, wedge-shaped unit of a masonry arch

head trim in the form of a triangular panel; typically designed to imitate a roof gable in classical architecture track without carriers

embedded anchor designed or suitable for anchoring a truss to a supporting wall

blind consisting of an operating mechanism and vertical slats that can be gathered together at one side or rotated to a desired

paneling suitable for exposure on the inside of a building

variety of sandstone composed of quartz grains bound together by silica; typically white or light in color and resembles marble rigid wall base, typically made of wood

formed steel pan filled with concrete which is exposed on top

ceiling with panels or slats with a surface material of: (select from the following)

fastener on which a second head is formed in the installation process

paint cited by the manufacturer as suitable for applying to a cementitious panel

square spike-grid connector with teeth of varying lengths arrayed such that the tips on one side form a curved surface design floor maintenance product designed to provide the materials and tools necessary to repair or restore a floor surface grillwork with a decorative, complex pattern of openings

ceiling grid designed to have flanges exposed when ceiling panels are installed

product that includes wood flooring and cushioning devices, such as springs, pads, or strips, designed to be assembled as a paint designed for a specific application on or for: (select from the following)

paint that can or applied with a trowel

fastener designed for connecting structural steel members

surface protection device made of a material not listed

draw shade not listed elsewhere

composite ceiling with panels or slats that have a core or backing of mineral fiber

ceiling with panels or slats that have a surface material not listed

composite paneling with a wood core

armored sheet suitable for use in an environment that is: (select from the following)

stone cited by the manufacturer as suitable for use as a horizontal bottom member or trim piece for a window or door wood flooring consisting of pieces cut to form geometric patterns or mosaics; often available in preassembled tiles latching device consisting of a stationary u-shaped loop that fits through a slot in a hinged plate; typically secured with a padle other flooring with a distinct raised pattern designed to be detected by sight, sound, or touch and to alert pedestrians to traffic

fastener for securing fencing to support members

trim made of polyurethane plastic

unit masonry of kiln-fired clay; smaller than structural tile

products designed for use with concrete or unit masonry not included in other areas

applique with a shape other than rounded or rectangular

components of a grid-type ceiling designed to form a framework that supports panels which form the main ceiling surface hardware designed to work with hinges and to allow a door to slide back into a cabinet and out of the way when open; often in curtain designed to temporarily create two separate areas in a gymnasium; typically made of an open mesh

fabric made from a combination of synthetic and natural materials

framing hanger designed or suitable for hanging a louver

substance designed to hold two materials or objects together by surface attachment

angle tie with three or more fastening faces, each in a separate plane or designed to be bent into separate planes

ring designed to be placed under a nut or the head of a bolt, screw, or nail to distribute pressure or to prevent the fastener fro ceiling panel or tile made of metal

framing hanger designed or suitable for hanging a header

ceramic surfacing designed for a use not listed

track designed to guide and support a wall panel that covers a marking board or other feature

composite paneling with a surface layer of vinyl

nail-fastened framing hanger with teeth or prongs that hold the hanger in place prior to nailing

framing tie made of aluminum

linear metal or plastic trim designed to allow large areas of plaster or stucco to expand or contract and not crack with changes strap anchor in the form of a single strap that can be fastened to a mudsill or other framing member to hold it in place framing tie specially designed for a use or environment that is: (select from the following)

door communication hardware not indexed elsewhere in this product area

surface protection product designed to be installed on a door or door frame to shield or protect it from marring and impact applique in the form of a square or rectangle

glazing block or accessory cited by the manufacturer as suitable for a use not listed

glazing panel in the form of a single sheet of plastic material

linear ceiling designed to have slats installed perpendicular to the ceiling; open to plenum above between slats

removable cap designed to leave a void in a concrete surface for a sealant at an expansion joint

fastener made from jute

porous paving product in the form of a mat or sheet with an attached pattern of raised rings or other raised pattern to hold graglazing block cited by the manufacturer as resistant to intense heat or flames

framing member with a bendable tab that allows the option of wrapping it over the top of the supporting unit

rivet that requires access to only one side of the hole in which it is installed

preformed tile, sheet, or strip flooring; typically of organic material, including linoleum, asphalt, vinyl, rubber, and cork ceiling panel or tile made of a single material

motor designed to drive track carriers for operating curtains and operable partitions

hardware designed to support a drawer in a cabinet and to allow the drawer to open and close easily

composite ceiling panel with a core or backing made of glass-fiber batting

ceiling with panels or slats that have a surface of metal

floor assembly that raises the level of the finished floor above the structural floor to allow containment of and access to electric other flooring made of cast iron

other flooring suitable for use in personal residences

fastener with a threaded shank designed to be inserted into a hole with matching threads

surface protection product designed to be attached to the lower surface of a door to protect against marring or damage from assembly of two pivoting metal leaves that allow a door, window sash, or cover to swing open or closed while remaining connumbroken stone of a size and form suitable for mixing with cement to make concrete

framing tie designed to be installed with threaded screws

embedded anchor that includes a seat in which a framing member can rest and be fastened

glazing block or panel suitable for installation in a roof opening

solid lay-in ceiling panel designed to lie flush with the grid that supports it

ceiling designed to provide a surface that can easily be kept clean and free of microorganisms

fastener made of a single material

trim made of wood

fastener designed for or suitable for attaching to: (select from the following)

ceiling grid designed to create a visual plane that is open to the overhead building structure or existing ceiling surface; not depaint cited by the manufacturer as designed for or suitable for applying to gypsum board

composite ceiling panel with a core or backing made of a material not listed

shutter designed to reduce noise levels

finished piece of cloth or other pliable material designed to hang from a track or rod to visually separate adjoining spaces or to having been constructed using needles to bind yarn to create a fiber web or fleece

stone cited by the manufacturer as suitable for finished wall surfacing

framing hangers not otherwise specified in SweetSource

anchor with a shank that is deformed to press into the sides of a drilled hole

blind or shade designed to be mounted within a window casing

hard, compact igneous rock that can be highly polished; extremely durable and does not absorb water

ceramic surfacing cited by the manufacturer as suitable for use on a floor

joint sealant in the form of an elastomeric strip designed to fill a joint and close it to the passage of gases, liquids, or airborne framing hanger that abuts the supporting member or wall by means of a: (select from the following)

handle suitable for use on a window

90-degree angle tie with no reinforcing gussets

elastomeric material designed to fit tightly between glazing block units and prevent the passage of air or moisture

access floor in which the floor panels are mechanically fastened to pedestals at each corner with no other means of support fabric designed or suitable to be used for a curtain/window treatment

products other than admixtures designed to affect properties of concrete while it cures or to maintain or repair existing concrepaint designed to dry almost instantaneously when applied with suitable spray equipment

sheets, panels, or boards with a finished surface designed to be installed on a wall; usually installed contiguously composite paneling with a fiberglass core or backing material

hanger designed to connect a beam at an angle that is not perpendicular to any line parallel to the girding wall or beam unit of hard, inflexible material designed to be placed under a floor finishing material; may be natural or synthetic grid-type ceiling designed to be installed in a single plane

coating that when spread on a surface cures by evaporation and oxidation, forming a hard lustrous finish that is more or less fabric suitable for use as a canopy over a deck or patio

unit of material designed for use as a ground surfacing unit, such as a road, sidewalk, or patio surface

framing hanger designed to be fastened with: (select from the following)

surface brightness perceived as a result of luminous specular reflection

fastener made of two or more materials

porous paving product of a material other than concrete or plastic

fastener for securing paneling to support members or substrate

floor mat designed to be loose-laid or fastened in place on the surface of a finished floor; or, floor mat designed to be installed product designed to collect soil, snow, or water from shoes, and increase traction when walked on; typically placed in high trag ypsum board system designed to meet ASTM E 119 requirements for a fire resistance rating of two hours

framework of evenly spaced perpendicular bars or rails designed to hang from the overhead structure within a building, usual ceiling grid made of wood

single-bend angle tie with two adjacent fastening faces fixed perpendicular to each other

paint not suitable for extended exposure to weather conditions

embedded anchor cited by the manufacturer as suitable for resisting stresses imposed by strong winds

inoperable shutter or rigid sunscreen that is fixed in place

grillwork constructed of more or less flat strips of material fixed in a criss-crossing arrangement forming a uniform pattern of d paint whose medium for carrying pigment to the substrate and for forming a film consists of: (select from the following)

blind or shade with a powered operating mechanism

broken stone of random size and suitable for uncoursed masonry or infill

paneling designed to provide a facing that can easily be kept clean and free of microorganisms

lockset that includes a spherical knob handle

surface protection device made of rubber

paint cited by the manufacturer as designed for or suitable for applying to a wood substrate

fastener made from plastic

standing trim designed to be placed over a door or window; typically consists of a combination of moldings and may include a fabric designed to be used for upholstery

ceiling with panels or slats that have a core or backing of fiberglass batting

paneling suitable for installation on: (select from the following)

short block with a threaded hole through it designed to fit around the shank of a bolt or screw with matching threads gypsum board system cited by the manufacturer as being suitable for floor applications

ceiling suitable for use only where fully protected from weather conditions

liquid or mastic designed to be spread over, to adhere to, and to cover a surface to protect it or improve its appearance paint cited by the manufacturer as suitable for applying to a brick substrate

translucent or transparent masonry unit; includes panels made up of such units and accessory items

ceramic surfacing with a distinct raised pattern designed to be detected by sight, sound, or touch and to alert pedestrians to to stone cited by the manufacturer as suitable for use as a protective cap to vertical construction, such as a parapet or other wall gypsum board system cited by the manufacturer as being suitable for ceiling applications

cementitious product designed to be mixed with water to form a slurry for filling joints, spaces, or cracks

electronic or electromechanical device designed to signal the occupant of a building that a visitor is calling; usually actuated be series of pedestals and, sometimes, horizontal members designed to raise access floor panels to and support them at the designed to prevent wall forms from spreading apart when concrete is poured between them

inoperable shutter panel designed to be temporarily placed over a window

building material that, when mixed with water or other liquid, becomes plastic and then cures into a hard mass; often mixed w paint other than finish, primer, and encapsulant

ceiling panel designed to be fastened directly to overhead building structure or existing ceiling surface

multiple-bend angle tie designed to accommodate three planes created by the surfaces of two or more framing members mee stone suitable to be used for decorative elements in gardens, retaining walls, or other landscaping

compound designed to break up cast concrete for demolition purposes

running trim designed to cover the joint or gap between a door or window frame and the wall in which it is set; casing may be hydraulic cement made by pulverizing portland-cement clinker along with another material or materials, such as pozzolan or be gypsum board for use in exterior overhangs, carport ceilings, and other exterior weather-protected areas

wood panel composed of resin-bonded flat wood chips or flakes that are oriented in specific directions to improve strength of paneling made of mineral fiber

brace designed to be placed diagonally between a beam and the post it bears on, creating a triangle that stiffens the connect large rock, usually rounded or well-worn

broadloom carpet in which all facing yarn is in the form of uncut loops

surface protection product designed to protect the edge of a door

access floor not indexed elsewhere in this product area

handle designed for use on cabinet doors or drawers

framing hanger designed or suitable for hanging a joist

stock- or custom-size textile designed to be loose-laid to partially cover a floor or another floor covering

joint compound that is suitable both for bedding tape and for a final finish coating

luminaire designed to illumine a sign

electrical controls for luminaires or lighting systems

constituent parts for system that keeps track of various activities or mechanical operations within a building or space system designed to limit or monitor passage to a building or space

products designed to modify or regulate electrical current

lightning protection components, such as mounting hardware or arrestors, designed to complete a lightning protection installa lightning designed to supply illumination essential to the safety of life and property if the normal lighting supply fails

product consisting of interrelated parts designed to allow remote monitoring or communication between building spaces

machine or device designed to produce electric current

system designed to improve personal safety of a building

constituent parts for a communication system

portable luminaire designed to stand on a table

wire, cable, or bus bar designed to transmit electric current

luminaire designed to convey information, warning or both

wiring terminations that are normally installed in wall outlet boxes, such as receptacles, switches, dimmers, and pilot lights lightning protection component designed to discharge lightning flashes to the earth; often in the form of a metal rod or plate luminaire designed allow or improve night-time air navigation

enclosures for wiring junctions or terminals

components designed to be interconnected for the purpose of intercepting lightning flashes and conducting them to ground unions, clamps, and similar items for wire management

system designed to monitor or control the use of energy in a building or buildings

conductors designed to be installed on the floor beneath the carpet

wiring system designed to provide electrical current to a number of luminaires in a building or space

man-made source of light; typically converts electrical energy into light

supports for luminaires; typically include internal attachments for wiring

constituent parts for a system that pipes music or other sound throughout a building portable luminaire designed to stand on the floor

constituent parts for a system that transmits two-way voice messages or electronic data

luminaire designed to illumine a stage or props for a theater

products designed to protect wiring devices or to guide and protect electrical conductors

product designed to interrupt or connect an electrical circuit; typically used for high-voltage distribution or main circuits constituent parts for a communication system that combines video and sound

lightning protection component designed to intercept flashes of lightning; often in the form of a metal rod

luminaire designed for illumine a roadway, parking lot, or other outdoor space

products designed to regulate the temperature in a building or space

luminaire designed to direct light towards the floor on an aisle, stairway, or other walkway

incidental items for luminaires, lamps, or lighting systems

device for providing the necessary circuit conditions for starting or operating an electric discharge lamp

luminaire designed to illumine a sports court or field

luminaire not listed elsewhere in SweetSource

system designed to pipe music or other sound throughout a building

products designed to prevent lightning from damaging a building or other structure

luminaire designed for installation underwater or wet areas

luminaire whose source of power is generated by a solar collector; inclusive of solar panel

luminaire designed to illuminate or accent merchandise or other items for viewing

pole or tower designed to hold power cables well above the ground

luminaire designed for installation in an area where ignitable vapors or dust may cause a fire or explosion created by energy component or grid designed to function as the connecting point or plane common to all conductors in an electrical circuit or ci system designed to coordinate clocks throughout a building

product consisting of wires and connectors designed to fit together allowing one to arrange or rearrange the electrical wiring flights to indicate the position and direction of motion of boats and aircraft

unit designed to connect a lamp or lamps to a power supply and to position the lamps for safety and light distribution; often in system designed to allow one-way audible communication

lightning protection component designed to conduct electrical current between air and ground terminals; often in the form of a lighting for medical examinations, surgery, or other uses particular to medical facilities

flagpole suitable for use at a personal residence

bleacher with a supporting understructure made of a material not specified by the manufacturer or of a material not listed locker that can be recessed into a wall

door designed to allow delivery of equipment or supplies, passage of personnel, or removal of waste through an exterior door access door that is hinge mounted within its frame and swings open

door leaf designed for use in areas where passage of carts, forklifts, or other vehicles is common

fixed window with one or more lights that lie in a single plane

monolithic door leaf made of glass or other transparent or transluscent material

waste or ash receptacle composed primarily of bronze

door leaf consisting of two separate sections, one above the other, that may open independently of each other sculpture designed to form or imitate the horizontal band between the architrave and the cornice of an entablature sign with a support structure made of wood

flagpole made of stainless steel

relocatable partition consisting of a supporting frame and finished panels that mount on either side of this frame chair with some but not all of its exposed surfaces covered with fabric and padding or cushioning

folding door consisting of two panels hinged together and designed to fold in on each other in the shape of a vee when opened door designed for use in prisons and similar institutional environments; usually of heavy steel construction

sectional vertical rising door in which each section is constructed of multiple panels, each set within a rectangular area define divider or partition without casters

window screen or guard that is designed for or suitable for installation by being welded to a window frame

door leaf capable of withstanding the fire and hose stream (time and temperature) conditions required in the ASTM tests E119 revolving door designed to prevent light penetration when open

open wire fabric placed in a frame and designed to form a barrier or to be combined with other components to form an enclos door leaf with a core filled with polyisocyanurate foam

tilting flagpole with a mast that is weighted below a pivot point to counterweight the upper, longer portion of the mast toilet, dressing, or shower partition and door assembly designed to be fixed to the floor and the ceiling restroom accessory made primarily of plastic

door designed to allow passage of motor vehicles through a doorway in a garage or similar enclosure

divider or screen partition not listed elsewhere in SweetSource

door leaf that is designed or suitable for mounting on hinges or pivots

bench with a back made of: (select one of the following)

letter signage made of a material not listed

door leaf cited by the manufacturer as being designed to prevent passage of a particular fume or fumes

three-dimensional operable window designed for use at the corner of a building; typically two vertical sash meet to form a 90 door core constructed of mineral material, such as gypsum

wine rack not specified in SweetSource

bleacher designed to withstand extended exposure to weather conditions

door leaf lined with lead or other material that renders it impervious to x-rays or other radiation

door leaf with individual panels secured between stiles, rails, and muntins

detention window with a fixed sash and one or more side-hinged sash that swing inward or outward

sign with a luminaire or lamp socket for back-lighting the message panel

fixed window with lights in at least two different planes

telescoping platform in which the tread-surfaces are designed to function as undivided seating

bleacher with benches or chairs made primarily of fiber-reinforced plastic

bleacher with a supporting understructure made of wood

sculpture not specifically defined

door leaf with inset panels or louvers made of wood

locker designed or suitable for use in an office environment

coiling door made of fabric

clock designed to be moved easily by hand from one location to another; typically designed to rest on a horizontal surface, su sign that includes a luminaire or lamp socket for lighting the message of the sign

locker whose main compartment has no door; typically has a lockable compartment for small valuables

sign with a luminaire or lamp socket designed to shed light on the message from the front of the message panel

single-leaf sliding door designed to hang freely from an overhead track

ground-set flagpole designed to be placed in a sleeve buried in the ground

bench with an attached side table

full door leaf with flat faces bonded to a core, spacers, or an internal frame; may be penetrated by a light or louver bench designed to be used by children

bench with a back made of wood

arched window not listed elsewhere in SweetSource

hung operable window with two sash that slide vertically in the plane of the window

three-dimensional fixed window with lights in three different vertical planes

waste or ash receptacle designed for use in a restroom

directory whose message panel is supported or braced by a structure made of metal

door leaf with an internal frame or stiles and rails made primarily of a plastic other than ABS

hinged operable window with one or more side-hinged sash that swing inward or outward

piece of material designed to display information about an object to which it is attached

side-loading receptacle with a self-closing panel that opens when pushed

door and frame assembly specifically designed to protect against fire or theft

directory with a transparent cover or door made of glass

door leaf with "Z" or "hat" shaped metal stiffeners within the core

letter signage made of plastic

door leaf that is not designed to withstand exposure to weather conditions

room or space designed for persons to gather for listening or viewing

partition or screen designed or suitable for providing visual privacy for a person using a urinal

flagpole designed to be mounted on the roof of a building

shallow storage cabinet for medical supplies, toilet articles, or other items in a restroom

multiple-leaf sliding door designed to hang from an overhead track with surface-mounted guides at the bottom

hinged access door whose door panel is recessed in the frame to allow the panel to be covered with finishing material that manon-illuminated directory with permanent lettering

door leaf designed to resist the passage of sound through it or around its perimeter when closed

restroom accessory made primarily of wood

handrail designed to provide support for someone using a toilet, tub, or shower

cabinet designed to be mounted on a wall above the floor

protective panel designed for shielding from x-rays or other radiation

sign that can be easily repositioned; typically suitable for temporary posting

operable grille that opens and closes vertically and rolls up when opened

locker composed of wood composition panels with plastic-laminate facing

partition or screen designed to be fixed to a wall at a right angle and project outward

locker composed of solid wood or of wood composition panels with a wood veneer

table with two or more single-person, chair-type seats fixed to opposite or adjacent sides of the table

telescoping bleacher consisting of a platform only; may require the addition of seating options or allow for placement of freest identification sign not specifically listed

door designed to swing open upon impact with a handtruck, forklift, or similar vehicle

vertical lifting door in the form of a single rigid leaf

bicycle rack consisting primarily of elements that are curved or hoop-shaped in form

side-strike exit device whose latch is housed within the crossbar enclosure and is designed to project into a box strike mounts sign with a message panel made of metal

door leaf intended for use in an environment that is: (select from the following)

flagpole made of aluminum

locker designed or suitable for storing luggage

door operator designed to open and close a coiling or rolling door

folding door consisting of a single pleated panel

sign designed or suitable for directing people toward a room, space, or facility; typically includes a prominent arrow or other p bleacher with a supporting understructure made of steel

waste or ash receptacle composed primarily of steel

window screen or guard that is retained by clips

framed mesh designed to prevent passage of insects or other pests while allowing ventilation through an open window

interchangeable pieces of furniture, such as cabinets, work surfaces, or divider panels, designed to be used together as a syssign designed for use as: (select from the following)

bench with a seat made of concrete

fixed window cited by its manufacturer as suitable for use in a commercial building

telescoping bleacher with individual chairs or seats mounted on platforms; typically chairs fold down when bleacher is in close stile-and-rail door leaf with glass lights

products designed to be used with a flagpole to or provide operation or mounting options or otherwise improve the product cabinet that has at least one drawer and one shelf

bleacher with benches or chairs made primarily of wood

combination transaction window with openings between the frame and glazing edges for voice transmission, and a separate pull swinging door designed such that its stiles and rails or other structural members are concealed by an outer shell or skin; of chair cited by the manufacturer as suitable for use in an industrial plant

flagpole made of steel

resin-impregnated paper formed into adjacent tubular hexagons and laminated between the faces of a hollow-core door to prowaste or ash receptacle that is not mounted or is mounted to the ground

directory with a message panel or name strips made of wood

door leaf with phenolic plastic facing

door leaf with a core filled with mineral-fiber insulation

shelf cabinet with a door or doors

toilet, dressing, or shower partition and door assembly designed to be suspended from the ceiling

transaction window designed to permit routine conversation and passage of objects between people on opposite sides of the coiling door made of a flexible corrugated sheet of material, such as metal or fiberglass

side-loading receptacle that opens by pivoting out from its surrounding casing or that has a door which opens when pulled door closer without a hold-open function

door leaf consisting of one material for the full thickness of door

combination transaction window with a fixed port in the glazing for voice transmission, and a separate provision designed to produce directory designed for or suitable for mounting on a wall or other vertical surface

restroom accessory not listed elsewhere in SweetSource

stile-and-rail door leaf with inclined slats filling the area between the stiles and rails

simulation of a flower, shrub, or other plant

wall-mounted vertical flagpole

two-dimensional fixed window with a rectangular or square light or lights

door or door assembly designed to provide a specified degree of fire resistance when closed; typically designed to close auto locker designed to store valuables, such as wallets, jewelry, money, or the like

sign designed for or suitable for mounting from a ceiling or other overhead support

letter signage made of stone

door leaf with fiber-reinforced plastic facing

hook used for holding a robe or other restroom attire

door leaf with an internal frame or stiles and rails made of metal

grate designed to be placed on the ground around a tree to protect its roots from traffic while admitting air and water vertical lift door operator consisting of a direct drive torsion spring shaft; electrically powered and wall or ceiling mounted retractable clothes line that is housed in its own case and can be pulled out for use

sign with a message panel made of wood

door and frame assembly designed to allow visual or hand access for inspection or maintenance of electrical, mechanical, or door leaf capable of withstanding the fire and hose stream (time and temperature) conditions required in the ASTM tests E11 bench designed to rest on a floor or on the ground without being permanently mounted

door leaf with a fiberboard core

door leaf with a hardboard facing

cabinet designed or suitable for use in a residential environment

operable window with one or more sash, each attached to the frame of the window by a hinge or pivot that allows the sash to cabinet that is designed or suitable for use in an environment that is: (select from the following)

door leaf designed to resist passage of electromagnetic waves, radio frequency or otherwise

bench with a seat made of wood

device designed to indicate time by means of hands moving around a dial or by means of electronically generated characters loop stand in the form of a single loop or hoop designed to accommodate one or two bicycles

sign with message panel made of cork

door leaf made of glass

generally convex threshold whose top surface lies beneath the lowest edge of a closed door

illuminated directory with permanent lettering

bench with an attached planter

directory that can be easily repositioned; typically suitable for temporary posting

single sliding door designed to overlap the opening

cabinet designed to hold: (select from the following)

locker composed primarily of wood

door operator designed to open and close a revolving door; may be overhead or floor mounted, concealed or exposed swinging door and frame assembly; frame may contain more than one door or leaf

door leaf with stainless steel facing

door latching device that houses latch and release elements within a crossbar designed to mount horizontally across the face furnishing accessory designed to hold one or more umbrellas for convenient access

door leaf designed to withstand exposure to weather conditions

mesh or other openwork fabric supplied in roll form that can be placed over a window or other fenestration to prevent passage flagpole made of bronze

locker designed to store a bicycle or bicycles

sign with a support structure made of plastic

swinging door without a frame

flagpole designed such that it can be tilted downward into a horizontal position

stile-and-rail door leaf holding screen, glass panels, or interchangeable screen and glass insert panels; designed as a second room or space designed to accommodate waiting persons, such as a reception area or lobby

door leaf designed for use as a door to a security vault

detention window with a fixed sash and one or more sash that slide horizontally in the plane of the window

hung operable window with one fixed sash and one sash that slides vertically in the plane of the window

door and frame assembly designed to allow the passage of persons or things through a horizontal opening, or to vent smoke, bench with back

bench with a back made of metal

wine rack consisting of a grid-like framework designed to form individual compartments for each bottle

grille or other openwork designed to be placed over a window to protect the glazing or prevent the passage of persons directory with a message panel or name strips made of: (select from the following)

flagpole with a fixed mounting base such that the pole cannot be tilted from the vertical position

letter signage made of wood

saddle threshold that covers the joint between two types of carpet at a doorway

bicycle rack in the form of a bar designed to be attached to a wall or other vertical surface to accommodate a bicycle chain, calcived window with wood sash and frame that are covered by a protective layer of a material other than wood planter that is circular in plan view

three-dimensional artwork

pass-through transaction window designed to allow objects to be passed from one side of the window to the other through a slocker that can be mounted in or against a wall

bleacher with benches or chairs made primarily of aluminum

piece of cloth or other pliable material, usually of distinctive color or graphic design, designed to be suspended above ground coiling door made of interlocking slats

discrete product designed to function as a decorative element of a landscape or decorate the exterior of a building table designed to be attached to, and supported by, a wall

bleacher with a deck or tread primarily made of a material not specified by the manufacturer or of a material not listed fixed window with wood sash and frame that are protected from weather conditions by a layer of vinyl plastic material bleacher with a deck or tread primarily made of steel

sign that does not include a fixture or luminaire for lighting the message

planter that is square or rectangular in plan view

assembly consisting of two doors in a single door frame

waste or ash receptacle composed primarily of stainless steel

table designed to fold or collapse for storage

bicycle rack not found elsewhere in SweetSource

fixed window designed especially for or cited by its manufacturer as suitable for an underwater application

locker not defined elsewhere in SweetSource

flagpole with a convex curved profile; top diameter is approximately one-half the butt diameter

directory whose message can be manipulated electronically

mesh partition component that includes or serves as a sliding door

receptacle designed to hold refuse such as paper and, in a separate compartment, tobacco ashes and butts from cigarettes a waste or ash receptacle designed to be mounted directly on the surface of a wall

door leaf cited by the manufacturer as being capable of maintaining a seal under pressure

door accessory designed to limit the swing or movement of a door when opened

waste or ash receptacle composed primarily of stone

piece of material designed to display information about a larger object to which it is attached by means of a connector door leaf with rails and stiles that hold one or two lights composing a majority of the surface area

clock designed for below-ground-level installation of the drive unit with ground level placement of the hands; hands and clock door leaf designed for or suitable for use as an interior passage door

swinging door and frame assembly that includes drive components designed to open and close the door automatically single-mast flagpole with an auxiliary pole designed to attach crosswise to main mast for displaying additional flags individual seats designed to be mounted collectively for listening or viewing, as in theater or sports events

tackable display in the form of a flat, rectangular posting surface that is significantly smaller in one dimension than the other clothing rack in the form of a vertical pole, usually freestanding, fitted with pegs or hooks

window screen or guard that is retained by suitable clamps

detention window with a fixed sash and one or more sash that pivot in or out on arms attached to the stiles and adjacent fram coiling door designed to prevent light from entering a photographic processing room

special-shape fixed window with no more than two straight sides

device designed to aid in taking the cap off a bottle

writing surface designed to be marked upon with chalk

bench with a back made of a material not listed elsewhere in SweetSource

screen designed to prevent the passage of insects through an open window sash

tiered, stair-like seating structure having two or more, usually parallel, rows of chair- or bench-style seats; typically for spectat projected operable window with sash that pivots out toward the exterior of the structure

planter other than round or square/rectangular

bench without back

bench with a seat made of fiberglass

multiple seating units in which the seats have no backs

multiple-leaf sliding door designed to ride in a surface-mounted track with overhead guide

door leaf that is cited by the manufacturer as suitable for both interior and exterior use

bleacher designed to be permanently fixed in a single position

bench without arms

door operator designed to open and close a sliding door; may be overhead or floor mounted, concealed or exposed fixed window with sash and frame made of steel

door of a single sheet of material, or of a series of interlocking slats, that are guided in a track and that coil around a drum wh writing surface designed to produce on demand a paper copy of marks made upon the writing surface; typically by means of a door designed to prevent the spread of flame through or around the door

having two movable doors or planar members

door assembly consisting of a frame with one pre-hung door leaf

waste or ash receptacle composed of more than one material

multiple seating in which seating units have backs

operable detention window not indexed elsewhere in this product area

combination window that extends beyond the exterior plane of the mounting surface and whose sash or glazed surfaces are saftagole designed to be mounted on a roof and braced by wires or cables

bleacher with a deck or tread primarily made of: (select from the following)

directory designed for or suitable for mounting from a ceiling or other overhead support

window guard designed to remain stationary when mounted; may be removable

letter signage made of cut plastic film

locker that is shipped assembled and ready for installation

product designed to hold a sign

bicycle rack designed to be mounted on a wall or other supporting structure to hang a bicycle in a vertical position product designed to provide a horizontal surface on which to place things above floor level; does not include cased shelves clothing rack with one or more integral panels designed to partially enclose or conceal articles placed on the rack restroom accessory made primarily of porcelain or fired clay

flagpole consisting of two poles, the upper of which is designed to be offset from and lashed or banded to the lower; typically door accessory designed to hold a door in the open position

hollow metal door frame not indexed elsewhere in this product area

locker that can be surface mounted against a wall

flagpole with a cord or cable and a mechanism for hoisting a flag on the inside of the pole

door leaf with a core filled with polystyrene foam

vertical lift door operator designed open and close the door by pulling or pushing the top section of the door from overhead; e one-piece swinging door designed to fill an entire doorway

product designed to provide a surface suitable for marking upon with chalk, grease pencil, or some other writing instrument door designed to be large enough in height and width to allow the passage of a crane; usually of the swinging or vertical rising container for holding discarded articles, such as waste paper or other refuse

illuminated sign with a luminaire or lamp socket for back-lighting the message panel

pass-through transaction window designed to allow objects to be passed from one side of the window to the other through a roperable window with two or more sash, both or all of which are operable

three-dimensional operable window not indexed elsewhere in SweetSource

tackable display assembly consisting of a posting surface in a see-through enclosure; typically designed to secure posted ma receptacle specifically designed to hold tobacco ashes and butts from cigarettes and cigars

door leaf with a core made from a petroleum-derived product

cabinet designed to be supported by the floor; often placed against a wall; includes tall cabinets

hollow-core flush door leaf that has a raised or relief pattern embossed on its face

illuminated writing surface designed to be marked upon with a grease pencil

waste or ash receptacle composed primarily of plastic

sign whose message panel is supported or braced by a structure made of: (select from the following)

door leaf made of a single material not listed

bleacher with a supporting understructure made of aluminum

hinged operable window with one or more vertically-stacked, outward-swinging, top-hinged sash; usually designed to move si clock designed to be mounted against a wall, or other vertical surface, such that the face of the clock is parallel to the mountin basket rack with baskets that can be accessed from the front or back of the rack

waste or ash receptacle composed primarily of a material not listed

door leaf designed to fill only part of a doorway, leaving an opening above it, below it, or both

urinal screen or sight screen designed to be fixed to a wall and ceiling at a right angle and project outward

hinged or removable panel designed to prevent flood waters from entering a building or other facility

directory with a transparent cover or door made of: (select from the following)

receptacle with a single container for holding discarded articles

sign designed for or suitable for mounting to a wall with message perpendicular to the wall

writing surface designed to be marked upon with special purpose felt-tipped markers; may be designed to also serve as a profurnishing accessories not listed elsewhere in SweetSource

illuminated directory designed to allow easy altering of the message by replacing individual letters

door leaf made of wood

directory with a transparent cover or door made of plastic

sliding door designed to allow passage of aircraft into or out of a hangar

furnishing in the form of a horizontal slab of material on legs, a pedestal, or other base designed to allow use of the resulting sheet of glass with a backing designed to reflect a nearly perfect image of objects in front of the glass

one-piece door leaf designed to fill an entire doorway

three-dimensional fixed window not listed elsewhere in SweetSource

bleacher designed to be set in place without being permanently fixed in place, but whose design does not include provisions to flagpole suitable for use at a facility accessible to the public

fixed window with sash and frame made of wood

sign designed to display a message that can be revised or changed electronically or by computer

container in which to grow and display plants

divider or partition fitted with casters

cylindrical revolving door designed to allow passage between four rooms

open structure designed to hold or display bottles of wine; may be freestanding or built-in

three-dimensional fixed window that includes a glazed top that slopes downwards away from the wall in which it is installed sign designed to set apart one room or area from others by name or number

locker designed or suitable for providing temporary storage by tenants

bench with a seat made of metal

sign designed for or suitable for mounting on a wall or other vertical surface

post, often one of a series, designed to be set in the ground to delimit an area, such as for automobiles, or to be set on a what cabinet of a type not listed

operable grille that opens and closes by sliding horizontally in a track

voice transmission window designed to permit routine conversation between people on opposite sides of the window through designed to be applied to or used with glass doors

door material not indexed elsewhere in this product area

cabinet with a plastic laminate surface, usually over a wood composite core

products designed specifically for use with bleachers

sectional vertical rising door in which each section is constructed of flat sheets of material sandwiched around a supporting constructed or ash receptacle designed for use indoors

sign designed to commemorate a person or persons or an event

sign with a support structure made of a material not listed

locker designed for use in an athletic environment, such as a gymnasium locker room or clubhouse

fixed window with sash and frame made of aluminum

receptacle that receives waste through an opening in the top of the container

wine rack designed to hold bottles on unpartitioned, shelf-like crossbars

products designed to hold, enclose, or protect plants

flagpole designed to be mounted with bolts to a base that is anchored firmly in the ground

sign that includes a luminaire or lamp socket for lighting the message of the sign

bench with a back made of concrete

security screen or guard cited by the manufacturer as being suitable for preventing escape from a detention facility

fixed window with sash and frame made of extruded polyvinyl-chloride or other plastic

panel designed to be mounted so that it can swing or slide open and closed to allow or prevent passage through an opening it waste or ash receptacle composed primarily of wood

relocatable partition of self-supporting, finished panels

vertical-strike exit device whose vertical rod or rods are designed to be housed within the door or within a door-edge housing

bleacher with a deck or tread primarily made of aluminum

door leaf with a particleboard core

relocatable partition with panels made of metal

letter signage made of fired ceramic clay

directory that includes a luminaire or lamp socket to provide light for lettering

sign with a support structure made of stone

fence-like unit designed to encircle a single tree trunk to protect the bark from damage by passers-by

three-dimensional window with operable sash in more than three different vertical planes; designed to curve away from the m towel holder with a heating element designed to warm towels

receptacle designed to hold items which are meant to be recycled

directory designed to withstand exposure to weather conditions

window with no operable sash

partition designed for or suitable for forming a private dressing room

door leaf with vertical and horizontal framing members that hold panels, louvers, lights, or grilles

table designed to hold a baby at a convenient height for changing a diaper in a public restroom

door leaf with inset panels or louvers made of stainless steel

door leaf with a core filled with polyurethane foam

vertical rising door not indexed elsewhere in this product area

fixed window designed especially for or cited by its manufacturer as suitable for: (select from the following)

assembly consisting of one or more doors, of similar or different functional type, and glazed or opaque fixed panels alongside directory designed or suitable for being fixed to the ground or floor without support from an adjacent wall or structure

locker that is shipped unassembled

products designed for use with windows but not integral to and usually not essential to their function

door leaf designed to allow passage of an overhead crane

furnishings not listed elsewhere in SweetSource

door leaf made of plastic

door frame other than hollow metal

letter signage made of metal

fixed window with sash and frame made of wood that has been primed, painted, varnished, or left unfinished but not covered letters designed to stand off from the surface to which they are mounted

operable window with dual-action sash that pivots and tilts inward

wine rack in the form of modular box-like units open on one or more sides and subdivided into compartments designed to hole sign that includes a message written with a pattern of raised dots designed for reading by the blind

self-supporting, self-contained partition, designed to provide convenient, temporary visual privacy; may include a writing or difixed window whose glazed area is composed of a glass panel

having only one movable door or planar member

cabinet designed or suitable for use in a food-service environment

bench designed to be used indoors only

door leaf with factory inletting or mortising for electric locks, hinges, or other hardware

door leaf having different parts made of separate materials

fixed window with sash and frame made of stainless steel

slotted bicycle rack whose slots are designed to be perpendicular to the ground upon which the rack is set

single-leaf sliding door designed to hang from an overhead track with surface-mounted guides at the bottom

door leaf designed to resist penetration by high-speed projectiles

individual products or a series of products designed for supplementary use in rest rooms and baths, such as hand dryers, bat waste or ash receptacle designed to be mounted semi-recessed in an opening of a wall

operable window not found elsewhere in SweetSource

detention window with one or more side-hinged sash that swing inward or outward

detention window with a fixed sash and one or more vertically-stacked, outward-swinging, top-hinged sash

door leaf with a core made of a metal or mineral-based product

rectangular container with an open top, stored under a work surface or within an enclosing framework and supported such the door leaf with hardwood veneer facing

screen or guard cited by the manufacturer as being suitable for preventing children from climbing or falling out an open windown revolving door not indexed elsewhere in this product area

letter signage made of glass

door leaf with aluminum facing

bleacher with benches or chairs made of a material not specified by the manufacturer or of a material not listed

revolving door that consists of a series of vertical leaves, arranged around a common vertical axis; typically four leaves at 90 framework designed to hold or support one or more bicycles for parking

bar or shelf designed to hold a towel or towels while allowing natural air flow to dry them

mechanical device designed to blow warm air to dry one's hands or hair

door leaf consisting of edge-joined strips, such as tongue and groove boards, or of layers of material bonded together

piece of material, usually a round or oval shaped casting, bearing figures or characters in relief and designed to be set in a pawaste or ash receptacle composed primarily of aluminum

hatch door installed in a floor as a means of access to the space below

hatch door installed in a roof as a means of access

window screen or guard that is retained by springs

fixed window with sash and frame made of a material not listed here

window containing more than one sash, at least one of which is operable and at least one of which is fixed

multiple seating in which the seating units have backs and arms

bench with a seat made of a material not listed here

vertical rising door consisting of multiple panels hinged together; opens by rising along a track that curves within the building door leaf designed to prevent the spread of flame through or around the door

hollow-core flush door leaf that has decorative moldings or panels, sometimes called plants, attached to its face

door leaf with solid panels, louvers, or lights made of plastic

table designed to be used for dining

combination window whose fixed sash are in the shape of a rectangle with a curved top

bench with a single seating surface

gate designed to horizontally open by extension or close by compression within the plane of the opening in which it is placed panel or other unit designed to display a list of names, informing people how to contact or locate persons or organizations repetention window not found elsewhere in SweetSource

bench designed to be mounted to a floor or to the ground

seating, with or without a back, designed to accommodate one person; does not include lounge seating

sign designed to accommodate easy altering of the message

door accessory that permits the inactive leaf of a double door to close before the active leaf with the astragal

multiple-leaf sliding door designed to hang freely from an overhead track

sign that does not include a fixture or luminaire for lighting the message

solid-core flush door leaf that has a smooth, even face

locker in the form of a cabinet or case with at least one lockable compartment

waste or ash receptacle composed primarily of fiber-reinforced plastic

directory whose message panel is supported or braced by a structure made of wood

swinging door composed of two separate sections, one above the other; top section may open independently of the lower section made of a material not listed

bench with a seat made of stone

fixed window cited by its manufacturer as suitable for use in a residential building

hinged operable window with a bottom-hinged sash that opens inward

detention window containing more than one sash, at least one of which is operable and at least one of which is fixed door that rotates on a vertical axis within a cylindrically shaped vestibule

hatch with a recessed door designed to be covered with finishing material while still remaining flush with the frame and mount what the seat of a chair, bench, or other seating unit is made of or covered with

ground-mounted sign with a single message panel that is within 45 degrees of horizontal

hatch whose door and frame are designed to lie flush with the mounting plane when the door is closed

door leaf with an internal frame or stiles and rails made of steel or a cold-rolled steel

door construction consisting of a honeycomb core structure faced both sides and finished around the edges; or, door construction device designed to attach to a swinging door and the adjacent frame or floor to push or pull the door closed; typically controls raised strip on the floor between door jambs; used to span different types or levels of flooring, or to provide weather protection waste or ash receptacle designed for use in an office environment

hinged access door whose frame and door panel are designed to be flush with the mounting plane surface when installed locker composed primarily of steel

window with one or more sash that open or close by sliding, pivoting, swinging, or other type of movement

window with one operable sash that projects inward when open and one operable sash that projects outward when open manufactured drawers or decorative facing panels for installation in existing or site-built cabinets

door leaf capable of withstanding the fire and hose stream (time and temperature) conditions required in the ASTM tests E119 transparent enclosure designed to hold objects for viewing

site ornament designed to rotate in the wind to indicate wind direction

tilting flagpole whose mast is hinged at its base

fabricated door frame made of hollow lengths of metal of rectangular cross section

hung operable window with three sash that slide vertically in the plane of the window

products designed to provide dividers or screens with added privacy, decoration, or other features

door designed to be used at the main entrance of a dwelling or other building

door accessory in the form of a protective plate mounted to the surface of a lock stile with hole for knob/lever socket

hatch door suitable for installation and use as an exterior passageway in a basement

relocatable partition with panels made of gypsum

flagpole for which the pole taper is not cited by the manufacturer or whose taper is a type not specified in SweetSource assembly consisting of a clock fixed atop a pole or column for free-standing installation

bench with two seating surfaces placed back-to-back so that the seats face in opposite directions

door lined with lead or another material that renders it impervious to x-rays or other radiation

what the arms of a chair, bench, or other seating unit is made of or covered with

bleacher with a supporting understructure made of: (select from the following)

sturdy table with a counter-height surface designed for performing a specific task; often includes storage space or accommod pass-through transaction window designed to allow objects to be passed from one side of the window to the other through a sign with a message panel made of wood

sign with a support structure made of metal

product designed to support a door in a passageway through a wall; usually consists of two vertical members, called jambs, a seating unit designed to accommodate two or more people on a single seating surface

assembly consisting of a sash set in a frame for placement in an opening in a wall to provide passage of sunlight, air, or object seat designed to be used in a shower; typically folds up when not in use

mounting method other than beam, floor, and riser mounted

directory suitable for exposure in an environment that is: (select from the following)

frame-and-panel door leaf with solid opaque panels throughout

arched fixed window topped by a single curved arc

panel designed to be installed in a door to admit light or ventilation

door leaf with an internal frame or stiles and rails made primarily of acrylonitrile-butadiene-styrene plastic

switches, keypads, sensors, indicators, and similar devices designed for opening, closing, and monitoring doors

sign designed to serve as a personal identification within a room or space

plot of ground on which a building, park, or other project is located, or the defined area adjacent to a building or similar structuoperable window with one or more sash that rotate about opposing horizontal or vertical fixed center points

detention window with sash that pivots in or out on arms attached to the stiles and adjacent frame member; shoes attached to door installed in a passageway between a building and a patio; typically a two-leaf door-and-frame assembly with casement-s operable window with dual-action sash that pivots and slides open

double-acting swinging door leaf that leaves the top and bottom of a doorway open; often hung in pairs

clothing rack that has the shape of a circle in plan view; may be stationary or may be designed to rotated around a vertical ax screen or guard cited by the manufacturer as suitable for resisting forced entry or for protecting a window from vandalism

hollow metal door frame designed for installation in a wall of stud construction faced with any material not requiring wet plaste exit device whose latching elements include a vertical rod or bar that extends from the crossbar to a strike component mounted door accessory designed to limit the swing or movement of a door and to hold it in the open position

dish or tray designed to hold a bar of soap

locker designed to be easily accessible for a person in a wheel chair

door leaf with a paper honeycomb core

wall-mounted sign designed for or suitable for mounting in a cavity in a wall such that the outermost surface of the sign is set door leaf with an internal frame or stiles and rails made of steel or a steel alloy

bicycle rack in the form of a post designed to support or secure a standing bicycle from one side

writing surface contained within a cabinet assembly; typically houses a variety of surfaces such as a marker board, flip chart, flagpole designed to fit over and be supported by a cylindrical or tapered shaft fixed to the roof of a building

case with shelves or drawers designed to store or hold things for easy access; may or may not have doors; does not include to operable grille that opens and closes horizontally and rolls up when opened

directory with a message panel or name strips made of a material not listed

table with bench seats fixed to opposite or adjacent sides of the table

hatch door installed in a ceiling as a means of access to the above space

door closer with a hold-open function

planting accessory of a type not listed

pin or hook used for hanging and drying towels

voice transmission window designed to permit routine conversation between people on opposite sides of the window through systems furniture designed for use in a banking facility

sign suitable for exposure in an environment that is: (select from the following)

door leaf made of steel

cabinet designed or suitable for use in a school laboratory

waste or ash receptacle designed to withstand prolonged exposure to weather conditions

vertical rising door that moves upward in the plane of the door opening

door leaf with an internal frame or stiles and rails made of: (select from the following)

door leaf with facing made of a petroleum-derived product

sign designed to display the score and often other information about the status of an athletic event

detention window with one or more sash that slide horizontally in the plane of the window

door leaf with metal facing

toilet, dressing, or shower partition and door assembly

mountable frame that accepts and displays temporary or interchangeable signs

window designed to resist forced passage by persons such as burglars or inmates; typically with bars of spacing and strength door leaf suitable for or designed for use as an entrance door to a building

door consisting of a series of pleats or hinged vertical panels designed to hang from a track and fold against the jamb in the p door leaf suitable for use as a door leading from a residence to a outdoor patio

restroom accessory cited by the manufacturer as being easily accessible for a person in a wheel chair

door leaf designed for or suitable for replacing an existing door

transaction window designed to routinely allow passing of objects between people on opposite sides of the window

three-dimensional window with operable sash set in three different vertical planes; typically two side sash slant away from the cabinet designed or suitable for use in an office environment

sign designed for or suitable for identifying a building

non-illuminated directory designed to allow easy altering of the lettering

single-leaf sliding door designed to ride in a surface-mounted track with overhead guide

horizontal sliding operable window with one fixed sash and one operable sash

door leaf designed for or suitable for use as: (select from the following)

directory with a message panel or name strips made of plastic

door leaf with a core consisting of small blocks of wood bonded together

horizontal sliding operable window not found elsewhere in SweetSource

bleacher with benches or chairs made primarily of injection-molded plastic

waste or ash receptacle composed primarily of brass

hollow metal door frame designed to be expandable to accommodate variations in wall thickness

stile-and-rail, full, swinging door with one or more openings containing a series of slats, typically for ventilation

horizontal sliding operable window with three operable sash

cabinet designed to hold books

mesh partition component made of steel

detention window with sash or other component that can be opened for ventilation

waste or ash receptacle designed for use in an environment that is: (select from the following)

freestanding, movable unit on which a sign can be mounted; includes a base and a frame or post

telescoping platform with integral riser- or tread-mounted bench seats

countertop cited by the manufacturer as suitable for use in a laboratory

door leaf designed for or suitable for use on an anechoic chamber

core made of blocks of wood that are bonded together to form a continuous solid piece of material

sculpture modeled after the human or the animal form

small ring used for hanging and drying towels

fixed window with sash and frame made of: (select one of the following)

access door designed to open by lifting the door panel out of and away from the frame

window screen or guard designed to prevent or inhibit the passage of persons or objects through a window opening

ground-mounted sign of one or more panels mounted on, and sometimes inclusive of, a visible post or posts that are to be planted in the control of the contr

table designed to be used in a conference room or office environment

locker designed to store firearms

bleacher with a deck or tread primarily made of wood

vertical lift door operator designed to transmit manual energy to the torsion shaft through a sprocket and chain combination folding doordesigned to allow passage of aircraft into or out of a hangar

toilet, dressing, or shower partition and door assembly designed to be fixed to a wall at a right angle and project outward

French door leaf with a grid applied to a single light, giving the look of a traditional French door

bleacher with seating made primarily of: (select from the following)

sign with a message-bearing surface made of: (select from the following)

detention window with one or more vertically-stacked, outward-swinging, top-hinged sash

seating designed primarily for relaxed posture rather than for a specific task or use at a table or desk; may accommodate one table designed to be extendable by inserting one or more leaves into the top, or by raising a hinged section of the top

directory with a message panel or name strips made of metal

piece of material designed to display information about a larger object to which it is directly affixed

door leaf with inset panels or louvers made of steel

flagpole made of fiberglass or other fiber-reinforced plastic

detention window with no provision for ventilation

door leaf fabricated from wood or wood products

hollow-core flush door leaf that has a smooth, even face

wall-mounted flagpole that projects out away from the surface to which it is mounted

fixed window designed especially for or cited by its manufacturer as suitable for use in a basement

door designed to provide a seal against air infiltration

piece of furniture that includes or is designed to support a flat cushioned surface for sleeping on

waste or ash receptacle composed primarily of metal

threshold that is not indexed elsewhere

door leaf that is suitable for mounting on a track and rolling hangers so that it slides or rolls open or closed

fixed window with sash and frame made of bronze

window guard designed such that it can be opened without being removed

hinged operable window with a series of slat-like, horizontal, overlapping sash in a common frame; bottom edge of each slat sdoor leaf with solid panels, louvers, or lights made of: (select from the following)

rigid, planar surface designed to be fixed in place horizontally to create a work top or transaction area; typically placed across fixed window cited by its manufacturer as suitable for use in an institutional building

partition that can be opened or closed by being moved along a track or rail on the ceiling or floor; does not include operable g mesh partition component that includes or serves as a swinging door

door designed to resist penetration by water or other liquids when closed

flagpole in the form of one continuous mast, or in the form of two or more sections designed to fit together concentrically to fo seat designed to hold a small child securely while the child's parent uses a public toilet or lavatory

portable sign designed to be placed on the floor

door designed for a shower enclosure; typically glazed

combination detention window not indexed elsewhere in this product area

fixed window cited by its manufacturer as suitable for use in an industrial building

wall system of modules that contain or support items for public use (such as a drinking fountain, telephone, or waste receptace bench with a seat made of: (select one of the following)

operable window with one or more sash that slide horizontally in the plane of the window

artwork not found elsewhere in SweetSource

side-strike exit device whose latch and strike elements are designed to be installed in mortises in the door and jamb

tackable display in the form of a rectangular posting surface that typically is framed, is larger than a tackstrip, and supports ac door (other than a coiling door) that opens vertically

exit device whose latch is designed to project into a striking element mounted on or in the door jamb

receptacle specifically designed to hold discarded disposable diapers

locker composed primarily of stainless steel

cabinet designed to house clothing or linens

fixed window cited by its manufacturer as suitable for use in a building classed as: (select from the following)

hatch whose frame forms a vertical edge that raises the door above the mounting plane of the hatch

conventional single-mast flagpole without a cross member

chair with all of its exposed surfaces covered with fabric and padding or cushioning

door leaf with an internal frame or stiles and rails made primarily of plastic

locker designed or suitable for use in a school corridor

mesh, grille, or openwork fabric designed to be attached to a window to filter insects or sunlight, prevent the passage of persobench with arms

sign with a message panel made of plastic

multiple seating in which the seating units have backs and no arms

hatch door installed in a sidewalk; usually designed to be flush with the sidewalk when closed

bicycle rack consisting of one or more slots designed to support the front or rear wheel of a bicycle for parking

door designed to resist the forces emitted by an explosion

directory that includes messages written with a pattern of raised dots designed for reading by the blind

door leaf designed for use on a refrigerated chamber

door designed to resist penetration by high-speed projectiles

swinging door operator installed on a casement door

door leaf with a core made of a petroleum product not listed

combination window whose fixed sash are in the shape of a four-sided polygon whose adjacent sides form right angles

saddle threshold with minimal rise and slope; often used to provide accessibility to handicapped persons

locker that can be mounted: (select from the following)

restroom accessory designed to be mounted so that part is recessed in an opening of a wall while the front projects from the systems furniture designed for use in a mail room

door designed for use on artificially cooled enclosures, such as a walk-in freezer or refrigerator

door leaf with steel facing

collapsible bleacher designed such that each tier folds into the one above and behind it for storage

bench designed to be used in a sanctuary

ground-mounted sign, often three-dimensional and massive, whose main body, pedestal, or base is attached to the floor or ground-mounted sign, often three-dimensional and massive, whose main body, pedestal, or base is attached to the floor or ground-mounted sign, often three-dimensional and massive, whose main body, pedestal, or base is attached to the floor or ground-mounted sign, often three-dimensional and massive, whose main body, pedestal, or base is attached to the floor or ground-mounted sign, often three-dimensional and massive, whose main body, pedestal, or base is attached to the floor or ground-mounted sign, of the floor of the floor or ground-mounted sign, of the floor of the floor or ground-mounted sign, of the floor of the floor or ground-mounted sign, of the floor or ground-mounted sign, of the floor or ground-mounted sign, of the floor of the floor or ground-mounted sign, of the floor or ground-mounted sign,

restroom accessory made primarily of metal

screen designed to partially block the passage of sunlight

telescoping bleacher with benches that have a flat surface

directory whose message panel is supported or braced by a structure made of: (select from the following)

table with one or more integral chairs, benches, or other seating surfaces; or table with one or more freestanding chairs, benches table that is neither folding nor extendable

table and freestanding chairs, benches, or other seating units designed to function as a matched set

assembly consisting of a clock enclosed in a housing designed for free-standing installation on the ground

three-dimensional combination window designed to provide relatively large amount of glazed surface area for passage of national bar designed to support a shower curtain alongside a tub or shower stall

basket rack that can be accessed only from one side

fixed window whose glazed area is made of plastic

cabinet composed primarily of metal

cabinet cited by the manufacturer as suitable for a residential use not listed

hollow-core door construction consisting of a series of internal members, usually channel iron, arranged to reinforce the door door leaf designed to provide a seal against air infiltration

factory-assembled glazed unit designed to be installed on a roof and to admit natural light into the interior of a building; may be cabinet with a drawer or drawers but no shelves

waste or ash receptacle composed primarily of copper

door leaf with a facing of resin-impregnated paper

telescoping bleacher with benches that have a curved surface

flagpole with a cord or cable and mechanism for hoisting a flag on the outside of the pole

door leaf that has the property of being: (select from the following)

illuminated directory designed to allow easy altering of the message or names by replacing individual strips

clocks not found elsewhere in SweetSource, including made-to-order clocks, grandfather and grandmother clocks, and clock cabinet with drawers designed to accommodate paper files or file folders

telescoping bleacher with bench seating

clock designed to be mounted on a wall, or other vertical surface, cantilever style, such that the face of the clock is perpendic attached to and supported by the vertical face of a tier

cabinet that has one or more shelves but no drawers

pass-through transaction window designed to allow objects to be passed from one side of the window to the other through a swaste or ash receptacle designed for use in a large, heavily trafficked interior space

vertical lifting door in the form of a series of vertically-stacked panels that stack face to face horizontally above the doorway w door and frame assembly designed to be installed in a roof, ceiling, or wall to quickly relieve the pressure of an explosion with sculpture designed to depict or represent an object of worship or of primarily religious significance

door leaf with a plywood core

flagpole with a yardarm that allows the mounting of signal banners or flags

loop stand consisting of a series of two or more loops or hoops designed to accommodate more than two bicycles sign designed to distinguish between public rest rooms designated for men and women

door leaf designed to resist penetration by water or other liquids when closed

inner drum-shaped component that revolves in a revolving-cylinder door

edge-joined or layered door leaf that is not flexible

sign designed for or suitable for being mounted directly to a wall or other vertical surface

fixed window whose glazed area is made of: (select from the following)

vertical lift door operator designed to transmit manual energy delivered by means of a crank

divider or screen partition designed to be used for dividing space in a room or area

assembly consisting of a door panel set in a frame designed for installation in a horizontal or off-vertical surface, such as a rodoor leaf with plastic laminate facing

locker that can be mounted back to back with other lockers

saddle threshold with more rise on one edge than on the other so that it can straddle two different floor levels site ornament not specifically defined

devices designed to augment the operation of a door or to protect adjacent surfaces from the impact of the door door containing lead material designed to retard or prevent the passage of x-rays.

site ornament designed to hold water for use by birds

layered door leaf made of a pliant material that gives or bends easily

removable access door whose door panel is recessed in the frame to allow the panel to be covered with finishing material that product designed to accept a post or pipe on which a sign can be mounted; usually heavy

individual alphabetical letters, numerals, and symbols available in various typefaces designed to be arranged on a mounting significant directory whose message panel is supported or braced by a structure made of plastic

cabinet designed for use in a photographic processing laboratory

mesh partition component made of a material other than steel

shelf cabinet that does not have a door

door designed to be installed on a small interior storage enclosure

door accessory created to cover the gap between a pair of door edges

door leaf with a core of solid phenolic plastic

frame and panel door leaf with a combination of solid opaque panels and transparent panels

window screen or guard that is retained by screws

sign designed to identify a door that leads outside a building

door accessories not indexed elsewhere in this product area

fixed window designed to replicate a particular architectural style

two-dimensional fixed window whose overall shape is that of a rectangle topped with curvilinear arc or combination of arcs; m threshold, part of which projects above the bottom of the door, which, when closed, butts against the threshold; projection als door operator designed to open and close a vertical lift door

device designed to hold a drinking tumbler, toothbrushes, or both

operable mesh partition component that serves as an entry or exit

directory whose message panel is supported or braced by a structure made of a material other than wood, plastic, or metal waste or ash receptacle composed primarily of concrete

cabinet specifically designed to house fire hoses, fire extinguishers, or the like

tackable display not found elsewhere in SweetSource

ground-mounted sign not listed

shelving rack designed to hold baskets for storage of personal articles

door leaf with inset panels or louvers made of aluminum

special-shape fixed window with all straight sides

operable window with sash that pivots in or out on arms attached to the sides of the sash and to adjacent frame members; sh table cited by the manufacturer as suitable for use in a library

flagpole designed to be mounted on a vertical surface

clothing rack in the form of a series of pegs or hooks fitted to a mounting base

cabinet made of solid wood or having a wood veneer surface

sign designed to withstand exposure to weather conditions

directory with a message panel made of cork

mesh partition component designed to be serve as a barrier alongside an open stairway

monolithic door leaf that does not permit the passage of light

door intended for use on a countertop; usually a roll-up unit

door leaf capable of withstanding the fire and hose stream (time and temperature) conditions required in the ASTM tests E119 large structure consisting of tiers of seats enclosing a field, such as that used for sporting events

product designed to provide a flat surface area for the posting of notices, bulletins, et cetera, by means of thumb tacks; typica three-dimensional fixed window with lights in more than three different vertical planes, forming a curve away from the wall in vertical whose one edge either butts flush against the higher of two floor levels or butts against the bottom of the door wher door leaf with a core between faces made of: (select from the following)

door frame with jambs, head, and any additional members assembled as a single unit

door designed to slide horizontally in the plane of the doorway; may be surface-mounted or hung

operable window with one or more sash that slide vertically in the plane of the window

telescoping platform with integral riser- or tread-mounted chairs designed to fold down and store flat when the structure is corprotective canopy made of fabric supported by collapsible ribs that radiate from a central pole

partition or protective panel that does not reach all the way from floor to ceiling; may be moveable; does not include partitions sectional vertical rising door with stiffening members attached to the inside of the face of the door

flagpole designed to pivot at or near the base such that the top of the pole can be swung downward as required for service; n flagpole with a uniform diameter throughout its length

French door leaf with dividing muntins physically separating individual lights

panel or other display designed to identify, advertise, direct, or otherwise inform people

hangar door with an opening near the center designed to close around the fuselage of an aircraft

receptacle for holding or facilitating the removal of refuse

sign with a luminaire of lamp socket designed to shed light on the message from the front of the message panel

toilet, dressing, or shower partition and door assembly designed to be fixed to the floor

bleacher designed to be set in place without being permanently fixed in place, and whose design includes provisions to allow wall-mounted sign designed to be mounted with the back of the sign placed in a wall cavity while the front projects out from the combination window designed such that, when installed, all sash and glazed surfaces are in the plane of the wall or mounting systems furniture designed for use in a laboratory

fixed window whose glazed area is made of glass block

three-dimensional combination window whose sash form a curve out away from the mounting plane; typically consists of sever stile-and-rail, full, swinging door designed to act as a secondary door to protect the primary door from weather; typically has a door leaf with an internal frame or stiles and rails made of stainless steel

flagpole with a straight linear taper; top diameter is approximately one-half the butt diameter

flush door leaf with a core consisting of lightweight material or voids

door leaf with factory inletting or mortising for mechanical hinges, locks, or other hardware

non-illuminated directory designed to allow easy altering of the message or names by replacing individual strips

restroom accessory designed to be fully recessed in an opening in a wall

locker that is shipped: (select from the following)

restroom accessory cited by the manufacturer as vandal-resistant or suitable for use in a detention facility

grille designed to close off a doorway or entrance; typically guided by a track; often used to cover mall fronts or doorways not mesh panel with a window-like opening to allow for passage of items through the panel

cabinet designed or suitable for use in a medical laboratory

rectangular mesh partition panel designed to form part of a barrier or enclosure

bleacher designed to be used where protected from exposure to weather conditions

lockable cabinet or compartment designed for storage or safekeeping of personal articles; typically designed to be installed w bench with a back made of stone

table with multiple seats fixed along one side such that seated persons will all face the same direction

door designed to provide a specified degree of fire protection when closed; typically includes frame and hardware non-illuminated directory designed to allow easy altering of the message by replacing individual letters

letter signage made of molded plastic

sign with a message panel made of a material not listed

door leaf with an internal frame or stiles and rails made of aluminum

three-dimensional combination window with sash in three different vertical planes; typically two operable side sash slant away door leaf with a core filled with fiberglass insulation

solid-core flush door leaf that has a raised or relief pattern embossed on its face

removable access door whose frame and door panel are designed to be flush with the mounting plane surface when installed relocatable partition with panels that have metal cladding over a core of another material

door leaf designed for use as a door to a cell or room in a security facility

door leaf designed to resist the forces emitted by an explosion

ring or hook designed to be attached to a shower curtain and suspend it from a shower rod

pass-through transaction window designed to allow objects to be passed from one side of the window to the other through a f door leaf with a core made of solid or laminated acrylonitrile-butadiene-styrene plastic

restroom accessory designed to be mounted on the surface of a wall

strip of material designed to be inserted into the ground to form a vertical barrier that limits the spread of a ground cover, or to attached to and supported by the floor

fixed window with sash and frame made of metal

partial height door leaf other than a Dutch or cafe door

toilet, dressing, or shower partition and door assembly having integral cross-panel bracing along the top; typically designed to projected operable window with sash that pivots in toward the interior of the structure

window with two or more operable sash set at angles to one another outside the mounting plane of the window; typically prov sign designed for or suitable for posting public information, such as hours of operation

waste or ash receptacle designed to hold: (select from the following)

sign designed to identify a stairway or escalator

two-dimensional fixed window that is neither rectangular nor arched

portable sign designed to be placed on top of a desk, table, or counter; usually small in size

door leaf capable of withstanding the fire and hose stream (time and temperature) conditions required in the ASTM tests E119 bleacher with benches or seats made primarily of steel

bleacher with behiches of seats made primarily of ste

partition suitable for forming a separate shower stall

illuminated directory designed to allow easy altering of the message

directory suitable for use only where protected from weather conditions

product designed to form a short wall for dividing space or controlling traffic

site ornament that, when properly positioned in sunlight, shows the time of day by the position of a shadow cast by a raised p mounted on and supported by a horizontal bar, which is in turn attached to the main supporting structure

mesh panel without any openings for transactions or passage

bench with a back made of wood

detention window with a bottom-hinged sash that opens inward

cabinet designed or suitable for use in a commercial or institutional environment

stand or framework that incorporates bars, pegs, hooks, hangars, or any combination of these, on which to conveniently hang sliding door assembly consisting of two or more doors

fixed window with wood sash and frame that are protected from weather conditions by a layer of aluminum

revolving door that consists of a rotating cylinder; typically used to prevent light penetration or to allow access to one person a side-loading receptacle without a door covering the opening through which the trash is received

sign whose message is permanently inscribed on the message panel; typically requires replacement of the message panel for flush door leaf with a solid core consisting of wood or dense material

combination table and seating unit designed to accommodate one person

door accessory that fits into a door frame to limit the noise of a door striking its frame

arched fixed window topped by two curved arcs that meet at a point

pole on which to attach and display one or more flags or banners

letters designed to butt against the surface on which they are mounted

what the back of a chair, bench, or other seating unit is made of or covered with

toilet, dressing, or shower partition without a door

cylindrical revolving door designed to allow passage between three rooms

sign designed or suitable for being fixed to the ground or floor without support from an adjacent wall or structure waste or ash receptacle composed primarily of iron

door designed to cycle open and closed automatically to allow the passage of a handtruck, forklift, or similar vehicle receptacle with more than one container for holding discarded articles

three-dimensional fixed window with two vertical sash and a corner mullion or with wrap-around glazing consisting of curved (

cabinet designed or suitable for use in a kitchen cleansing agent for washing hands, face, or body

sign for identifying a person or place

outer structural members of a window assembly that hold the sash and other components

door frame of stock components designed for field assembly

cabinet designed for use in a commercial or institutional environment not listed

hinged operable window with two sash whose meeting stiles are hinged together; sash are arranged on projection arms such cylindrical revolving door designed to allow passage between two rooms

door designed to resist the passage of sound through it or around its perimeter when closed

sign suitable for use only where protected from weather conditions

clothing rack in the form of a bar designed to be installed horizontally to hold hangars

threshold with a protrusion that interlocks with a hook that attaches to the bottom of a door to provide weather protection

locker with a door

vertical rising door that pivots outward from the building as it open, and rests in a horizontal position perpendicular to the door leaf with facing made of: (select from the following)

detention window with a fixed sash and a bottom-hinged sash that opens inward

door leaf made entirely or almost entirely of a single material

vertical-strike exit device whose vertical rod or rods are external to the door and as such remain visible after installation receptacle designed to hold common refuse, such as paper

partition designed to provide visual privacy for toilets, urinals, showers, or dressing rooms; generally open at the floor and ceil door leaf designed for or suitable for an application not listed

flagpole designed to be mounted on the ground

stile-and-rail door leaf with a divided light composing a majority of its surface area

door designed for use in passageways used by vehicles such as fork lift trucks and automobiles

fixed window designed especially for or cited by its manufacturer as suitable for replacing existing windows

bed designed to swing upright into a wall cabinet or closet when not in use

horizontal sliding operable window with two operable sash

directory that does not include fixtures for lighting the message

cabinet designed or suitable for use in a restroom

tiered stair-like seating structure designed such that the entire assembly can be compressed along a horizontal axis for storage nonloadbearing modular wall designed to allow for disassembly and reuse in another location

mechanical device designed to convert manual, electrical, hydraulic, or pneumatic energy into the mechanical action required door leaf with a core made of wood or a product derived from wood

receptacle specifically designed to hold discarded sanitary napkins or tampons

full swinging door with stiles, rails, and sometimes muntins that frame recessed, raised, or flat panels; a door molded or shape flagpole designed to be rigidly mounted and, as such, is not movable

clothing rack that includes a series of closely spaced horizontal bars that form a shelf upon which items can be placed

waste or ash receptacle designed to be mounted on a bathroom partition

receptacle that receives waste through an opening in the side of the container

waste or ash receptacle designed for use in a kitchen

slotted bicycle rack whose slots are designed to run parallel to the ground upon which the rack is set

door operator designed to open and close a swinging door; may be overhead or floor mounted, concealed or exposed

framed mesh or other openwork fabric designed to prevent passage of insects or other pests through an open window sash olocker designed to hold laundry items

waste or ash receptacle designed to be fully recessed in a wall

shelf designed for use in a restroom to hold items such as medical supplies and toilet articles

sign designed to prohibit or enforce action

partition designed or suitable for enclosing a toilet

vehicle traffic control products not covered elsewhere in SweetSource

hollow shaft designed to be embedded in a floor to support a net upright; usually includes a cover for sleeve when not in use freezer designed for the storage of medicines or other medical items

food preparation equipment designed for cutting food into small pieces; usually has interchangeable blades

food preparation equipment designed to be used in a commercial environment, such as a restaurant

single-oven range with heat supplied by electric resistance elements

wheelchair lift designed for use in a commercial application

electric range with a cooktop containing optional modules in addition to heating elements for pans; can include fryer, griddle, queuing stretcher in the form of a hollow cylinder, which may be covered with fabric or plastic laminate

food holding table designed to maintain food at above-room serving temperatures

heated enclosure designed to cook or warm food placed within it

device designed to mount photographic transparencies into frames

equipment designed to produce, store, or dispense ice; does not include integral components of other equipment

structure designed to be mounted on a building over a loading dock and around the door to protect the dock from precipitation telephone enclosure designed to be portable; typically has casters on its base

assembly designed to raise and store athletic mats

range with two ovens

panels designed to be mounted vertically or nearly vertically to form a sound-reflective wall behind a performance area cooktop with heat supplied by an electric resistance element or elements

cooktop with heat supplied by an electric resistance element or elements electric cooktop that contains optional modules in addition to heating elements for pans; can include fryer, griddle, grill, etc.

processor designed to develop an image on photosensitive film that has been exposed to a controlled source of light or other device designed to feed out from a reservoir a convenient amount of soap, shampoo, or lotion in liquid form

wheelchair lift designed for use in an environment that is: (select from among the following)

product designed to generate a noise that drives away pests

refrigerator with a freezer compartment located beneath the main refrigerated compartment

device designed to keep a vehicle from rolling away from a loading dock during loading

scaffold with a platform that is suspended from a structure above it

refrigerator with a freezer compartment located alongside the main refrigerated compartment

rectangular or fan-shaped flat panel on which to mount a basketball goal; may include goal

equipment designed for use in exercises that develop and maintain physical fitness

product designed to use pressure to reduce the volume of waste material

reciprocating lift with a compartment designed for vertical transport of materials only; code restricts compartment floor area to range with a lower oven and a conventional or microwave oven above

cooking appliance with one or more food compartments into which steam can be introduced to heat the food range with a single oven

equipment specific to examining or embalming corpses and not listed elsewhere in SweetSource

device designed to measure and cut prints to desired size

usually metal canopy designed to be mounted above and to keep precipitation from falling onto a perimeter seal

appliance designed to cook food by direct and constant exposure to radiant heat

raised platform that a tennis or volleyball judge can stand on to view a game

athletic pad designed to withstand foot traffic; usually rectangular in form

operable device designed to be installed in a passageway and allow only one person to pass through at a time, sometimes in telephone enclosure designed to be mounted on a wall

cooking equipment with heat supplied by an electric resistance element or elements

container designed to dispense personal-care items, such as diapers, sanitary napkins, or condoms

appliance designed to cook food by immersing it in hot fat or oil

equipment designed to facilitate transfer of materials between vehicles and loading docks or to protect both from precipitation tolling equipment in the form of an ornament that does not ring; generally in the shape of a bell

hot food holding table designed to use steam to keep food at above-room serving temperatures

miscellaneous equipment used to prepare foods for consumption

scaffold in the form of a movable bridge-like structure supported on either end by rail-guided wheels

freestanding scaffold designed to be fixed in place

conveyor designed to transport persons horizontally or at a slight incline

liquid soap dispenser designed to be mechanically actuated by hand

telephone enclosure or other accessory designed for an application that is: (select from the following)

object at which to shoot with a firearm or other weapon for practice or competition

loading dock ramp designed to remain in its frame in a vertical position when not in use

telephone enclosure made of a material not listed

enclosure designed for use where protected from weather conditions

queuing stretcher consisting of a braided or twisted cord, often covered with fabric, and end hooks

cooktop for use in a commercial environment, such as a restaurant

refrigerator with a compartment that allows a cart to be rolled in or out from one side

food waste compactor designed to be built into another unit, such as a wall or a cabinet

refrigerator designed for use in a personal residence

scaffold constructed of primarily of steel

conveying product for moving pedestrians horizontally or at an incline

freezer with a compartment that is accessible by hand from opposite sides

scale consisting of a pan suspended from a circular dial face

device designed to allow visual inspection of the contents of an unopened package, container, or other item

portable box or platform designed to hold materials or packages for handling, storing, or moving

scaffold constructed of primarily of aluminum

freestanding scaffold supported by towers that can be raised or lowered without reassembly

scale consisting of a platform connected by a vertical member to a dial face

alcove telephone enclosure designed to hold one telephone

cooktop for use in a personal residence

food waste compactor having an integral housing such that it can stand alone

loading dock accessories other than hood or wearface

cooking equipment designed for commercial or institutional use and for cooking for large numbers of people

reach-in freezer with a compartment that is accessible from the top

freezer with a compartment that is accessible by hand from one side

substance whose odor or flavor deters pests

machine designed to wash and rinse eating or cooking utensils, such as dishes, pots, or flatware; often dries utensils after watelephone booth with a door

reciprocating lift with an enclosed cab designed to move people or freight vertically through successive floors or levels of a busingle-oven range with heat supplied by burning natural or propane gas

small ramp designed to be manually placed over the gap between vehicle and loading dock

processor designed to develop an image on photosensitive paper that has been exposed to a controlled source of light

equipment designed to project or display transparencies or motion pictures; includes projection screens tolling equipment that electronically generates the sound of ringing bells

equipment designed for slicing food products, such as meats, cheeses, vegetables, breads, etc.

chemical that is fatal or injurious to unwanted animals when ingested by or dispensed on them

chest refrigerator with no door or lid; typically used to display frozen items for consumers

food waste compactor not found elsewhere in SweetSource

powered, inclined stairway designed to move pedestrians from one level of a facility to the level above or below

reach-in freezer configuration other than upright and chest

product designed for a specific use related to scaffolding

device designed to actuate a parking gate upon receipt of tokens or coins

refrigerator designed for the storage of medicines or other medical items

telephone enclosure consisting of or including a panel that covers and conceals a phone unit, leaving only the number button circular platform that rotates

appliance with a container surrounded and heated by steam for braising, stewing, or sauteing foods; typically container can b dual purpose food holding table that contains both heating and refrigeration elements

range with a cooktop that has exposed spiral-type electric-resistance burners

equipment for the collection or disposal of trash or other solid waste

electric cooktop that only features heating elements for pans

food preparation equipment designed for used in a personal residence

product used to package discrete quantities of material or items

rope designed to be used for climbing exercises

flat cooking surface with burners or other heating elements used to heat food; does not contain an oven; usually installed into equipment specific to health-care use and not listed elsewhere in SweetSource

range that is designed to rest on the floor and that has a raised rear panel to house the controls or to function as a backsplas

telephone enclosure designed to allow easy telephone access to a person in a vehicle

wheelchair lift designed to be used indoors, protected from weather conditions

perimeter seal not listed elsewhere in SweetSource pedestrian queuing product designed to span queuing posts to delineate where pedestrians should or should not go

cooking equipment with heat supplied by burning natural or propane gas

wheelchair lift with a platform that is open or partially open to the surrounding room or area

scaffold designed for or suitable for maintenance of equipment or machinery

interactive machine that allows people to make money transactions

dryer whose source of heat is steam

wheelchair lift designed for use in: (select from the following)

electronic device designed to be embedded in the pavement to sense the passing or presence of a vehicle device designed to remove moisture from photographic film or prints

inclined trough or vertical passage designed to use gravity to convey materials to a container or other destination

freezer with a compartment that allows a cart of items to be rolled in or out from one side

structure consisting of a crossbar and two uprights that form a goal for an extra point or field goal in football

double-oven range with heat supplied by burning natural or propane gas

projection screen designed to display an image projected onto the screen from the viewing side of the screen

suspended scaffold whose platform consists of a small board designed to accommodate one worker in a sitting position

washer designed to rinse processing chemicals from photographic film

devices designed to remove wrinkles from fabric or fold it for storage

products designed to support or protect a public telephone or to supplement its use

unit consisting of a table or counter combined with storage space or appliances and designed for commercial food preparation product designed to reduce the population of unwanted animal life in a given area

disposer designed to grind waste, extract particulate from the resulting slurry, and recirculate water to the grinding stage; part electric cooktop with heating elements located beneath the smooth surface of the cooktop

electric cooktop with the conventional spiral-type resistance heating elements

scaffold designed for or suitable for maintenance of a bridge

exercise equipment in the form of a bar designed to be used for performing chin-ups

operable device designed to be installed in a passageway and allow persons to pass through unrestricted when opened device designed to dispense drinks such as beer, wine, coffee, or soft drinks from a reservoir into a glass or cup; may also broadnine designed for hauling or pulling by means of a rope, cable, or chain; typically rope or chain winds around a drum appliance designed to cook food by direct exposure to radiant heat

gantry that is arched to conform to the shape of the structure on which it is mounted

telephone enclosure or other accessory designed to withstand extended exposure to weather conditions

mechanical device designed to drive away pests or prevent their access to a protected area

machine that uses heat to remove moisture from clothing or other fabrics

device designed to feed out from a reservoir a convenient amount of soap or similar material in powder form

equipment designed to control access to or traffic within a vehicle parking lot

telephone enclosure designed to be mounted to both floor and wall

equipment designed to register personal photographs and text information, and to use this information to print personal identinet suitable for use in playing volleyball

freezer with a compartment that allows a cart of items to be rolled in or out from opposite sides

telephone panel designed to be mounted to the surface of a wall and project out from the wall

support structure for a basketball backboard and goal; may include backboard and goal

equipment designed for use in a particular athletic game or other sport

post designed to hold pedestrian queuing stretchers

broiler with heat supplied by burning charcoal beneath the food

material delivery system that uses air pressure to move materials through a tube

scaffold with a platform suspended from a davit or fixed outrigger

rope designed to be used for climbing, or accessories for handling or storing the rope

temporary or movable platform for workers to stand or sit on while working above the floor or ground

powered storage compartment designed to keep food or other perishable items cool; may include a secondary freezer compartment designed to drive away pests without killing or catching them

product designed to grind food or paper waste, combined with water, into a slurry for disposal

loading dock equipment not listed elsewhere in SweetSource

loading dock ramp designed to remain in its frame in a horizontal position when not in use net suitable for use in playing tennis

device designed to terminate the energy of lead bullets

wheelchair lift designed for use in a residential application, usually within a single-family residence

broiler with heat supplied by an electric resistance element of elements

product designed to form a raised surface from which to perform before or to address an audience

open lift with a horizontal platform designed to raise or lower objects vertically or at an incline and to be operated under remot combination of vertical panels mounted on caster bases and panels suspended over a performance area to reflect sound

powered storage compartment designed to freeze, and keep frozen, food or other perishable items; may be designed to disple refrigerator-without-freezer configuration other than pass-through, reach-in, roll-in, roll-through, and walk-in

queuing stretcher in the form of a framed panel

device designed to actuate a parking gate by means of a coded access card

wheelchair lift with a platform that operates within an enclosed hoistway

net suitable for use in playing badminton

range with two ovens located adjacent to each other

cooking equipment with a heated plate on which food can be placed directly for cooking; plate is typically smooth, but may had evice designed to cleanse photographic film or prints of processing chemicals

pedestrian traffic control products not listed elsewhere in SweetSource

device designed to determine and display amount owed for parking

perimeter seal with a bladder that can be filled with air or some other fluid to effect closure

loading dock truck restraint other than hook or chock type

material handling system suitable for conveying and dispensing of travelers' luggage

products designed to direct pedestrian traffic flow; often portable

electric cooktop with solid-disk resistance heating elements

refrigerator designed to allow a person to stand inside the storage compartment for stocking or removing items

refrigerator with a compartment that is accessible by hand from one side

gate designed to keep forklifts or similar vehicles from falling off a loading dock; typically impact rated

disposer designed to grind waste and discharge resulting slurry into a sewer drain pipe

food holding table designed to maintain food at below-room serving temperatures

equipment designed for the processing and handling of radiant-energy sensitive film, paper, or other material to produce a ph shelter or enclosure for domestic pets, such as cats or dogs

tolling equipment in the form of a set of fixed bells tuned to play melody but not harmony

packaging product that produces a package label

adjustable loading dock ramp that is not powered

open mesh barrier suspended by an upright at each end for playing volley sports

reach-in refrigerator with a compartment that is accessible through a door on the front of the freezer

equipment designed to raise a climbing rope for storing it out of the way or to lower it for use

truck restraint in the form of a hook designed to latch onto the ICC bar of a semi-trailer

table designed to hold food serving pans, trays, or other containers while maintaining food at serving temperature

items or devices that enhance the function or use of an elevator but are not essential to its construction or function

device designed to actuate a parking gate through the use of a key

device designed to apply chemicals to, and develop an image on, photosensitive film or paper that has been exposed to a co wheelchair lift designed to withstand exposure to weather conditions

dryer designed to remove moisture from photographic film

range with a cooktop that has exposed solid-disk electric-resistance heating elements

equipment designed to force food through small openings and then chop it into fine bits

compartment or panel designed to support or protect a public telephone

cooking equipment designed or suitable for use in a personal residence

container designed to protect valuables from theft or fire; does not include walk-in safes

refrigerator with a freezer compartment located above the main refrigerated compartment

athletic pad in the form of a smooth, flat, rectangular sheet

device designed to feed out from a reservoir a convenient amount of soap, shampoo, or lotion

range designed to rest on the floor with a top that fits flush with the countertops of adjacent cabinets

suspended scaffold with a platform large enough to allow a worker or workers to walk back and forth

scaffold esigned for or suitable for maintenance of a building facade

electric range with a cooktop that only includes heating elements for pans

packaging product designed to enclose material or objects in film

broiler with radiant heat coming from above the food

telephone booth without a door

exercise equipment in the form of a board on which to perform sit-ups or other exercises; slope of the board typically is adjust dryer whose source of heat is electrical resistance coils

telephone enclosure made primarily of wood

range for use in a personal residence

scaffold with a platform suspended from a boom attached to a traveling carriage

electric range with a cooktop that has heating elements that are exposed or above the cooktop surface

double oven range that has one oven powered by electricity and the other oven by gas fuel

tolling equipment in the form of a set of fixed bells, each tuned to harmonize with the others, and having hammers controlled lappliance with one or more food compartments into which steam can be introduced to heat the food

tolling equipment in the form of a mechanically driven clapper or hammer mechanism; often clock-programed queuing post with a cap that houses a retractable strap

product designed to reduce swaying of a suspended scaffold

food preparation equipment designed to cut, slice, shred, chop, grate, julienne, or grind food

suspended scaffold with a small platform surrounded by a fence or railing and designed to accommodate one or two persons lift with an open or partially enclosed platform or seat that moves along a track or guide beside a stairway

conveying product that combines functions of two or more other conveying products; typically moves materials both vertically adjustable loading dock ramp that is powered by a hydraulic cylinder

tolling equipment, generally cup-shaped and cast metal, designed to ring when struck by a clapper or hammer reach-in refrigerator-without-freezer configuration other than chest or upright

moveable platform and supporting frame, if any, designed to traverse a gap or variation in levels between a loading dock surf scaffold accessory not listed

manufactured assembly of equipment and furnishings for medical observation or care

machine that incorporates a winch and is designed to raise, shift, and lower heavy objects by means of a projecting arm or overduct designed to display a visual image that has been transmitted through the air by means of a video projector replaceable shield of heavy fabric or overlapping plates designed to prevent damage to a perimeter seal refrigerator designed for storing corpses

walk-in telephone enclosure designed to provide privacy or shelter for a person using a public telephone telephone enclosure made primarily of plastic

basketball backstop that can be placed on the court when needed and removed when not in use

device designed to dispense absorbent paper products in either roll or sheet form, or related paper products, such as toilet sepanel or group of panels designed to be suspended over a performance area to reflect or diffuse sound

book cover or box designed to secure a telephone directory or directories, making them accessible while protecting them from projection screen designed to display an image projected from behind the screen onto the surface opposite the viewing side of pedestrian queuing post designed to accept a cap of choice

exercise equipment of a type not listed

equipment designed to provide back light for easy viewing of x-rays, photo negatives, or other transparencies projector that casts an enlarged reverse image of a film negative onto photosensitive paper

computer software designed to aid in the management or control of a parking facility, for example, to calculate or record incor scaffold with a platform on a self-supporting frame

appliance designed to heat a container of fat or oil and to cook food immersed in the fat or oil pedestrian queuing product other than post or stretcher

telephone enclosure made of metal

frame with netting and a 24-foot by 8-foot rectangular opening through which to score a goal in soccer telephone enclosure made primarily of glass

range for use in a commercial environment, such as a restaurant

chest refrigerator with a hinged or sliding lid

refrigerator that contains a freezer compartment; typically designed for residential use

broiler fitted with a spit on which food is rotated before or over a heat source

device, or its accessory, designed to dispense postage stamps upon receipt of cash

broiler with heat supplied by burning natural or propane gas

freezer configuration other than pass-through, reach-in, roll-in, roll-through, and walk-in

hot food holding table designed to use hot air to keep food at above-room serving temperatures

liquid soap dispenser designed to be electrically actuated by way of an electronic sensor

product designed to apportion or package material or items by weight or volume

range designed to be installed in a cabinet and supported by the countertop

conveying product designed to transport people or materials at an incline up a hill or mountain; has a rail or track that guides a parking control device designed to automatically dispense tickets, receive payments, and issue receipts; often monitors and redevice designed to close the space and to help maintain a constant temperature between a vehicle and a loading dock

telephone enclosure designed to be mounted to a floor

exercise equipment in the form of a ladder designed to be climbed by hand for upper body development

cooking equipment other than ranges, ovens, and cooktops

base designed to be placed on a court floor to support a net upright and removed when not in use

device designed to maintain count of available parking spaces

products designed to protect or enhance the function of other loading dock equipment

dryer designed to remove moisture from photographic prints

scale consisting of a platform connected by a vertical member to a fan-shaped display face

machine designed to wash or to remove water from clothing or other cloth items

telephone enclosure designed to allow easy telephone access to a person in a wheelchair

appliance with a heated plate on which food can be placed directly for cooking; plate is typically smooth, but may have a patter product designed to reduce waste products to ash by rapid oxidation

dryer whose source of heat is burning gas

double-oven range with heat supplied by electric resistance elements

electric cooktop whose heating elements are exposed or above the surface of the cooktop

scaffold with a platform suspended from three-legged support structure

chest freezer with no door or lid; typically used to display frozen items for consumers

operable device designed to be installed in a passageway to prevent or control the passage of persons

broiler with radiant heating coming from below the food; usually has a metal grate on which to place food

gantry with a flat platform for workers to stand on and/or flat bottom for hoist rail anchorage

telephone booth with a seat

truck restraint in the form of a wedge or block that can be placed in front of a truck wheel to keep it from rolling forward reach-in compartment designed to accommodate a separate box telephone; may provide limited sound privacy or weather preequipment designed to support a net for volley sports

washer designed to rinse processing chemicals from photographic prints

product designed to hold pests for retrieval; many traps are designed to kill the pest when sprung

device designed to vertically lift or lower a single person in a wheelchair, typically between open levels

container designed to store photosensitive film or paper and protect it from light or other radiation

queuing stretcher in the form of a retractable strap in a housing; designed to fit on top of a queuing post or to be attached to a wheelchair lift designed for use in an industrial application

scale consisting of a platform, connected by a vertical member to a marked beam that displays weight by means of a suspended scaffold with an arrangement of straps instead of a platform designed to be worn by and to support a worker telephone booth without a seat

hoop with a net designed to be mounted on a backboard and serve as a goal in basketball

equipment designed to mechanically manipulate or modify building materials or other products in a variety of locations wall-mounted telephone enclosure designed to be recessed into the wall with its outward surface flush with the wall reach-in refrigerator with a compartment that is accessible from the top

post designed to hold up one end of a net for volleyball, tennis, or badminton

reach-in freezer with a compartment that is accessible through a door on the front of the freezer

frame with netting and a ten-foot wide opening through which to score a goal in water polo

refrigerator with a compartment that allows a cart to be rolled in or out from opposite sides

liquid soap dispenser designed to be mechanically actuated by a foot pedal

pest control product other than a trap, repellent, or poison

alcove telephone enclosure designed to hold more than one telephone

basketball backstop designed to be permanently mounted and fixed in a single position

sport equipment of the a type not listed

scale that determines and displays weight electronically

food preparation equipment designed to peel fruit or vegetables

chest freezer with a hinged or sliding lid

refrigerator with a compartment that is accessible by hand from opposite sides

cooktop with heat supplied by burning natural or propane gas

product designed to form an impact cushion between athletes and athletic facility surfaces and equipment, or to store such product designed to measure the weight of a quantity of material or items

queuing stretcher consisting of connected rings; typically made of metal

powered mechanical assembly designed to compress waste material into a reduced volume

lift designed to raise a vehicle, typically for maintenance or service

basketball backstop designed to swing up or back out of the way when not in use

appliance with a heated container in which to braise, stew, or saute foods; typically container can be tilted for easy emptying a device designed to dispense tickets at the entrance to a parking facility

reflective panel or panels designed to blend and project sound from a stage or similar performance space

refrigerator designed to store bottled wine

food service equipment not listed elsewhere in SweetSource

equipment designed for sawing food; usually used for cutting sections of meat and bone

equipment for limiting, preventing, or directing vehicle or pedestrian traffic flow

apparatus that chimes or rings in measured tones

scaffold designed to be suspended from a beam supporting a building or bridge

pedestrian queuing stretcher type not listed

telephone enclosure or other accessory designed for use in an environment that is: (select from the following)

freestanding scaffold made up of individual members that can be assembled for use and disassembled for transport or storag food preparation equipment designed to mix or blend food

electronic device designed to detect metal objects; may be hand-held or a walk-through device; often used for security purpos unit that contains cabinets and appliances and typically is installed against one wall

screen designed to stop a baseball or softball from leaving the playing field behind the batter's box

cooking appliance that consists of a cooktop and one or more ovens

product designed to secure a boom, davit, or track for suspended scaffolding to the roof of a building

waste handling equipment designed to remove liquid waste

rack designed for storing net uprights when they are not in use

queuing post with built-in loops or slots designed to accommodate stretcher hooks

electric range with heating elements located beneath a smooth cooktop surface

shallow covered pan used for stewing, sauteing, braising, or steaming

gate for placement in an entrance or exit to a parking facility; usually has a pivoting arm that raises to allow a vehicle to pass scaffold designed for or suitable for maintenance of a glazed roof

equipment designed for the collection, delivery, or posting of letters or parcels

often upholstered perimeter seal of a compressible material

device designed to count, arrange, or dispense coins or other cash; includes automated teller machines freezer designed for storing corpses

refrigerator without a freezer compartment; designed to keep food cold but not frozen

trade organizations of persons having a common interest; often established as an industry information resource

association or other professional organization providing information about woven wire products

association or other professional organization providing information about awnings

association or other professional organization providing information about thermal insulation

association or other professional organization providing information about wood flooring

association or other professional organization providing information about postal services and equipment

association or other professional organization providing information about ceramic tile

construction or building design information on electronic media

association or other professional organization providing information about limestone

association or other professional organization providing information about waterproofing

association or other professional organization providing information about concrete or concrete products

association or other professional organization providing information about roofing products association or other professional organization providing information about timber and lumber association or other professional organization providing information about concrete pavers association or other professional organization providing information about granite association or other professional organization providing information about cast stone advice, information, or data to aid in the design or construction of a building or facility association or other professional organization providing information about doors or door frames association or other professional organization providing information about gypsum board listing of associations and other sources of information about construction-related products and services association or other professional organization providing information about terrazzo earth anchor with an unthreaded shaft and no bearing plates other than the base of the shaft lid designed to allow access to or drainage into a trench while providing a deck over it trench system consisting of a grate or closed cover and a frame designed to support the cover cover or grate made of galvanized steel

cover or grate made of concrete that has an organic polymer binder

marine dock with a substructure made of steel

trench box or frame made of a material not listed

products designed to form a depression at the surface of the ground or floor, or covers or frames for such a depression; typic marine dock with decking made of polyvinyl-chloride plastic

planks or boards for forming the top surface of a marine dock

trench form made of a material other than polystyrene

products designed to prevent accumulation of water below the ground surface

any of three constituent parts to a trench system

trench or cover suitable for preventing accumulation of liquid chemicals on a floor surface

bottom-supported dock that is securely placed or fastened

trench box or frame made of concrete that has a portland cement binder

products designed to resist lateral displacement of soil

marine dock with supports that rest on the bottom of a body of water

marine dock designed to float on the water

trench box or frame made of: (select one of the following choices)

dock or component cited by the manufacturer as suitable for a use or uses other than as a marine dock

cover or grate made of: (select one of the following choices)

marine dock with decking made of: (select from the following)

earth anchor made of concrete with embedded steel reinforcement bars

earth anchor made of wood

retaining wall block shaped such that it interlocks with one or more adjacent blocks

grate cover that lies in the same plane as the surface in which it is installed

earth anchor with a shaft and a spiraling, auger-like plate or plates that bear on the soil and allow the anchor to be installed by cover or grate made of plastic

perforated or slotted cover that allows passage of water while restricting the size of objects that can pass retaining wall block designed to be connected to adjacent blocks by mechanical fasteners, such as pins or clips trench system consisting of a trench box, a grate or solid cover, and a frame designed to support the cover trench box or frame made of plastic

trench or cover designed to prevent accumulation of water on the surface of the ground or floor

where a trench or cover can be used: (select one of the following choices)

subsurface drainage product in the form of a tube with perforations that allow water to enter the pipe and drain away or seep products cited by the manufacturer as designed or suitable for use in constructing a marine dock

product designed to form a cavity in the ground to protect and allow access to a plumbing valve

trench product or grate designed to prevent accumulation of liquid on the surface of the ground or floor

trench form made of polystyrene

lid and frame for a site drain or manhole

earth anchor designed to provide lateral or angled support and to be used in tension

marine dock suitable for use in salt water

structure designed to be placed on or over water to serve as mooring for boats and to provide pedestrian access to the boats cover or grate made of metal

trench box or frame made of metal

frame designed to hold a trench cover

products for constructing the understructure of a marine dock

marine dock with flotation elements made of expanded or extruded polystyrene plastic

marine dock suitable for use in fresh water

cover or grate made of fiber-reinforced plastic

trench system consisting of a trench box and a frame designed to support a grate or solid cover; cover is not included marine dock with decking made of wood

trench box or frame made of concrete that has an organic polymer binder

earth anchor made of steel

modular sections of decking for a marine dock

cover or grate made of aluminum

marine dock with a substructure made of a material other than wood, steel, or aluminum

trench or cover designed for use as: (select one of the following choices)

cover or grate made of brass

marine dock with a substructure made of wood chemically treated to resist the effects of exposure to moisture

marine dock with flotation elements made of: (select from the following)

polymeric soil-stabilization fabric

earth retainage product in the form of a container designed to be filled with soil or stone; typically a rectangular or cylindrical of marine dock with decking made of a material other than wood, concrete, or PVC

marine dock with decking made of precast concrete planks

grate cover that projects above the surface in which it is installed

reservoir for collecting surface drainage and allowing sediment to settle; may include cover

product designed to use soil friction to support a building, wall, or other structure

marine dock with a substructure made of aluminum

cover or grate made of stainless steel

cover without any holes; typically used as a cover for a manhole

earth retainage product in the form of a block, in any of a variety of shapes and sizes, designed to be used to build a wall of s marine dock with flotation elements made of a material other than polystyrene

trench or cover designed to house or provide access to wiring, piping, or other utilities

trench box or frame made of plastic resin reinforced with thread-like filaments

product designed to provide a linear cavity in the ground or floor, or a product to cover such a cavity

U-shaped channel designed to be installed in the ground or floor to form a linear cavity

product designed to mold a channel in concrete when poured

earth anchor with a shaft attached to a flat plate that bears on the soil

product consisting of interdependent components for a trench

cover or grate made of cast iron

cover or grate made of a material not listed

trench form made of: (select one of the following choices)

marine dock with a substructure made of: (select from the following)

earth anchor consisting of a shaft with an attached plate or plates that bear on the soil

anchoring product consisting of a metal rod with threads designed for use on rock or rocky soil

trench product suitable for drainage of a liquid other than water or chemicals

truss whose chord and web members all are made of wood

portable ladder with two straight parallel rails, called stiles, connected by crosspieces, called rungs; designed to be leaned ag structure that is designed to provide protection from the elements but is not fully enclosed

purlin consisting of a web with perpendicular flanges, one of which projects from the web in the opposite direction of the other grating cited by its manufacturer as suitable for use as a walkway or landing

separate, top part of a decorative column; often belongs to, or is a variation of, one of the five classical orders

fence accessory in the form of a thin, flat strip of material, typically PVC, designed to be interwoven with wire fabric to provide method by which space frame components are attached to each other (select one of the following choices)

wood beam composed of layers bonded together with glue

space frame with members that require welding

structure designed to partition, enclose, or to define the border of a field, garden, yard, or similar area; usually consists of eve railing consisting of posts spanned by a handrail or by a handrail and one or more secondary rails

decking designed to be fastened in place by welding clips

structure consisting of a handrail supported by posts or other framing members; designed to guide or to function as a safety before section in the form of a lattice

decking designed to be fastened in place by rivets

fence designed to be decorative in appearance

glazed structure with a aluminum frame

pole-supported tensile fabric structure in which the fabric is supported by a center pole or poles and by cables suspended from step component designed to be inserted into or applied to the stepping surface of a tread to improve traction

plank-like decking that has been formed by being placed in a mold while in a plastic state and then becoming rigid when dry; light framing product designed to function as a horizontal member for supporting a ceiling, floor, or roof deck; may also function products designed to be combined to form a fence

product consisting of components designed to be assembled to create a story between the floor and ceiling of a larger room decking made primarily of a material or materials not listed

column with an adjustable member to accommodate various heights

decking designed to be fastened in place by screws

purlin shaped like a channel with angle flanges; profile resembles an inverted U with feet

decking that is suitable for use as a structural wall panel

light framing product made from aluminum

bridge with support beams, arches, or trusses made of concrete

plank mounted on a central fulcrum so that persons on opposite ends can ride alternately up and down

recreational park equipment made primarily of wood

pitched truss other than a scissors truss or triangular truss

fence accessory in the form of an ornament designed to be inserted between pickets of a fence, such as a scroll, ring or letter glazed structure with an equilateral polygon for a base and with sloping triangular sides that meet at a common peak linear stock made of carbon steel

helix-shaped stairway whose treads wind around, and are supported by, a central column

ladder attached to a trapdoor that swings down from a ceiling; can be extended to the floor below the trap door allowing acceptortable ladder that is self-supporting and typically has treads rather than rungs

step component suitable for use only where protected from weather conditions

formed metal decking not designed to condition sound

railing not found elsewhere in SweetSource

truss made of steel

product designed for climbing up or down; typically portable, but may be fixed in a vertical position or hinged at one end decking designed to be held in place by mechanical fasteners

bridge supported by parallel bowstring trusses

freestanding full-height column, or a column shaft that can be used with an additional capital or base decking other than a precast slab, sandwich panel, or formed metal deck

secondary purlin designed to span joists or primary purlins to support or reinforce roof decking

primary material of the decking for a bridge; choose one

fence that must be fully assembled or nearly fully assembled on site

post-and-rail fence consisting of two vertically spaced rails spanning each set of posts

handrails and other products designed to be combined to form a railing

column or column accessory made primarily of steel

straight stair with a landing half-way or nearly half-way up where the stair changes direction 180 degrees

space frame whose components are made of a material other than steel or aluminum

bridge with a support structure made primarily of: (choose from the following)

air-supported structure in which the membrane by itself resists the upward force of internal air pressure

decking made of glue-laminated lumber

decking made of oriented strand board

grating made primarily of aluminum

truss whose chord and web members are made of different materials or of combined materials

gabled structure with square eaves having a glass or plastic roof

lean-to structure with a glass or plastic roof

square or rectangular block designed to be placed under a column base or shaft; often serves to ventilate the column or to pr decking designed to be fastened in place by being welded to the supporting framing members

product designed to fit between studs to interrupt a wall cavity

truss designed to support roof decking or roof sheathing

retractable ladder that extends by sliding

curved stairway whose treads are supported by stringers or a single stringer

even-span glazed structure with a horizontal ridge along the top where opposite roof planes meet

glazed structure clad with a double layer of rigid or semirigid sheets of plastic

structure designed to be attached to the roof of a building for ornament, ventilation, or both

glazed structure clad partially with plastic film and partially with plastic sheets; typically side walls are clad with sheets, and the products designed to span support members and provide a substrate for a floor or for roofing

light framing product designed to function as a vertical member in a wall or partition

bridge suitable for supporting industrial pipelines, conveyors, or similar material-handling equipment

manufactured building designed to be assembled on site from separate framing and cladding components

fence composed primarily of polyvinyl chloride or other polymeric plastic

material of which the frame for a manufactured building is made (choose one of the following selections)

product designed to function as a vertical structural element of a fence and to support rails, panels, or fence fabric

manufactured building that requires no on-site assembly; typically a workspace for one or two persons

grille sectional fence whose sections have an ornamental pattern

post and in-fill panel railing with bar-grate grille panels

glazed structure clad with plastic

retractable ladder that extends by folding

structural insulated panel consisting of a rigid, low density insulating core with relatively high strength facing material structural step component that is not indexed elsewhere

product comprising a full building enclosure, including walls with a door or doors, and a roof; often requires on-site assembly load-bearing light framing products designed for multiple, common applications

cylindrical hollow linear stock

solid linear stock rod with a round or polygonal cross section

laminated beam that, when installed, has layers aligned vertically; layers typically are thinner than those in horizontally laminal ladder whose top end can glide along a track or rail to which it is attached while the bottom end rolls on wheels

product designed to join two light framing track units end-to-end

column made of concrete that is compressed and strengthened by stretched steel tendons within the concrete

structural frame in the form of a curved beam designed to transfer nonaxial vertical loads through the curve, converting them

tensile fabric structure in which the fabric is supported by arches that cross at the center of the structure straight stair composed of a single flight or of multiple flights separated by landings but with no direction change sectional fence whose sections are in the form of a lattice

straight stair that changes direction by 90 degrees or less at a landing or landings between floors structural frame made of steel

column made of wood

column or column accessory made primarily of stainless steel

sectional fence other than a picket, lattice, louver, grille or privacy fence

bar stock with a circular cross section

strap or other product designed to transfer stress on one member to an adjoining or adjacent member or members to increase bar stock that is at least twice as wide as it is thick

fence section consisting of a series of pickets attached to rails

bridge supported primarily by an arch or arches; arch typically is located beneath the deck, or the deck itself may form part of step component in the form of a horizontal stepping surface with a vertical lip along its rear edge

decking cited by the manufacturer as being designed for or suitable for bridges

panel-supported railing with a lighting system integral with the rail

decking suitable for forming a suspended ceiling that can support mechanical elements and persons installing or maintaining step component made of metal

climber consisting of a series of horizontally spaced, overhead bars; typically used for hand-over-hand motion decking made of stainless steel

mezzanine with a floor consisting of crossed metal bars with openings between the bars

step component made of a polymeric vinyl plastic

step component that is more or less vertical and extends upward from the rear edge of one tread to the front edge of the tread angled stair with a landing at or about half-way up where the stair makes a ninety-degree turn

sectional fence whose sections are monolithic or consist of a framework with contiguous boards or slats; designed to block vis stringer-supported curved stairway that has risers between treads

light framing product designed to bear a load other than the wall of which it is a part

structural frame composed of vertical columns and beams connected in such a way as to resist rotation between members column accessory not listed

structure that combines various types of playground equipment

column made of standard concrete with embedded steel rods or tendons

column designed to function as a vertical load-bearing member

glazed structure clad with plastic film

item designed to decorate, finish, or add function to the structural elements of a fence

panel-supported railing without integral lighting

channel designed to serve as a raceway for wiring or piping in concrete poured on top of decking

light framing member not listed elsewhere in SweetSource

fence consisting of posts spanned by one or more rails

manufactured building with a steel frame

combination of members designed to be assembled to form a support framework for mansards, fascias, roof retrofits, etc. grating made of cast iron

column or column accessory not suitable for extended exposure to weather conditions

structure designed to open or close an opening in a railing, such as by swinging, sliding, or tilting

hollow linear stock with a rectangular cross section

manufactured building designed to be placed within a larger building or shelter; not suitable for withstanding the elements refrigerated room designed to allow adjustments to interior temperature so as to function either as a refrigerator or a freezer fixed ladder without a safety cage

fixed ladder without a safety cage sauna in the form of preassembled sections, such as wall panels that include framing, insulation, and interior and exterior faci step component in the form of a horizontal stepping surface with a vertical flange along the rear edge designed to extend upw

truss whose overall shape is triangular, with the possible addition of tails for an overhang

triangular truss with a single top chord sloping in one direction

fence consisting of chain-link wire fabric attached to fence posts or to a framework of posts and rails

slide designed to terminate at a pool or other body of water; includes nozzles to direct a spray or stream of water down the sumethod by which cladding panels may be attached to the space frame (select one of the following choices)

decking made of sawn and milled wood; often has tongue-and-grooved edges

decking designed to be supported by small framing members that span joists or purlins

column made of concrete with embedded steel rods to provide tensile strength

formed metal decking with the structural integrity to permanently span support members; concrete topping may be installed or step component made of steel

stair designed to cross over an object or barrier and go down the other side, rather than provide access to another floor or lev wire fabric other than chain link material

space frame with struts that slip into sleeves on connector hubs

panel-supported railing without integral lighting

bridge with support beams, arches, or trusses made of unit masonry

barrier wire consisting of a strand of twisted wires wrapped at regular intervals with short wires whose sharp ends point outwastairway component that is part of or related to the riser or tread

bridge supported by two parallel trusses that are spanned at top and bottom by additional web members, forming a sort of tur ladder designed to be permanently fixed to a wall or other vertical surface formed metal decking with perforations or grooves designed to absorb or condition sound in the space below the deck

glazed structure with a roof that slopes in only two directions and a ridge extending all the way to the ends of the structure post and in-fill panel railing whose panels are in the form of a decorative grille

glazed structure designed to form a room of another building, extending the living space of that building

decking made of fibers, typically wood, bonded together by a hydraulic cement

fence section consisting of an ornamental grille

grating consisting of a series of parallel bars welded or mechanically fastened to perpendicular or diagonal cross bars pneumatic structure supported by air pressure maintained by blowers

grating made of a material not listed

barrier wire not indexed elsewhere in this product area

grating cited by its manufacturer as suitable for use as shelving

light framing accessory not listed elsewhere in SweetSource

structural frame made primarily of wood

composite decking with no built-in cavities

step component designed to form the flat horizontal stepping surface of a stair

fence fabric of inter-woven wire spirals that form a pattern of diamond shapes

structural frame made of a material other than wood, steel, or aluminum

climber consisting of closely-spaced tiered posts

lean-to structure with an angle between the wall and roof at the eaves

truss with two top chords pitched steeper than its two bottom chords, which also slope to provide a pitched interior space gabled glazed structure without side walls and having two roof planes that extend from base to ridge

grating suitable for placement over a substrate to provide a slip-resistant floor covering; typically non-loadbearing

vaulted glazed structure in the form of a half cylinder that extends from the footing on one side to the footing on the other, form

column or column accessory made primarily of muntz metal

step component made of synthetic or natural rubber

recreational park equipment made primarily of metal

formed metal decking designed to support concrete while it cures and to reinforce the concrete once cured

building designed for a large variety of commercial or industrial applications

manufactured building with concrete cladding

space frame designed for ornamental purposes and not suitable for bearing structural loads

building designed to protect one or two persons from the elements while allowing them to collect fees or to oversee or guard a greenhouse designed for residential use; typically smaller than commercial greenhouses

strip of molding designed to cover the structural stringer or the joint between stair treads and the wall on either side of a stairverfrigerated room designed to keep perishable items frozen

decking consisting of bonded layers of different materials

recreational park equipment made primarily of plastic

decking specially designed for use in an environment that is: (select one of the following)

column or accessory made of nonreinforced plastic

channel designed to be attached to a floor or ceiling to hold studs in place

linear stock made of aluminum

glazed structure with a roof that slopes in one direction and is designed to be adjacent to the wall of another, primary structure manufactured building with cladding of a material other than wood, concrete, metal, or FRP

fence section in the form of a framework with contiguous boards or slats designed to block vision

light framing product made from resinous plastic reinforced with glass or other fibers

railing with usually metal openwork in-fill panels between posts

space frame that requires the addition of purlins for attaching cladding panels

climber in the form of an arched ladder with both ends set in the ground or with one end in the ground and the other end attack slide that has a chute with a surface made of rollers

grille sectional fence whose sections consist of a grid of bars or rods fixed to form a pattern of rectangular or square openings ladder whose top end is fixed to a wall but whose bottom is designed to tilt out for climbing

linear stock made of stainless steel

openwork panel designed for horizontal installation; typically load-bearing; does not include trench covers

product consisting of an insulated enclosure designed to allow human entry and of powered equipment necessary to lower in pneumatic structure supported by pressurized air sealed in chambers

gate operator of a type not listed

fence components composed primarily of wood

air-supported structure with restraining cables that cross the structure in more than one direction

tube designed to allow children to pass through on hands and knees

step component designed to cover the horizontal front edge of a stair tread; may include a wear plate or abrasive strip that palinear stock made of brass

linear stock shape whose cross section resembles a capital letter T

space frame designed to carry a superimposed load and suitable as a structural frame for a building or other structure step component made of fired clay

fence composed primarily of metal, such as aluminum or steel

stringer-supported curved stairway that does not have risers between treads

space frame with threaded struts designed to be screwed into connector hubs

decking made of gypsum, typically sandwiched between two layers of paper

bridge with support beams, arches, or trusses made of steel

product designed to protect equipment from view or from weather while allowing air movement; often made for roof-top equip seat, often shaped like an animal, that is mounted on a spring-metal pedestal and springs back and forth when ridden

footbridge other than skywalk or pedestrian overpass

railing with lattice in-fill panels between posts

structural tread composed of an open-work panel of parallel or crossed bars or a decorative pattern glazed structure with a steel frame

composite decking with two layers of metal bonded together and linear cavities between the layers

glazed structure designed to cover and enclose a swimming pool

footbridge designed to connect two buildings above ground level; often enclosed

step component made of aluminum

enclosed spray booth designed to use water to filter overspray

barrier wire consisting of a metal strip with sharp hooks or points; typically installed in coils and used as an anti-personnel bar spray booth that surrounds the work area on all sides

column with fluting, capital, or other ornament or a product designed to hide or enhance the appearance of a structural colum tensile fabric structure in which the fabric is supported by an array of parallel arches

unit designed to serve as a stepping support for climbing up or down; typically mounted in a vertically spaced series with simil manufactured building with fiber-reinforced plastic cladding

railing whose handrail is supported by rectangular panels set on edge and fixed to the floor or stairs

recreational park equipment made primarily of a material other than metal, plastic, or wood

bridge supported primarily by parallel beams beneath the decking

flat truss designed to support joists or other trusses

bar or slat designed to be vertically attached to fence rails

manufactured building with a frame of a material other than aluminum, steel, or wood

bridge with decking of material other than wood or steel grating

freestanding structure designed primarily for recreation or play

parallel-chord truss designed to be installed horizontally; commonly used as floor joists or for flat roofs

enclosed dry arrestor spray booth with a horizontal air flow within the booth

decorative roof-like shelter; typically is fully or partially supported by a building

decking made of plywood

step component made of cast iron

separate, bottom part of a decorative column; supports and accents the column shaft

panel-supported railing without integral lighting

fence component made of a material not listed

linear stock shape whose cross-section resembles a bracket symbol ([)

decking comprised of two or more discrete materials bonded together; often includes an insulating layer glazed structure clad with glass

space frame with struts designed to be bolted to each other or to connector hubs

structure that supports and includes a swing or swings

platform or a framework with seats that revolves around a center point when pushed

horizontal bar or set of bars spanning posts; often designed for chin-up exercises

building designed for storing property or for protecting electrical or mechanical equipment from the elements

linear stock made of a composite of resins and reinforcing fibers or fabric

room designed to keep valuables safe from theft or fire

nonbearing framing product designed for use in an exterior nonbearing wall

building, room, or other structure that is primarily clad in light-transmitting glass or plastic and that requires on-site assembly;

truss other than a pitched truss, parallel-chord truss, or bowstring truss

bridge with wood decking; wood typically is treated with preservative

fence other than chain link, sectional, or post-and-rail type

angled stair with two landings at which the stairs make ninety-degree turns; number of steps between landings is fewer than t glazed structure clad with rigid or semirigid sheets of plastic

decking specially designed for use in an environment that has higher than normal moisture

bridge with decking made of steel

railing with wire-mesh in-fill panels between posts

steel or composite column that has been wrapped with a fireproofing material

parallel-chord truss designed to be installed in a position other than horizontal

glazed structure clad with panels consisting of a translucent batting sandwiched between two layers of rigid or semirigid sheel slide designed for use in a playground and typically used when the surface of the chute is dry

bridge suitable for pedestrian traffic

common linear stock of rolled or extruded metal or formed composites

wood beam designed to support floor or roof decking

manufactured building with a wood frame

linear stock made of a material other than steel, brass, aluminum, or composite

structural tread composed of a single, uniform piece without any openings

railing with in-fill panels that are monolithic, and often translucent, or are composed of contiguous boards or slats

tensile fabric structure with poles as rigid compression elements

decking designed for use as a floor between levels of a building

box or other container designed to hold sand for children to play in

load-bearing stair tread or tread and riser combination that does not require a structural substrate

grating made primarily of metal

grating cited by its manufacturer as suitable for use as decking on a vehicle bridge

truss whose top and bottom chords are parallel

column or column accessory made primarily of bronze

grating made by using mechanical means, such as punching or drilling, to create openings in a sheet of material

fence component composed primarily of polyvinyl chloride or other polymeric plastic

bar stock with a square cross section

wire mesh designed to be attached to a fence framework

precast slab with a rectangular profile and having no internal cavities

fence consisting of a series of sections, each of which forms a discrete framework designed to span the distance between two step component made of a material other than those listed

linear stock shape whose cross-section resembles a serifed capital letter I or a capital letter H

bridge wide and strong enough to withstand automobile traffic

glazed structure that is rectangular in plan and whose roof slopes evenly in two directions

decking made of wood

fence made of wire woven into a continuous mesh fabric, without knots or ties, attached to a framework of posts and rails manufactured building with metal cladding

manufactured building with metal cladding laminated beam that, when installed, has layers aligned horizontally; layers typically are thicker than those in vertically lamina

space frame that allows cladding panel attachment by a method other than direct or purlin attachment formed metal decking designed to serve as permanent formwork for reinforced concrete installed over it; decking does not co

product designed as a secondary part of a column (not the shaft) or for use with a column

gabled structure with side walls that intersect the roof at an angle

decking suitable for use as: (select from the following choices)

wood beam designed to support other, smaller beams

column or accessory made of molded plaster, often with fibrous reinforcement

hemispherical manufactured building; excludes glazed structures

fence with sections that are factory assembled

decking consisting of metal sheets formed into corrugations to increase strength-to-weight ratio

light framing product designed to support the elements of the wall of which it is a part but not to support any other load space frame designed to serve as a display rack for retail items

triangular truss with two top chords that meet at a peak and slope in opposite directions, usually at equal pitches

partially enclosed spray booth designed to use dry media to filter overspray

light framing member designed to span roof beams or trusses to support rafters or roof decking

refrigerated room designed to keep perishable items cool but not frozen

curved stairway whose treads are supported by means other than a central column

hollow linear stock with a square cross section

decking made from a material that is bound together with portland or other hydraulic cement

glazed structure clad with a single layer of glass

nonbearing framing product designed for use in an interior partition

gabled structure with vertical side walls that make a curved transition to the roof at the eaves

glazed pyramid that is neither square nor octagonal in plan

fence product in the form of wire with evenly spaced sharp protrusions; designed to prevent the passage of people or animals fence section that is monolithic or consists of a framework with contiguous boards or slats; designed to block vision products designed specifically for use installing or improving decking

bridge supported by trusses that have parallel top and bottom chords spanned by vertical webs and pairs of crossed diagonal decking designed to be attached to the supporting framing members with adhesive

glazed structure with a roof that slopes in more than two directions and a ridge that does not extend the entire length of the branework of bars or posts for children to climb on or hang from

steep stair with open treads; usually made of metal

products designed to function as members of a platform frame structure or as secondary members of another frame type; typ decking made of a metal other than steel or aluminum

grating cited by the manufacturer as being suitable for use as flooring for a mezzanine

climber in the form of an expansive network of bars

angled stair with landings near both ends at which the stair makes ninety-degree turns

structure designed to form a walkway or roadway over a depression or obstacle

partially enclosed spray booth designed to use water to filter overspray

three-dimensional framework of triangulated struts designed to distribute a load to supports

column or column accessory made primarily of metal

product designed to join perpendicular light framing members

structural frame composed of vertical columns spanned by trusses

enclosure suitable for maintaining a bath of warm, humid air

decking designed to be fastened in place by nails

manufactured building consisting of three-dimensional modules that can be stacked or connected to form a building

product consisting of components designed to be assembled to form an insulated room in which to take a Finnish steam bath material of the transparent or translucent cladding of a glazed structure (choose one)

angled stair with a landing near to one end at which the stair makes a ninety-degree turn

space frame consisting of struts, which serve as web and chord members, and connector devices, by which the struts are joir decking designed to be fastened in place by bolts

finishing panel or set of panels designed to be placed around an undecorated structural column

decking accessory other than a trench duct

column made of natural stone

lean-to structure with a nontransparent roof that is usually insulated and requires shingles or other roofing material column or column accessory designed to withstand extended exposure to weather conditions

platform designed to be placed at the end of a flight of stairs or between two flights of stairs

fence composed primarily of wood

precast slab with a profile resembling a capital letter T

railing consisting of a post-supported handrail with panels to fill the spaces between the posts beneath the handrail material of which the exterior surface of a manufactured building is made (choose one of the following selections) stairway with one or more steps that are not parallel to all the others or with stringers that are not parallel to each other grating cited by its manufacturer as suitable for use as a platform for machines or other equipment

exposure to which a manufactured building is suited (choose one of the following selections)

enclosing or partially enclosing structure designed to contain and exhaust air-borne matter from and supply filtered air to a sp glazed pyramid with a square base

panels designed to be assembled into a security vault on site

grating produced by making a pattern of short parallel cuts in a sheet of material and then stretching the material, making dial column or accessory made of a plastic resin reinforced with fibers of glass or other material

mezzanine with a floor that is closed to the area below it

wood beam composed of a single piece of wood

decking made of metal

stairway, each flight of which has carriage stringers perpendicular to the steps and straight for their entire length; may be com

glazed structure with a wood frame

column or column accessory made primarily of aluminum

portable ladder with multiple joints that can be set in various positions to change its form and function

glazed pyramid with an octagonal base

glazed structure designed to be attached to a primary structure, forming a roof, skylight, or room of that structure

fence accessory designed to terminate the top of a fence picket

building system with a frame that includes no interior supports

space frame consisting of individual struts designed to be fastened to each other without additional connector devices post-and-rail fence consisting of three vertically spaced rails spanning each set of posts

manufactured building designed to be assembled on site from modular wall and roof panels that fit together to form a full encl decking made of reinforced concrete

bridge supported primarily by triangulated trusses

manufactured building with an aluminum frame

light framing product designed to function either as a vertical or horizontal member

column that is designed to butt up against a wall or building rather than freestanding; often not load-bearing

air-supported structure with cables that help the membrane restrain the upward force of internal air pressure

fence with sections that are factory assembled

space frame in the form of preassembled modules that require further assembly on site

fence section in the form of a louver

pole-supported tensile fabric structure in which the fabric is supported by cables that are suspended from poles and anchored decking made of steel

sectional fence whose sections are in the form of a louver

light framing product designed specifically for supporting a roof

fence accessories not indexed elsewhere in this product area

elevated footbridge accessed by stairs at either end and designed to allow pedestrians to cross a roadway without obstructing fence product in the form of a framework designed to fill the space between a set of posts

truss whose top chord is bowed and bottom chord is flat

recreational park equipment not listed elsewhere in SweetSource

step component made of stone

framework of top, bottom, and web chords arranged in triangles providing the structural rigidity needed to support a roof or flo linear product made primarily of wood designed to provide structural support for a transverse load, such as a floor, roof, or oth air-supported structure with restraining cables that cross the structure in only one direction

vaulted glazed structure with vertical side walls topped by a curved roof

bridge supported by Pratt trusses; vertical webs span parallel top and bottom chords and each rectangle thus formed is cross grating made by placing liquid material in a mold and allowing it to solidify

roof, building, or shelter made of a pliable fabric that is stretched and counterpoised against rigid compression elements to pr precast slab having internal tubular voids to reduce its weight; voids may be filled with an insulating material

enclosed dry arrestor spray booth with a top-to-bottom air flow within the booth

railing consisting of a series of evenly spaced upright members supporting a handrail

products designed to support or connect light framing members

fence designed for use where protection against unauthorized passage or use is required

manufactured building designed to function as: (choose one or more of the following selections)

playground climber not otherwise listed

gabled structure with square eaves having a nontransparent roof that is usually insulated and requires shingles or other roofir portable ladder designed to allow adjustment of overall length; typically consists of two nested sections, each consisting of two wood beam composed of a vertical web with top and bottom flanges; profile resembles a serifed capital letter I.

fence section consisting of usually metal openwork

structural insulated panel consisting of a rigid, low density insulating material with integral structural elements such as channe glazed structure designed primarily for horticultural use

convex glazed structure that is round in plan; may consist of multiple planar panels that together generally form a convex shall lean-to structure with a roof that makes the transition to the outer sidewall through a curved plane; includes a half vault step component made of brass or bronze

column or accessory made of stone or stone substitute

panel with one or more attached, hand-operated objects, such as tic-tac-toe cubes or a steering wheel, designed for play manufactured building designed to withstand the elements; may also be suitable for interior use

fence that must be fully assembled or nearly fully assembled on site

step component made of wood

fence composed primarily of a material not listed

portable ladder that can be rolled from place to place on a flat surface

material of the primary structural supports of a glazed structure (choose one)

space frame that allows cladding panels to be attached directly to the chord members

glazed structure clad with a single layer of rigid or semirigid sheets of plastic

special-purpose room not listed elsewhere in SweetSource

building system with a frame that has interior columns as part of the support structure

panel-supported railing with a lighting system integral with the rail

decking designed to be held in place by a means other than mechanical fasteners, welding, or subpurlins

manufactured building designed for use as a personal residence

column designed for use in an environment that is: (select from the following)

roof or building composed of an impervious membrane supported by pressurized air

security vault available as a complete unit requiring no assembly

product consisting of modular panels and other components designed to be assembled as room in which to play a game, suc greenhouse designed for commercial growing of crops, flowers, or other plants

glazed structure designed to be supported on the roof of a building and allow natural light to enter the building

manufactured building with wood cladding

structural framework composed of vertical columns spanned by beams

grating made of fiber-reinforced plastic

column composed of concrete and a structural steel shape acting in tandem

glazed structure designed to stand as an independent building

light framing product designed specifically for supporting a mansard roof or building fascia

rigid element designed to span posts to form a fence

fence component composed primarily of metal

manufactured building designed to serve as an enclosure for simulated fire conditions for training fire fighters or for testing pu sectional fence whose sections consist of usually metal openwork

hollow linear stock

truss designed to support floor decking

bar stock with a cross section other than square, flat, or round

space frame whose components are made of steel

structure designed to open or close an opening in a fence

inclined chute with its upper end mounted at the top of a ladder or stairs; designed to allow people to climb the ladder and slic column made of a visible stone aggregate in a binder, formed to simulate natural stone

post-and-rail fence consisting of one or more than three rails spanning each set of posts

product consisting of primary vertical and horizontal support elements for a building; may comprise an individual bent or a corpole-supported tensile fabric structure whose main support is a pole at the center of the structure or a line of poles forming a linear stock with angled cross-sections, such as beams or channel

sauna in the form of prefabricated components designed to be site-assembled; typically includes only facing material, seating column that does not have a fireproof wrapping

structural frame not listed elsewhere in SweetSource

structural frame made of aluminum

building panel designed to combine insulation and structural functions in a single load-bearing unit for constructing walls or ot fence accessory designed to terminate the top of a fence post

fixed ladder that has a protective cage around it to prevent one from falling

fence component made of a material not listed

space frame whose components are made of aluminum

ladder designed to be movable for use in more than one place

even-span glazed structure with a roof in the form of a continuous curved plane

product designed to fit between the flanges of a stud or joist to provide extra rigidity where needed

fence section of a type not listed

glazed structure clad with panels composed of two or three layers of glass with insulating space between each layer building system that comprises two or more stories

decking that has an underside suitable to function as finished ceiling surface

spray booth that is open on one side

precast slab with a profile resembling two connected capital letters TT

stair tread designed to be installed on top of a structural substrate

linear stock shape whose cross-section resembles the letter L; available with either equal or unequal legs

decking designed to serve as a structural covering of a building

step component designed to withstand exposure to weather conditions

pool that continuously filters contents without creating conspicuous turbulence or current

accessories incidental to primary fire protection equipment

pool with no means of filtration or circulation; typically designed to be filled for each use and then drained

plumbing fixture that combines two or more standard fixtures, such as a lavatory and a water closet

hydronic heating product intended for a use not listed

fire extinguisher whose extinguishing agent is a flame-suppressing gas, such as carbon dioxide

hydronic heating product cited by the manufacturer as suitable for preventing ice from accumulating

elevated chair designed to provide a lifeguard with a broad view of a swimming area

fire extinguisher whose extinguishing agent is water

electric resistance heating product in the form of a flat strip or tape; often serves as a heat wrap for a pipe or duct

plumbing fixture designed to receive and dispose of urine delivered from a standing position

powered device designed to remove or replace air from a room or space

ventilator intended for a use not listed

electric resistance heating cable with a conductor imbedded in a mineral insulator, such as magnesium oxide

canopy designed to collect air laden with dust, fumes, or odors and to filter or remove the air

drinking water dispenser with a bowl made of steel

plumbing fixture that consists of a basin, a waste drainage outlet, and a water inlet that rinses the basin after each use

product designed to cover traps and other fittings under lavatories or sinks, especially to prevent people in wheelchairs from gaplit heat transfer system designed to cool a building or space

wash basin designed for washing of hands and face by more than one person; consists of a large, shallow basin and a central prefabricated enclosure for burning wood or other fuel within a room or other building space

product designed to be placed in or over an opening in a wall, roof, or soffit to allow air to pass but not rain, sunlight, or pests drinking water dispenser with a housing made of bronze

plumbing fixture designed to spray water on and immediately remove contaminants or toxins from one's skin after accidental dehumidifier that operates by chemical sorption of moisture

ventilator cited by the manufacturer as suitable for use in a building used for trade with or service to the public

product designed to cool interior air by an evaporative process

drinking water dispenser with a bubbler head that spouts unrefrigerated water for drinking above a bowl from which excess w

flushometer designed to be actuated by stepping on a pedal

drinking water dispenser with a housing made of stainless steel

drinking water dispenser designed to be accessible to children

fire extinguisher whose extinguishing agent is expelled in the form of a flame-suppressing foam individual hydronic heating conduit

product designed to move air; often an impeller or wheel mounted on a rotating shaft

product consisting of a molded enclosure or of components designed to be assembled as a complete enclosure for taking she air handling unit that can also heat or cool the air it transfers

plumbing fixture in the form of a large basin designed to accommodate a sitting bather; usually equipped with one or more was plumbing fixture in the form of a shallow bowl that is sized for washing objects by hand, equipped with one or more drainage of air terminal unit providing transfer of heat to the space to be heated by means other than forced air distribution product designed to join or terminate plumbing pipes

flexible board designed to project over a pool and provide spring for diving; does not include tower or stand

flushometer designed to be actuated by application and subsequent release of downward pressure on a toilet seat

two web-connected hydronic heating conduits installed as a single unit; typically water travels through the two conduits in opportunity designed to direct a stream of air across a doorway or other opening, creating a barrier between exterior and interior electric resistance heating product cited by the manufacturer as suitable for preventing the ground under a freezer from become drinking water dispenser designed to be partially recessed into a wall

plumbing fixture designed to wash posterior parts of the body; typically a low basin with a fixed seat

drinking water dispenser with a bubbler head that spouts refrigerated water for drinking above a bowl from which excess water drinking water dispenser designed to prevent water from freezing within it

electric resistance heating product cited by the manufacturer as suitable for heating earth for thermal storage

axial fan with comparatively large blades and large blade length-to-total diameter ratio; mounted on simple circular ring, orifice water cooler with a chiller mechanism located separate from the fixture's housing

water heater with heat supplied by burning natural or propane gas

device at the end of a duct through which air is supplied to or exhausted from a space or building; often diffuses air or allows equipment designed to produce a jet or spray of water for decorative purposes, or a structure containing such equipment device designed to cool water as part of an air conditioning or refrigeration system

pressurized portable container that expels a fire-suppressing agent when operated

drinking water dispenser with a bowl made of: (select one of the following)

flushometer designed to be actuated by pressing or stepping on a button

fire extinguisher mounted on wheels for transport

product designed to cover the inner surface of a tub or shower for decorative or sanitary purposes

drinking water dispenser with a combined bowl and housing made with an enamel finish

electric resistance heating product cited by the manufacturer as suitable for preventing snow or ice build-up on roofs or gutter drinking water dispenser designed to be completely recessed into a wall

drinking water dispenser with a housing made of cast aluminum

heat transfer product with separate, isolated components

hydronic heating product cited by the manufacturer as suitable for melting snow

product consisting of ducts, inlets, outlets, and often a blower for removing fumes or vapors from a given space

device or material designed to filter particles from water or other liquids

device designed to heat water for domestic or commercial uses other than space heating

device designed to generate suction, pressure, or both to move or pressurize fluids

heat-generating device that is self-contained and designed to heat only the room or space in which it is placed; excludes firep drinking water dispenser with a combined bowl and housing made with a powder coat finish

pool accessory designed to span a pool and partition it into separate areas

fire extinguisher designed for hand-held operation

products designed to enhance the use of a pool but not essential to its operation

product designed to move air from one space to another and capable of supplementary tempering of the air

flushometer designed to be actuated automatically at preset time intervals by a solenoid

drinking water dispenser designed to be mounted to the surface of a wall

incidental product for use with a boiler

drinking water dispenser with a piping housing made of: (select one of the following)

louver designed for use with air condtioning equipment or as part of an HVAC system

drinking water dispenser with a bowl made of stainless steel

vent designed to replace one or more masonry units within a wall to allow air movement through the wall pool suitable for swimming

machine designed to produce warm water vapor for use in a steam bath

drinking water dispenser designed to be fixed to the floor

plumbing unit consisting of one or more valves and a neck that directs the flow water or other liquid when the valve or valves products, such as receptors or wall panels or shower doors, designed to function as part of a shower enclosure

space heater designed to heat objects or people by means of thermal radiation

plumbing fixture designed to receive and dispose of human excrement; typically a low basin and a hinged seat

drinking water dispenser that dispenses water from a replaceable bottle; typically a gravity-flow unit designed to dispense wat space heater that heats water, which in turn heats room air

electric resistance heating product cited by the manufacturer as suitable for industrial or commercial use in treating or otherwi device designed to vaporize or heat water or another fluid for space heating, processing, or power

drinking water dispenser with bowls at varying heights, at least one of which is low enough to accommodate children

ventilator intended for use in a kitchen or cooking area drinking water dispenser with a bowl made of bronze

electric resistance heating cable of a type not listed

partial enclosure designed to confine odorous or harmful fumes for exhausting or recirculating; often used in laboratories refrigeration dehumidifier that functions as an independent unit

ventilator intended to remove odors or humid air from a restroom

drinking water dispenser with three bubbler heads; often includes separate bowls for each head

electric resistance heating product cited by the manufacturer as suitable for protecting water pipes from freezing

drinking water dispenser with two bubbler heads; often includes separate bowls for each head

valve designed to supply water under direct water pressure at a rate and volume sufficient for flushing the interior of a plumbin combination plumbing fixture that includes a lavatory and a water closet

drinking water dispenser with a housing made of steel

product designed to form a conduit for delivering air to or removing air from a given space

pool accessory with vertically spaced rungs or treads that a person can use for climbing in or out of a pool or for accessing a drinking water dispenser with a combined bowl and housing made of bronze

water heater with an integral reservoir that stores heated water until used

toilet that disposes of waste products by submitting them to a heat source and reducing them to ash

drinking water dispenser with a combined bowl and housing made of polymarble

products designed for use in the operation of a pool, such as filtration and recirculating equipment

ventilator designed to remove air from an attic space

tank or basin designed tro hold water for recreational or architectural use; usually equipped with controlled water supply and a device that regulates, closes off, or measures the flow or pressure of a fluid

drinking water dispenser with a housing made of acrylonitrile-butadiene-styrene plastic

tank designed to hold fluids for storage or transport

drinking water dispenser with a single bubbler head

bar that persons can hold on to for support while moving in or around a pool

drinking water dispenser with a combined bowl and housing made of concrete

pool accessory not listed

ventilator designed remove air or exchange air from an entire house; often designed to reclaim heat from exhausted air fan that moves air by means of blades mounted on a shaft; air moves parallel to the shaft

flushometer designed to be actuated by pushing or pressing a handle

hydronic heating product cited by the manufacturer as suitable for warming occupiable spaces to a comfortable temperature centrifugal fan with curved blades; the plane formed between the shaft-end and tip of each blade, perpendicular to the air flov

drinking water dispenser with drinking apparatus at a single height and low enough to accommodate children drinking water dispenser with a bowl made of plastic imitation marble

sloping walk designed to allow wheelchair access to a pool; often includes handrails

electric resistance heating product of a type not listed

refrigeration dehumidifier designed to be integrated with and operate in conjunction with a larger HVAC unit plumbing fixture designed to dispense water conveniently for drinking

sink designed for or suitable for use in a photographic processing laboratory

drinking water dispenser with a combined bowl and housing made of cast aluminum

drinking water dispenser with a bowl made of cast aluminum

centrifugal fan with blades that resemble airfoils; the plane formed by the shaft-end and tip of each blade, perpendicular to the centrifugal fan housed in a cylinder or tube such that air discharged from the blade wheel must be vented at a 90 degree ang centrifugal fan with flat blades; the plane formed by the shaft-end and tip of each blade, perpendicular to blade wheel rotation electronic air filter that works by ionizing and attracting air-borne particles

axial fan with blades more than 50 percent of total impeller diameter; mounted in a cylinder

drinking water dispenser with a combined bowl and housing made with a vitreous china finish

electric resistance heating cable whose heat output varies in response to temperature changes

drinking water dispenser with a combined bowl and housing made of stainless steel

structure designed to support and provide access to a diving board; may include diving board

pool accessory in the form of an upright pole for supporting suspended markers, banners, or nets

fire extinguisher whose extinguishing agent is a flame-suppressing powder

pool suitable for ritual baptisms, during which subject is briefly immersed in the pool

heat transfer unit designed to transmit heat from a remote source by means other than forced air distribution drinking water dispenser equipped with a spout that directs water downward for filling a glass with water pool designed to generate a current for swimming in place; typically too small for conventional swimming dehumidifier that operates by mechanical condensation of moisture

combination plumbing fixture that functions as a water closet and a bidet

electric conductor that generates heat by electric resistance; excludes electric space heaters or furnaces

water cooler with a chiller mechanism in the same housing as the fixture's piping

water heater with heat supplied by burning liquid fuel oil

mechanically operated sling designed to raise a person from or lower one into a swimming or therapy pool drinking water dispenser with a housing that has an enamel finish

drinking water dispenser with a housing made of concrete

flushometer designed to be actuated by tripping an electronic sensor

wash basin designed for washing objects such as mops and pails; usually floor-mounted and shallow relative to width and ler electric resistance heating product in the form of a flexible sheet or other backing with a pre-attached grid pattern of resistanc tubing and fittings for in-floor or in-slab radiant heating

structure with an elevated, rigid horizontal surface that projects over a pool for diving

pool accessory designed to provide surface demarcation of pool lanes; usually a narrow floating band or strip attached at botl electric resistance heating product cited by the manufacturer as suitable for melting snow from a walkway, drive, or roof

hydronic heating product cited by the manufacturer as suitable for warming a slab or floor as a supplement to a main heat so electric resistance heating product cited by the manufacturer as suitable for heating a floor or slab

drinking water dispenser designed to be placed in a separate support structure, such as a countertop

drinking water dispenser designed to be accessible to people in wheelchairs

ventilator cited by the manufacturer as suitable for use in a personal dwelling or a building designed as sleeping accommodat pool designed to create random, turbulent water by means of jets located around the pool perimeter; typically equipped with selectric resistance heating product cited by the manufacturer as suitable for melting or preventing accumulation of ice powered device designed to remove moisture from the surrounding air

water heater that heats water in a coil as it circulates through pipes or a separate storage tank; often equipped with a pump; of sheet fitted to cover a pool surface to help keep it clean or prevent heat loss

split heat transfer system designed to heat or cool a building or space

hydronic heating product cited by the manufacturer as suitable for preventing the ground under a freezer from becoming pern centrifugal fan with either flat or curved blades; the plane formed between the shaft-end and tip of each blade, perpendicular drinking water dispenser with a combined bowl and housing made of: (select one of the following)

air curtain that does not contain a heating element

fan designed to draw air parallel to the axis of rotation and expel air perpendicular to the axis of rotation; typically a blade whe small raised platform designed to position a swimmer for the start of a race

air conditioner suitable for exterior installation on a roof

device designed to create steam for purposes other than heating

water heater with heat supplied by an electric resistance element or elements

pool suitable to be used for physical therapy; often equipped with accessories such as grab rails or ramps

electric resistance heating conductor in the form of a wire or cable

drinking water dispenser with a housing that has a powder coat finish

air curtain that contains a heating element

electric resistance heating cable whose heat output remains constant

door with a frame to which it is connected by hinges or designed to be connected at the time of installation swinging door assembly with a door leaf composed of faces bonded to a core, to spacers, or to an internal frame; may be per swinging door assembly that has a flush door with a solid core consisting of wood or dense material swinging door assembly that has a flush door with a core consisting of lightweight material or voids swinging door assembly that has a hollow-core door with insulating material filling all internal spaces swinging door assembly that has a hollow-core door with voids between the two faces swinging door assembly that has a hollow-core door with a pattern stamped or molded on one or both faces swinging door assembly that has a hollow-core door with moldings attached to the face by adhesive or mechanical fasteners swinging door assembly that has a hollow-core door leaf with smooth, even faces swinging door assembly that has a door leaf with visible vertical and horizontal framing members holding panels, louvers, ligh swinging stile-and-rail door that has a divided light composing a majority of its surface area swinging French door with a grid applied to a single light, giving the look of a traditional French door

swinging French door with dividing muntins physically separating individual lights

swinging door with rails and stiles that hold one or two lights composing a majority of the surface area

swinging stile-and-rail door with inclined slats filling the area between the stiles and rails

swinging stile-and-rail door with a screen or glass panel or panels or with interchangeable screen and glass insert panels; des swinging door that has the quality of being: (select from the following)

swinging door cited by the manufacturer as designed to resist penetration by water or other liquids when closed

swinging door cited by the manufacturer as designed to provide a seal against air infiltration

swinging door cited by the manufacturer as door designed to resist the forces emitted by an explosion

swinging door cited by the manufacturer as door designed to resist penetration by high-speed projectiles

swinging door cited by the manufacturer as being designed to prevent passage of a particular fume or fumes

swinging door cited by the manufacturer as being capable of maintaining a seal under pressure

swinging door cited by the manufacturer as designed to resist passage of electromagnetic waves, radio frequency or otherwis

swinging door lined with lead or other material to render it impervious to x-rays or other radiation

swinging door cited by the manufacturer as designed to resist the passage of sound through it or around its perimeter when c

swinging door cited by the manufacturer as designed to prevent the spread of flame through or around the door

swinging door cited by the manufacturer as capable of withstanding for 20 minutes fire conditions as required in ASTM test E. swinging door cited by the manufacturer as capable of withstanding for 30 minutes fire conditions as required in ASTM test E.

swinging door cited by the manufacturer as capable of withstanding for 45 minutes fire conditions as required in ASTM test E

swinging door cited by the manufacturer as capable of withstanding for 60 minutes fire conditions as required in ASTM test E.

swinging door cited by the manufacturer as capable of withstanding for 90 minutes fire conditions as required in ASTM test E.

swinging door cited by the manufacturer as capable of withstanding for four hours fire conditions as required in ASTM test E1

swinging door cited by the manufacturer as intended for use in an environment that is: (select from the following) swinging door that is not designed to withstand exposure to weather conditions swinging door that is cited by the manufacturer as suitable for both interior and exterior use swinging door cited by the manufacturer as designed to withstand extended exposure to weather conditions swinging door assembly that has a door frame made of: (select from the following) swinging door assembly that has a door frame made of plastic swinging door assembly that has door frame made of wood swinging door assembly that has door frame made of wood that has been primed, painted, varnished, or left unfinished but no swinging door assembly that has a door frame encased with a protective layer of material other than wood swinging door assembly that has a wood door frame protected by a layer of plastic swinging door assembly that has a wood door frame protected by a layer of polyvinyl-chloride plastic swinging door assembly that has a wood door frame protected by a layer of metal swinging door assembly that has a wood door frame protected by a layer of steel swinging door assembly that has a wood door frame protected by a layer of aluminum swinging door assembly that has a wood door frame protected by a layer of material not listed swinging door assembly that has a door frame made of metal swinging door assembly that has a door frame made of aluminum swinging door assembly that has a door frame made of cold-rolled steel swinging door assembly that has a door frame made of stainless steel swinging door assembly that has a door frame made of a metal not listed swinging door assembly that has a door frame made of a material not listed swinging door assembly that has a door leaf with: (select from the following) swinging door assembly that has a door leaf with an internal frame, stiles and rails, or monolithic body made of: (select from ti swinging door leaf with structural elements made of plastic swinging door leaf with structural elements made of nylon and coated with polyvinyl-chloride plastic swinging door leaf with with structural elements made of metal swinging door leaf with with structural elements made of aluminum swinging door leaf with structural elements made of steel or a cold-rolled steel swinging door leaf with structural elements made of a metal not listed swinging door leaf made of tempered glass swinging door leaf with an internal frame or stiles and rails made of a material not listed swinging stile-and-rail door assembly that has a door leaf with inset panel or panels made of: (select from the following) swinging stile-and-rail door with inset panel or panels or lights made of plastic swinging stile-and-rail door with inset panel or panels made of wood swinging stile-and-rail door with inset panel or panels made of aluminum swinging stile-and-rail door with inset panel or panels made of stainless steel swinging stile-and-rail door with inset panel or panels made of steel swinging stile-and-rail door with a light or lights or inset panels made of glass swinging stile-and-rail door with inset panels made of different materials, such as a panel door that has a combination of light: swinging flush door assembly that has a door leaf with a core between faces made of: (select from the following) swinging flush door with a core consisting of a hexagonal grid made of resin-impregnated paper swinging flush door with a core made of wood or a product derived from wood swinging flush door with a core of plywood swinging flush door with a core consisting of blocks of wood bonded together swinging flush door with a core of particle board

Page 231

swinging flush door with a core made of bonded wood or cane fibers swinging flush door with a core made of a metal or mineral-based product

swinging flush door with a core filled with fiberglass insulation swinging flush door with a core filled with mineral-fiber insulation

swinging flush door with a core made from a plastic product

swinging flush door with a core filled with expanded polystyrene plastic

swinging flush door with a core filled with foamed polyurethane plastic

swinging flush door with a core of solid phenolic plastic

swinging flush door with a core made of solid or laminated acrylonitrile-butadiene-styrene plastic

swinging flush door with a core made of a plastic product not listed

swinging flush door with a core composed of more than one material, such as a lead-lined door

swinging flush door with metal facing

swinging flush door with steel facing

swinging flush door with stainless steel facing

swinging flush door with aluminum facing

swinging flush door with facing made of a plastic product

swinging flush door with plastic laminate facing

swinging flush door with fiber-reinforced plastic facing

swinging flush door with phenolic plastic facing

swinging flush door with a wood panel or veneer facing

swinging flush door with a facing of a wood panel overlaid with resin-impregnated paper

swinging flush door with a hardboard facing

swinging flush door with a hardwood veneer facing

swinging door cited by the manufacturer as designed or suitable for use as: (select from the following)

swinging door designed for or suitable for use as an interior passage door

swinging door cited by the manufacturer as designed for or suitable for use on an anechoic chamber

swinging door designed for use in areas where passage of carts, forklifts, or other vehicles is common; designed to open whe swinging door designed for use on a refrigerated chamber

swinging door cited by the manufacturer as suitable or designed for use as an entrance door to a building

swinging door designed for use as a door to a cell or room in penal institution or security facility

swinging door designed for use as a door to a vault for the safekeeping of money or valuables

swinging door designed or suitable for use as a door to a fire-rated records storage room

swinging door cited by the manufacturer as suitable for use as a door leading from a residence to a outdoor patio or terrace; a

swinging door designed to allow passage of an overhead crane

swinging door designed for or suitable for an application not listed

swinging stile-and-rail door with a screen or glass panel or panels or with interchangeable screen and glass insert panels; des

swinging door leaf with with structural elements made of stainless steel

swinging door leaf with structural elements made of acrylonitrile-butadiene-styrene plastic

swinging door assembly that has a wood door frame protected by a layer of acrylonitrile-butadiene-styrene plastic

swinging door leaf with structural elements made of polyvinyl-chloride plastic

swinging stile-and-rail door that has opaque, non-perforated panels secured between stiles, rails, and muntins; may include s

swinging stile-and-rail door all of whose panels are opaque and non-perforated

swinging stile-and-rail door with solid panels that are thicker at their centers than at the edges

swinging stile-and-rail door with solid panels of uniform thickness

swinging stile-and-rail door with a combination of solid opaque panels and transparent panels

swinging door assembly that has a door leaf consisting of a single slab of homogeneous material

swinging door assembly of a type not listed

swinging door leaf with structural elements made of roll- or brake-formed aluminum sheets

swinging door leaf with structural elements made of aluminum angles and bars welded together

swinging door leaf with structural elements made of extruded aluminum

swinging door leaf with structural elements made of cold rolled or brake-formed steel

swinging door with a leaf that has a formed-steel perimeter frame spanned by internal metal stiffeners

swinging door with a leaf that has a formed-steel perimeter frame without additional internal stiffeners

swinging door leaf with structural elements made of steel bar and angles welded together

swinging door leaf with stiles and rails or internal structural elements made of wood

swinging flush door with a core filled with expanded polystyrene plastic

swinging flush door with a core filled with foamed polyurethane plastic

swinging flush door with a core of solid phenolic plastic

swinging flush door with a core made of solid or laminated acrylonitrile-butadiene-styrene plastic

swinging flush door with facing of a metal not listed

swinging flush door with facing made of polyethylene plastic

swinging flush door with facing made of acrylonitrile-butadiene-styrene plastic

swinging flush door with facing made of polyvinyl chloride plastic

swinging flush door with facing made of an acrylic plastic

swinging door cited by the manufacturer as capable of withstanding for four hours fire conditions as required in ASTM test E1

swinging door assembly that has a door leaf with facing made of: (select from the following)

wood flooring cited by its manufacturer as suitable for heavy traffic in industrial settings

railing consisting of posts spanned by cables; top handrail may be other than cable

railing with secondary rail or rails made of: (select from the following)

railing with secondary rail or rails made of a plastic resin reinforced with fibrous glass

railing with secondary rail or rails made of wood

railing with secondary rail or rails made of metal

railing with secondary rail or rails made of a plastic that is not fiber reinforced

railing with secondary rail or rails made of a material not listed

railing with a top handrail made of: (select from the following)

railing with top handrail made of a plastic resin reinforced with fibrous glass

railing with top handrail made of wood

railing with top handrail made of metal

railing with top handrail made of a plastic that is not fiber reinforced

railing with top handrail made of glass

railing with top handrail made of a material not listed

railing with posts made of: (select from the following)

railing with posts made of wood

railing with posts made of metal

railing with posts made of a plastic that is not fiber reinforced

railing with posts made of a plastic resin reinforced with glass fibers

railing with posts made of a material not listed

railing with upright balusters made of: (select from the following)

railing with upright balusters made of wood

railing with upright balusters made of metal

railing with upright balusters made of plastic that is not fiber reinforced

railing with upright balusters made of a plastic resin reinforced with glass fibers

railing with balusters made of a material not listed

railing with in-fill panels made of: (select from the following)

railing with in-fill or support panels made of wood

railing with in-fill or support panels made of metal

railing with in-fill or support panels made of a plastic resin

railing with in-fill or support panels made of glass

railing with in-fill or support panels made of a material not listed

railing that is suitable for conditions that are: (select from the following)

railing that is not intended to withstand extended exposure to weather conditions

railing that is suitable for withstanding extended exposure to weather conditions

railing cited by the manufacturer as designed or suitable to be used on: (select from the following)

railing designed to be used on a staircase

railing designed to be used on a balcony

railing designed to be used on or around a swimming pool

railing consisting of parts that need to be assembled on site

railing consisting of some parts that have been assembled at the factory and then shipped to the site

planter or planting accessory made primarily of concrete

planter or planting accessory made primarily of wood

planter or planting accessory made of metal

planter or planting accessory made of natural or cast stone

planter or planting accessory made of fired clay

planter or planting accessory made of a plastic resin; includes, but is not limited to, fiber-reinforced plastic (FRP)

planter or planting accessory made of a material not listed

handrails and other products designed to be combined to form a railing

bar, pole, or tubing designed to be grasped by hand for guidance or support along a balcony, stair, hallway, or other walkway handrail with an integral lighting system designed to illuminate the walkway or steps along which the handrail is fixed handrail without an integral lighting system

railing component designed to function as a vertical structural element supporting the handrail, in-fill panels, or other horizontal railing component designed to function as one of a series of closely spaced upright members supporting a handrail

bar, pole, or tubing other than a handrail designed to span the posts of a railing

panel designed to fill the space beneath the handrail and between the posts of a railing

item designed to decorate, finish, or add function to the structural elements of a railing

railing component not indexed elsewhere

rectangular panel designed to be fixed to the floor or stairs and to support a handrail; often translucent or transparent railing in-fill panel consisting of wire fabric on a rigid frame

railing in-fill panel that is monolithic, and often translucent, or is composed of contiguous boards or slats

in-fill panel consisting of a series of crisscross slats that form a pattern of small openings

railing in-fill panel in the form of a grille

railing in-fill panel consisting of a grid of bars or rods fixed to form a pattern of rectangular or square openings

railing in-fill panel in the form of a decorative grille

fitting designed to terminate the top of the post of a railing

u-shaped section of rail, designed to join adjacent rails of a post-and-rail railing where the railing makes a 180-degree turn, as plate designed to span the bottoms of posts providing a low barrier along the bottom of a railing

railing accessory in the form of an ornament, such as a scroll or letter, designed to be inserted between pickets of a railing lighting fixture designed to function as an accessory to a handrail

railing in-fill panel in the form of a series of slanted parallel slats in a rectangular frame

railing in-fill panel of a type not listed

railing accessory of a type not listed

handrail or railing component made primarily of wood

handrail or railing component made primarily of metal

handrail or railing component made primarily of plastic or fiber-reinforced plastic

handrail or railing component made of glass

handrail or railing component made of a material not listed

handrail or railing component recommended for indoor use only

handrail or railing component cited by the manufacturer as suitable for extended exposure to weather conditions

flooring underlayment applied to a substrate in paste form

flooring underlayment in the form of flexible rolls, strips, or other units

flexible sheet of underlayment consisting of a random tangle of thin strands

flexible mat underlayment having a structural make-up containing cavities or having a porous structure

flexible mat underlayment of a type not listed

flooring underlayment made primarily of extruded nylon filaments

flooring underlayment made of polyvinyl chloride plastic

flooring underlayment made primarily of natural or synthetic rubber

flooring underlayment made primarily of polyethylene plastic

flooring underlayment made primarily of hydrated calcium sulfate

flooring underlayment made primarily of wood

flooring underlayment made primarily of an aggregate in a portland cement-based binder

flooring underlayment made primarily of the bark of the cork oak tree

flooring underlayment made primarily of small, fine fibers of wood, cane, or shredded paper

flooring underlayment made primarily of polyurethane plastic resin, often foamed

flooring underlayment made of a material not listed

flooring underlayment suitable for: (select from the following)

flooring underlayment capable of thermally insulating a floor

flooring underlayment cited by the manufacturer as suitable for preventing cracks in the substrate from affecting the finish flooring

flooring underlayment cited by the manufacturer as suitable for embedding radiant heating wires or tubing

flooring underlayment cited by the manufacturer as suitable for patching cracks, chips, or other damage to the substrate

flooring underlayment cited by the manufacturer as suitable or designed for smoothing the surface of an uneven substrate

flooring underlayment cited by the manufacturer as capable of absorbing or otherwise preventing passage of noise through a

flooring underlayment designed for a use not listed

flooring underlayment suitable for use under: (select from the following flooring types)

flooring underlayment cited by the manufacturer as suitable for use under wood flooring

flooring underlayment cited by the manufacturer as suitable for use under ceramic or quarry tile

flooring underlayment cited by the manufacturer as suitable for use under stone tile

flooring underlayment cited by the manufacturer as suitable for use under resilient flooring

flooring underlayment cited by the manufacturer as suitable for use under carpet

flooring underlayment cited by the manufacturer as suitable for use under flooring not indexed elsewhere

recommended type of substrate for the underlayment

flooring underlayment cited by the manufacturer as suitable for use over existing wood flooring

flooring underlayment cited by the manufacturer as suitable for use over existing ceramic or quarry tiles

flooring underlayment cited by the manufacturer as suitable for use over existing stone tiles

flooring underlayment cited by the manufacturer as suitable for use over existing resilient flooring

flooring underlayment cited by the manufacturer as suitable for use over a concrete substrate

flooring underlayment cited by the manufacturer as suitable for use over a plywood substrate

flooring underlayment cited by the manufacturer as suitable for use over a metal substrate

flooring underlayment cited by the manufacturer as suitable for use over a substrate not listed

flooring underlayment that is poured on a substrate and levels itself

flooring underlayment suitable or designed for absorbing impact

powered device designed to open and close or to control or monitor a gate

device designed to control or limit access through a gate fitted with a powered operator

device designed to help prevent serious injuries in the use of a gate fitted with a powered operator

powered device designed to open and close a gate

gate operator powered by electricity

electric gate operator with a sprocket designed to engage a chain that draws a gate open or closed

electric gate operator with an arm designed to transfer rotating motion to a connecting rod that opens or closes a swinging gate operator powered by a hydraulic cylinder

gate operator or accessory designed or suitable for use on a gate that swings horizontally on hinges

gate operator or accessory designed or suitable for use on a gate that slides or rolls horizontally on the same axis as the fenc sliding gate operator or accessory designed to accommodate a single-section gate that opens in one direction

sliding gate operator designed to accommodate a gate with two sections that open in opposite directions

gate operator or accessory designed for use on a gate that rises vertically to open

gate operator or accessory designed or suitable for use on a gate that consists of a bar or panel that pivots vertically from one electric gate operator of a type not listed

association or other professional organization providing information about stone

printed or electronic information for construction professionals

earth anchor designed to provide vertical support and to be used in compression

bottom-supported dock designed to be easily removed from the water before winter or for maintenance

light framing product made from cold-rolled light gauge steel

decking specially designed for use in an environment that is corrosive

column designed to be used for: (select from the following)

enclosed spray booth designed to use dry media to filter overspray

glazed structure designed to enclose a sidewalk or skywalk

grille fence section consisting of a grid of bars or rods fixed to form a pattern of rectangular or square openings decking made of aluminum

panel-supported railing with a lighting system integral with the rail

sectional fence whose sections consist of a series of pickets attached to rails

truss with sloping top chord or chords; top chords function as rafters and bottom chords function as ceiling joists

bridge with support beams, arches, or trusses made of wood

product designed to function as, to simulate, or to enhance the appearance of a vertical load-bearing member grating made primarily of steel

axial fan with blades less than 50 percent of total impeller diameter and guide vanes either upstream or downstream from impeller with a basin relatively deep enough to hold water for washing objects such as dishes or hands, mounted such that basin drinking water dispenser with a combined bowl and housing made of steel

water heater that heats water immediately on demand; does not store heated water

curtain designed to close off a shower-stall opening to restrict overspray from the shower

strip of material designed to be placed in concrete when poured to prevent passage of water through a joint

resilient flooring embedded with hard particles that resist slipping

resilient flooring with an uneven surface; includes flooring with a stippled surface, texture replicating natural materials, or raise resilient flooring with an uneven surface embedded with hard particles that resist slipping

resilient flooring with a smooth, flat surface

resilient flooring consisting of an open mesh or having openings through it

resilient flooring made of an aggregate bonded with bitumen

resilient flooring made primarily of a natural or synthetic elastic polymer

resilient flooring that contains rubber that has been processed from previously used and discarded products

resilient flooring made primarily of polyvinyl chloride plastic

resilient flooring made by laying on a burlap or canvas backing a mixture of solidified linseed oil with gums, cork dust or wood

resilient flooring made primarily of the elastic tough outer tissue of the cork oak tree

resilient flooring made primarily of a polymeric plastic derived from ethylene

resilient flooring consisting of one or more materials set in layers

resilient flooring made of a material not listed

resilient flooring suitable for use in an environment that is: (select from the following)

resilient flooring not suitable for extended exposure to weather conditions

resilient flooring cited by the manufacturer as suitable for extended exposure to weather conditions

resilient flooring recommended by the manufacturer for use as: (select from the following)

resilient flooring designed to dissipate static electricity by conducting it to a ground

resilient flooring designed to provide a tactile warning of an upcoming obstacle, such as steps or the edge of a subway platfor resilient flooring with a surface that resists or inhibits the growth of bacteria

resilient flooring designed to resist staining or deterioration due to accidental spills of acids or other chemicals

```
resilient flooring cited by the manufacturer as suitable for applying to removable, raised floor panels
resilient flooring cited by the manufacturer as suitable for use in a gymnasium or other athletic facility
resilient flooring whose edges can be heat-fused to create an uninterrupted surface
resilient flooring whose edges can be bonded with an adhesive or chemical to create an uninterrupted surface
slab or floor assembly separated from a structural floor by vibration-absorbing material or devices, or all the components for s
floating floor consisting of wood panels that bear on and are isolated by vibration-absorbing material or devices
floating floor consisting of a concrete slab that is supported and isolated by vibration-absorbing material or devices
concrete floating floor that is supported by the structural floor when poured and then is raised on mounts after setting
concrete floating floor that is poured directly onto vibration-absorbing material or onto a permanent form that is isolated from t
concrete floating floor that is isolated from the structural floor by regularly spaced resilient pads
concrete floating floor that is isolated from the structural floor by a continuous sheet of vibration-absorbing material
concrete floating floor that is isolated from the structural floor by regularly spaced resilient devices, such as coil springs or air
individual parts for forming a floating floor
device that monitors or adjusts the slope of a floating floor to be on a horizontal plane
sheet of resilient material that supports a floating floor, isolating it from the structural floor and absorbing mechanical vibration
drain fitted with a resilient jacket designed to isolate the drain and connected pipes from a floating floor
sheet of resilient material that isolates the edges of a floating floor from surrounding walls and absorbs mechanical vibration
device or pad that supports a section of floating floor, isolating it from the structural floor and absorbing mechanical vibration
floating floor mount that consists of or includes a dense block of resilient material for absorbing mechanical vibration
floating floor mount that includes a resilient coil or compressed gas for absorbing mechanical vibration
interior wall separated from a structural floor by vibration-absorbing material or devices, or all the components for such a wall
device designed to support or connect machinery, ductwork, piping, or other sources of mechanical vibration and to absorb vi
vibration isolator designed to support a source of mechanical vibration
vibration isolator in the form of a resilient tube designed to connect ducts or pipes and reduce transmission of vibration
vibration isolator designed for suspending a pipe, duct, or ceiling from an overhead structure
vibration isolator designed to prevent transmission of vibration between a pipe and a floor, wall, or ceiling that it penetrates
platform or framework designed to support a motor, machine, or other equipment and to absorb vibration generated
vibration isolation product with a vibration-absorbing element or elements made of: (select from the following)
vibration isolation product with a vibration-absorbing element or elements made of a combination of resilient materials
vibration isolation product with a vibration-absorbing element or elements made of glass fibers
vibration isolation product with a vibration-absorbing element or elements made of coiled spring metal
vibration isolation product with a vibration-absorbing element or elements consisting of compressed air in a sealed chamber
vibration isolation product with a vibration-absorbing element or elements made of rubber or a resilient polymer
vibration isolation product with a vibration-absorbing element or elements made of a material not listed
vibration isolation product that in addition to vibration absorbing material has a frame or housing made of: (select from the foll
vibration isolation product that in addition to vibration absorbing material has a frame or housing made of steel, aluminum, or
vibration isolation product that in addition to vibration absorbing material has a frame or housing made of a non-metalic mater
vibration isolation product cited by the manufacturer as suitable for absorbing vibration or sound caused by: (select from the f
vibration isolation product cited by the manufacturer as suitable for absorbing vibration or sound caused by footsteps or other
vibration isolation product cited by the manufacturer as suitable for absorbing continuous or prolonged vibration caused by ru
vibration isolation product cited by the manufacturer as suitable for absorbing vibration or sound caused by the forced movem
vibration isolation product cited by the manufacturer as suitable for use in reducing vibration to or from: (select from the follow
vibration isolation products cited by the manufacturer as suitable for isolating entire buildings from vibration
vibration isolation products cited by the manufacturer as suitable for isolating a room, such as a recording or broadcasting stu
vibration isolation products cited by the manufacturer as suitable for isolating a railroad track to prevent vibration caused by p
vibration isolation products cited by the manufacturer as suitable for isolating a roof from the rest of the building
vibration isolation products cited by the manufacturer as suitable for reducing vibration to a suspended ceiling
vibration isolation products cited by the manufacturer as suitable for preventing the spread of vibration generated by machine
```

vibration isolation products cited by the manufacturer as suitable for preventing the spread of vibration through heating and co

vibration isolation products cited by the manufacturer as suitable for preventing the spread of vibration through plumbing or of vibration isolation products cited by the manufacturer as suitable for isolating machines to prevent vibration from spreading to sound or vibration isolation product of a type not listed

vibration isolation product with a vibration-absorbing element consisting of a tangle of nylon filaments

device designed to be installed in an opening in a wall or window through which a security person can fire a gun

manufactured building designed for a use or function not listed

traingular truss of a type not listed

bridge with decking made up of solid steel panels

bridge with a support structure made primarily of a material not listed

bridge of a type not listed

beam-supported bridge that can be raised to allow for cross-traffic and lowered back into place for use

beam-supported bridge that is fixed in place at both ends

surfacing product suitable for exterior use and designed for athletic or recreational purposes

athletic surfacing consisting of preformed material, typically in tile or sheet form

preformed athletic surfacing in the form of a large sheet or roll

preformed athletic surfacing in the form of relatively small square or rectangular units

athletic surfacing designed to simulate natural grass; similiar to carpet

synthetic turf with a filler of sand that acts as a cushion and as ballast

synthetic turf with no filler or a filler other than sand

athletic surfacing in the form of a liquid or mastic designed to be poured, troweled, or floated onto a substrate where it cures athletic surfacing of a type not listed

athletic surfacing composed primarily of polymeric plastic

athletic surfacing material composed of discrete layers of more than one material

athletic surfacing composed primarily of rubber; may be natural, recycled, or synthetic rubber

athletic surfacing material consisting of shredded wood or wood products

athletic surfacing made primarily of a material not listed

athletic surfacing designed to be used for track-and-field running tracks

athletic surfacing cited by the manufacturer as suitable or designed to be used for sport playing fields, such as soccer of footb

athletic surfacing cited by the manufacturer as suitable or designed to be used for golf course surfaces

athletic surfacing designed to be used on playgrounds

athletic surfacing cited by the manufacturer as suitable or designed to be used for walking or jogging paths

athletic surfacing cited by the manufacturer as suitable or designed to be used for tennis courts

athletic surfacing cited by the manufacturer as suitable or designed to be used on swimming-pool decks

athletic surfacing cited by the manufacturer as suitable or designed to be used for outdoor basketball courts

window or device designed to allow routine conversation or passage of objects between persons on opposite sides of a window

in the state of th

window designed to allow people to routinely speak to or pass items to each other, such as for financial transactions

transaction window designed to permit routine converstion between people on both sides of the window without the opening of voice transmission window with a fixed port designed to permit routine conversation between people on both sides of the window with a fixed port designed to permit routine conversation between people on both sides of the window with a fixed port designed to permit routine conversation between people on both sides of the window without the opening of the window with a fixed port designed to permit routine conversation between people on both sides of the window without the opening of the window with a fixed port designed to permit routine conversation between people on both sides of the window with a fixed port designed to permit routine conversation between people on both sides of the window with a fixed port designed to permit routine conversation between people on both sides of the window with a fixed port designed to permit routine conversation between people on both sides of the window with a fixed port designed to permit routine conversation between people on both sides of the window with a fixed port designed to permit routine conversation between the people of the window with a fixed port designed to permit routine conversation between the people of the window with a fixed port designed to permit routine conversation between the people of the window with a fixed port designed to permit routine conversation between the people of the window with a fixed port designed to permit routine conversation between the people of the window with a fixed port designed to people of the window with a fixed port designed to people of the window with a fixed port designed to people of the window with a fixed port designed to people of the window with a fixed port designed to people of the window with a fixed port designed to people of the window with a fixed port designed to people of the window with

voice transmission window with openings between the frame and the edges of the glazing designed to permit routine convers transaction window designed to allow a person on one side of the window to easily pass objects to someone on the other side pass window that includes a shelf with a slot tray for making a transaction

pass window with a bin that tilts outward for customer access, then inward for operator access

pass window with a sliding drawer for making a transaction

pass window with a hinged operable sash for making a transaction

pass window with a horizontal or vertical sliding sash for making a transaction

pass window of a type not listed

transaction window that combines voice transmission features with pass-through features

combination transaction window that has a fixed port to allow for easy communication between people on both sides of the wi

combination transaction window with space between the glass and the frame to allow for easy communication

unit designed to allow passage items such as cash or packages from one side of a window or wall to the other; often used in pass-through with a bin that tilts outward for customer access, then inward for operator access

pass through with a horizontal-sliding receptacle that slides outward to open to a customer

pass through consisting of a hinged or pivoting operable panel

shallow pass-through tray used for making transactions of small items, such as tickets, cash, or credit cards; typically installed deal tray consisting of a shallow open receptacle

deal tray with a lid that opens and closes and provides added security

deal tray with a circular, rotating tray that is accessed through separate openings for operator and customer

pass through consisting of a box or drum of sufficient size to hold a package or bundle; access to the item is provided through pass through of a type not listed

device designed to be installed in a hole in a window to permit routine conversation between people on both sides while provipass-through device or speak hole, or transaction window with a frame, that is made primarily of: (select from the following) transaction window with a steel frame or pass-through device or speak hole made primarily of steel

transaction window with a stainless-steel frame or pass-through device or speak hole made primarily of stainless steel

transaction window with a vinyl frame or pass-through device or speak hole made primarily of plastic

transaction window with an aluminum frame or pass-through device or speak hole made primarily of aluminum

transaction window with glazing that is: (select from the following)

transaction window with a single thickness of plastic or glass; may be laminated

transaction window with two layers of plastic or glass separated by a space filled with air or other gas

transaction window, pass-through, or speak hole cited by the manufacturer as suitable for: (select from the following)

transaction window or pass-through device cited by the manufacturer as suitable for passing postal items

transaction window or pass-through cited by the manufacturer as designed or suitable for serving food to a customer

transaction window, pass-through, or speak hole cited by the manufacturer as designed or suitable for use in a penal institution transaction window, pass-through, or speak hole cited by the manufacturer as designed or suitable for financial transactions

transaction window, pass-through, or speak hole cited by the manufacturer as designed or suitable for personal enrollment or pass-through cited by the manufacturer as designed or suitable for transferring photographic film, prints, or equipment while r pass-through cited by the manufacturer as designed or suitable for transferring medicines or other medical products to or from transaction window, pass-through, or speak hole cited by the manufacturer as designed or suitable for selling and distributing

transaction window, pass-through, or speak hole cited by the manufacturer as being: (select from the following)

transaction window, pass-through, or speak hole cited by the manufacturer as resistant to penetration by bullets from firearms transaction window, pass-through, or speak hole cited by the manufacturer as having a property not listed

column made primarily of a material not listed

column made primarily of cast iron

acoustic control product that emits sound to cover up normal human speech; typically used to enhance privacy in open areas acoustic control product cited by the manufacturer as designed or suitable for and application not listed

acoustic control product made of a material not listed

linear stock with angled cross-sections of a shape not listed

parts designed for connecting two or more hollow linear stock pieces

pass-through transaction window designed to allow objects to be passed from one side of the window to the other through a transaction window designed to permit routine conversation between people on opposite sides of the window without the ope pass-through transaction window designed to allow objects to be passed from one side of the window to the other through a sproducts designed to allow passage of objects between persons on opposite sides of an obstruction

rock composed of volcanic fragments of various sizes and degrees of angularity

flexible pavement coatings and seals

metal cables of preformed wire rope with a terminal attached at one or both ends

factory applied coatings for wood of all types and materials; for wood preservatives and fire retardant treatments, see section ramps and walkways manufactured of metal, concrete, wood, or other material

precast concrete wall and roof panels, steam cured under pressure in an autoclave

precast concrete block units, steam cured under pressure in an autoclave equipment for a vehicle service facility; includes lubricators and pumps, overhead hose reels, bulk and waste oil systems, acc selective vertical conveyors for material handling