

Luxury Vinyl Tile						
	Physical Characteristics			Recommended Subfloors/Adhesives		
	Size	Gauge	Indentation resistance in pounds per sq. in.	Consult Azrock Information Manual <sup>Ⓜ</sup> for complete and detailed information		
				Concrete, suspended	Concrete, on grade §	Concrete, below grade §
<b>Black &amp; White</b>	12" x 12"	.100"	250	Azrock LVT and PVC Flooring Adhesive, Azrock Polyurethane Adhesive ‡	Azrock Polyurethane Adhesive ‡, Azrock LVT and PVC Flooring Adhesive	Azrock Polyurethane Adhesive ‡
<b>Burl Parquet</b>	12" x 12"	.100"	250			
<b>Century Marble</b>	12" x 12"	.100"	250			
<b>Quadra Granite</b>	12" x 12"	.100"	250			
<b>Pearlstone</b>	12" x 12"	.100"	250			
<b>Park Place</b>	12" x 12"	.100"	250			
<b>Stripwood</b>	3" x 36"	.100"	250			
<b>Random Plank</b>	3", 6", 9" x 36"	.100"	250			
<b>Inlaid Borders</b>	4-1/2"	.100"	250			
<b>Inlaid Corners</b>	6" or 9" x 36" 4-1/2" x 4-1/2", 6" x 6", 9" x 9"	.100"	250			

<sup>Ⓜ</sup> APA Sturd-i-floor constructed per APA Design/Construction Guide, Residential and commercial, Form E30L revised

§ Moisture test recommended

Ⓜ All Azrock products should be maintained according to the recommended procedures outlined in the current Domco Installation & Maintenance Manual.

‡ For installation in areas where Azrock Slip Resistant, Luxury Vinyl Tile or Solid Vinyl Tile may be expose to temperature changes (around freezer and refrigerator areas) and/or frequent surface water (spray from produce areas) we recommend the use of Azrock Polyurethane Adhesive

		Luxury Vinyl Tile	Luxury Vinyl Tile	
		Specifications	Chemicals, Reagents, and Stains	
APA Plywood suspended	APA Sturd-i-floor <sup>3</sup>			
Azrock LVT and PVC Flooring Adhesive, Azrock Polyurethane Adhesive	Azrock LVT and PVC Flooring Adhesive, Azrock Polyurethane Adhesive <sup>3</sup>	SS-T-312B, Type III, Vinyl, ASTM E-84 (NFPA-255), with a flame spread rating of less than 75, ASTM E-648 (NFPA-253), CRF (Critical Radiant Flux) 1.0 or more	<b>Alcohols</b> Denatured Alcohol Isopropyl/70% Vol Methanol	No stain No stain No stain
			<b>Ketones</b> Acetone	Severe Softening
			<b>Aldehydes</b> Formaldehyde 37%	No stain
			<b>Hydrocarbon Solvents</b> Gasoline Naptha	Slight Softening No stain
			<b>Bases</b> Ammonium Hydroxide 30% Sodium Hydroxide 50%	No stain No stain
			<b>Inorganic Chemicals</b> Hydrogen Peroxide 30% Copper Sulfate 10%	No stain No stain
			<b>Acid Reagents</b> Acetic Acid 28% Sulphuric Acid 98% Hydrochloric Acid 38% Sulphuric Acid 10%	No stain Bleaching, slight No stain No stain
			<b>Hospital Stains, Reagents and Misc. Test Indicators</b> Gram Stain #2 Providone-Iodine Scrub 10% Pap Stain OG-6 Hematoxylin Stain Lugol's Stock Solution Methylene Blue Cod Liver Oil	Slight stain No stain Trace stain No stain Moderate stain No stain No stain

<b>Luxury Vinyl Tile</b>					
<b>PACKING DATA</b>					
<i>Description</i>	<i>Pieces Per Carton</i>	<i>Square Feet Per Carton</i>	<i>Approximate Pounds Per Carton</i>	<i>Square Meters Per Carton</i>	<i>Approximate Kilograms Per Carton</i>
<b>Black &amp; White clipped</b> 12" x 12", .100"	45	45	52	4.18	23.59
<b>Black &amp; White square</b> 12" x 12", .100"	27	27	20	2.51	9.07
<b>Burl Parquet</b> 12" x 12", .100"	45	45	29	4.18	13.15
<b>Century Marble</b> 12" x 12", .100"	45	45	29	4.18	13.15
<b>Feature Strips</b> 1/2" x 36", .100"	50	150 Lin. Ft.	5.5	45.72 Lin. M	2.49
<b>Inlaid Borders</b> 4-1/2" x 36", .100"	20	22.5	16	2.09	7.26
6" x 36", .100"	20	30	21	2.79	9.52
9" x 36", .100"	20	45	33	4.18	14.97
<b>Inlaid Corners</b> 4-1/2" x 4-1/2", .100"	4 per pkg.	.5625 per pkg.	.41 pkg. of 4	0.052	0.186
6" x 6", .100"	4 per pkg.	1.0 per pkg.	.73 pkg. of 4	0.093	0.331
9" x 9", .100"	4 per pkg.	2.25 per pkg.	1.65 pkg. of 4	0.209	0.75
<b>Metallic Feature Strips</b> 1/8" x 36", .080"	200	600 Lin. Ft.	4.4	182.88 Lin. M	2.0
<b>Park Place</b> 12" x 12", .100"	45	45	29	4.18	13.15
<b>Pearlstone</b> 12" x 12", .100"	27	26.25	17.5	2.44	7.93
<b>Pearlstone Keys</b> 2" x 2", .100"	30	0.83	0.6	0.08	0.27
<b>Quadra Granite</b> 12" x 12", .100"	45	43.6	29	4.05	13.15
<b>Granite Insets</b> 3" x 3", .100"	50	3.13	2.1	0.29	0.95
<b>Random Plank</b> .100", 3" x 36" 6" x 36", and 9" x 36"	10 pcs. each width	45	29.5	4.18	13.38
<b>Stripwood</b>					

3" x 36", .100"	60	45	29	4.18	13.15
-----------------	----	----	----	------	-------