

| RECOMMENDED USE CHART | | | | | | | |
|----------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| PRODUCT | BioSpec™ | Inspired Fields® | Fine Fields® | Random Fields® | Custom-Spec II® | Inspirations™ VCT | Essentials™ VCT |
| Installed Cost/Sq. Ft. c | \$3.00- \$4.00 | \$2.75- \$3.75 | \$2.50- \$3.60 | \$1.75- \$2.50 | \$2.06- \$3.00 | \$1.75- \$2.50 | \$1.25- \$1.75 |
| EDUCATIONAL/INSTITUTIONAL | | | | | | | |
| Classrooms | R | HR | HR | HR | R | HR | HR |
| Laboratories | HR | HR | HR | HR | NR i | R i | R i |
| Computer Labs | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 |
| Multipurpose Room | HR | HR | HR | HR | R | R | R |
| Cafeteria, Dining Area d | R | HR | HR | HR | R | R | R |
| Food Service Area d | R f | R f | R f | R f | R f | R f | R f |
| Dormitory Rooms | R | HR | HR | HR | R | R | R |
| Locker Rooms (no spikes)3 | NR 3 | NR 3 | NR 3 | NR 3 | NR 3 | NR 3 | NR 3 |
| Lavatories | HR | HR | HR | HR | R | R | R |
| Corridors | R | HR | HR | HR | R | HR | HR |
| Ramps | NR 3 | NR 3 | NR 3 | NR 3 | NR 3 | NR 3 | NR 3 |
| Utility/Storage Areas | R | R | R | R | R | R | HR |
| LIGHT INDUSTRIAL e | | | | | | | |
| Research Laboratory | HR | HR | HR | HR | NR i | R i | R i |
| Production Laboratory | HR | HR | HR | HR | NR i | R i | R i |
| Clean Rooms | HR | HR | HR | HR | R | R | R |
| Small Parts Assembly | HR | HR | HR | HR | R | R | R |
| Sterile Packaging | HR | HR | HR | HR | R | R | R |
| Photo Processing | HR | HR | HR | HR | R | R | R |
| Computer Repair Lab | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 |
| Electronic Testing Lab | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 |
| Electronics Manufacturing | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 |
| HOSPITAL/HEALTH CARE a | | | | | | | |
| Patient Rooms | HR | HR | HR | HR | R | R | R |
| Patient Corridors | HR | HR | HR | HR | R | R | R |
| Operating Rooms b | HR h | R h | R h | R h | NR 1 | NR 1 | NR 1 |
| Scrub Rooms | HR fh | R fh | R fh | R fh | NR 1 | NR 1 | NR 1 |
| Emergency Room/Area | HR | HR | HR | HR | NR 1 | R | R |
| Procedure Rooms | HR | HR | HR | HR | NR 1 | R | R |
| Laboratories | HR | HR | HR | HR | NR 1 | R i | R i |
| Physical Therapy gf | R | HR | HR | HR | NR gf | HR | HR |
| Dialysis f | HR | HR | HR | HR | NR 2 | NR 2 | NR 2 |
| Hyperbaric Room | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 |
| Critical/Intensive Care | HR | HR | HR | HR | NR 1 | R | R |
| Ramped Corridor | NR 3 | NR 3 | NR 3 | NR 3 | NR 3 | NR 3 | NR 3 |
| Utility/Storage Rooms | R | R | R | R | R | R | HR |
| Assisted Living | | | | | | | |
| Corridors | R | HR | HR | HR | R | HR | HR |

| | | | | | | | |
|--------------------------|------|------|------|------|------|------|------|
| Residence Kitchen d | R | HR | HR | HR | HR | R | R |
| Games/TV Room | R | HR | HR | HR | HR | HR | HR |
| Lavatories | R | HR | HR | HR | HR | R | R |
| RETAIL | | | | | | | |
| Sales Floor | R | HR | HR | HR | R | HR | R |
| Checkout/Cash Wrap | R | HR | HR | HR | R | HR | HR |
| Food Service d | R f | R f | R f | R f | R f | R f | R f |
| Specialty Shops/Areas | HR | HR | HR | HR | R | HR | R |
| Produce Area/Frozen Food | NR 3 | NR 3 | NR 3 | NR 3 | NR 3 | NR 3 | NR 3 |
| Entryways | R f | R f | R f | R f | NR 3 | R f | R f |
| OFFICE | | | | | | | |
| Offices/Conference Rooms | R | HR | HR | HR | R | R | R |
| Computer Room | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 | NR 4 |
| Corridors | R | HR | HR | HR | R | R | R |
| Lobby | R | HR | HR | HR | R | R | R |
| Elevators | HR | HR | HR | HR | R | R | R |
| Vestibules/Entryways | R f | R f | R f | R f | NR 3 | R f | R f |
| Lunchrooms d | R | HR | HR | HR | R | R | R |
| Utility/Storage Rooms | R | R | R | R | R | R | HR |
| Lavatories | HR | HR | HR | HR | R | R | R |
| HOSPITALITY g | | | | | | | |
| Vestibules/Entryways | R f | R f | R f | R f | NR 3 | R f | R f |
| Lobby | R | HR | HR | HR | R | HR | R |
| Elevators | HR | HR | HR | HR | R | R | R |
| Dining Room d | R | HR | HR | HR | R | R | R |
| Corridors | R | HR | HR | HR | R | HR | R |
| Hospitality Rooms | R | HR | HR | HR | R | R | R |
| Lavatories | HR | HR | HR | HR | HR | R | R |
| Lounge | R | HR | HR | HR | R | R | R |

Each of the following classifications - HR (Highly Recommended), R (Recommended), NR (Not Recommended) - are based on performance, costs and the design criteria of the space.
 HR - Highly Recommended An excellent floor for the space.
 R - Recommended Other floors may be better suited.
 NR - Not Recommended Should not be used in this space.

The following code explains why a floor receives an NR recommendation.

1. Aseptic Area - Hygienic conditions are extremely important.
2. Water Resistance - Wet area installation is necessitated (flash coving, sealed seams).
3. Slip Retardance - A more secure surface is dictated.
4. Static control flooring normally called for in this area.

NOTES:

- a. In most cases, veterinary applications are similar.
- b. Only Operating Rooms not requiring conductive flooring.
- c. Prices are estimates. Actual prices vary. Such elements

d. Mannington Resilient floors are not recommended for commercial kitchens and commercial food processing areas; including behind deli and fast food counters. e. Mannington Resilient floors are not recommended for heavy industrial areas. f. No standing water, walkoff mats required. g. Mannington Resilient Flooring products are not recommended for locker rooms, whirlpool areas, or places where wet bare feet walk. No Mannington Resilient Floors are recommended around pool decks/coping. h. Heat-weld only. i. Not recommended in laboratories that require special decontamination procedures on surfaces, including floors.
 NOTE: Mannington Resilient floors are not recommended for exterior use. Or where golf or tracks shoes are present.
 NOTE: Mannington Resilient floors are not suitable as wall covering or wall surfacing. All Mannington Commercial sheet floors can be flash coved (integral cove). Most building codes consider flash coving in the same category as baseboard trim when

in.xls

as competitive bids, labor costs and job conditions will affect final price. Estimated prices include materials and labor on a 500-square-foot (46.45 square meter) open area, void of special cutting needs.

applied to fire coding. Consult fire codes in your area to determine allowable height for flash cove.

Mannington Commercial