

## VINYL MOULDINGS

Mercer vinyl mouldings are manufactured of 100% first quality, homopolymer vinyl for outstanding wear, abrasion resistance and easy maintenance. Many are available in 16 Uni-Color System Colors (except where otherwise noted) to coordinate with most Mercer vinyl or rubber wall base or stair tread products. Custom colors are also available. See “Uni-Color System” Snapshot for more information.

### **Colors:**

16 Uni-Color System Colors except as follows (White may require a minimum amount for some items):

- 970 - Color 400 (Natural) only
- 070 - Color 401 only
- 075 - Color 400 (Natural) only
- 725 - Color 400 (Natural) only

### **(ADA)**

Meets requirements of sections 4.5.2 (changes in level) and 4.5.3 (carpet-edge trim compliance) of the Americans with Disabilities Act (ADA).

## FOR CARPET

### **022 Carpet Cove Cap**

Semi-rigid capping. For 1/4" (6.350 mm) and 5/16" (7.938 mm) coved carpet; one-man installation.

### **CSI - PART 2 SPECIFICATION - 3/8" Products**

#### A. Resilient Accessories:

1. Carpet cove cap: Vinyl; color to be selected from standard color array; No. 022 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Cove Cap: No. 022, color to be selected; Mercer. Adhesives as recommended by Mercer.

### **140 Carpet Reducer-1/4"**

Reduces 1/4" (6.350 mm) carpet to adjacent floor post installation.

### **(ADA)**

### **CSI - PART 2 SPECIFICATIONS INSERT:**

### ***CSI Division 9, Part 2 Products***

#### A. Resilient Accessories:

1. Carpet transition reducer: Vinyl; color to be selected from standard color array; No. 140 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Transition Reducer: No. 140, color to be selected; Mercer. Adhesives as recommended by Mercer.

### **146 Universal Reducer-3/8"**

Carpet edge reducer for 3/8" (9.530 mm) materials.

### **(ADA)**

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet transition reducer: Vinyl; color to be selected from standard color array; No. 146 by Mercer Products.
  - a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Transition Reducer: No. 146, color to be selected; Mercer. Adhesives as recommended by Mercer.

**160 Universal Reducer**

Carpet edge reducer for 1/2" (12.700 mm) materials.

**(ADA)**

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet transition reducer: Vinyl; color to be selected from standard color array; No. 160 by Mercer Products.
  - a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Transition Reducer: No. 160, color to be selected; Mercer. Adhesives as recommended by Mercer.

**170 Carpet Transitional Reducer**

9/32" (7.144 mm) reducer with 2-1/2" (63.500 mm) transition. For heavy traffic areas.

**(ADA)**

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet transition reducer: Vinyl; color to be selected from standard color array; No. 170 by Mercer Products.
  - a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Transition Reducer: No. 170, color to be selected; Mercer. Adhesives as recommended by Mercer.

**175 Carpet Ramp**

1/4" (6.350 mm) reducer with 4" (101.600 mm) transition. For heavy traffic areas.

**(ADA)**

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet ramp: Vinyl; color to be selected from standard color array; No. 175 by Mercer Products.
  - a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Ramp: No. 175, color to be selected; Mercer. Adhesives as recommended by Mercer.

**200 Royal Commercial Reducer**

Transition reducer. 5/16" (7.938 mm) undercut for use with tackless or double-stick installations. For heavy traffic areas.

(ADA)

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet transition reducer: Vinyl; color to be selected from standard color array; No. 200 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Transition Reducer: No. 200, color to be selected; Mercer. Adhesives as recommended by Mercer.

**225 Flex Cove Cap**

Cap for 3/16" (4.763 mm) coved/glue-down carpet.

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet cove cap: Vinyl; color to be selected from standard color array; No. 225 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Cove Cap: No. 225, color to be selected; Mercer. Adhesives as recommended by Mercer.

**230 Mono Edge**

Flexible capping. For 1/4" (6.350 mm) coved/glue-down carpet or grass; one-man installation.

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet edge reducer: Vinyl; color to be selected from standard color array; No. 230 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Edge Reducer: No. 230, color to be selected; Mercer. Adhesives as recommended by Mercer.

**360 Cerco T**

Snap-in T moulding. Joins 1/2" (12.700 mm) material to 1/2" (12.700 mm) material. 1/2" (12.700 mm) leg. Uses #970 (vinyl), #980 (aluminum), or #990 (aluminum with carpet pins).

(ADA)

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet divider and track: Vinyl; moulding color to be selected from standard color array; Nos. 360 with 970, 980 or 990 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Divider and Track: Nos. 360 with 970, 980 or 990, moulding color to be selected; Mercer. Adhesives as recommended by Mercer.

**400 Custom Edge**

Bevel-edge reducer. For 5/16" (7.938 mm) carpet; deep undercut.

(ADA)

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet edge: Vinyl; bevel edge design; color to be selected from standard color array; No. 400 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Edge: No. 400, color to be selected; Mercer. Adhesives as recommended by Mercer.

**430 Mercap-9/32"**

Cap for coved carpet, paneling, and ceramics. 9/32" (7.144 mm) inside dimension.

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet cove cap: Vinyl; color to be selected from standard color array; No. 430 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Cove Cap: No. 430, color to be selected; Mercer. Adhesives as recommended by Mercer.

**450 Square Cap-1/4"**

Square cap for coved carpets and wood panels.

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet cove cap: Vinyl; color to be selected from standard color array; No. 450 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Cove Cap: No. 450, color to be selected; Mercer. Adhesives as recommended by Mercer.

**700 Imperial Reducer**

1-11/32" (34.131 mm) transition reducer. For glue-down carpet; 5/16" (7.938 mm) undercut. Can be trimmed to butt to 1/16" (1.588 mm) or 1/8" (3.175 mm) tile.

(ADA)

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet transition reducer: Vinyl; color to be selected from standard color array; No. 700 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Transition Reducer: No. 700, color to be selected; Mercer. Adhesives as recommended by Mercer.

**705 Super Imperial Reducer**

1-15/16" (49.213 mm) heavy duty transition reducer. For glue-down carpet; 5/16" (7.938 mm) undercut. Can be trimmed to butt to 1/16" (1.588 mm) or 1/8" (3.175 mm) tile.

(ADA)

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet transition reducer: Vinyl; color to be selected from standard color array; No. 705 by Mercer Products.
  - a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Transition Reducer: No. 705, color to be selected; Mercer. Adhesives as recommended by Mercer.

**800 Imperial Reducer**

1-9/32" (32.544 mm) transition reducer. For glue-down carpet; 1/4" (6.350 mm) undercut. Can be trimmed to butt to 1/16" (1.588 mm) or 1/8" (3.175 mm) tile.

(ADA)

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet transition reducer: Vinyl; color to be selected from standard color array; No. 800 by Mercer Products
  - a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Transition Reducer: No. 800, color to be selected; Mercer. Adhesives as recommended by Mercer.

**900 Imperial Reducer**

1-1/16" (26.988 mm) transition reducer. For glue-down carpet; 3/16" (4.763 mm) undercut. Can be trimmed to butt to 1/16" (1.588 mm) or 1/8" (3.175 mm) tile.

(ADA)

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet transition reducer: Vinyl; color to be selected from standard color array; No. 900 by Mercer Products.
  - a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Transition Reducer: No. 900, color to be selected; Mercer. Adhesives as recommended by Mercer.

**930 Snap-Down T**

Snap-in T moulding. Joins 1/4" (6.350 mm) material. 1/4" (6.350 mm) leg. Uses #970 (vinyl), #980 (aluminum), or #990 (aluminum with carpet pins).

(ADA)

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet divider and track: Vinyl; moulding color to be selected from standard color array; Nos. 930 with 970, 980 or 990 by Mercer Products.
  - a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Divider and Track: Nos. 930 with 970, 980 or 990, moulding color to be selected;

Mercer. Adhesives as recommended by Mercer.

**935 Snap-Down T**

Snap-in T moulding. Joins 1/4" (6.350 mm) material or 5/16" (7.938 mm). 1/4" (6.350 mm) leg. Uses #970 (vinyl), #980 (aluminum), or #990 (aluminum with carpet pins).

(ADA)

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Carpet divider and track: Vinyl; moulding color to be selected from standard color array; Nos. 930 with 970, 980 or 990 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Carpet Divider and Track: Nos. 935 with 970, 980 or 990, moulding color to be selected; Mercer. Adhesives as recommended by Mercer.

**970 Vinyl Single Flange Track**

For 1/4" (6.350 mm) and 1/2" (12.700 mm) leg T portions. Use with #360, 365, 930 & 940 T's.

**980 Aluminum Single Flange Track**

For 1/4" (6.350 mm) and 1/2" (12.700 mm) leg T portions. Use with #360, 365, 930 & 940 T's.

**990 Aluminum Single Flange Track With Carpet Pins**

For 1/4" (6.350 mm) and 1/2" (12.700 mm) leg T portions. Use with #360, 365, 930 & 940 T's.

**FOR RESILIENT FLOORING**

**040 Round Cap-1/8"**

Cap for coved sheet goods. 1/8" (3.175 mm) gauge; round top.

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Resilient flooring cove cap: Vinyl; color to be selected from standard color array; No. 040 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Resilient Flooring Cove Cap: No. 040, color to be selected; Mercer. Adhesives as recommended by Mercer.

**070 Cove Stick (Flexible)**

Quarter-round. Supports sheet goods for coving. Forms 1" (25.400 mm) radius at 90¼ installation.

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Resilient flooring cove support: Vinyl; quarter-round; color - 401 White; No. 070 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Resilient Flooring Cove Support: No. 070, color - 401 White; Mercer. Adhesives as recommended by Mercer.

**075 Cove Stick (Semi-Rigid)**

Quarter round. Supports sheet goods for coving. Forms 1" (25.400 mm) radius at 90¼ installation.

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Resilient flooring cove support: Vinyl; quarter-round; color - 400 Natural; No. 075 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Resilient Flooring Cove Support: No. 075, color - 400 Natural; Mercer. Adhesives as recommended by Mercer.

**390 Square Cap-1/8"**

Cap for 1/8" (3.175 mm) covered sheet vinyl.

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Resilient flooring cove cap: Vinyl; color to be selected from standard color array; No. 390 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Resilient Flooring Cove Cap: No. 390, color to be selected; Mercer. Adhesives as recommended by Mercer.

**633 Tile Reducer-1/8"**

Bevel-edge. Butts to finish resilient edge, reducing gauge to 0. 1" (25.400 mm) x 36" (914.400 mm) x 1/8" (3.175 mm).

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Resilient flooring transition reducer: Vinyl; color to be selected from standard color array; No. 633 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Resilient Flooring Transition Reducer: No. 633, color to be selected; Mercer. Adhesives as recommended by Mercer.

**643 Feature Strip-1/8"**

Accent strip for custom inlaid floors; 1/8" (3.175 mm) gauge. 1" (25.400 mm) x 36" (914.400 mm) x 1/8" (3.175 mm).

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Resilient flooring feature strip: Vinyl; color to be selected from standard color array; No. 643 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

- A. Resilient Flooring Feature Strip: No. 643, color to be selected; Mercer. Adhesives as recommended by Mercer.

**725 Merstick**

Coving support for sheet vinyl. Replaces wood cove. Forms 1" (25.400 mm) radius at 90¼ installation.

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Resilient flooring cove support: Vinyl; quarter-round; color - 400 Natural; No. 725 by Mercer Products.

a. Use suitable substrate adhesives pursuant to Mercer recommendations.

OR

A. Resilient Flooring Cove Support: No. 725, color - 400 Natural; Mercer. Adhesives as recommended by Mercer.

**733 Underslung Reducer (Self-Stick)**

Binder-Bar edging for 1/16" (1.588 mm) - 1/8" (3.175 mm) resilient floors. With self-stick back.

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Resilient flooring transition reducer: Vinyl; self-stick; color to be selected from standard color array; No. 733 by Mercer Products.

OR

A. Resilient Flooring Transition Reducer: No. 733, color to be selected; Mercer. Self-Stick.

**735 Underslung Reducer (Dry Back)**

Binder-Bar edging for 1/16" (1.588 mm) - 1/8" (3.175 mm) resilient floors. With dry back.

**CSI - PART 2 SPECIFICATIONS INSERT:**

***CSI Division 9, Part 2 Products***

A. Resilient Accessories:

1. Resilient flooring transition reducer: Vinyl; self-stick; color to be selected from standard color array; No. 735 by Mercer Products.

OR

A. Resilient Flooring Transition Reducer: No. 735, color to be selected; Mercer. Self-Stick.

**Mercer Products Company, Inc.**

P.O. Box 1240

Eustis, FL 32727-1240

Phone: 800-447-8442

Fax: 800 832-5398