

Newcourt, Inc.

3200 Court Street
Texarkana, TX 75501
Phone: 903-838-0521
Fax: 903-831-4159
Internet: <http://www.newcourtinc.com>

Newcourt Wall and Ceiling Panels

MR-MANUFACTURER

Since 1968 Newcourt, Inc. has been the leader in lamination and fabrication of high quality overlaid panels.

When your project calls for a washable, wear resistant panel with a smooth or textured surface, Newcourt is the only choice. Newcourt maintains the industry's only in-house testing facility. Our dedication to quality is second to none. Every panel shipped from our manufacturing facility in Texarkana, Texas, and New Holland, Pennsylvania, has a serial number attached to it. This allows us to track each panel and assure our customers the highest quality materials and workmanship. That's why we can assure you that Newcourt's Laminated Panels are right the first time and every time.

VINYL-KOTE™ MP

VINYL-KOTE MP: A multi-purpose, low-cost alternative to other laminated panels. Excellent scratch resistance. Standard colors: White, Off White, and Black with matte finish. Glossy finish and other colors available.

.015: White, Matte
.015: Off White, Matte
.015: Black, Matte
.040: White, Matte

CUSTOM PANELS

Let our full-time engineering department assist in designing a panel to meet your exacting criteria. Panels can be up to 8' wide by 40' long, depending upon materials.

CORES

- Paper/HC
- Plastic/HC
- EPS Foam
- ISO Foam
- Composite

SKINS

- Aluminum
- Steel
- Stainless

Other options available.

STANDARD CORE MATERIALS

OSB: 4x8, 4x9, 4x10, 4x12

1/4, 3/8, 7/16, 23/32

Plywood: 4x8, 4x9, 4x10, 4x12

1/4*, 3/8*, 15/32, 19/32, 23/32

Hardboard: 4x8, 4x10

7/32, 1/8

Gypsum: 4x8, 4x9, 4x10, 4x12 F/R

1/2, 5/8

EPS: 4x8, 4x9, 4x10, 4x12

Up to 5"

Particle Board:** 4x8, 4x9, 4x10, 4x12

5/8, 3/4

* Not readily available in 4x12

** Fire retardant available

Contact our technical representative to obtain a helpful installation guide.

UA-USES APPLICATIONS

- Food Processing
- Kennels
- Clean Rooms
- Modular Buildings
- Rest Rooms
- Milking Parlors
- Bakeries
- Cold Storage
- Animal Confinements
- Cafeterias
- Locker Rooms
- Car Washes
- Agricultural Buildings
- Restaurants
- Schools

GENERAL SPECIFICATIONS

1. Wall (and/or ceiling) panels shall be _____ (a) (See list below) _____ as manufactured by Newcourt, Inc.
2. The panels shall consist of a _____ (b) _____ overlay thickness and should be _____ (c) _____ in color on the face with an optional _____ (c) _____ overlay on the back.
3. The panels will have a _____ (d) _____ thick _____ (e) _____ core material and shall be

_____ (f) _____ wide x _____ (g) _____ long.

- (a) New-Glass® Liner Panel; Vinyl-Kote MP; Poly-Liner; Newply; or Custom Panels
- (b) See Product Presentation of (a)
- (c) See Product Presentation of (b)
- (d) See STANDARD CORE MATERIALS, above
- (e) See STANDARD CORE MATERIALS, above
- (f) See STANDARD CORE MATERIALS, above
- (g) See STANDARD CORE MATERIALS, above

WARRANTY

NEWCOURT, INC. warrants that their laminated panels when applied in accordance with manufacturer's specifications and application instructions, will perform as advertised and described in manufacturer's literature.

The exclusive and sole remedy under this warranty shall be that NEWCOURT, INC. will, at manufacturer's option, repair or supply replacement material if it is shown that the materials originally supplied were defective, provided that not more than two (2) years have elapsed since its date of manufacture. NEWCOURT, INC. does not provide any other warranties expressed or implied and shall not be liable in any event for any consequential, indirect, incidental or special damages. This warranty does not include any available pass-through warranties.

AC-AVAILABILITY, COST

For current pricing and availability, contact NEWCOURT, INC.

SAMPLES

A sample of the specified wall or ceiling panel of sufficient size to show the color and texture will be supplied for the architect's review.