

# Readme RSA Authentication Agent 5.3.4 for PAM

August 26, 2005

### Introduction

This document lists what's new and changed, as well as late-breaking information, in RSA Authentication Agent 5.3.4 for PAM. Read this document before installing the software. This document contains the following sections:

- Platform Support
- What's New in This Release
- Known Issues
- <u>Technical Notes</u>
- <u>Getting Support and Service</u>

This *Readme* may be updated. The most current version can be found on RSA SecurCare Online <u>https://knowledge.rsasecurity.com</u>.

### **Platform Support**

The PAM Agent is supported on the following platforms:

- Solaris 8, 9, and 10
- Red Hat Enterprise Linux AS/ES 3.0
- SUSE LINUX Enterprise Server 9
- AIX 5L v5.3 with ML2
- HP-UX 11i v2

The Pam Agent supports OpenSSH 4.1p1 for all platforms.

### What's New in This Release

This section describes the major changes introduced in this release. For detailed information on each change, refer to the *Installation and Configuration Guide*.

**Support for UNIX Groups**. You can configure the PAM Agent to always prompt specific groups to authenticate to a protected resource, or you can specify groups that the PAM Agent never prompts to authenticate.

**Support for a graphical login interface**. The following table shows which graphical login tools are supported on the different platforms.

Platform	Graphical Login Tools
Solaris and HP-UX 11i Only	dtlogin (limited to single transaction on HP-UX 11i)
Red Hat Enterprise Linux Only	<ul><li>gdm with the following desktop themes:</li><li>Circles</li><li>Happy GNOME</li><li>Blue Curve</li></ul>
SUSE LINUX Enterprise Only	<ul> <li>xdm (limited to single transaction)</li> <li>kdm (limited to single transaction)</li> <li>gdm with the following desktop themes: <ul> <li>Circles</li> <li>Happy GNOME, with or without browser</li> <li>SUSE</li> </ul> </li> </ul>

#### **Known Issues**

Tracking Number: 19639

**Problem:** When exiting an **scp** or **sftp** session that the PAM Agent protects, the session hangs.

Workaround: Contact RSA Security Customer Support for the hot fix.

### **Technical Notes**

#### To obtain the version number of the PAM Agent:

- 1. Change to the /opt/pam/lib directory.
- 2. On Linux, Solaris, and AIX platforms, type: strings pam\_securid.so | grep "Agent"

On HP-UX, type

strings pam\_securid.1 | grep "Agent"

## **Getting Support and Service**

RSA SecurCare Online: <u>https://knowledge.rsasecurity.com</u> Customer Support Information: <u>www.rsasecurity.com/support</u> © 2005 RSA Security Inc. All rights reserved.

### Trademarks

ACE/Agent, ACE/Server, Because Knowledge is Security, BSAFE, ClearTrust, Confidence Inspired, e-Titlement, IntelliAccess, Keon, RC2, RC4, RC5, RSA, the RSA logo, RSA Secured, the RSA Secured logo, RSA Security, SecurCare, SecurID, SecurWorld, Smart Rules, The Most Trusted Name in e-Security, Transaction Authority, and Virtual Business Units are either registered trademarks or trademarks of RSA Security Inc. in the United States and/or other countries. All other goods and/or services mentioned are trademarks of their respective companies.