

L/P Dos Version 1.0b Beta Release.

L/P Dos is another attempt at making DOS CommandLiners feel more comfortable in the Windows 3.0 enviroment. This version is a Beta release of a future ShareWare product, it is free for distribution so long as all the files in the archive are kept intact and not modified in any way, shape or form. I am releasing this version for the sole purpose of testing, so please give it all you've got and try your best to crash it. (I may regret that statement!) My address is listed at the bottom of this introduction and I will gladly welcome all reports on L/P Dos, I want to make this something everyone NEEDS, not just puts on their system as another pretty. In return for helping me with L/P Dos I will register those people who contact me with reports of bugs or suggestions that will better the program, for absolutely nothing. Also, if someone wants to volunteer to help me out with the documentation, I will make it worth the effort.

To give you some background about L/P Dos... L/P Dos was developed using Microsoft's Visual Basic. For the most part all the standard DOS commands are supported and work the way they do from the command line except as noted below. Batch files are supported and must be named with an ".LPB" extension. Some examples are included in the Archive. The Batch file LPBATCH.LPB, contains working examples of a good many of the commands, try running it for a good demo. To stop any command that has scrolling output press the ESC key. You can start L/P Dos with a Batch file name on the command line and L/P Dos will run the Batch file before returning control to you. As an alternative, if there is a Batch file named LPDOS.LPB in the startup directory L/P Dos will immediately run the file upon startup. Some other points of interest are; **Don't** name a Batch file with the same name as a command, wierd things will happen (I'm still working on that one...) The command syntax is pretty unforgiving, but for the most part the interpreter in L/P Dos will catch a lot of the syntactical errors. For some reason with Visual Basic I can't always detect keyboard input from certain applications to reset the Saver so it won't activate if you're typing at the keyboard (Windows Write is a good example, I'm pretty sure it has to do with not using the Caret correctly, any suggestions are welcome.), so if the saver starts up when you are not expecting it set the saver delay time to a longer period of time. Mouse input always resets the Saver time. Make sure the .DLL files contained in the archive are in a directory in your DOS search Path, don't use L/P Dos to copy them there. (I tried on a friends machine...Windows wigs out big-time.. Although it is interesting to see a system error dialog scroll.. :D )

Don't know what else to tell you, more can be learned from playing with it than reading about it, so enjoy!

I can be contacted at:

Craig Morrison  
3036 Chaffee Ct.  
Lafayette, IN 47905-2814

#### LEGAL STUFF

THERE IS NO WARRANTY EITHER EXPRESSED OR IMPLIED IN CONJUNCTION WITH THE USE OF THIS SOFTWARE PRODUCT, THEREFORE YOU ARE ASSUMING ALL LIABILITY FROM THE USE OF THIS SOFTWARE PRODUCT. USE IT AT YOUR OWN RISK. I, THE AUTHOR, HAVE MADE EVERY EFFORT TO PRODUCE A WORKING SOFTWARE PRODUCT, THIS SOFTWARE PRODUCT TO THE BEST OF MY KNOWLEDGE AND TESTING WORKS AS DOCUMENTED BELOW. I, THE AUTHOR, ASSUME NO RESPONSIBILITY FOR ANY DAMAGE EITHER CONSEQUENTIAL OR INCONSEQUENTIAL, WHETHER CAUSED OR ALLEDGED TO BE CAUSED FROM THE USE OF THIS SOFTWARE PRODUCT. I, THE

AUTHOR, MAKE NO CLAIMS AS TO THE USEABILITY OR SUITABILITY FOR A PARTICULAR PURPOSE OR FITNESS TO A TASK OF THIS SOFTWARE PRODUCT.

(Getting off soapbox... I hate that part!)

### **L/P Dos Window Command List**

#### File Commands.

EDIT

Syntax: EDIT filename

Purpose: Starts the Windows Notepad application with the specified file. If the file doesn't exist a message box will appear asking if the file should be created.

COPY

Syntax: COPY SourceFileSpecification DestinationPath

Purpose: Copies files from the Source FileSpec to the Destination Path. Please note that the DestinationPath should not contain a filename. WildCards are supported in the SourceFileSpecification.

REN or RENAME

Syntax: RENAME OldName NewName

Purpose: Renames a file.

DEL or ERASE

Syntax: DEL FileSpecification

Purpose: Deletes files. WildCards are supported.

TYPE

Syntax: TYPE FileSpecification

Purpose: Types or Displays ASCII based files to the console. WildCards are supported for showing multiple files.

CD or CHDIR

Syntax: CD DirectoryPath

Purpose: Changes the default directory.

MD or MKDIR

Syntax: MD DirectoryPath

Purpose: Creates a directory.

RD or RMDIR

Syntax: RD DirectoryPath

Purpose: Removes a directory.

DIRS

Syntax: DIRS DirectoryPath

Purpose: Displays a list of directories.

DIR

Syntax: DIR FileSpecification

Purpose: Displays a list of files. WildCards are supported.

### Window Commands.

SHUTDOWN

Syntax: SHUTDOWN

Purpose: Performs an immediate exit from Windows providing all running applications agree to terminate.

GRABWIN

Syntax: GRABWIN

Purpose: Restores the input focus to the L/P Dos Window, primarily for use in batch file processing.

PM

Syntax: PM

Purpose: Restores the Windows Program Manager.

DOS

Syntax: DOS

Purpose: Start a session based on the DOS COMSPEC Enviroment variable.

EXIT

Syntax: EXIT

Purpose: Terminates the current L/P Dos session.

BEEP

Syntax: BEEP

Purpose: Beeps the console speaker.

MAX

Syntax: MAX

Purpose: Maximizes the L/P Dos Window.

MIN

Syntax: MIN

Purpose: Minimizes the L/P Dos Window.

NORM

Syntax: NORM

Purpose: Restores the L/P Dos Window from either a minimized or maximized state.

SAVER  
Syntax: SAVER

Purpose: Starts one of two built in screen savers.

Syntax: SAVER ?

Purpose: Displays the current inactivity delay before the saver starts.

Syntax: SAVER DelayTime

Purpose: Sets the inactivity delay time before saver activation. DelayTime should be the number of seconds of inactivity before activation. SAVER 0 disables the screen saver.

#### Display Commands.

COLOR  
Syntax: COLOR ForegroundColor BackgroundColor

Purpose: Changes the display colors for the L/P Dos Window. Color values range from 0 to 15.

CLS  
Syntax: CLS

Purpose: Clears the L/P Dos window console display.

ECHO  
Syntax: ECHO Message

Purpose: Displays the supplied message on the console.

PAUSE  
Syntax: PAUSE [[Message][Title]]

Purpose: Displays a pause dialog box. If the Title parameter is omitted, "L/P Dos" is displayed in the caption bar of the dialog box. If Message and Title are omitted, the default message "Click OK to continue." is displayed. Message must be present if Title is used.

YESNO  
Syntax: YESNO Message|Title|Command

Purpose: Displays a dialog box with Yes and No command buttons. All parameters must be present. Command is any valid L/P Dos command or any valid filename. If the user chooses Yes the command is performed, otherwise the L/P Dos prompt returns, or the next line in a batch file is executed.

MSGBOX  
Syntax: MSGBOX Message|Buttons|Title|%%Var

Purpose: Displays a custom dialog box.

#### INPUT

Syntax: INPUT Message|Title|%%**Var**

Purpose: Displays an input box to get input from the user.

#### Help Window Commands.

#### HELP

Syntax: HELP

Purpose: Displays the Help Window.

#### -HELP

Syntax: -HELP

Purpose: Hides the Help Window.

#### Picture Commands.

#### SPIC

Syntax: SPIC Filename

Purpose: Displays a bitmap in a separate display window.

#### HPIC

Syntax: HPIC

Purpose: Hides the display window for a picture.

#### PICSIZE

Syntax: PICSIZE Height Width

Purpose: Resizes the display window for a picture.

#### PICPOS

Syntax: PICPOS Left Top

Purpose: Positions the display window for a picture on the desktop.

#### Odds and Ends.

#### FOR

Syntax: FOR %%**Var** (set) Command [%%**Var**]

Purpose: Provides multiple executions of a command based on the contents of (set). Note the variable names must have two "%" percent signs in front of them, unless you want normal variable substitution to be performed.

#### SET

Syntax: Set **Var** String

Purpose: Sets the global variable to String.

CLEAR  
Syntax: CLEAR

Purpose: Clears all global variables.

DATE  
Syntax: DATE

Purpose: Displays the current date on the console.

Syntax: DATE MM-DD-[YY]YY

Purpose: Sets the system date.

TIME  
Syntax: TIME

Purpose: Displays the current time on the console.

Syntax: TIME HH:MM[:SS]

Purpose: Sets the system time.

?ALIAS  
Syntax: ?ALIAS

Purpose: Lists all defined aliases on the console.

ALIAS  
Syntax: ALIAS Name=Definition

Purpose: Defines an alias command and stores it in WIN.INI. Alias command names can be used to rename commands or give a shorter name to a lengthy program starting procedure.

VER  
Syntax: VER

Purpose: Displays the current L/P Dos version and Windows information on the console.

SHOW  
Syntax: SHOW ApplicationCaptionText

Purpose: Sets the input focus to a running Windows application, please note that the ApplicationCaptionText must EXACTLY match the text in a windows' Caption (Title) bar.

### Batch File Commands.

IF EXISTS  
Syntax: IF EXISTS Filename Command

Purpose: Performs Command if Filename exists.

IF NOT EXISTS

Syntax: IF NOT EXISTS Filename Command

Purpose: Performs Command if Filename does not exist.

IF

Syntax: IF ^expression^^expression^ Command

Purpose: Performs an equality test of the expressions enclosed in Carets "^". If the expressions match, Command is performed. Please note that you can place an equals "=" sign between the expressions for clarity if you wish. (I.E., IF ^expression^=^expression^ Command)

GOTO Label

Syntax: GOTO LabelName

Purpose: Redirects execution in a batch file. LabelName must be defined elsewhere in the batch file. Labels are defined by placing them on a line by themselves and beginning them with a colon ":".