

Index

.def 2-20, 3-6, 3-14, A-1-A-3

.dsk 3-3, 3-6, 3-10, 3-11, 3-14, A-1, A-3, B-17

"C" compatible 1-3, 1-4, C-2

3.11 4-3, 4-4, 5-11, 7-47, 7-71, G-1, G-2

3.1x i, iv, 4-3, 5-11, 7-1, 7-35, 7-47, 7-85, C-1, E-2, G-1

4.xx i, iv, 3-6, 4-3, 5-21, 6-40, 7-4, 7-16, 7-25, 7-35, 7-85, E-1, E-2, G-1

accessFlags 5-20, 7-3, 7-4

Activate Device 5-10-5-13, 7-46, 7-47, 7-70, 7-71

AdapterOptionStructure 2-1, 2-6, 3-2, 3-7, 7-68

Adapter Error 5-5

AddDiskDevice 2-8, 2-11, 2-12, 2-16, 2-18, 2-20, 3-2, 3-7, 3-13, 4-1-4-3, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-44, 5-47, 6-2, 6-8-6-20, 6-22-6-24, 6-27, 7-1, 7-3-7-11, 7-25, 7-34, 7-52, 7-73, 7-85, 7-91, A-2, J-1

AddDiskSystem 2-2, 2-7, 2-8, 2-10, 2-16, 2-20, 3-3, 3-8, 3-13, 4-1, 4-4, 5-3, 5-8, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47, 5-48, 5-50, 7-1, 7-6, 7-8, 7-9, 7-24, 7-35, 7-91, A-2, C-1, C-2

AESEventStructure 2-1, 2-8, 2-9, 7-18, 7-19

AESProcessSignature 2-9, 7-13

AESProcess Event Entry 1-3, 1-4, C-1

AESResourceTag 2-9

AESStructure 6-30

AESWakeUpDelayInterval 6-29

AES Structure 2-1, 2-8, 3-5, 6-30, 7-18, 7-19, 7-86, 7-87

AES timer 6-30, 7-14, 7-18, 7-19

Alert 7-60-7-62

AlertDevice 2-16, 4-4, 5-13, 7-1, 7-7, 7-10, 7-11, 7-91, A-2

Alloc 2-2, 3-7, 3-12, 7-1, 7-12, 7-14-7-16, 7-40, 7-91, A-2

AllocateResourceTag 2-9, 3-7, 7-1, 7-12-7-16, 7-28, 7-31-7-33, 7-79, 7-83, 7-84, 7-86, 7-87, 7-89, 7-91, A-2

Bad Block 5-17, 5-18

BlockingProcessLevel 1-3, 1-4, 2-16, 2-18, 4-1, 4-3, 5-1-7-3, 7-8, 7-13, 7-24, 7-25, 7-27, 7-28, 7-31, 7-32, 7-34-7-37, 7-64, 7-78, 7-79, 7-83, 7-85, 7-90, C-1

BlockSize 5-20, 5-21, 7-3-7-5

BufferAddress E-1

CAdjustRealModeInterruptMask 3-4, 3-7, 3-8, 3-12, 7-1, 7-17, 7-29, 7-89, 7-91

CancelNoSleepAESProcessEvent 3-5, 3-8, 3-12, 3-13, 3-15, 6-30, 7-1, 7-18, 7-86, 7-87, 7-91, A-2

CancelSleepAESProcessEvent 3-8, 6-30, 7-1, 7-19, 7-87, 7-91

CardHandle 2-10, 3-11, 3-15, 4-1-5-3, 5-7-5-9, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47, 5-48, 5-50, 6-36, 7-3, 7-6-7-8, 7-24, 7-35, 7-45, 7-47, 7-69, 7-71

CardNumber 5-46, 7-6

CardStructure 2-1, 2-7, 2-8, 2-15, 2-16, 3-9, 3-13, 4-1, 4-3, 4-4, 6-31, 7-24, 7-68, 7-69, C-2

CCheckHardwareInterrupt 6-31, 6-33, 7-1, 7-20-7-23, 7-91

CDisableHardwareInterrupt 7-1, 7-20-7-23, 7-91, M-1

CDoEndOfInterrupt 1-4, 2-19, 6-31, 6-32, 6-34, 7-1, 7-20-7-23, 7-88, 7-91, E-2, M-1

CEnableHardwareInterrupt 6-33, 7-1, 7-20, 7-22, 7-23, 7-91, M-1

CFLAGS 6-34

ChainFlag 7-88

ChangerCommand 5-10, 7-46, 7-70

CheckDiskCard 3-9-3-11, 7-1, 7-9, 7-24, 7-25, 7-91, A-2

ClearHardwareInterrupt 3-4, 3-8, 3-12, 3-13, 3-15, 6-31, 7-1, 7-17, 7-26, 7-29, 7-89, 7-91, A-2

code segment 1-3

CompletionCode . . . 2-10, 2-12, 4-3, 4-4, 5-2-5-4, 5-9, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47, 5-48, 5-50, 6-1-6-3, 6-6, 6-8-6-20, 6-22-6-24, 6-28, 6-36, 7-47, 7-54, 7-71, 7-75, K-1

Corrected Media Error 6-3, 6-4, 6-8, 6-9, 6-11, 6-12, 6-14-6-19, 6-23, 6-38, 7-54, 7-75

Co-processor 3-1, 3-3, 3-7, A-2

CRescheduleLast 1-3, 4-1, 6-33, 7-1, 7-28, 7-31-7-33, 7-91, A-2

CUnAdjustRealModeInterruptMask 3-8, 3-12, 7-1, 7-17, 7-29, 7-89, 7-91

Custom IOCTLs 5-52

cylinderCount 5-20, 7-4, 7-6

data segment 2-2, 3-7, 7-66, B-3

Deactivate Device 5-10, 5-11, 5-13, 6-4, 7-46, 7-47, 7-70, 7-71

debug A-2, A-4, B-17

definition file iv, 1-1, 3-3, 3-11, A-1-A-3, B-17, G-2

DelayMyself 1-3, 4-1, 6-33, 7-1, 7-28, 7-31-7-33, 7-91, A-2

DeleteDevice 2-16, 2-20, 4-3, 4-4, 7-8-7-10

DeleteDiskDevice 2-16, 3-12, 3-13, 3-15, 4-3, 4-4, 7-1, 7-7, 7-11, 7-34, 7-85, 7-91, A-2

DeleteDiskSystem 2-2, 3-12, 3-13, 3-15, 7-1, 7-9, 7-35, 7-91, A-2

DeRegisterHardwareOptions 2-2, 3-3, 3-8, 3-12, 3-13, 3-15, 7-1, 7-36, 7-68, 7-84, 7-91, A-2

DeviceCount 3-11, 3-15

deviceName 7-3, 7-7

Device Fault 5-4, 5-5, 5-12, 5-14, 7-48, 7-72

Device Not Active 4-3-5-5, 5-13, 5-14, 5-40, 5-41, 5-50, 6-3, 6-4, 7-11, 7-48, 7-54, 7-72, 7-75

Device Parameter Error 5-4, 5-5, 5-12-5-17, 5-19, 5-22-5-26, 5-38-5-45, 5-47, 5-48, 5-50, 7-48, 7-72

Device Verify Mode 5-10, 5-11, 5-15, 6-37, 7-46, 7-47, 7-49, 7-70, 7-71

DiskHandle 2-12, 3-15, 4-3, 6-1, 6-2, 6-8-6-20, 6-22-6-25, 6-27, 6-28, 6-36, 7-3, 7-8, 7-10, 7-11, 7-25, 7-34, 7-52, 7-54, 7-73, 7-75, 7-85

DiskStructure 2-1, 2-8, 2-11, 2-15, 2-16, 2-18, 3-13, 4-1, 4-3, 6-25, 6-31, 7-3, 7-7, 7-25, 7-34, 7-52, 7-85

DMA iv, 2-2, 2-4, 2-15, 6-26, 6-29, 6-32, 7-41, 7-58, 7-59, 7-65-7-68, G-1

DoRealModeInterrupt 7-1, 7-37, 7-38, 7-50, 7-51, 7-91, F-3, F-4

DOS iii, 1-1, 3-4, 7-17, 7-29, 7-37, 7-38, 7-78, 7-80, 7-83, B-1, B-4, B-13, B-18, F-1, I-4, M-1

DOS partition 1-1

driveID 5-47, 7-3, 7-6, 7-7

driveNumber 7-6

driveParameters 5-19, 5-20, 7-3, 7-6, 7-7, J-1

DriverID 5-46, 7-6

DriverLink 2-10, 2-12, 5-2, 5-3, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47, 5-48, 5-50, 6-1, 6-2, 6-8-6-20, 6-22-6-24, 7-47, 7-54, 7-71, 7-75

DriverReadRoutine 6-28

driverResourceTag 7-8, 7-9, C-1, C-2

DriverUnload 7-9

DriverWriteRoutine 6-28

Driver ISR 1-4, 2-18, 2-19, 3-4, 3-7, 5-2, 6-31-6-34, 6-36, 7-26, 7-69, 7-89

driveSizes 5-19, 5-20, 7-3, 7-7, J-1

driveType 5-20, 5-21, 7-3, 7-5

Early Warning 6-3, 6-5, 6-11-6-19, 6-21, 6-40, 7-54, 7-75

EISA iv, 3-2, 6-34, 7-30, 7-38, 7-44, 7-51, 7-68, F-1-F-5, G-1, I-2

Eject Media 5-10, 5-11, 5-26, 5-50, 5-51, 7-46, 7-47, 7-70, 7-71

Elevator 2-17, 2-18, 3-12, 4-3, 6-8, 6-9, 6-11, 6-12, 6-23, 6-25, 6-26, 7-85

End of File 6-5, 6-11, 6-18, 6-19, 6-21

End of Media 2-13, 5-28, 5-31, 6-4-6-6, 6-8-6-12, 6-14-6-19, 6-21, 6-23, 6-40, 7-53, 7-74

End of Partition 2-13, 6-3, 6-5, 6-6, 6-8, 6-11, 6-12, 6-14-6-19, 6-21, 6-22, 6-40, 7-53, 7-54, 7-74, 7-75

entry point 1-2, 1-4, 2-8, 2-17-2-19, 4-1, 7-7-7-9, 7-89

EOF 6-3, 6-5, 6-11, 6-18, 6-19, 6-21, 7-54, 7-75
 EOI 1-4, 6-31, 6-32, 7-22, 7-88, 7-89, E-2
 EOT 6-3, 6-4, 6-8-6-12, 6-14-6-19, 6-21, 6-23, 7-54, 7-75
 error recovery 3-1, 6-30, 6-37, 6-40
 estFormatTime 5-19, 5-21
 execution levels 1-3
 firmware 3-1, 3-3, 3-7, A-1, A-2
 flat memory model C-1
 Format 2-5, 2-7, 2-8, 2-13, 4-2, 5-10, 5-11, 5-14, 5-19, 5-21, 5-27, 5-30, 5-33, 5-35, 5-36, 5-38, 5-39, 5-45,
 5-47, 5-48, 5-50, 6-19, 6-20, 7-5, 7-46, 7-47, 7-53, 7-60, 7-61, 7-70, 7-71, 7-74, 7-76, A-3, B-6, D-1, F-2, J-1
 Free 3-3, 3-8, 3-12, 3-15, 6-30, 7-1, 7-12, 7-14, 7-16, 7-40, 7-91, A-2
 function 1-2-1-4, 2-10-2-14, 2-17, 2-19, 5-1-5-3, 5-5-5-7, 5-9-5-17, 5-19, 5-22-5-28, 5-30, 5-31, 5-33, 5-35, 5-37-
 5-45, 5-47, 5-48, 5-50, 5-52, 6-1, 6-2, 6-4, 6-6, 6-8-6-24, 6-26, 6-28, 6-29, 6-32, 6-37, 6-40, 7-2, 7-5, 7-7, 7-33,
 7-45-7-47, 7-52-7-54, 7-62, 7-63, 7-70, 7-71, 7-74, 7-75, 7-77, 7-88, B-2, B-19, E-2, F-5, G-2, J-1
 future 3-2, 5-37, 6-40, 7-16, 7-25, G-4, I-1
 General Protection Interrupt 6-31
 GetCurrentTime 7-1, 7-43, 7-91
 GetHardwareBusType 3-7, 7-1, 7-44, 7-91, A-2, I-1
 GetIOCTL 2-1, 2-17, 2-18, 5-1-5-3, 5-7, 5-9, 6-32, 7-1, 7-9, 7-45-7-48, 7-52, 7-69, 7-73, 7-91, A-2
 GetRequest 1-2, 2-1, 2-12, 2-18, 3-12, 4-3, 4-4, 5-13, 6-2, 6-4, 6-25-6-28, 6-32, 6-37, 7-1, 7-7, 7-11, 7-45, 7-52-
 7-54, 7-69, 7-73, 7-85, 7-91, A-2, G-3, K-1
 GetSectorsPerCacheBuffer 7-1, 7-55, 7-91, A-2
 Hard Disk 1-1, 4-2, 5-21, 6-27, 7-5
 headCount 5-20, 7-4, 7-6
 HotFix iii, 5-13, 5-17, 6-4, 6-8, 6-9, 6-38, 6-40
 I/O Operations 2-14, 2-18, 3-12, 6-1, 7-15
 I/O Request 2-12, 2-13, 2-16, 2-18, 3-15, 5-21, 6-1-6-4, 6-6, 6-25, 6-36, 7-5, 7-52, 7-54, 7-73, 7-75, G-1
 Identify Status 5-16
 implementation iv, v, 6-37, 7-15, E-1
 import list 1-1
 initialization routine 1-2, 2-7, 2-8, 3-5, 3-6, 6-27, 7-8, 7-9, 7-13, 7-60, 7-65, 7-84, 7-86, 7-88, C-1-C-3, E-2
 initialization screen handle 3-7
 InitializeDriver 2-15, 2-20, 3-1, 3-2, 3-4, 3-6, 3-13, 4-1, 5-8, B-2, C-3
 Initialize Driver 2-8, 2-15, 3-1-3-3, 3-5, 3-6, 6-29, 7-12, 7-16, 7-65
 input 6-1, 6-40, 7-37, 7-51, 7-65, A-2-A-4, B-12, B-15, B-18, F-3, I-4
 Interleave Factor 5-14
 interrupt controller 2-19, 6-31, 6-32, 7-20-7-23
 Interrupt Level 1-4, 6-31, 6-33, 6-34, 7-2, 7-16, 7-23, 7-26, 7-42, 7-51, 7-82, 7-88, F-4, G-2
 Interrupt Service Routine 2-19, 3-4, 5-1, 6-31, 6-35, 7-2, 7-26, 7-52, 7-88
 Interrupt 1-2, 1-4, 2-17-2-19, 3-4, 3-7, 3-8, 3-12, 3-13, 3-15, 5-1, 5-2, 6-1, 6-29, 6-31-6-36, 7-2, 7-12, 7-14,
 7-16, 7-17, 7-20-7-23, 7-26, 7-29, 7-37, 7-42, 7-51, 7-52, 7-65, 7-68, 7-69, 7-73, 7-81, 7-82, 7-88, 7-89, B-2,
 C-1-F-4, G-2-G-4, K-1
 interrupts disabled 1-3, 1-4, 6-33, 6-39, 7-2, 7-10, 7-12, 7-15-7-23, 7-26, 7-27, 7-29, 7-36, 7-40-7-42, 7-45, 7-52,
 7-69, 7-73, 7-86-7-88, B-2, C-1
 INT 3 B-2
 IOConfiguration 3-3, 3-7-7-9, 7-12, 7-16, 7-36, 7-64, 7-66, 7-84
 IOConfigurationStructure 2-1-2-4, 2-6-2-8, 3-2, 3-4, 3-7, 3-8, 3-13, 6-31, 6-34, 7-64, 7-65, 7-68, 7-84, I-1, I-2
 IOCTLPoll 1-4, 2-17, 2-18, 2-20, 5-1, 5-7-5-9, 5-11, 5-52, 7-8, 7-12, 7-16, 7-69
 IOCTLRequestStruct 2-10, 5-2, 5-7-5-9, 7-8, 7-45, 7-47, 7-69, 7-71
 IOCTLRequestStructure 2-1, 2-10, 5-1, 5-2, 5-4, 5-7, 5-8, 5-10, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35,
 5-38-5-45, 5-47, 5-50, 7-47, 7-71

IOCTL Notification Routine 5-1, 7-45
IOCTL Queue 5-1, 7-45
IODetached 2-3
IOPoll 1-2, 1-4, 2-18, 2-20, 3-12, 4-3, 5-1, 5-13, 6-25-6-28, 6-32, 7-3, 7-7, 7-12, 7-16, 7-52, 7-85
IOPollRoutine 7-3, 7-7, G-2
IORequest 2-12, 6-25-6-28, 7-3, 7-52, 7-73
IORequestStruct 2-12, 3-15, 6-1, 6-25, 6-27, 6-28, 7-3, 7-52, 7-54, 7-73, 7-75
IORequestStructure 2-1, 2-12, 6-1, 6-3, 6-6, 6-8-6-20, 6-22-6-24, 6-26, 7-54, 7-75, E-1
IOSlot 2-6, 7-68
IRETD 1-4, 6-31, 6-33, 7-89
IRQ 3-7, 3-8, 3-13, 7-17, 7-20-7-23, 7-26
ISR 1-4, 2-18-2-20, 3-4, 3-5, 3-7, 5-1, 5-2, 6-28, 6-31-6-36, 6-39, 7-2, 7-12, 7-26, 7-69, 7-88, 7-89
LoadCommandLine 3-6, C-3
loader 1-1, 7-2, 7-17, A-4
Lock Device Media 5-10, 5-11, 5-24, 7-46, 7-47, 7-70, 7-71
Logical Device DisMount 5-10, 5-11, 5-23, 7-46, 7-47, 7-70, 7-71
Logical Device Mount 5-10, 5-11, 5-19, 5-22, 7-46, 7-47, 7-70, 7-71
Magazine Deselect Command 5-41
Magazine 5-4, 5-5, 5-21, 5-28, 5-31, 5-38-5-44, 7-4, 7-48, 7-72
MagazineUnload 5-10, 7-46, 7-70
Magazine Load 5-38, 5-42, 5-43
Magazine Select Command 5-40
map 3-2, 5-27, 5-30, 7-64, A-2, A-4, B-17, C-3
MapAbsoluteAddressToDataOffset 7-1, 7-57, 7-59, 7-91, M-1
MapDataOffsetToAbsoluteAddress 7-1, 7-57, 7-59, 7-91, G-3, M-1
Mass Storage Control Interface iv, 1-1, 2-16, 4-1, 7-12, 7-16
MCA 3-2, 6-34, 7-44, 7-68, G-1, I-2
Media Change 6-3, 6-5, 6-8-6-12, 6-14-6-19, 6-21-6-23, 7-54, 7-75
Media Error 2-16, 4-3-5-5, 5-12-5-14, 5-16, 5-17, 5-19, 5-22, 5-24-5-27, 5-30, 5-33, 5-35, 6-3, 6-4, 6-8-6-12, 6-14-6-19, 6-21-6-23, 6-29, 6-38, 6-40, 7-48, 7-54, 7-72, 7-75
Media Type 5-30, 6-22
MO 5-19, 5-21, 7-5
module iv, 1-1, 2-8, 2-11, 2-14, 2-15, 2-17, 3-1, 3-6, 3-14, 5-11, 7-13, 7-14, 7-80, 7-81, A-3, A-4, B-7, B-14, B-18, D-1, G-2, L-1, L-4, L-12, L-13
multiple 1-2, 2-12, 3-4, 3-7, 5-27, 6-2, 6-13-6-18, 6-38-6-40, 7-68, A-4, I-1, L-10, L-11, L-15, L-24
NeedBitMap 2-2, 3-7, 7-64, 7-66, 7-68, C-3
NetWare Loader 1-1
nextRequest 3-15, 5-7, 6-25
NLM Interface 1-1
NLM iv, 1-1, 2-15, 3-1, 4-2, 6-37, 7-13, 7-14, A-1-A-3, B-2, G-1, G-2, J-1
NLMHandle 3-6, 7-8, 7-9, 7-13, 7-14, 7-60, 7-62, C-1, C-3
NLMLINK A-1
NMI B-2
Non Media Error 4-3
NoSleep option 6-30
NovellNumber 7-8, 7-9, C-1, C-2
No Error 5-4, 5-5, 5-12-5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47, 5-48, 5-50, 6-3-6-5, 7-48, 7-54, 7-72, 7-75
No Media Present 5-4, 5-5, 5-12, 5-14, 5-17, 5-19, 5-22, 5-24, 5-26, 5-27, 5-30, 5-33, 5-35, 6-3, 7-48, 7-72
NumberExchangeSlots 5-45, 5-46, 5-49
NumberOfSectors 5-17, E-1

-
- Options Parameter List 2-6
 - OS Environment 1-3
 - OS ISR 6-31, 6-34
 - output 6-1, 6-40, 7-51, 7-63, 7-82, 7-83, A-1-A-4, B-12, B-18, F-3
 - OutputToScreen 3-5, 3-6, 7-1, 7-62, 7-63, 7-77, 7-91, A-2
 - ParseDriverParameters 1-2, 2-1-2-3, 2-5, 2-6, 3-2, 3-6, 3-7, 7-1, 7-36, 7-64-7-68, 7-84, 7-91, A-2-C-4, F-1
 - partition 1-1, 2-13, 5-17, 5-20, 5-28, 5-31, 5-37, 6-3, 6-5, 6-6, 6-8, 6-11, 6-12, 6-14-6-22, 6-40, 7-6, 7-53, 7-54, 7-74, 7-75
 - performance degradation 1-3
 - PIC 6-31, 6-33, 7-20-7-23
 - priority 7-17, 7-20, 7-26, 7-29, 7-31, 7-79, 7-82, 7-83, 7-89
 - ProcessLevel 1-3, 1-4, 2-16, 2-18, 4-1, 4-3, 5-1, 6-39, 7-2, 7-3, 7-8, 7-13, 7-24, 7-25, 7-27, 7-28, 7-31, 7-32, 7-34-7-37, 7-64, 7-78, 7-79, 7-82, 7-83, 7-85, 7-90, C-1
 - PS/2 2-4
 - public 1-1, A-2, B-17
 - PutIOCTL 2-17, 5-1, 5-2, 5-7, 5-9, 6-32, 6-36, 7-1, 7-9, 7-45, 7-52, 7-69-7-73, 7-91, A-2
 - PutRequest 1-2, 2-18, 3-12, 4-3, 4-4, 5-13, 6-2, 6-25, 6-27, 6-28, 6-32, 6-36, 6-40, 7-1, 7-7, 7-45, 7-52, 7-69, 7-73-7-75, 7-85, 7-91, A-2, K-1
 - QueueSystemAlert 3-5, 7-1, 7-76, 7-77, 7-91, E-2
 - random 2-13, 5-21, 5-28, 5-31, 5-33, 6-6, 6-8-6-10, 6-23, 6-39, 7-53, 7-74
 - Read 2-13, 2-18, 3-3, 3-4, 3-6, 3-7, 4-2, 5-1, 5-15, 5-20, 5-21, 5-28, 5-31, 5-36, 5-39, 5-40, 5-45, 5-48-5-51, 6-2, 6-6, 6-8, 6-10, 6-11, 6-26, 6-28, 6-29, 6-32, 6-37-6-40, 7-3, 7-4, 7-6, 7-40, 7-42, 7-49, 7-51-7-53, 7-74, 7-78, A-4, B-1, B-5, B-8, B-18, F-1-F-4, J-1
 - ReadCustomDataRoutine 3-3, 3-6, C-3
 - ReadOnlyDevice 5-19-5-21, 7-4, J-1
 - real mode 7-17, 7-27, 7-29, 7-38, 7-50, 7-51, 7-80, 7-83, F-1-F-3
 - recursive 5-17
 - reentrant 1-2, A-4
 - RegisterForEventNotification 7-1, 7-79-7-83, 7-90, 7-91
 - RegisterHardwareOptions 2-2, 2-5, 3-2, 3-7, 7-1, 7-14, 7-36, 7-56, 7-57, 7-66, 7-68, 7-84, 7-89, 7-91, A-2, E-1, E-2, M-1
 - RemovableDevice 5-20, 7-4, J-1
 - RemoveDiskDevice 2-16, 3-12, 3-13, 3-15, 4-3, 4-4, 7-1, 7-7, 7-11, 7-34, 7-85, 7-91, A-2
 - RemoveDriver 2-15, 2-20, 3-10, 6-31
 - Request Completion Status Codes 5-5
 - Reserved i, iii, 2-5, 2-9, 2-11, 2-13, 3-3, 3-6, 5-10, 5-11, 5-29, 5-32, 5-34, 5-37, 6-6, 6-24, 7-36, 7-46, 7-47, 7-53, 7-64, 7-70, 7-71, 7-74, 7-84, F-1, G-2
 - Resource Signature 7-12, 7-16, 7-79
 - Resource Tag 2-5, 2-8, 2-9, 3-5, 3-7, 6-30, 7-8, 7-12-7-16, 7-33, 7-64, 7-79, 7-84, 7-86-7-88, C-2
 - Return Bad Block Info 5-17
 - Return Changer Device Mapping 5-47
 - Return Changer Info 5-45, 5-47, 5-48, 5-50
 - Return 1-2, 1-4, 2-13, 2-15-2-18, 3-1-3-4, 3-6, 3-8-3-12, 3-14, 3-15, 4-1-4-4, 5-2, 5-4, 5-6-5-19, 5-27, 5-29, 5-30, 5-32, 5-33, 5-35, 5-38, 5-39, 5-45, 5-47, 5-48, 5-50, 6-3-6-6, 6-19, 6-20, 6-25-6-28, 6-30, 6-31, 6-33-6-37, 6-40, 7-2, 7-3, 7-8, 7-10, 7-12, 7-13, 7-15-7-37, 7-39-7-60, 7-63, 7-64, 7-69-7-76, 7-78-7-80, 7-82, 7-84-7-90, A-3, B-1, B-13, C-1-F-3, G-2, G-4, I-3, J-1
 - Return Changer Media Mapping 5-48
 - Return Device Status 4-2, 5-10, 5-11, 5-14, 5-19, 7-46, 7-47, 7-70, 7-71
 - Return Magazine Info 5-38, 5-39
 - Return Media Info 5-30, 5-33
 - ScanForDevices 2-16, 2-20, 4-1, 4-2, 7-7-7-9, C-1, C-2
-

ScheduleNoSleepAESProcessEvent 2-8, 2-9, 2-18-2-20, 3-5, 3-7, 6-29, 6-30, 7-1, 7-18, 7-86, 7-87, 7-91, A-2

ScheduleSleepAESProcessEvent 2-19, 2-20, 3-7, 6-30, 7-1, 7-19, 7-87, 7-91

sector 5-20, 5-21, 5-29, 5-32, 5-33, 6-2, 6-8-6-12, 6-23, 6-38, 7-3, 7-5, J-1

sectorCount 5-20, 7-4, 7-6

sectorSize 5-20, 5-21, 7-3, 7-5

sequential v, 2-13, 2-17, 2-18, 5-21, 5-28, 5-31, 5-33, 6-6, 6-11-6-18, 6-20-6-22, 6-37, 6-39, 6-40, 7-4, 7-53, 7-74, K-1

SetHardwareInterrupt 2-18, 2-20, 3-4, 3-7, 6-31, 6-34, 6-35, 7-1, 7-14, 7-17, 7-26, 7-29, 7-88, 7-89, 7-91, A-2

Set Marks 2-13, 5-28, 5-31, 6-3, 6-5, 6-6, 6-11, 6-14-6-19, 6-21, 7-53, 7-54, 7-74, 7-75

shared interrupts 3-4, 6-34, 7-26

shared 1-4, 2-3, 2-4, 4-2, 6-31, 6-32, 6-34, 7-26, 7-56, 7-57, 7-88, B-19, G-1, G-2

shareFlag 7-88

Sleep option 1-3, 1-4, 6-30

SRAM 7-55-7-57, 7-68, B-19

stack offsets C-4

start 2-18, 3-6, 3-7, 5-2, 5-16, 6-26, 6-32, 6-39, 7-43, A-2, A-3, B-2, B-4, B-13, B-18, J-1

stream 6-40

SubFunction 2-10, 2-11, 2-17, 5-2, 5-3, 5-9, 5-10, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47, 5-48, 5-50, 7-47, 7-71

System Parameter Error 5-4, 5-5, 5-12-5-17, 5-19, 5-22-5-26, 5-38-5-45, 5-47, 5-48, 5-50, 7-48, 7-72

Tape Device 5-21, 5-33, 5-35, 7-5

task switch 1-3, 2-16

thread 1-3, 1-4, 6-25, 6-30, 7-2, 7-79-7-82, 7-86, 7-87, 7-91, K-1

Timeout 1-3, 1-4, 2-1, 2-9, 2-18-2-20, 3-1, 3-5, 3-7, 3-13, 3-15, 4-1, 6-29, 6-30, 7-86

timer exit 5-1

tools iv, D-1

totalSize 7-3, 7-6, 7-7, J-1

type 2-6, 3-7, 5-19, 5-27, 5-28, 5-30, 5-31, 5-33, 5-35, 6-22, 7-12-7-16, 7-44, 7-65, 7-68, 7-79, 7-83, A-2, A-3, B-11, B-15, F-1-I-3

Unformatted Media 6-3, 6-5, 6-8-6-12, 6-14-6-19, 6-21, 6-23, 7-54, 7-75

Unlock Device Media 5-10, 5-11, 5-25, 7-46, 7-47, 7-70, 7-71

UnRegisterEventNotification 7-1, 7-79, 7-83, 7-90, 7-91

v3.1 D-1

v3.11 2-12, 2-16, 4-4, 5-10, 5-11, 5-13, 5-21, 6-2, 6-40, 7-8, 7-46, 7-47, 7-70, 7-71, D-1

v3.1x iv, 1-3, 2-5, 2-16, 2-20, 3-5, 4-1, 4-3, 5-10, 6-2, 6-32, 6-33, 7-1-7-3, 7-8, 7-10, 7-12, 7-13, 7-15-7-30, 7-33-7-37, 7-39-7-46, 7-49, 7-50, 7-52, 7-55-7-59, 7-63, 7-64, 7-69-7-71, 7-73, 7-76, 7-79, 7-84-7-88, 7-90, A-1, A-3, A-4, C-1

v4.0 A-1

v4.xx iv, 1-3, 2-2, 2-4, 2-5, 2-16, 2-20, 3-5, 4-1, 4-3, 5-10, 5-11, 5-13, 5-20, 6-2, 6-33, 7-1-7-4, 7-8, 7-10, 7-12, 7-13, 7-15, 7-17-7-24, 7-26, 7-27, 7-29-7-37, 7-39-7-41, 7-43-7-47, 7-49, 7-50, 7-52, 7-55-7-60, 7-63, 7-64, 7-69-7-71, 7-73, 7-78, 7-79, 7-84-7-88, 7-90, A-3, A-4, B-2, B-17, C-1-G-3, J-1

version 7-2, A-4, B-7, B-14, B-18, E-1, E-2, G-1, G-2, I-1

WORM 5-19, 5-21, 5-27, 5-30, 6-5, 6-10, 6-38, 7-5

Write 1-3, 2-13, 2-18, 5-1, 5-4, 5-5, 5-14, 5-15, 5-19, 5-21, 5-28, 5-31, 5-33, 5-36, 5-39, 5-40, 5-45, 5-48-5-51, 6-2, 6-3, 6-5, 6-6, 6-9, 6-10, 6-12-6-17, 6-21-6-23, 6-26, 6-28, 6-29, 6-37-6-39, 7-4, 7-40, 7-42, 7-48, 7-49, 7-52-7-54, 7-72, 7-74, 7-75, B-1, B-5, B-8, B-18, G-3

WriteSequential 5-20, 5-21, 7-4