

Index

- .def 2-20, 3-6, 3-14, A-1-A-3
- .dsk 3-3, 3-6, 3-10, 3-11, 3-14, A-1, A-3, B-17
- "C" compatible 1-3, 1-4, C-2
- 3.11 4-3, 4-4, 5-11, 7-47, 7-71, G-1, G-2
- 3.1x i, iv, 4-3, 5-11, 7-1, 7-35, 7-47, 7-85, C-1, E-2, G-1
- 4.xx i, iv, 3-6, 4-3, 5-21, 6-40, 7-4, 7-16, 7-25, 7-35, 7-85, E-1, E-2, G-1
- accessFlags 5-20, 7-3, 7-4
- Activate Device 5-10-5-13, 7-46, 7-47, 7-70, 7-71
- AdapterOptionStructure 2-1, 2-6, 3-2, 3-7, 7-68
- Adapter Error 5-5
- AddDiskDevice . . . 2-8, 2-11, 2-12, 2-16, 2-18, 2-20, 3-2, 3-7, 3-13, 4-1-4-3, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-44, 5-47, 6-2, 6-8-6-20, 6-22-6-24, 6-27, 7-1, 7-3-7-11, 7-25, 7-34, 7-52, 7-73, 7-85, 7-91, A-2, J-1
- AddDiskSystem 2-2, 2-7, 2-8, 2-10, 2-16, 2-20, 3-3, 3-8, 3-13, 4-1, 4-4, 5-3, 5-8, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47, 5-48, 5-50, 7-1, 7-6, 7-8, 7-9, 7-24, 7-35, 7-91, A-2, C-1, C-2
- AESEventStructure 2-1, 2-8, 2-9, 7-18, 7-19
- AESProcessSignature 2-9, 7-13
- AESProcess Event Entry 1-3, 1-4, C-1
- AESResourceTag 2-9
- AESStructure 6-30
- AESWakeUpDelayInterval 6-29
- AES Structure 2-1, 2-8, 3-5, 6-30, 7-18, 7-19, 7-86, 7-87
- AES timer 6-30, 7-14, 7-18, 7-19
- Alert 7-60-7-62
- AlertDevice 2-16, 4-4, 5-13, 7-1, 7-7, 7-10, 7-11, 7-91, A-2
- Alloc 2-2, 3-7, 3-12, 7-1, 7-12, 7-14-7-16, 7-40, 7-91, A-2
- AllocateResourceTag 2-9, 3-7, 7-1, 7-12-7-16, 7-28, 7-31-7-33, 7-79, 7-83, 7-84, 7-86, 7-87, 7-89, 7-91, A-2
- Bad Block 5-17, 5-18
- Blocking Process Level 1-3, 1-4, 2-16, 2-18, 4-1, 4-3, 5-1-7-3, 7-8, 7-13, 7-24, 7-25, 7-27, 7-28, 7-31, 7-32, 7-34-7-37, 7-64, 7-78, 7-79, 7-83, 7-85, 7-90, C-1
- BlockSize 5-20, 5-21, 7-3-7-5
- BufferAddress E-1
- CAdjustRealModeInterruptMask 3-4, 3-7, 3-8, 3-12, 7-1, 7-17, 7-29, 7-89, 7-91
- CancelNoSleepAESProcessEvent 3-5, 3-8, 3-12, 3-13, 3-15, 6-30, 7-1, 7-18, 7-86, 7-87, 7-91, A-2
- CancelSleepAESProcessEvent 3-8, 6-30, 7-1, 7-19, 7-87, 7-91
- CardHandle 2-10, 3-11, 3-15, 4-1-5-3, 5-7-5-9, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47, 5-48, 5-50, 6-36, 7-3, 7-6-7-8, 7-24, 7-35, 7-45, 7-47, 7-69, 7-71
- CardNumber 5-46, 7-6
- CardStructure 2-1, 2-7, 2-8, 2-15, 2-16, 3-9, 3-13, 4-1, 4-3, 4-4, 6-31, 7-24, 7-68, 7-69, C-2
- CCheckHardwareInterrupt 6-31, 6-33, 7-1, 7-20-7-23, 7-91
- CDisableHardwareInterrupt 7-1, 7-20-7-23, 7-91, M-1
- CDoEndOfInterrupt 1-4, 2-19, 6-31, 6-32, 6-34, 7-1, 7-20-7-23, 7-88, 7-91, E-2, M-1
- CEnableHardwareInterrupt 6-33, 7-1, 7-20, 7-22, 7-23, 7-91, M-1
- CFLAGS 6-34
- ChainFlag 7-88
- ChangerCommand 5-10, 7-46, 7-70
- CheckDiskCard 3-9-3-11, 7-1, 7-9, 7-24, 7-25, 7-91, A-2

ClearHardwareInterrupt 3-4, 3-8, 3-12, 3-13, 3-15, 6-31, 7-1, 7-17, 7-26, 7-29, 7-89, 7-91, A-2
code segment 1-3
CompletionCode 2-10, 2-12, 4-3, 4-4, 5-2-5-4, 5-9, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47,
5-48, 5-50, 6-1-6-3, 6-6, 6-8-6-20, 6-22-6-24, 6-28, 6-36, 7-47, 7-54, 7-71, 7-75, K-1
Corrected Media Error 6-3, 6-4, 6-8, 6-9, 6-11, 6-12, 6-14-6-19, 6-23, 6-38, 7-54, 7-75
Co-processor 3-1, 3-3, 3-7, A-2
CRescheduleLast 1-3, 4-1, 6-33, 7-1, 7-28, 7-31-7-33, 7-91, A-2
CUnAdjustRealModeInterruptMask 3-8, 3-12, 7-1, 7-17, 7-29, 7-89, 7-91
Custom IOCTLs 5-52
cylinderCount 5-20, 7-4, 7-6
data segment 2-2, 3-7, 7-66, B-3
Deactivate Device 5-10, 5-11, 5-13, 6-4, 7-46, 7-47, 7-70, 7-71
debug A-2, A-4, B-17
definition file iv, 1-1, 3-3, 3-11, A-1-A-3, B-17, G-2
DelayMyself 1-3, 4-1, 6-33, 7-1, 7-28, 7-31-7-33, 7-91, A-2
DeleteDevice 2-16, 2-20, 4-3, 4-4, 7-8-7-10
DeleteDiskDevice 2-16, 3-12, 3-13, 3-15, 4-3, 4-4, 7-1, 7-7, 7-11, 7-34, 7-85, 7-91, A-2
DeleteDiskSystem 2-2, 3-12, 3-13, 3-15, 7-1, 7-9, 7-35, 7-91, A-2
DeRegisterHardwareOptions 2-2, 3-3, 3-8, 3-12, 3-13, 3-15, 7-1, 7-36, 7-68, 7-84, 7-91, A-2
DeviceCount 3-11, 3-15
deviceName 7-3, 7-7
Device Fault 5-4, 5-5, 5-12, 5-14, 7-48, 7-72
Device Not Active 4-3-5-5, 5-13, 5-14, 5-40, 5-41, 5-50, 6-3, 6-4, 7-11, 7-48, 7-54, 7-72, 7-75
Device Parameter Error 5-4, 5-5, 5-12-5-17, 5-19, 5-22-5-26, 5-38-5-45, 5-47, 5-48, 5-50, 7-48, 7-72
Device Verify Mode 5-10, 5-11, 5-15, 6-37, 7-46, 7-47, 7-49, 7-70, 7-71
DiskHandle 2-12, 3-15, 4-3, 6-1, 6-2, 6-8-6-20, 6-22-6-25, 6-27, 6-28, 6-36, 7-3, 7-8, 7-10, 7-11, 7-25, 7-34,
7-52, 7-54, 7-73, 7-75, 7-85
DiskStructure 2-1, 2-8, 2-11, 2-15, 2-16, 2-18, 3-13, 4-1, 4-3, 6-25, 6-31, 7-3, 7-7, 7-25, 7-34, 7-52, 7-85
DMA iv, 2-2, 2-4, 2-15, 6-26, 6-29, 6-32, 7-41, 7-58, 7-59, 7-65-7-68, G-1
DoRealModeInterrupt 7-1, 7-37, 7-38, 7-50, 7-51, 7-91, F-3, F-4
DOS iii, 1-1, 3-4, 7-17, 7-29, 7-37, 7-38, 7-78, 7-80, 7-83, B-1, B-4, B-13, B-18, F-1, I-4, M-1
DOS partition 1-1
driveID 5-47, 7-3, 7-6, 7-7
driveNumber 7-6
driveParameters 5-19, 5-20, 7-3, 7-6, 7-7, J-1
DriverID 5-46, 7-6
DriverLink 2-10, 2-12, 5-2, 5-3, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47, 5-48, 5-50, 6-1,
6-2, 6-8-6-20, 6-22-6-24, 7-47, 7-54, 7-71, 7-75
DriverReadRoutine 6-28
driverResourceTag 7-8, 7-9, C-1, C-2
DriverUnload 7-9
DriverWriteRoutine 6-28
Driver ISR 1-4, 2-18, 2-19, 3-4, 3-7, 5-2, 6-31-6-34, 6-36, 7-26, 7-69, 7-89
driveSizes 5-19, 5-20, 7-3, 7-7, J-1
driveType 5-20, 5-21, 7-3, 7-5
Early Warning 6-3, 6-5, 6-11-6-19, 6-21, 6-40, 7-54, 7-75
EISA iv, 3-2, 6-34, 7-30, 7-38, 7-44, 7-51, 7-68, F-1-F-5, G-1, I-2
Eject Media 5-10, 5-11, 5-26, 5-50, 5-51, 7-46, 7-47, 7-70, 7-71
Elevator 2-17, 2-18, 3-12, 4-3, 6-8, 6-9, 6-11, 6-12, 6-23, 6-25, 6-26, 7-85

-
- End of File 6-5, 6-11, 6-18, 6-19, 6-21
 - End of Media 2-13, 5-28, 5-31, 6-4-6-6, 6-8-6-12, 6-14-6-19, 6-21, 6-23, 6-40, 7-53, 7-74
 - End of Partition 2-13, 6-3, 6-5, 6-6, 6-8, 6-11, 6-12, 6-14-6-19, 6-21, 6-22, 6-40, 7-53, 7-54, 7-74, 7-75
 - entry point 1-2, 1-4, 2-8, 2-17-2-19, 4-1, 7-7-7-9, 7-89
 - EOF 6-3, 6-5, 6-11, 6-18, 6-19, 6-21, 7-54, 7-75
 - EOI 1-4, 6-31, 6-32, 7-22, 7-88, 7-89, E-2
 - EOT 6-3, 6-4, 6-8-6-12, 6-14-6-19, 6-21, 6-23, 7-54, 7-75
 - error recovery 3-1, 6-30, 6-37, 6-40
 - estFormatTime 5-19, 5-21
 - execution levels 1-3
 - firmware 3-1, 3-3, 3-7, A-1, A-2
 - flat memory model C-1
 - Format 2-5, 2-7, 2-8, 2-13, 4-2, 5-10, 5-11, 5-14, 5-19, 5-21, 5-27, 5-30, 5-33, 5-35, 5-36, 5-38, 5-39, 5-45, 5-47, 5-48, 5-50, 6-19, 6-20, 7-5, 7-46, 7-47, 7-53, 7-60, 7-61, 7-70, 7-71, 7-74, 7-76, A-3, B-6, D-1, F-2, J-1
 - Free 3-3, 3-8, 3-12, 3-15, 6-30, 7-1, 7-12, 7-14, 7-16, 7-40, 7-91, A-2
 - function 1-2-1-4, 2-10-2-14, 2-17, 2-19, 5-1-5-3, 5-5-5-7, 5-9-5-17, 5-19, 5-22-5-28, 5-30, 5-31, 5-33, 5-35, 5-37-5-45, 5-47, 5-48, 5-50, 5-52, 6-1, 6-2, 6-4, 6-6, 6-8-6-24, 6-26, 6-28, 6-29, 6-32, 6-37, 6-40, 7-2, 7-5, 7-7, 7-33, 7-45-7-47, 7-52-7-54, 7-62, 7-63, 7-70, 7-71, 7-74, 7-75, 7-77, 7-88, B-2, B-19, E-2, F-5, G-2, J-1
 - future 3-2, 5-37, 6-40, 7-16, 7-25, G-4, I-1
 - General Protection Interrupt 6-31
 - GetCurrentTime 7-1, 7-43, 7-91
 - GetHardwareBusType 3-7, 7-1, 7-44, 7-91, A-2, I-1
 - GetIOCTL 2-1, 2-17, 2-18, 5-1-5-3, 5-7, 5-9, 6-32, 7-1, 7-9, 7-45-7-48, 7-52, 7-69, 7-73, 7-91, A-2
 - GetRequest 1-2, 2-1, 2-12, 2-18, 3-12, 4-3, 4-4, 5-13, 6-2, 6-4, 6-25-6-28, 6-32, 6-37, 7-1, 7-7, 7-11, 7-45, 7-52-7-54, 7-69, 7-73, 7-85, 7-91, A-2, G-3, K-1
 - GetSectorsPerCacheBuffer 7-1, 7-55, 7-91, A-2
 - Hard Disk 1-1, 4-2, 5-21, 6-27, 7-5
 - headCount 5-20, 7-4, 7-6
 - HotFix iii, 5-13, 5-17, 6-4, 6-8, 6-9, 6-38, 6-40
 - I/O Operations 2-14, 2-18, 3-12, 6-1, 7-15
 - I/O Request 2-12, 2-13, 2-16, 2-18, 3-15, 5-21, 6-1-6-4, 6-6, 6-25, 6-36, 7-5, 7-52, 7-54, 7-73, 7-75, G-1
 - Identify Status 5-16
 - implementation iv, v, 6-37, 7-15, E-1
 - import list 1-1
 - initialization routine 1-2, 2-7, 2-8, 3-5, 3-6, 6-27, 7-8, 7-9, 7-13, 7-60, 7-65, 7-84, 7-86, 7-88, C-1-C-3, E-2
 - initialization screen handle 3-7
 - InitializeDriver 2-15, 2-20, 3-1, 3-2, 3-4, 3-6, 3-13, 4-1, 5-8, B-2, C-3
 - Initialize Driver 2-8, 2-15, 3-1-3-3, 3-5, 3-6, 6-29, 7-12, 7-16, 7-65
 - input 6-1, 6-40, 7-37, 7-51, 7-65, A-2-A-4, B-12, B-15, B-18, F-3, I-4
 - Interleave Factor 5-14
 - interrupt controller 2-19, 6-31, 6-32, 7-20-7-23
 - Interrupt Level 1-4, 6-31, 6-33, 6-34, 7-2, 7-16, 7-23, 7-26, 7-42, 7-51, 7-82, 7-88, F-4, G-2
 - Interrupt Service Routine 2-19, 3-4, 5-1, 6-31, 6-35, 7-2, 7-26, 7-52, 7-88
 - Interrupt 1-2, 1-4, 2-17-2-19, 3-4, 3-7, 3-8, 3-12, 3-13, 3-15, 5-1, 5-2, 6-1, 6-29, 6-31-6-36, 7-2, 7-12, 7-14, 7-16, 7-17, 7-20-7-23, 7-26, 7-29, 7-37, 7-42, 7-51, 7-52, 7-65, 7-68, 7-69, 7-73, 7-81, 7-82, 7-88, 7-89, B-2, C-1-F-4, G-2-G-4, K-1
 - interrupts disabled 1-3, 1-4, 6-33, 6-39, 7-2, 7-10, 7-12, 7-15-7-23, 7-26, 7-27, 7-29, 7-36, 7-40-7-42, 7-45, 7-52, 7-69, 7-73, 7-86-7-88, B-2, C-1
 - INT 3 B-2
-

| | |
|--------------------------------|---|
| IOConfiguration | 3-3, 3-7-7-9, 7-12, 7-16, 7-36, 7-64, 7-66, 7-84 |
| IOConfigurationStructure | 2-1-2-4, 2-6-2-8, 3-2, 3-4, 3-7, 3-8, 3-13, 6-31, 6-34, 7-64, 7-65, 7-68, 7-84, I-1, I-2 |
| IOCTLPoll | 1-4, 2-17, 2-18, 2-20, 5-1, 5-7-5-9, 5-11, 5-52, 7-8, 7-12, 7-16, 7-69 |
| IOCTLRequestStruct | 2-10, 5-2, 5-7-5-9, 7-8, 7-45, 7-47, 7-69, 7-71 |
| IOCTLRequestStructure | 2-1, 2-10, 5-1, 5-2, 5-4, 5-7, 5-8, 5-10, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47, 5-50, 7-47, 7-71 |
| IOCTL Notification Routine | 5-1, 7-45 |
| IOCTL Queue | 5-1, 7-45 |
| IODetached | 2-3 |
| IOPoll | 1-2, 1-4, 2-18, 2-20, 3-12, 4-3, 5-1, 5-13, 6-25-6-28, 6-32, 7-3, 7-7, 7-12, 7-16, 7-52, 7-85 |
| IOPollRoutine | 7-3, 7-7, G-2 |
| IORequest | 2-12, 6-25-6-28, 7-3, 7-52, 7-73 |
| IORequestStruct | 2-12, 3-15, 6-1, 6-25, 6-27, 6-28, 7-3, 7-52, 7-54, 7-73, 7-75 |
| IORequestStructure | 2-1, 2-12, 6-1, 6-3, 6-6, 6-8-6-20, 6-22-6-24, 6-26, 7-54, 7-75, E-1 |
| IOSlot | 2-6, 7-68 |
| IRETD | 1-4, 6-31, 6-33, 7-89 |
| IRQ | 3-7, 3-8, 3-13, 7-17, 7-20-7-23, 7-26 |
| ISR | 1-4, 2-18-2-20, 3-4, 3-5, 3-7, 5-1, 5-2, 6-28, 6-31-6-36, 6-39, 7-2, 7-12, 7-26, 7-69, 7-88, 7-89 |
| LoadCommandLine | 3-6, C-3 |
| loader | 1-1, 7-2, 7-17, A-4 |
| Lock Device Media | 5-10, 5-11, 5-24, 7-46, 7-47, 7-70, 7-71 |
| Logical Device DisMount | 5-10, 5-11, 5-23, 7-46, 7-47, 7-70, 7-71 |
| Logical Device Mount | 5-10, 5-11, 5-19, 5-22, 7-46, 7-47, 7-70, 7-71 |
| Magazine Deselect Command | 5-41 |
| Magazine | 5-4, 5-5, 5-21, 5-28, 5-31, 5-38-5-44, 7-4, 7-48, 7-72 |
| MagazineUnload | 5-10, 7-46, 7-70 |
| Magazine Load | 5-38, 5-42, 5-43 |
| Magazine Select Command | 5-40 |
| map | 3-2, 5-27, 5-30, 7-64, A-2, A-4, B-17, C-3 |
| MapAbsoluteAddressToDataOffset | 7-1, 7-57, 7-59, 7-91, M-1 |
| MapDataOffsetToAbsoluteAddress | 7-1, 7-57, 7-59, 7-91, G-3, M-1 |
| Mass Storage Control Interface | iv, 1-1, 2-16, 4-1, 7-12, 7-16 |
| MCA | 3-2, 6-34, 7-44, 7-68, G-1, I-2 |
| Media Change | 6-3, 6-5, 6-8-6-12, 6-14-6-19, 6-21-6-23, 7-54, 7-75 |
| Media Error | 2-16, 4-3-5-5, 5-12-5-14, 5-16, 5-17, 5-19, 5-22, 5-24-5-27, 5-30, 5-33, 5-35, 6-3, 6-4, 6-8-6-12, 6-14-6-19, 6-21-6-23, 6-29, 6-38, 6-40, 7-48, 7-54, 7-72, 7-75 |
| Media Type | 5-30, 6-22 |
| MO | 5-19, 5-21, 7-5 |
| module | iv, 1-1, 2-8, 2-11, 2-14, 2-15, 2-17, 3-1, 3-6, 3-14, 5-11, 7-13, 7-14, 7-80, 7-81, A-3, A-4, B-7, B-14, B-18, D-1, G-2, L-1, L-4, L-12, L-13 |
| multiple | 1-2, 2-12, 3-4, 3-7, 5-27, 6-2, 6-13-6-18, 6-38-6-40, 7-68, A-4, I-1, L-10, L-11, L-15, L-24 |
| NeedBitMap | 2-2, 3-7, 7-64, 7-66, 7-68, C-3 |
| NetWare Loader | 1-1 |
| nextRequest | 3-15, 5-7, 6-25 |
| NLM Interface | 1-1 |
| NLM | iv, 1-1, 2-15, 3-1, 4-2, 6-37, 7-13, 7-14, A-1-A-3, B-2, G-1, G-2, J-1 |
| NLMHandle | 3-6, 7-8, 7-9, 7-13, 7-14, 7-60, 7-62, C-1, C-3 |
| NLMLINK | A-1 |
| NMI | B-2 |

-
- Non Media Error 4-3
 - NoSleep option 6-30
 - NovellNumber 7-8, 7-9, C-1, C-2
 - No Error . . . 5-4, 5-5, 5-12-5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47, 5-48, 5-50, 6-3-6-5, 7-48, 7-54, 7-72, 7-75
 - No Media Present 5-4, 5-5, 5-12, 5-14, 5-17, 5-19, 5-22, 5-24, 5-26, 5-27, 5-30, 5-33, 5-35, 6-3, 7-48, 7-72
 - NumberExchangeSlots 5-45, 5-46, 5-49
 - NumberOfSectors 5-17, E-1
 - Options Parameter List 2-6
 - OS Environment 1-3
 - OS ISR 6-31, 6-34
 - output 6-1, 6-40, 7-51, 7-63, 7-82, 7-83, A-1-A-4, B-12, B-18, F-3
 - OutputToScreen 3-5, 3-6, 7-1, 7-62, 7-63, 7-77, 7-91, A-2
 - ParseDriverParameters 1-2, 2-1-2-3, 2-5, 2-6, 3-2, 3-6, 3-7, 7-1, 7-36, 7-64-7-68, 7-84, 7-91, A-2-C-4, F-1
 - partition . . . 1-1, 2-13, 5-17, 5-20, 5-28, 5-31, 5-37, 6-3, 6-5, 6-6, 6-8, 6-11, 6-12, 6-14-6-22, 6-40, 7-6, 7-53, 7-54, 7-74, 7-75
 - performance degradation 1-3
 - PIC 6-31, 6-33, 7-20-7-23
 - priority 7-17, 7-20, 7-26, 7-29, 7-31, 7-79, 7-82, 7-83, 7-89
 - Process Level 1-3, 1-4, 2-16, 2-18, 4-1, 4-3, 5-1, 6-39, 7-2, 7-3, 7-8, 7-13, 7-24, 7-25, 7-27, 7-28, 7-31, 7-32, 7-34-7-37, 7-64, 7-78, 7-79, 7-82, 7-83, 7-85, 7-90, C-1
 - PS/2 2-4
 - public 1-1, A-2, B-17
 - PutIOCTL 2-17, 5-1, 5-2, 5-7, 5-9, 6-32, 6-36, 7-1, 7-9, 7-45, 7-52, 7-69-7-73, 7-91, A-2
 - PutRequest 1-2, 2-18, 3-12, 4-3, 4-4, 5-13, 6-2, 6-25, 6-27, 6-28, 6-32, 6-36, 6-40, 7-1, 7-7, 7-45, 7-52, 7-69, 7-73-7-75, 7-85, 7-91, A-2, K-1
 - QueueSystemAlert 3-5, 7-1, 7-76, 7-77, 7-91, E-2
 - random 2-13, 5-21, 5-28, 5-31, 5-33, 6-6, 6-8-6-10, 6-23, 6-39, 7-53, 7-74
 - Read . . . 2-13, 2-18, 3-3, 3-4, 3-6, 3-7, 4-2, 5-1, 5-15, 5-20, 5-21, 5-28, 5-31, 5-36, 5-39, 5-40, 5-45, 5-48-5-51, 6-2, 6-6, 6-8, 6-10, 6-11, 6-26, 6-28, 6-29, 6-32, 6-37-6-40, 7-3, 7-4, 7-6, 7-40, 7-42, 7-49, 7-51-7-53, 7-74, 7-78, A-4, B-1, B-5, B-8, B-18, F-1-F-4, J-1
 - ReadCustomDataRoutine 3-3, 3-6, C-3
 - ReadOnlyDevice 5-19-5-21, 7-4, J-1
 - real mode 7-17, 7-27, 7-29, 7-38, 7-50, 7-51, 7-80, 7-83, F-1-F-3
 - recursive 5-17
 - reentrant 1-2, A-4
 - RegisterForEventNotification 7-1, 7-79-7-83, 7-90, 7-91
 - RegisterHardwareOptions . . . 2-2, 2-5, 3-2, 3-7, 7-1, 7-14, 7-36, 7-56, 7-57, 7-66, 7-68, 7-84, 7-89, 7-91, A-2, E-1, E-2, M-1
 - RemovableDevice 5-20, 7-4, J-1
 - RemoveDiskDevice 2-16, 3-12, 3-13, 3-15, 4-3, 4-4, 7-1, 7-7, 7-11, 7-34, 7-85, 7-91, A-2
 - RemoveDriver 2-15, 2-20, 3-10, 6-31
 - Request Completion Status Codes 5-5
 - Reserved i, iii, 2-5, 2-9, 2-11, 2-13, 3-3, 3-6, 5-10, 5-11, 5-29, 5-32, 5-34, 5-37, 6-6, 6-24, 7-36, 7-46, 7-47, 7-53, 7-64, 7-70, 7-71, 7-74, 7-84, F-1, G-2
 - Resource Signature 7-12, 7-16, 7-79
 - Resource Tag 2-5, 2-8, 2-9, 3-5, 3-7, 6-30, 7-8, 7-12-7-16, 7-33, 7-64, 7-79, 7-84, 7-86-7-88, C-2
 - Return Bad Block Info 5-17
 - Return Changer Device Mapping 5-47
-

Return Changer Info 5-45, 5-47, 5-48, 5-50
Return . . 1-2, 1-4, 2-13, 2-15-2-18, 3-1-3-4, 3-6, 3-8-3-12, 3-14, 3-15, 4-1-4-4, 5-2, 5-4, 5-6-5-19, 5-27, 5-29, 5-30,
5-32, 5-33, 5-35, 5-38, 5-39, 5-45, 5-47, 5-48, 5-50, 6-3-6-6, 6-19, 6-20, 6-25-6-28, 6-30, 6-31, 6-33-6-37, 6-40,
7-2, 7-3, 7-8, 7-10, 7-12, 7-13, 7-15-7-37, 7-39-7-60, 7-63, 7-64, 7-69-7-76, 7-78-7-80, 7-82, 7-84-7-90, A-3,
B-1, B-13, C-1-F-3, G-2, G-4, I-3, J-1
Return Changer Media Mapping 5-48
Return Device Status 4-2, 5-10, 5-11, 5-14, 5-19, 7-46, 7-47, 7-70, 7-71
Return Magazine Info 5-38, 5-39
Return Media Info 5-30, 5-33
ScanForDevices 2-16, 2-20, 4-1, 4-2, 7-7-7-9, C-1, C-2
ScheduleNoSleepAESProcessEvent 2-8, 2-9, 2-18-2-20, 3-5, 3-7, 6-29, 6-30, 7-1, 7-18, 7-86, 7-87, 7-91, A-2
ScheduleSleepAESProcessEvent 2-19, 2-20, 3-7, 6-30, 7-1, 7-19, 7-87, 7-91
sector 5-20, 5-21, 5-29, 5-32, 5-33, 6-2, 6-8-6-12, 6-23, 6-38, 7-3, 7-5, J-1
sectorCount 5-20, 7-4, 7-6
sectorSize 5-20, 5-21, 7-3, 7-5
sequential v, 2-13, 2-17, 2-18, 5-21, 5-28, 5-31, 5-33, 6-6, 6-11-6-18, 6-20-6-22, 6-37, 6-39, 6-40, 7-4, 7-53,
7-74, K-1
SetHardwareInterrupt 2-18, 2-20, 3-4, 3-7, 6-31, 6-34, 6-35, 7-1, 7-14, 7-17, 7-26, 7-29, 7-88, 7-89, 7-91, A-2
Set Marks 2-13, 5-28, 5-31, 6-3, 6-5, 6-6, 6-11, 6-14-6-19, 6-21, 7-53, 7-54, 7-74, 7-75
shared interrupts 3-4, 6-34, 7-26
shared 1-4, 2-3, 2-4, 4-2, 6-31, 6-32, 6-34, 7-26, 7-56, 7-57, 7-88, B-19, G-1, G-2
shareFlag 7-88
Sleep option 1-3, 1-4, 6-30
SRAM 7-55-7-57, 7-68, B-19
stack offsets C-4
start 2-18, 3-6, 3-7, 5-2, 5-16, 6-26, 6-32, 6-39, 7-43, A-2, A-3, B-2, B-4, B-13, B-18, J-1
stream 6-40
SubFunction . . 2-10, 2-11, 2-17, 5-2, 5-3, 5-9, 5-10, 5-12-5-17, 5-19, 5-22-5-27, 5-30, 5-33, 5-35, 5-38-5-45, 5-47,
5-48, 5-50, 7-47, 7-71
System Parameter Error 5-4, 5-5, 5-12-5-17, 5-19, 5-22-5-26, 5-38-5-45, 5-47, 5-48, 5-50, 7-48, 7-72
Tape Device 5-21, 5-33, 5-35, 7-5
task switch 1-3, 2-16
thread 1-3, 1-4, 6-25, 6-30, 7-2, 7-79-7-82, 7-86, 7-87, 7-91, K-1
Timeout 1-3, 1-4, 2-1, 2-9, 2-18-2-20, 3-1, 3-5, 3-7, 3-13, 3-15, 4-1, 6-29, 6-30, 7-86
timer exit 5-1
tools iv, D-1
totalSize 7-3, 7-6, 7-7, J-1
type . . . 2-6, 3-7, 5-19, 5-27, 5-28, 5-30, 5-31, 5-33, 5-35, 6-22, 7-12-7-16, 7-44, 7-65, 7-68, 7-79, 7-83, A-2, A-3,
B-11, B-15, F-1-I-3
Unformatted Media 6-3, 6-5, 6-8-6-12, 6-14-6-19, 6-21, 6-23, 7-54, 7-75
Unlock Device Media 5-10, 5-11, 5-25, 7-46, 7-47, 7-70, 7-71
UnRegisterEventNotification 7-1, 7-79, 7-83, 7-90, 7-91
v3.1 D-1
v3.11 2-12, 2-16, 4-4, 5-10, 5-11, 5-13, 5-21, 6-2, 6-40, 7-8, 7-46, 7-47, 7-70, 7-71, D-1
v3.1x iv, 1-3, 2-5, 2-16, 2-20, 3-5, 4-1, 4-3, 5-10, 6-2, 6-32, 6-33, 7-1-7-3, 7-8, 7-10, 7-12, 7-13, 7-15-7-30,
7-33-7-37, 7-39-7-46, 7-49, 7-50, 7-52, 7-55-7-59, 7-63, 7-64, 7-69-7-71, 7-73, 7-76, 7-79, 7-84-7-88, 7-90, A-1,
A-3, A-4, C-1
v4.0 A-1
v4.xx iv, 1-3, 2-2, 2-4, 2-5, 2-16, 2-20, 3-5, 4-1, 4-3, 5-10, 5-11, 5-13, 5-20, 6-2, 6-33, 7-1-7-4, 7-8, 7-10,

7-12, 7-13, 7-15, 7-17-7-24, 7-26, 7-27, 7-29-7-37, 7-39-7-41, 7-43-7-47, 7-49, 7-50, 7-52, 7-55-7-60, 7-63,
7-64, 7-69-7-71, 7-73, 7-78, 7-79, 7-84-7-88, 7-90, A-3, A-4, B-2, B-17, C-1-G-3, J-1

version 7-2, A-4, B-7, B-14, B-18, E-1, E-2, G-1, G-2, I-1

WORM 5-19, 5-21, 5-27, 5-30, 6-5, 6-10, 6-38, 7-5

Write . . 1-3, 2-13, 2-18, 5-1, 5-4, 5-5, 5-14, 5-15, 5-19, 5-21, 5-28, 5-31, 5-33, 5-36, 5-39, 5-40, 5-45, 5-48-5-51,
6-2, 6-3, 6-5, 6-6, 6-9, 6-10, 6-12-6-17, 6-21-6-23, 6-26, 6-28, 6-29, 6-37-6-39, 7-4, 7-40, 7-42, 7-48, 7-49,
7-52-7-54, 7-72, 7-74, 7-75, B-1, B-5, B-8, B-18, G-3

WriteSequential 5-20, 5-21, 7-4