

TEXT,C,55

CONNER CS2000DATi/e STORAGE SOLUTIONS

BASED ON UNIX/PC WORKSTATION ARCHITECTURES, CONNER OFFERS CUSTOMERS TAPE DRIVE, HARD DRIVE AND FLOPTICAL SOLUTIONS FOR DATA PROTECTION, STORAGE AND SOFTWARE.

FEATURES - CONNER CS TAPE SYSTEMS

- * 250 MB to 4.0 GB (average compressed) capacities
- * Industry standard DDS, DAT, DDS-DC DAT and QIC cartridge technologies
- * Transfer rates of up to 30 MB/minute

FEATURES - CONNER CS HARD DISK SYSTEMS

- * 540 MB and 1.37 GB capacities
- * 3.5" form factor, external drives

FEATURES - CONNER CS FLOPTICAL SYSTEMS

- * 21 MB on 3.5" diskette
- * 1.44 MB and 2.88 MB floppy read/write
- * 2-3 times faster than standard floppy with 14 times the capacity

BENEFITS

- * Compatible with your workstation operating system environment
- * Kitted for easy workstation installation
- * Proven, reliable data storage and transfer

MODEL CS2000DAT

GENERAL SPECIFICATIONS

Conner Media	31300/32000
Recording Tracks	N/A
Recording Format	DDS Helical Scan
Formatted Capacity	2.0 GB
Data Transfer Rate	183 KB/sec

EXPECTED RELIABILITY

MTBF	> 40,000 hours
MTTR	< 30 minutes
Data Reliability	< 1 in 10 to the power of 15 bits

ENVIRONMENTAL CHARACTERISTICS

Temperature	+41 F to + 113 F (+5 C to +45 C)
-------------	-------------------------------------

Relative Humidity 20 to 80%
 Altitude -1000 to +15000 ft

PHYSICAL SPECIFICATIONS

Portable drives

Width 3.4 in (8.6 cm)
 Length 9.3 in (23.6 cm)
 Height 5.5 in (13.9 cm)

Internal drives

Width 5.8 in (14.7 cm)
 Length 8.0 in (20.32 cm)
 Height 1.6 in (4.0 cm)

POWER REQUIREMENTS

Voltage 110VAC (US/Canada)
 110/220VAC (International)

PRODUCT CERTIFICATIONS

Safety UL, CSA, TUV, VDE
 FCC Class B

WARRANTY Two years

OPERATING SYSTEMS/SOFTWARE COMPATABILITY CHART
 Conner CS Tape Systems

Operating System/Software key for table below:

- (1) - SF21e
- (2) - CS250Q
- (3) - CS525Q
- (4) - CS1350Q
- (5) - CS2000DAT
- (6) - CS4000DAT
- (7) - CS540De
- (8) - CS1370De

1 2 3 4 5 6 7 8

SCO XENIX -GT only	*	*	*			*	*
SCO UNIX/ODT	*	*	*	*	*	*	*
UNILEVEL UNIXWARE		*	*	*	*	*	*
USL System V 4.2	*	*	*	*	*	*	*
UHC UNIX SVR4	*	*	*	*	*	*	*
Consensys UNIX SVR4		*	*	*	*	*	*
Interative UNIX 3.2	*	*	*	*	*	*	*
SunOS 4.1X	*	*	*	*	*	*	*
IBM RS/6000	*	*	*	*	*		

HP/APOLLO 9000/700	* * * *
NeXTStep ON NeXT	* * * * *
A/UX 3.0 Macintosh	* * * * *
Microsoft Windows NT	* * * * * * *
Banyan Vines (4.12+)	* * * * * * *
NovaStor NovaBack (3.56+)	* * * * *
Corel SCSI (1.1x)	* * *
Sun Solaris 2.X	* * * *