

HviewsBuilder Index

[Overview](#)

[Commands](#)

© Copyright 1991-1992, Hware Corporation

Commands

File
Mode

File

Exit

About

Exit

This command will exit Hviews Builder.

About

The About command will display a dialog box that displays important information about the current application. Typical items included in the dialog box are the copyright notice, the application version, and the developer.

Mode

Use the **Add Groups** command to delete the current icon groups (i.e. All the files with file type HVG) and rebuild it from the current program groups in the Program Manager.

The **Add Groups SS** (Single Step) command will perform the same function as the **Add Groups** command except that after each icon has been processed the User will have to respond before the next item will be processed.

The **Build Associations** command is used to update the HVIEWS.HVI file. The HVIEWS.HVI file contains the icons used to display the document icons for the "File by Dir" view. This command needs to be executed if the file associations have been changed in the [Extension] section of the WIN.INI file (i.e. If you install Excel, Word for Windows, etc. after installing Hviews then execute this command to update the icons used for file documents.

Overview

Hviews Builder is used to build files containing application icon data. Each Program Group icon file (i.e. file type .GRP) is converted to a HVG file type used by Hviews to hold the icons for the application in a group. Each HVG file can contain up to 256 icons.

As Hviews Builder is processing the group files it also makes a Hviews icon group "ALL" which contains all the icons contain in all of the Program Manager groups.

This icon group provides access to all of your existing icons form one icon group.