

```

//
// SAVEALL.WCM -- save all docs that need saving.
// <rreiner@nexus.yorku.ca> 6 April 1992.
//
// Named documents that have been modified are saved silently, overwriting the previous
// version on disk; unnamed documents that have been modified are saved via the Save As
// dialog, so that the user may supply a filename.
//
// At macro termination, the user's context is exactly what it was at macro invocation.
//
// Suggestion: put this on your Button Bar, next to a Save or Save As... button.
//

//*****
// Main program
//
APPLICATION(WP;WPWP;Default)
GetWPData(InitialCurrent;CurrentDocument!)

// Loop over docs
REPEAT
    DocNext()
    CALL (DoSave@)
UNTIL (Current = InitialCurrent)
QUIT

//*****
// Subr DoSave: save the current doc in the appropriate way
//
LABEL(DoSave@)
    GetWPData(Current;CurrentDocument!)
    GetWPData(Modified;DocumentModified!)
    GetWPData(FName;Name!)
    GetWPData(Path;Path!)
    Name := Path + FName

    IF (Modified)
        IF (FName <> "")
            MacroStatusPrompt(On!; "Saving document: " + Name + ".")
            FileSave(Name; WordPerfect51!; Yes!)
        ELSE
            MacroStatusPrompt(On!; "Saving unnamed document.")
            FileSaveAsDlg()
        ENDIF
    ELSE

```

```
MacroStatusPrompt(On!; Name + " unmodified.")  
ENDIF  
RETURN
```