

This program demonstrates the 'Erase Page', 'Graphics'
'Erase to End of Line', 'Reverse Video', and the 'Direct Cursor
Addressing' features of the Windows H-19 Emulator program.

5+Please wait while data is being loaded

☐←Y5!←K←p←Y&.Start

☐←q←x5←F←Y.9a

☐←Y*3v

☐←Y/@`

☐←Y+:u

☐←Y04s

☐←Y,.v

☐←Y1;a

☐←Y-5e

☐←Y)/a

☐←Y.<a

☐←Y*6e

☐←Y/0`

☐←Y+=`

☐←Y07

☐←Y,1d

☐←Y1>f

☐←Y-8v

☐←Y)2s

☐←Y.?

☐←Y*9e

☐←Y/3a

☐←Y+@`

☐←Y0:b

☐←Y,4e

☐←Y1.e

☐←Y-;c

☐←Y)5a

☐←Y./e

☐←Y*<a

☐←Y/6v

☐←Y+0u

☐←Y0=`

☐←Y,7a

☐←Y11a

☐←Y->e

☐←Y)8a

☐←Y.2

☐←Y*?

☐←Y/9c

☐←Y+3d

☐←Y0@t

☐←Y,:a

☐←Y14a

☐←Y-.`

☐←Y);a

☐←Y.5v

☐←Y*/

☐←Y/<f

☐←Y+6c

☐←Y00e

☐←Y,=a

☐←Y17a

☐←Y-1e

☐←Y)>a

☐←Y.8b

☐←Y*2d
☐←Y/?
☐←Y+9a
☐←Y03e
☐←Y,@t
☐←Y1:u
☐←Y-4`
☐←Y).f
☐←Y.;v
☐←Y*5d
☐←Y//
☐←Y+<t
☐←Y06b
☐←Y,0a
☐←Y1=c
☐←Y-7
☐←Y)1e
☐←Y.>c
☐←Y*8c
☐←Y/2s
☐←Y+?
☐←Y09e
☐←Y,3c
☐←Y1@d
☐←Y-:e
☐←Y)4s
☐←Y..`
☐←Y*;a
☐←Y/5c
☐←Y+/
☐←Y0<d
☐←Y,6e
☐←Y10a
☐←Y-=c
☐←Y)7a
☐←Y.1`
☐←Y*>c
☐←Y/8b
☐←Y+2s
☐←Y0?a
☐←Y,9v
☐←Y13a
☐←Y-@t
☐←Y):s
☐←Y.4`
☐←Y*.v
☐←Y/;d
☐←Y+5b
☐←Y0/
☐←Y,<e
☐←Y16a
☐←Y-0d
☐←Y)=a
☐←Y.7a
☐←Y*1f
☐←Y/>`
☐←Y+8v
☐←Y02t
☐←Y,?
☐←Y19a

☐←Y-3`
☐←Y)@c
☐←Y.:d
☐←Y*4s
☐←Y/.`
☐←Y+;a
☐←Y05a
☐←Y,/a
☐←Y1<a
☐←Y-6s
☐←Y)0d
☐←Y.=u
☐←Y*7a
☐←Y/1e
☐←Y+>e
☐←Y08`
☐←Y,2v
☐←Y1?a
☐←Y-9d
☐←Y)3a
☐←Y.@`
☐←Y*:a
☐←Y/4u
☐←Y+.`
☐←Y0;a
☐←Y,5c
☐←Y1/a
☐←Y-<v
☐←Y)6a
☐←Y.0c
☐←Y*=u
☐←Y/7
☐←Y+1a
☐←Y0>e
☐←Y,8d
☐←Y12u
☐←Y-?a
☐←Y)9a
☐←Y.3`
☐←Y*@`
☐←Y/:
☐←Y+4v
☐←Y0.`
☐←Y,;
☐←Y15u
☐←Y-/f
☐←Y)<a
☐←Y.6a
☐←Y*0t
☐←Y/=c
☐←Y+7`
☐←Y01a
☐←Y,>b
☐←Y18a
☐←Y-2d
☐←Y)?a
☐←G←y5←p←Y4;Finish
☐←q←Y5! →