JStatus

Matthias Faust

JStatus ii

COLLABORATORS						
	TITLE :					
ACTION	NAME	DATE	SIGNATURE			
WRITTEN BY	Matthias Faust	July 8, 2022				

REVISION HISTORY					
NUMBER	DATE	DESCRIPTION	NAME		

JStatus iii

Contents

1	JStatus				
	1.1	Welcome			
	1.2	Whats is JStatus?			
	1.3	Requirements			
	1.4	Usage			
	1.5	Disclaimer			
	1.6	Thanks			
	1.7	Bugs, errors			
	1.8	Autor			
	1.9	Future			
	1 10	History			

JStatus 1/5

Chapter 1

JStatus

1.1 Welcome

Welcome to

JSTATUS

by Matthias Faust

What is JStatus?

Requirements

Disclaimer

Autor

Thanks!

History

Future?

Usage

Bugs, errors etc.

1.2 Whats is JStatus?

What is JStatus ?

Just the same as System's "Status" command. With some little differences to it:

JStatus 2/5

- displays also system processes and, not yet tested, PPC tasks
- displays optional the task addresses
- prints out stack usage
- has another evil option, find it out .->

Copy it to a place you want, like C:

1.3 Requirements

Requirements:

- any Amiga or its clone (e.g. DraCo) using OS2.0 and higher

1.4 Usage

Usage:

In general just the same like "Status" command has:

Parameters:

PROCESS/N, FULL/S, PCB=TCB/S, WB=ALL/S, EWILL=E/S, COM=COMMAND/K, NP=NOPPC/S

PROCESS - number of the process for which the information should be put out, if there's NO process number given, all known CLI processes and their will be put out

FULL - a switch, if given the PCB (process control block) information and the names of every process will put out

PCB, TCB — a switch, the same like FULL, but opposite to it, it will only \hookleftarrow print out the PCB information and instead of names the addresses

WB,ALL — a switch, this will force JStatus to print out all processes, first the CLI processes then system processes and don't have a $\,\,\hookrightarrow\,\,$ CLI

COM, COMMAND - a keyword, if given JStatus searches for a loaded command and puts out the process number, if not found it will set the error code to WARN and quits silently. This is good for DOS scripts.

NOTE: If given then all other parameters will be ignored.

JStatus 3/5

```
- a switch, if given no PPC tasks will be put out
                - !!! EXPERIMENTAL !!! - USE AT YOUR OWN RISK -
    STATE, S
                  function is not guaranteed
                  three keywords are possible:
                  HALT - halts the requested task
                  CONT - continues the requested task
                  {	t STOP} - sends a ctrl-c message to the requested task
                  You request the task with the PROCESS argument.
Examples:
_____
JStatus com=MCP \, - sets here error code to OKAY and returns process number 4
                 - prints out the actual CLI process list
                 - prints out the actual CLI process list AND all system processes
JStatus all
JStatus full all - the same like above, but now with complete informations (also \ \hookleftarrow
   PCB)
JStatus pcb all - the same like above, but now without names
JStatus 1 full
                 - prints out information about process 1 including PCB \leftrightarrow
   informations
JStatus process 1 state halt - set the process 1 in the halt-"status"
Hope you have fun !
```

1.5 Disclaimer

```
Disclaimer
-----
JStatus is ©1999 by Matthias Faust.

No warranties are given! Use this program at your own risk!
This program is Freeware. Commercial usage is only allowed with my explicit permission!
```

1.6 Thanks

Thanks

- Bernhard 'ZZA' Moellemann for intensive testing, source code checking and giving the label: "DraCo compatible" :-)

1.7 Bugs, errors

JStatus 4/5

```
Bugs, errors etc.
```

This program was written on A1200T with the following configuration:

- Blizzard1240/40
- 32 MB RAM
- MerlinII/P96
- Prelude/AHI
- WD-850 MB HD
- Iomega ZIP drive
- Mitsumi 32xCDROM

using GCC 2.7.2.1 , GoldED and VinCEd-Shell.

However, the PPC option has not been tested, I still don't own a PPC card.

1.8 Autor

Author:

Matthias Faust
Max-Planck-ring 4,I108

98693 Ilmenau

Deutschland

EMail: faust@rz.tu-ilmenau.de

1.9 Future

Future

```
There is no future !!! :(( I left the AMIGA-programmer-scene. Therefore the sourcecode is free released. Use it, like you want, but don't ask me ... for ever... please ...
```

1.10 History

```
History

1.0 - Initial release(?)

1.1 - released on the same day like next version,

E is now only optional, better output, removed debug output ( ← whoops!),

thanks to Bernhard 'ZZA' Moellemann for fast testing,
that has been the fastest update ever ! .-)

1.2 - again, cleaned output (CLI formatting sucks really),
```

JStatus 5/5

removed empty slot problem

1.3 - added output of PPC tasks

my final release

\$VER: JStatus.doc 1.4 (21.12.99) ©1998 by Matthias Faust