MUISpell

Dirk Holtwick

COLLABORATORS			
	TITLE : MUISpell		
ACTION	*NAME*	*DATE*	*SIGNATURE*
WRITTEN BY	Dirk Holtwick	February 12, 2023	

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME

Contents

Chapter 1

MUISpell

1.1 main

```
            MUI Spell 0.9
© Dirk Holtwick, 1995
FREEWARE
```

is an GUI for the great AlphaSpell packagge that was written by
Fergus Duniho in 1995. Please register for his product.

            How to use

            Legal stuff

1.2 use

```
LOAD
```
When you have started the GUI for AlphaSpell you may want to have a
look for the menu. You can load and save a textfile that is
supposed to be checked for mistakes. After loading a textfile in
the VIEW window will appear a part of the text with a highlightend
word that is not written in the right way.

```
GUESS
```
Then you can press the GUESS button to get some suggestions that
will be listed. Now you can choose one of them or write another
correction into the stringgadget (press space to go there).

```
ACCEPT
```
After a doubbleclick on a suggested word or a click on the button
ACCEPT the new word will be inserted instead of the old word and
the programm searches the next mistake.

```
SKIP
```

If you think the word isn't FALSE or is a name, you don't need to correct it and you can SKIP it and go forward.

IGNORE
Like SKIP, but after this command you will not be asked to correct this word, if it appears again in the text.

LEARN
Or AlphSpell doesn't know the word, you can teach it to him. Just write the word to be learnd into the stringgadget and press LEARN.

SAVE
Everything correct now? Then let's save it! You can use the old name or a new one.

PREFERENCES
In here you have to specify the path to the dictionaries and then the name of the dictionaries (also the user dictionary) you want to use with the suffixes. In the next gadget you write again the name of the users dictionary, but without suffixes. You can also tell the program to load the dictionaries to the RAM-disk (not implemented yet), specify the range of the shown text and specify the buffer overhang in percent, that means the memory that will be allocated in addition to the textlength, to hold the corrections. And there is a gadget for the name of the keyfile and a slider for the edit range. Then choose SAVE, USE or CANCEL.

PROBLEMS
Any problems? Please contact me:

dirco@unidui.uni-duisburg.de

1.3 legal

FREEWARE

This product is FREEWARE and you may use it as you like to. But if you like it so much so that you want to give me a little something, I will be very happy.

  Dirk Holtwick
  Schemkesweg 3-5
  47057 Duisburg
  GERMANY

E-Mail:

  dirco@unidui.uni-duisburg.de

If you want to have a look into the sourcecode, for example to adapt it to some texteditors to get rid of the VIEW-window, I will

be happy to get a message.