

**TConf\_V2.14\_DOCS**

**COLLABORATORS**

	<i>TITLE :</i> TConf_V2.14_DOCS		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		February 12, 2023	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>TConf_V2.14_DOCS</b>	<b>1</b>
1.1	TConf: Contents.	1
1.2	TConf: What IS it?	1
1.3	TConf: Features	2
1.4	TConf: Installation	2
1.5	TConf: Installation Express V3.x+	3
1.6	TConf: Installation Express V2.x+ / Variant	3
1.7	TConf: Icon ToolTypes	3
1.8	TConf: ToolTypes - USER_DATA	4
1.9	TConf: ToolTypes - ACCESS_AREAS	4
1.10	TConf: ToolTypes - ACCESS_AREAS /X3+	5
1.11	TConf: ToolTypes - ACCESS_AREAS /X2+	5
1.12	TConf: ToolTypes - HEADER_TEXT	5
1.13	TConf: ToolTypes - TAILER_TEXT	5
1.14	TConf: ToolTypes - CLEAR_SCREEN	6
1.15	TConf: ToolTypes - STATS_BAR	6
1.16	TConf: ToolTypes - CONF_NAME	6
1.17	TConf: ToolTypes - PASSWORD	6
1.18	TConf: ToolTypes - PASSWORD_TRIES	7
1.19	TConf: ToolTypes - HACK_TEXT	7
1.20	TConf: ToolTypes - ONE_TIME_PASSWORD	8
1.21	TConf: ToolTypes - EXPRESS_VERSION	8
1.22	TConf: Running From Ami-Express.	9
1.23	TConf: Main Index.	9
1.24	TConf: Thanks And Greetings.	9
1.25	TConf: Other Gods' Gift Releases	10

## Chapter 1

# TConf\_V2.14\_DOCS

### 1.1 TConf: Contents.

```

  ____/ \____/  _ \I \ I I_  _I I I I  _ \ / _ \ \ / /_ \____
 \    / I_I I  \I I I I I I_I I I_) I I I \  / \    /
 /_  _\  _ I I\  I I I I  _ I  _ <I I_I /  \/_  _\
  \ / I_I I_I_I  \_I I_I I_I I_I_I  \_\____/_ \_\ \ \ /
                    -*- PRESENTS -*-

```

```

-----
|          TCONF V2.20 RELEASE 2   (Conference Access Lister)          |
|      Written By THRASH Of ANTHROX, ©1994/05 Gods'Gift.            |
| (For ALL Versions And Variants Of Ami-Express BBS Software)      |
-----

```

What Is TConf?

Noteable Features

Installation/Icon Requirements

Icon ToolTypes Used

Running The Door From Ami-Express

Main Index

Thanks And Greetts

Other Gods'Gift Utils

### 1.2 TConf: What IS it?

TConf Is Quite Simply A Conference Access Lister Door. I Know ↔  
Your

Thinking That The Two or Three Already In Existence Are Slow So How The Hell Can This Be A Door? Well, TConf Can Update In REALTIME in Under A Second Due To It Being Written Entirely In Assembler. Try It Once And You'll

Throw Away The Others For Good! Just Take A Look At Some Of The  
Features

TConf Is Compatable With All Versions Of Ami-Express Including S-Express By  
Sigma-Seven.

A Quick Note To Chart-Loosers. If Your Gonna Vote On Any Sad,  
Fake,Fixed Charts, At Least Make Sure You Get It Right!. Dont Vote For  
Either Myself Or POT-N00dle As Individuals. We BOTH Do all The Work -  
Take A Look At The

Releases

We Have Both Done For You

All So Far!. Please Vote For Us As:

GODS' GIFT/ANTHROX

PS: If Somebody Else Asks POT-N00dle About "HIS" Tbar/TTop Etc, Ill Blow  
A Fuckin Fuse! HeHe.

### 1.3 TConf: Features

- o - The GodsGift Seal Of Quality (Even More Rigorous Than Nintendo!)
- o - 100% Assembly Language (As Always!).
- o - 32 Node Compatable.(Actually 100!).
- o - Compatable With ALL versions And Variants Of Ami-Express.
- o - Can Be Run Resident.
- o - RealTime Update Cause You Aint Never Seen One THIS Fast Before!
- o - Using Nice And Easy Icon ToolTypes For ALL Command Options.
- o - Can Display ANY Mixture Of conferences/Access "AREAS".
- o - Optional HeaderFile Display.
- o - Optional TailerFile Display.
- o - Optional Statistics Bar.
- o - Optional ClearScreen For Faster Ansi Displays & lazy Sysops.
- o - Optional Password Protection (With Failure Comments To Callerslog).
- o - Configurable Password Attempts.
- o - One-Time-Passwords!!! (This one Is NICE for The Users!)
- o - Fluffy Sheep Jumping On Pink Clouds All Over The Place.
- o - I Was 100% Sober ThroughOut ALL coding.. (Well Almost!)
- o - Not One Mention Of Fish-Fingers (SHIT!)
- o - These Are Getting Silly.

### 1.4 TConf: Installation

Which Version Of Express Are You Running?

Version 2.x +/-Variant  
..... Non-Icon Versions

Version 3.x +/-Variant  
..... Icon/ToolType Versions

## 1.5 TConf: Installation Express V3.x+

Make An Icon In Your Commands/BBSCMD (Or Commands/ConfX) Directory ↔  
With

The Following ToolTypes:

```
LOCATION=Path And Name Of This Util (Ie DOORS:TCONF2)
MULTINODE=YES
TYPE=XIM
STACK=4096
```

Now Make An Icon (One Is Supplied In This Archive) For TConf2 Itself. You Can Rename The Util To Whatever You Wish So You Can Run Multiple Versions For Different Conferences/Areas. Just Remember To Make The Icons For EVERY Copy You Want To Use. All Options Are Controlled By The Doors Icon

ToolTypes

For Ease Of Use For Users Of Ami-Express V3+.

An Example Icon Is Supplied WWithin This Archive.

## 1.6 TConf: Installation Express V2.x+ / Variant

Copy The Main Executable File To Your Doors Directory Or WhereEver ↔  
You Want

it. Make An Icon For The Util To Get Its Options From The  
ToolTypes

.

You Can Rename The Util To Whatever You Wish So You Can Run Multiple Versions For Different Conferences/Areas. Just Remember To Make An Icon And An EXE For EVERY Different Copy You Want To Use. An Example Icon Is Supplied WWithin This Archive.

## 1.7 TConf: Icon ToolTypes

These Are All The ToolTypes Available To The Sysop:

```
USER_DATA=
..... Full Path/Name Of UserData.
```

```
ACCESS_AREAS=
..... Area Names / Conference Numbers.
```

```
HEADER_TEXT=
```

```
..... Header Text To Be Displayed.

TAILER_TEXT=
..... Bottom Text To Be Displayed.

CLEAR_SCREEN=
..... Clear Screen Before Any Output.

STATS_BAR=
..... Small Stats Bar Underneath Users.

CONF_NAME=
..... Name Of Conference To Be Displayed.

PASSWORD=
..... Password Required To Continue.

PASSWORD_TRIES=
.... Allowed Password Attempts.

HACK_TEXT=
..... HangUp Text To Be Displayed.

ONE_TIME_PASSWORD=
. Special Type Of Password.

EXPRESS_VERSION=
... Version/Variant Number Of Ami-Express.
```

## 1.8 TConf: ToolTypes - USER\_DATA

```
USER_DATA=X
```

This ToolType MUST Exist. "X" Is Simply The FULL Path AND Name Of Your UserData File ie:

```
USER_DATA=BBS:USER.DATA
```

## 1.9 TConf: ToolTypes - ACCESS\_AREAS

Which Version Of Express Are You Running?

```
Version 2.x +/-Variant
..... Non-Icon Versions
```

```
Version 3.x +/-Variant
..... Icon/ToolType Versions
```

---

## 1.10 TConf: ToolTypes - ACCESS\_AREAS /X3+

ACCESS\_AREAS=AREANAME1;AREANAME2 Etc..

This Is The Name Of The Area Used In Your "Access" Drawer. Multiple Areas Can Be Used But Each Area MUST Be Separated By a Semi-Colon ";". Ie..

ACCESS\_AREAS=SYSOP;NEWUSERS           - Show Users Whose "AREA" Is SYSOP Or  
NEWUSERS.

Or

ACCESS\_AREAS=SYSOP;SPECIAL\_USERS;AMIGA;CONSOLE

## 1.11 TConf: ToolTypes - ACCESS\_AREAS /X2+

ACCESS\_AREAS=X;X;X Etc.....

Where "X" Is The NUMBER Of the COncference You Want TConf To Display. You Can Use Multiple Conferences But Each Must Be Separated By A Semi-Colon (;). Ie:

ACCESS\_AREAS=5                   - Show Users With Access To Conf 5.

Or

ACCESS\_AREAS=5;9;1           - Show Users With Access To Confs 5;9 And 1.

## 1.12 TConf: ToolTypes - HEADER\_TEXT

HEADER\_TEXT=X

Where "X" Is The FULL Path AND Name Of A Header/Logo Text You Wish To Be Displayed BEFORE Any User Information Is Shown.Ie

HEADER\_TEXT=BBS:SCREENS/AMIGA/ACCESS\_LOGO1.TXT

## 1.13 TConf: ToolTypes - TAILER\_TEXT

TAILER\_TEXT=X

Where "X" Is The FULL Path AND Name Of A Tailer/Logo Text You Wish To Be Displayed AFTER Any User Information Has Been Shown.Ie

HEADER\_TEXT=BBS:SCREENS/AMIGA/ACCESS\_BOTTOM.TXT

---



## 1.14 TConf: ToolTypes - CLEAR\_SCREEN

CLEAR\_SCREEN=YES/NO

If You Wish The Screen To Be Cleared BEFORE Any Text Is Shown Then Make This YES. It Just Saves Lazy Sysops From Including A Screen Clear On Logos. And Of Course Will Mean The Screen Update Will Be Slightly Faster Due To No "Scroll-Up" By Ami-Express.

## 1.15 TConf: ToolTypes - STATS\_BAR

STATS\_BAR=YES/NO

If You Wish The One Line Of Quick-Stats To Be Displayed At The Bottom Then Set This To YES. It Will Take The Util NO LONGER To Execute So You May As Well Leave It In, Unless You Simply Dont Like The Idea.

## 1.16 TConf: ToolTypes - CONF\_NAME

CONF\_NAME=YES/NO

After The Logo/ClearScreen But BEFORE The Users Are Displayed To The Screen, You Can Have The Conference Name From Which The Util Was Run Displayed At The Top Of The Ansi Output. Simply A Yes/No Option. NOTE: I said The Name Of The Conference TConf Was Run FROM. \*NOT\* The Conference/s You Have Put Into The

ACCESS\_AREAS=  
ToolType.

## 1.17 TConf: ToolTypes - PASSWORD

PASSWORD=XXXX....

If TConf Finds This ToolType Present With A Valid Password It Will Ask The User To Input The Correct Password Before It Will Let Him Exit The Util And Proceed Within The Conference. This Is Mainly Here For Those Sysops Who Wish To Run This Door As Soon As A User Has Joined A Private Conference. The Password Can be ANY combination Of Numbers/Letters Etc, Upto A Maximum Limit Of 59 Characters. The Check Made Is NOT Case Sensitive Cause That Only Would Piss Legitimate Users Off! The User Will Be Given 3 Attempts To Enter The Correct Password Followed By Return. If They Fail All 3 Attempts TConf Will Legally Drop Carrier On The User And Notify The Sysop By Leaving A Suitable Comment Attached To The Nodes CallersLog. Ami-Express Will Then Reset The Node And Await The Next Caller.

See Also:

---

```
PASSWORD_TRIES=  
,  
ONE_TIME_PASSWORD=  
,  
HACK_TEXT=
```

## 1.18 TConf: ToolTypes - PASSWORD\_TRIES

```
PASSWORD_TRIES=X
```

Where X Is A Number Between 1 And 9. This Tells TConf How Many Attempts At Getting The Correct Password Are Allowed Before The User Is Kicked Off The Board. If This ToolType Is NOT Found Then TConf Will Default To 3 Attempts If Passwords Are Required.

See Also:

```
ONE_TIME_PASSWORD=  
,  
HACK_TEXT=  
,  
PASSWORD=
```

## 1.19 TConf: ToolTypes - HACK\_TEXT

```
HACK_TEXT=X
```

Where X Is The FULL Name And Path Of A Text File The Sysop Wants To Be Displayed Just Before A User/Hacker Is To Be Kicked Off The BBS. Ie

```
HACK_TEXT=BBS:DOORS/TCONF/FUCK_OFF.TXT
```

See Also:

```
PASSWORD_TRIES=  
,  
ONE_TIME_PASSWORD=  
,  
PASSWORD=
```

---

## 1.20 TConf: ToolTypes - ONE\_TIME\_PASSWORD

ONE\_TIME\_PASSWORD=YES/NO

This Is A Special PassWord Option. In Order For This To Run Correctly You Will Need To Have An Assigned T: Directory. When A User Logs On And Correctly Gets The PassWord To A Particular Conference A SMALL File In Your T: Dieectory Will Be Created By TConf. If He Rejoins This Same Conf He Will NOT Need To Type In The PassWord Again. TConf Will Keep Track Of ALL Conference PassWords Correctly Accessed By The User And Not Ask For Them A Second Time. This Even Tracks If The User Uses "RL" To Re-Logon Or Simply Calls The Same Node Again Before Any Other Users.

Although A Good Idea (Thanks T.G.R!), This Way Of Doing Things Does Have A slight Problem. If A Hacking User Logs OnTo The Board Straight After The Legitimate User Has Called He Would Have Access To The Protected Conference (DUMB!!). A Simple Way Of Stopping This Problem Is To Delete The File Created In The T: Directory In That Particular Nodes Logoff-Script. So Simply Add To Each Nodes Logoff-Script The Following Line:

```
DELETE T:TConfUser_NodeX      << "X" Is The Node Of The Logoff-Script!!
```

This Will Mean The User WOULD Be required To Insert The Correct PassWord If He Re-Logs On Or Is The Next Person To Call The SAME Node, And Gets Rid Of The Hacker Problem. I could Have Built This In But It Would Mean You Would Have To Run A Second Util As Your "G" Or "RL" Commands And This Was Thought To Be NOT A Good Idea. (Even If "G" Doors Do Suk In My Books!)

Its A Little Hard To Explain How It Works So Try It Out And See For Yourself. A Nice Idea, But ,Of Course, Its Only Optional!

If This ToolType Does NOT Exist, Then TConf Will Default To NO.

See Also:

```
PASSWORD_TRIES=
,
HACK_TEXT=
,
PASSWORD=
```

## 1.21 TConf: ToolTypes - EXPRESS\_VERSION

EXPRESS\_VERSION=X

Where "X" Is the MAIN Version Number Of The Express/Express Variant You Are Using. TConf Of Course CAN Find The Internal Version By Itself (Which It Does By Default If This ToolType Does NOT Exist), However This Will Allow The Variant Programmers Who Are Using The OLD! Version 2 Release To Upgrade Their Version To Number To 3 Without This Util Screwing Up On Them. Ie If your Version Of Express Uses Icon ToolTypes For Everything Then:



Greetings To ALL The Following (And Many Forgotten) For Their FriendShip  
And Work (No Firkin Order!!) :-

ALL MEMBERS Of ANTHROX WORLDWIDE

PRESTiGE, PARADOX, DELiRiUM, FAiRLiGHT, GOD

If You Feel The Need To Get Sommit Off Your Chest Or Wish To Bore Me  
Shitless With Your "AMAZING" Ideas For A New Util Hehe. Then Call One Of  
The WorldWide Anthrox Boards. If You Are Further Interested In GODSGiFT  
Utils Then A Special Conference Has Been Set Up On Our EHQ (BURGERBAR!),  
Where You Can Chat To Myself And Pot-Noodle About Them.

```
+-----+
| USS ENTERPRiSE ... +1-412-233-2611    USS ENTERPRiSE ... +1-RiNG-DOWN!!! |
| USS ENTERPRiSE ... +1-RiNG-DOWN!!!    USS ENTERPRiSE ... +1-RiNG-DOWN!!! |
| USS ENTERPRiSE ... +1-RiNG-DOWN!!!    USS ENTERPRiSE ... +1-RiNG-DOWN!!! |
| BURGER BAR ..... +44-PRI-VATE!!!     BURGER BAR ..... +44-RiNG-DOWN!! |
| CONSOLiA ..... +32-11-234-523!      CONSOLiA ..... +32-11-234-872! |
| SYNERGY ..... +49-PRI-VATE!!!       SYNERGY ..... +49-PRI-VATE!!! |
| SYNERGY ..... +49-***-ISDN!!!       SYNERGY ..... +49-***-ISDN!!! |
| METROPOLIS ..... +34-XXXX-XXXX!!    METROPOLIS ..... +34-XXXX-XXXX!! |
| TRADE LINE ..... +1-XXXX-XXXX!!!    TRADE LINE ..... +1-XXXX-XXXX!!! |
| THE WALL ..... +44-PRI_VATE!!!      ***** SPACE FOR RENT!! ***** |
+-----+
```

-\* SPECIAL REGARDS TO \*-  
PRESTiGE, PARADOX, REDNEX, DELiRiUM, FAiRLiGHT.

## 1.25 TConf: Other Gods'Gift Releases

There should be a directory that came with this archive containing lots of  
example outputs from a selection of the utils featured below.

Contents: G'G Release History.

```
=====
:::::::::::::::::::::::::: GODS'GIFT/ATX RELEASES ::::::::::::::::::::::::::::
=====
```

Dates are the release/completion dates of the latest update.  
Latest releases at the top!...

```
=====
ATX-TC22.LHA | 16-Feb-95 | ThrashConf V2.20 (68000) Thrash of Anthrox
-----+-----+-----
Release [2] | Purpose: | Small bug fixed.
           |           |
=====
```

```
=====
ATX-TC2.LHA | 09-Sep-94 | ThrashConf V2.14 (68000) Thrash of Anthrox
-----+-----+-----
Release [1] | Purpose: | Conference Access Lister Door For ALL /X Versions
-----+-----+-----
           | Extras: | FAST code. Can be made RESIDENT.
=====
```

```

|           | 32 Node/Multi-Node Compatable (Upto 100 nodes!!)
|           | Compatable With ALL Versions Of Ami-Express.
|           | Optional Header/Tailer TEXTS.
|           | Any Number Of Single/Mixed "Areas"/Conferences.
|           | REALTIME Updated Cause This One Is FAST!.
|           | Using Icon TOOLTYPES As Standard For The 1st Time.
|           | Optional User STATISTICS Bar At Bottom.
|           | Option To Display COnference Name.
|           | Optional SCREENCLEAR For Lazy Text Makers/Sysops.
|           | Optional PASSWORD Protection.
|           | PassWord HACK Attempts Logged To CallersLog.
|           | Optional Text Displayed On Drop Carrier.
|           | Configuarable Amount Of PassWord Attempts.
|           | One-Time-PassWords. User Has To Only Enter Pass-
|           | Word Once, Including Re-logons Etc! Till Node Is
|           | Used By Different User.

```

```

=====
ATX-SDCl.LHA | 04-Apr-94 | Super-DupeCheck v1.0 (68000) P0T-NOoDLE of Anthrox

```

```

-----
Release [1] | Purpose: | Dupe-Checker & FileCheck Handler Door.
-----

```

```

| Extras: | FAST code. Can be made resident.
|         | Can run infinite other filechecker-type doors.
|         | Can display infinite text files. (Global & Conf)
|         | Cool percentage-done progress bar!
|         | 32-Node compatable. (Actually, upto 100nodes)
|         | "Script"-style config file for versatility
|         | Skips archive-checking if file is duped.
|         | Allows for DupeChecking to be skipped for Named
|         | Allows for DupeChecking to be skipped for Access
|         | Allows for a special Dupe-Checker filelisting
|         |         that is checked by not viewable by users.
|         | Allows for DupeChecking only on selected DirFiles
|         | Allows for a special Global-Dupe-Dir listing that
|         |         is seached for uploads in ALL conferences.
|         | Actual DupeChecking does NOT have to be performed.
|         |         Can be used to display messages and run doors.
|         | Can check for Dupes where *.LHA = *.ZOO etc.
|         | Skips DupeCheck on private uploads.

```

```

=====
ATX-TCOM.LHA | 01-Oct-93 | ThrashComment v1.00 (68000) Thrash of Anthrox

```

```

-----
| Purpose: | Sysop Comment Door.
-----

```

```

| Extras: | Will use any number of sysops between 1 and 99.
|         | Header/Tailer texts. Special External file option
|         | to display your own ansi instead of the built-in
|         | defaults to make it look how YOU want it.

```

```

=====
ATX-SAL5.LHA | 20-Aug-93 | Super-AmiLog v2.00 (68000) P0T-NOoDLE of Anthrox

```

```

-----
Release [5] | Purpose: | Create a list of the last callers.
-----

```

```

| Extras: | Keeps records of best number of callers etc in
|         | one day. Outputs a list of weekly statistics with
|         | info on the last 7 days, and the weekly averages.
|         | MULTI-NODE compatable. 0 to 20 callers shown.

```

```

|           | Non-ANSI mode. Header/Tailer texts. Random 1 line
|           | messages. Can be made Resident. Docs built into
|           | the util. Mini-Callerslog made with compact info
|           | about each call. For each user, can show Baud,
|           | Node,Name,Location,Connect Time,Logoff Time,
|           | Time Spent Online, Up/Down KBytes,Actions.
|           | Actions include: Up/Download,Up/Download Failed,
|           | Password Hack,Lost Carrier,Paged Sysop,Sysop Cmds.
|           | Shows: Calls Today/Yesterday,Up/Down Files/Bytes
|           | today, and finally Hours used today.

```

```

=====
ATX-NEWL.LHA | 12-Jun-93 | Super-NewLst v1.00 (68000) P0T-NOoDLE of Anthrox
-----

```

```

| Purpose: | Make a list of all new users waiting for access.
-----

```

```

| Extras:  | Lists 3 users per line for compact output.
|         | Put it as a bulletin on your BBS and your users
|         | can let you know if any of the new guys are OK...

```

```

=====
ATXTBAR1.LHA | 23-May-93 | ThrashBar v1.01 (68000) Thrash of Anthrox
-----

```

```

| Purpose: | BarCharts of Top Up/Down Bytes, Up/Down Files,
|         | Callers, Message Writers.
-----

```

```

| Extras:  | Exclude users (by number or sec level).
|         | 0 to ALL users shown on Chart. User Ratings.
|         | Non-ANSI Mode. Header file. Random 1 Line Msgs.
|         | Shows overall BBS statistics: megs/files up/down,
|         | number of leeches/elites/normals. Built in Docs.
|         | Archive contains .GUIDE (hypertext) docs.

```

```

=====
ATX-TT15.LHA | 23-May-93 | ThrashTop v1.05 (68000) Thrash of Anthrox
-----

```

```

| Purpose: | Normal Chart of Top Up/Down Loaders.
-----

```

```

| Extras:  | Unlimited Header/Tailer texts.
|         | 0 to ALL users shown on Chart. User Ratings.
|         | Also shows users' Location,Messages,Calls,Files up
|         | Shows overall BBS statistics: megs/files up/down,
|         | number of leeches/elites/normals. Built in Docs.

```

```

=====
ATX-STAT.LHA | 23-May-93 | ThrashStat v1.03 (68000) Thrash of Anthrox
-----

```

```

| Purpose: | Create a list of all users and their statistics.
-----

```

```

| Extras:  | Shows users' Number,Name,Location,Up/Down Bytes,
|         | Up Files,Calls,Messages Written.
|         | Shows total number of Users,Uploads,Msgs, etc.

```

```

=====
ATX-STC3.LHA | 18-Jan-93 | Super-TopCPS v1.06 (68000) P0T-NOoDLE of Anthrox
-----

```

```

Release [3] | Purpose: | Create a list of the best CPS rates.
-----

```

```

| Extras:  | Never "forgets" CPS rates because it stores then
|         | in it's file! Shows 0 to 20 users. Head/Tail file.
|         | Shows: Username,Date of CPS rate,Filename used,
|         | wether it was an Up/Download,Baud Rate,CPS rate.

```

```
=====
ATX-TCN.LHA | 02-Oct-92 | ThrashConf v1.00 (68000) Thrash of Anthrox
-----+-----+-----+-----
      | Purpose: | Create a list of all users with access to a conf.
-----+-----+-----+-----
      | Extras:   | Shows 3 users per line for compact output.
      |          | Great for those private conferences!
=====
:::
=====
```